

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

432F2 BACKHOE LOADER HRC  
LEICESTER, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## BOOMS, STICKS, AND LINKAGES

### BACKHOE

- 4.3 metre (14ft) side shift excavator style backhoe.
- Boom and swing transport locks
- Pilot operated backhoe
- Mechanically operated stabilizer ctrl
- Pattern changer

### LOADER

- Parallel Lift (PL) Loader
- Lift cylinder brace
- Self-leveling loader
- Transmission neutralizer switch
- Pilot Operated Loader Controls
- Return to Dig
- Loader float function

## POWERTRAIN

- Cat C4.4 ACERT, 74.5KW (101 Gross HP) EU Stage IV compliant
- Engine with 2.7kw starter and thermal starting aid
- Antifreeze solution (-37 Centigrade)
- Combined fuel and water separator
- Dry-type air cleaner with precleaner and filter condition indicator
- Hydraulically boosted brakes (dual pedals for split braking)
- Hand and foot throttle
- Parking brake
- Transmission-Four speed manual shift
- Diff lock (rear axle)
- Hydrostatic power steering
- Spin-on filters for engine oil, fuel, and transmission oil
- ECO mode - All wheel drive

## HYDRAULICS

- Load sensing, variable flow-sharing hydraulics with 163 litres/min axial piston pump
- 5 micron spin-on hydraulic filter
- O-ring face seal hydraulic fittings
- Caterpillar Compact 294 hose
- Electro-hydraulic slide frame lock release

## ELECTRICAL

- 12 volt electrical system
- 120 ampere alternator
- Headlights, stop and tail lights

## ELECTRICAL (Continued)

- Hazard flashers / Horn
- Self cancelling turn signals
- Audible system fault alarm
- Key start/stop system with auxiliary position
- 750 CCA maintenance free battery
- Rear Horn and Backup Alarm
- Stabilizer warning light
- Remote jump start connector

## OPERATOR ENVIRONMENT

### ROPS/ FOPS Cab with:

- Isolation mounts
- Coat hook
- Floor mat and Dome Light
- Front and rear windshield wipers and washers
- Heater/defroster
- Left and right side doors with locks and opening windows
- Lockable storage
- Tilt steering column
- Air suspension fabric seat with 50mm seat belt
- Gauge panel(fuel level/consumption DEF level, engine coolant temp, programmable AUX flows)
- Two exterior rear view mirrors
- Warning light and audible alarm for engine oil pressure and coolant temp
- 8 worklights, front & rear
- Opening rear side windows
- 2 internal power sockets (12v)
- Radio ready headliner
- Vandal guard
- Sun Visor (perforated)
- 2 external beacon sockets
- Steering wheel knob

## FRAMES

- Narrow frame width 2260mm
- Standard frame width 2352mm

## OTHER STANDARD EQUIPMENT

- Impact absorbing front grill
- Ground line fuel fill with 160 litre capacity and 19 litre DEF tank
- CD-ROM Parts Manual
- Operations and Maintenance Manual
- Eco Drain and Security Padlocks

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

432F2 BACKHOE LOADER HRC  
 LEICESTER, ENGLAND

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program.**

566-4700      **432F2 BHL AM-N CFG1** ..... 0      **\$143,720**  
 LANE 2 - AVAILABLE FROM LEICESTER FACTORY  
 LANE 3 - AVAILABLE FROM LEICESTER FACTORY

- INCLUDES:
- 450-8460 432F2 BHL PL, STAGE 4, HRC
  - 450-8698 CAB, DELUXE
  - 450-8715 AIR CONDITIONER, T4
  - 450-8757 ENGINE, 74.5KW, C4.4 ACERT, T4
  - 450-8621 PT, AWD/2WS, AUTOSHIFT
  - 450-8550 HYDRAULICS, QC, 6FCN/8BNK
  - 450-8494 FRAME, NARROW
  - 450-8737 STICK, EXTENDABLE, 14FT
  - 561-3324 RIDE CONTROL
  - 398-2866 LINKAGE, DIG, 14FT, REGULATED
  - 337-9697 GUARD, DRIVESHAFT
  - 353-1492 LINES, TWO-WAY, 14FT E-STICK

**MISCELLANEOUS ORDERS**  
 These will automatically be placed on the factory.

0G-0330      **432 MISC MTRL LEICESTER** ..... 0      **NC**

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

## LANE SELECTION

### *LANE 2/ LANE 3 FACTORY ARRANGEMENTS*

<b>0P-9002</b>	<b>LANE 2 ORDER</b> . . . . . 0 Only for dealers enrolled in the Base Orders Management (BOM) program	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> . . . . . 0	<b>NC</b>

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

## REGIONAL PACKAGES

### REGIONAL PREPARATION PACKAGES

Please note Certificates of Conformity - EEC Directives are now part of the EU Preparation Pack. In those cases where a NON COMPLIANT MACHINE is requested for an EEC Destination, the project needs to be CLEARED with PRODUCT SAFETY AND ENVIRONMENTAL CONTROL, GENEVA prior to placing the order.

## BOOMS, STICKS, AND LINKAGES

### BACKHOE STICKS

L	450-8737	STICK, EXTENDABLE, 14FT . . . . .	0	\$5,090
		Provides 5.3 metre (17.4ft) maximum digging depth		

### BACKHOE LINKAGE

**BACKHOE LINKAGES (DIG ONLY)**  
**INCLUDES:** Bucket linkage without lifting eye  
 For machines not fitted with object handling / boom and stick check valves

L	398-2866	LINKAGE, DIG, 14FT, REGULATED . . . . .	0	NC
		FOR USE WITH: 450-8736 STICK, STANDARD, 4.3M (14FT) or 450-8737 STICK, EXTENDABLE 4.3M (14FT)		

**BACKHOE LINKAGES (OBJECT HANDLING)**  
**INCLUDES:** Lifting eye on bucket linkage plus audible alarm that warns when machine object handling stability has been reached. Also includes check valves.  
 For machines fitted with object handling / boom and stick check valves

## POWERTRAIN

### POWERTRAINS (Gearbox, Axles, Lines)

L	450-8621	PT, AWD/2WS, AUTOSHIFT . . . . .	0	\$14,430
		Provides all wheel drive/ 2 wheel steered automatic gear shift and transmission		

### ENGINES(Engine, Cooler, Filters, Lines & Mtg)

L	587-1452	ENGINE, 74.5KW,C4.4 ACERT, T4F . . . . .	0	\$7,070
		EU Stage IV Certified Engine with aftertreatment Electronic, turbocharged & aftercooled Gross Power @ Rated (2200RPM) ISO 14396 101HP (74.5kW) REQUIRES: 396-3935 PREPARATION PACKAGE, EU		

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**ENGINES(Engine, Cooler, Filters, Lines & Mtg) (Cont.)**

L	587-1453	ENGINE, 82KW,C4.4 ACERT, T4F . . . . . 0		\$8,760
		EU Stage IV Certified Engine with aftertreatment Electronic, turbocharged & aftercooled Gross Power @ Rated (2200RPM) ISO 14396 111HP (82kW) REQUIRES: 396-3935 PREPARATION PACKAGE, EU		

**HYDRAULICS**

**BACKHOE HYDRAULICS**

Must select one if E-Stick required  
See Optional Attachment section for Standard Stick Aux Lines  
Please note: 2 way lines now include one way lines

L	353-1492	LINES, TWO-WAY, 14FT E-STICK . . . . . 0		\$3,460
		Provides 2-way auxiliary flow, and also includes 1-way flow with a dedicated hammer return to tank (COMBO). Note: Requires E-stick to be pinned retracted for operation. For use with one way flow tools, such as a Hydraulic Hammer, Vibratory compactor or Cold Planer, and two way flowtools such as an auger or tilting bucket. 450-8737 STICK, EXTENDABLE, 4.3M (14FT) 450-8738 STICK, EXTENDABLE, 4.3M(14FT)NARROW		

**LOADER & BACKHOE HYDRAULICS (inc Valves and Lines)**

L	450-8550	HYDRAULICS, QC, 6FCN/8BNK . . . . . 0		\$6,940
		Includes valves, lines, controls, loader quick coupler, control unit for angle broom and loader continuous flow and hydraulics for standard hoe functions, including E-stick or standard stick, plus an extra auxiliary valve slice (8th function). Also includes a separate thumb wheel on the hoe joystick to control the extra auxiliary valve. Note: Does not include any hoses or lines on the boom and stick - these are dealer fabricated items.		

**LOADER BUCKETS - QUICK COUPLER**

Select one - for use with QC Hydraulics.

P	216-8810	BUCKET-MP, 1.3 YD3, IT . . . . . 1,549		\$7,136
		1.25 cu. yd. SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	216-8840	BUCKET-MP, 1.4 YD3, IT . . . . . 1,612		\$7,632
		1.35 cu. yd. SAE capacity Multi Purpose IT. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included).		
P	251-1794	BUCKET-GP, 1.5 YD3, IT . . . . . 1,030		\$4,326
		1.5 cu. yd. SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge, Two piece, Wide (not included).		
P	251-1800	BUCKET-GP, 1.31 YD3, IT . . . . . 979		\$3,682
		1.31 cu. yd. SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**TEETH / CUTTING EDGE**

P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE . . . . .	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets.		
P	9R-5321	CUTTING EDGE, TWO PIECE . . . . .	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket.		
P	9R-5866	TEETH . . . . .	61	\$389
		Includes eight bolt-on Uniteeth and hardware.		

**OPERATOR ENVIRONMENT**

**CAB**

L	450-8698	CAB, DELUXE . . . . .	0	\$10,790
		Includes the following additions to the standard cab:		
		- Fresh air recirculation		
		- Auto-up stabilizers		
		- Telescopic steering column		
		- Courtesy light on door opening		

**WORKING LIGHTS**

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS . . . . .	0	NC
L	491-6736	WORKLIGHTS (8) LED LAMPS . . . . .	0	\$875

**SEATING**

L	433-4809	SEAT, DELUXE FABRIC . . . . .	0	\$925
		Fabric seat with head and arm rests, air suspension and enhanced adjustment.		
		For use in a deluxe cab only		
L	469-7056	SEAT, DELUXE FABRIC, HEATED . . . . .	0	\$1,435
		Heated fabric seat with head and arm rests, improved air suspension and enhanced adjustment.		
		For use in any enclosed cab		

**ENVIRONMENTAL CONTROL**

L	450-8715	AIR CONDITIONER, T4 . . . . .	0	\$2,925
---	----------	-------------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

**432F2 HRC**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>

From there click on the "PRODUCT LINK Hardware Certification" link.

L	447-0048	PRODUCT LINK, SATELLITE PL631E . . . . .	0	\$439
		PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	581-1781	PRODUCT LINK, CELLULAR PL641 . . . . .	0	NC
		PL641 uses GSM and CDMA 4G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**TIRES, RIMS, AND WHEELS**

**Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.**

**NOTE: ALL Tire Groups contain valve stem protection as standard**

**TIRES AVAILABLE FROM MICHELIN**

P	533-2163	TIRES, 340 80R20/480 80R26, MX . . . . .	0	\$3,535
		Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and floatation.		

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**FRONT BUMPER/COUNTERWEIGHTS**

Select one - Lane 2 & Lane 3

Recommended counterweight selection range  
 432F2, AWD, STD STICK, GP BUCKET 240KG  
 432F2, AWD, STD STICK, MP BUCKET 0KG  
 432F2, AWD, E - STICK, GP BUCKET 460KG  
 432F2, AWD, E - STICK, MP BUCKET 115KG  
 432F2, PL LOADER QC - ALL VERSIONS 460KG

P	337-9693	COUNTERWEIGHT, NONE . . . . .	0	NC
P	337-9694	COUNTERWEIGHT, 255 LBS . . . . .	0	\$680
P	337-9695	COUNTERWEIGHT, 530 LBS . . . . .	0	\$895
P	337-9696	COUNTERWEIGHT, 1015 LBS . . . . .	0	\$1,765

**FRAMES**

L	450-8494	FRAME, NARROW . . . . . Provides main frame with reduced stabilizer leg width. CANNOT BE USED WITH: STICK, EXTENDABLE, 4.9M (16ft)	0	NC
---	----------	--	---	----

**INSTRUCTIONS**

**INSTRUCTIONS AND OPERATION MANUALS**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>			
566-6895	INSTRUCTIONS, ANSI . . . . .	0	NC
REQUIRED BY: USA DEALERS			



CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**NOTE**

**LANE 2/ LANE 3 OPTIONAL SELECTIONS**

All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

**HYDRAULICS**

**LOADER HYDRAULICS**

L	561-3324	<b>RIDE CONTROL</b> . . . . . 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		\$1,490
---	----------	---	--	---------

**BACKHOE HYDRAULICS**

P	456-3390	<b>COUPLING,QD,THREADED WITH CAPS</b> . . . . . 4 This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. Compatible with all backhoe work tools. Compatible with Caterpillar hammers and work tools. REQUIRED BY: ALL LINES ONE & TWO WAY CANNOT BE USED WITH: 4891834 COUPLING NONE		\$371
P	489-1834	<b>COUPLING NONE</b> . . . . . 0 This includes caps to close off lines when quick disconnects are not selected. REQUIRED BY: ALL LINES ONE & TWO WAY CANNOT BE USED WITH: 456-3390 COUPLING,QD,THREADED WITH CAPS		NC
P	487-6058	<b>COUPLER NONE</b> . . . . . 0 This includes caps to close off lines when hyd coupler is not selected. REQUIRED BY: 450-8581 LINES, HYD COUPLER STD-STICK or 450-8582 LINES, HYD COUPLER E-STICK 450-8583 LINES, HYD COUPLER E-STICK CANNOT BE USED WITH: 485-5303 COUPLER		NC
L	398-2442	<b>SWITCH,HOE HYD,CONTINUOUS FLOW</b> . . . . . 0 Optional switch to allow continuous hydraulic flow to a worktool without constant pressure on joystick thumb switch.		\$71

**ELECTRICAL**

**EXTERNAL ELECTRICS**

P	211-4292	<b>BEACON, MAGNETIC MOUNT</b> . . . . . 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
---	----------	---	--	----------

**RADIO**

P	540-2298	<b>RADIO, FM BLUETOOTH</b> . . . . . 0 Cat FM Radio with bluetooth, aux input & microphone FOR USE IN ENCLOSED CABS ONLY.		\$550
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>ELECTRICAL (CONT.)</b>				
<b>FACE FAN</b>				
L	387-6682	FAN..... 0 FOR USE WITH: DELUXE CABS ONLY		\$230
<b>SECURITY KEYPAD</b>				
L	387-6570	SECURITY SYSTEM, KEYPAD .....0 The keypad unit is a self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$499
<b>HEAVY DUTY BATTERY</b>				
L	457-2797	BATTERY, HEAVY DUTY .....0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
<b>COLD WEATHER PACKAGES</b>				
L	398-2882	COLD WEATHER PACKAGE, 120V HRC ..... 0 Provides additional battery and engine block heater as well as radiator antifreeze (to -55 celsius), mounting for an ether bottle and low temperature diesel fuel (to -30 celsius). The ether bottle is available seperately from Parts Distribution CANNOT BE USED WITH: COLD WEATHER FUEL		\$780
L	396-6505	FUEL, COLD WEATHER ..... 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN COLD WEATHER PACK		\$139 NET
<b>GUARDS</b>				
<b>GUARDS</b>				
P	337-9697	GUARD, DRIVESHAFT ..... 0 Recommended for use with All Wheel Drive machines.		\$685
<b>OTHER ATTACHMENTS</b>				
P	9R-0868	STABILIZER PADS, STREET ..... 82 Set of two rubber pads which bolt to shoe. For use on asphalt or concrete surfaces.		\$770
P	467-4599	GUARD, REAR LIGHT ..... 0 Provides protection for brake and tail lights.		\$332
<b>FENDERS</b>				
P	337-6851	FENDERS, FRONT ..... 0 Set of two front fenders with integrated steps.		\$576

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**SERVICE FILTER PACK**

P	399-0118	SERVICE FILTER PACK, T4/C4.4 . . . . .	0	\$101 NI NET
This pack includes: Transmission, Engine and Machine hydraulic filters together with fuel water separator filter. NOTE: Only one pack per machine order.				

**POWER SIDE SHIFT**

P	580-6196	POWER SIDE SHIFT . . . . .	0	\$5,630
Factory installed				

**WORK TOOLS**

**LOADER - WORK TOOLS**

P	6W-8832	CARRIAGE, PALLET, 61", IT . . . . .	699	\$2,511 NI
Standard carriage. Does not include tines. FOR USE WITH: QUICK COUPLER HYDRAULIC ARRANGEMENTS				
P	195-6935	FORK TINE, 2" X 5" X 48" . . . . .	216	\$765 NI
One tine only, specify qty of 2 for pair.				
P	195-6939	FORK TINE, 2" X 5" X 54" . . . . .	232	\$793 NI
One tine only, specify qty of 2 for pair.				

**BACKHOE - COUPLERS**

Please note when ordering a coupler:  
 318-9902 Bucket Pins are required for EACH ADDITIONAL Bucket.

P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL . . . . .	192	\$2,090
Mechanical Hoe quick coupler for backhoe buckets. (Base machine includes one set of pins and hardware to attach one bucket).				
L	485-5303	COUPLER, PG, HYD.D.LOCK,BHL . . . . .	192	\$4,083
Hydraulic quick coupler with dual lock for backhoe buckets. REQUIRES: SELECTION FROM HYDRAULIC QUICK COUPLER LINES BELOW.				

**BACKHOE - HYDRAULIC QUICK COUPLER LINES, PINS & LOCKS**

L	450-8582	LINES,HYD COUPLER 14FT E-STICK . . . . .	192	\$2,324
Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and 4.3M (14FT) EXTENDABLE STICK				
L	450-8583	LINES,HYD COUPLER 16FT E-STICK . . . . .	192	\$2,324
Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and 4.9M (16FT) EXTENDABLE STICK				
P	318-9902	PINS, SPARE . . . . .	6	\$175 NI
Please order as 'Not-Installed'. Includes bucket pins and hardware. FOR USE WITH: MANUAL OR HYDRAULIC COUPLERS				

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**BACKHOE BUCKETS**

Order as 'Not Installed'  
 Heavy Duty Backhoe Buckets - Uniteeth  
 Includes 3-piece cutting edge with wear strips welded on back of bucket for increased wear resistance, and bolt on Uniteeth.

P	219-3387	BUCKET-HD, 24", 6.2 FT3	333	\$1,717 NI
		Includes 5 tooth tips.		
P	219-3396	BUCKET-ROCK, HD, 24", 7.0 FT3	381	\$1,892 NI
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 FT3, PL	370	\$1,846 NI
		This Pin Lock bucket includes 5 tooth tips.		
		ONLY FOR USE WITH: 487-0712 COUPLER, PIN LOCK		

**Standard Duty Backhoe Buckets - Uniteeth**

Features scalloped sides and short floor.  
 For use with CAT sticks

P	219-3381	BUCKET, 24", 6.2 FT3	291	\$1,335 NI
		Includes 5 tooth tips.		

**High Capacity Heavy Duty Backhoe Buckets - Uniteeth**

Includes 3-piece cutting edge with wear strips welded on back of bucket for increased wear resistance, and bolt on Uniteeth.  
 (SAE rated capacities)

P	254-8941	BUCKET-SOIL, 24", 8.5 FT3	395	\$1,854 NI
		Includes 5 angle-down adapters and soil tooth tips.		

**FIELD INSTALLED ATTACHMENTS**

**KITS AVAILABLE EX-FACTORY**

NOTE: Order kits using top level reference number for miscellaneous material. The order must include kit packing instructions (See Packing). All kits will be shipped freight collect.

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

**BACKHOE KITS**

P	387-6459	KIT, 1 WAY AUX LINES, STD STK	0	\$3,032 NI
		Provides 1-way auxiliary flow, for use with a Standard Stick.		
		Includes a dedicated hammer return directly to tank.		
		Includes everything required to upgrade a machine not fitted with auxiliary lines. Ideal for worktools such as hammers, cold planners and vibratory compactors.		
		For installation instructions see Media Number REHS5781 in SIS Web.		
		Suggested time for installation - 6 hours.		

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**BACKHOE KITS (Cont.)**

P	387-6460	<p><b>KIT, 1 WAY AUX LINES, 4.3M E-STK</b> . . . . . 0</p> <p>Provides 1-way auxiliary flow, for use with 4.3M (14FT). Includes a dedicated hammer return directly to tank. Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 6 hours.</p>		\$3,032 NI
P	387-6461	<p><b>KIT, 2 WAY AUX LINES, 4.3M E-STK</b> . . . . . 0</p> <p>Provides 2-way auxiliary flow, for use with 4.3M (14FT) and includes 1-way flow with a dedicated hammer return to tank (COMBO). Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. For use with one way flow tools, such as a Hydraulic Hammer, Vibratory compactor or Cold Planer, and two way flow such as an auger or tilting bucket. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 10 hours.</p>		\$3,422 NI
P	387-6462	<p><b>KIT, 1 WAY AUX LINES, 16FT E-STK</b> . . . . . 0</p> <p>Provides 1-way auxiliary flow, for use with 4.9M (16FT). Includes a dedicated hammer return directly to tank. Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 6 hours.</p>		\$3,032 NI
P	349-1348	<p><b>KIT, 2 WAY AUX E-STK UPGRADE</b> . . . . . 0</p> <p>Upgrades the existing 1-way flow auxiliary lines to include 2-way flow (COMBO). For use with 4.3M (14FT) extendible stick only. Requires machine to already be installed with 1-way auxiliary lines (not included in this kit). Note: Requires E-stick to be pinned retracted when using the aux circuit. Allows machine to use two way flow tools such as an auger or tilting bucket as well as any existing 1 way flow tools. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 4 hours.</p>		\$271 NI
P	349-2410	<p><b>KIT, 2 WAY AUX LINES E STICK</b> . . . . . 0</p> <p>Provides 2-way auxiliary flow, for use with 4.9M (16FT) extendible stick only. Requires machine with 1-way auxiliary lines (not included in this kit). Note: Requires E-stick to be pinned retracted when using the aux circuit. Allows machine to use two way flow tools such as an auger or tilting bucket as well as any existing 1 way flow tools. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 4 hours.</p>		\$505 NI NET

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**BACKHOE KITS (Cont.)**

P	473-0888	<b>KIT, HYD CPLR LINES, 14FT E-STK</b> . . . . . 0 Provides hydraulic lines, valve and electrical controller for the Caterpillar Hoe Hydraulic Coupler. Fits the 4.3m E-stick. Note: Does not include the Hoe Quick Coupler.		\$1,724 NI
P	473-0889	<b>KIT, HYD CPLR LINES, 16FT E-STK</b> . . . . . 0 Provides hydraulic lines, valve and electrical controller for the Caterpillar Hoe Hydraulic Coupler. Fits the 4.9m E-stick. Note: Does not include the Hoe Quick Coupler.		\$1,724 NI
P	442-9566	<b>KIT, HOE, COUPLING Q-DISCON</b> . . . . . 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$363 NI
P	178-3593	<b>PINS, BUCKET, BHL-F, 45MM-50MM</b> . . . . . 6 Includes bucket pins and hardware. Required on the bucket when installing a hoe quick coupler.		\$168 NI
P	223-1882	<b>PINS, SPARE, NARROW STICK</b> . . . . . 2  Includes additional bucket pins and hardware. Required on the bucket when installing a hoe quick coupler on a narrow stick.		\$125 NI NET
P	387-6468	<b>KIT, OBJECT HANDLING, EU, 14FT</b> . . . . . 0 Includes boom & stick cylinder lock valves and stability alarm system. For use within the EU when the hoe bucket link has a lifting eye.		\$2,526 NI
P	387-6469	<b>KIT, OBJECT HANDLING, EU, 16FT</b> . . . . . 0 Includes boom & stick cylinder lock valves and stability alarm system. For use within the EU when the hoe bucket link has a lifting eye.		\$2,526 NI

**LOADER KITS**

P	255-9086	<b>KIT, FORK</b> . . . . . 0 Provides components to fit Fold Over Forks to a MP Bucket without Forks or Fork Brackets For installation instructions see Media Number REHS5786 in SIS Web. Suggested time for installation - 6 hours. Requires some welding.		\$1,861 NI
P	387-6451	<b>KIT, RIDE CONTROL (PILOT/ECM)</b> . . . . . 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry. For installation instructions see Media Number REHS5776 in SIS Web. Suggested time for installation - 6 hours.		\$1,418 NI
P	472-4303	<b>KIT, QUICK COUPLER, LOADER</b> . . . . . 0 This Kit provides a Front Loader Quick Coupler enabling the machine to use IT worktools. The kit includes the quick coupler, electrical harness and switches in the Cab front console. This kit requires front aux lines (MP) to already be installed on the machine. For installation instructions see Media Number REHS9961 in SIS Web. Suggested time for installation - 6 hours.		\$4,244 NI

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**LOADER KITS (Cont.)**

P	455-7380	<b>KIT, LOADER, COUPLING QD</b> ..... 0 Includes both male and female 'Twist to Connect' loader hydraulic quick disconnect couplings with protective caps.		\$368 NI
---	----------	---	--	----------

**OTHER KITS**

P	387-6472	<b>KIT, FENDER, FRONT</b> ..... 0 Includes Fenders, Integrated steps, brackets and mounting hardware. Suggested time for installation - 1 hour.		\$571 NI
---	----------	--	--	----------

P	387-6471	<b>KIT, POWER SIDE SHIFT COMPLETE</b> ..... 0 This kit includes a dedicated PSS hydraulic valve, cylinders, hoses, connectors and hardware required to upgrade a factory built machine to operate using a Powered Side Shift. This kit is compatible with Mechanical and Pilot hydraulically operated machines on both Standard and Narrow frame models. This kit can not be upgraded to 8th Function on Pilot machines. This kit can be upgraded on Mechanical models using KIT-AUX (8TH FUNCTION)(MECH)(EXTRA SLICE) For installation instructions see Media Number REHS5788 in SIS Web. Suggested time for installation - 6 hours.		\$3,243 NI
---	----------	--	--	------------

P	473-2821	<b>KIT, 8TH FUNCTION HYDRAULIC</b> ..... 0 This kit includes a modular hydraulic 2 way flow hydraulic valve (mounted separately to the main hoe valve) controlled by a thumbwheel on the R/H hoe joystick. This kit is compatible with Pilot hydraulically operated machines with either Standard or Narrow frames. There is a separate kit available to upgrade this valve to also operate the Powered Side Shift kit. Note: This kit does NOT include any hoses along the boom and stick to the worktool. For installation instructions see Media Number REHS5788 in SIS Web. Suggested time for installation - 4 hours, excluding any dealer supplied and fitted implement hoses.		\$1,600 NI
---	----------	---	--	------------

P	473-2822	<b>KIT, POWER S/SHIFT &amp; 8TH FUNC</b> ..... 0 This kit includes a modular hydraulic 2 way flow hydraulic valve (mounted separately to the main hoe valve) and the hardware required to upgrade a factory built machine to operate using the Powered Side Shift function. The 2 way auxiliary function includes the valve, a thumbwheel on the R/H hoe joystick. Note: This kit does NOT include any hoses along the boom and stick to the worktool. This Kit is compatible with Pilot hydraulically operated machines whether Standard or Narrow framed. For installation instructions see Media Number REHS5788 in SIS Web. Suggested time for installation - 6 hours, excluding any dealer applied and fitted implement hoses.		\$4,931 NI
---	----------	---	--	------------

CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**OTHER KITS (Cont.)**

P	467-0071	<b>KIT, STREET PADS, MP-BUCKET</b> . . . . . 70 This kit provides a pair of street pads that clamp in the MP bucket. These pads keep the loader bucket from damaging the ground when using the bucket as a support when digging with the hoe. The street pads are stored on the rear of the hoe bucket when not in use. Includes the street pads and weld-on storage brackets. For installation instructions see Media Number REHS6628 in SIS Web. Suggested time for installation - 2 hours. Requires some welding. FOR USE WITH: MULTI-PURPOSE BUCKETS ONLY		<b>\$979 NI</b>
P	482-1308	<b>KIT, SECURITY KEYPAD</b> . . . . . 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. For installation instructions see Media Number REHS9977 in SIS Web. Suggested time for installation - 2 hours.		<b>\$493 NI</b>

**SPARE TIRES**

Provides one spare tire & rim. Please note certain front and rear tire arrangements are RH directional, a rework maybe be required to switch the direction to LH directional  
Spare tire orders with the machine can only be shipped by RORO.  
By truck shipments please order by stand alone misc order.  
Spare tires will be packed and banded on a pallet.  
Please select 0G-3282 Packing with your spare tire order.

P	529-8639	<b>SPARE TIRE, 12.5 80-18, CAMSO</b> . . . . . 0		<b>\$860 NI</b>
P	529-8641	<b>SPARE TIRE, 18.4-26, CAMSO</b> . . . . . 0		<b>\$2,230 NI</b>
P	529-8640	<b>SPARE TIRE, 16.8-28, CAMSO</b> . . . . . 0		<b>\$1,700 NI</b>
P	273-3326	<b>SPARE,TIRE 12.5/80-18 MICHELIN</b> . . . . . 0		<b>\$640 NI NET</b>
P	518-6190	<b>SPARE TIRE, 440/80-28 MICHELIN</b> . . . . . 0		<b>\$2,630 NI</b>
P	578-0527	<b>SPARE TIRES, 480/80-26 CL MX</b> . . . . . 0		<b>\$2,515 NI</b>
P	341-9205	<b>SPARE TIRES 340 80-20, MX</b> . . . . . 0		<b>\$1,450 NI</b>
P	303-0420	<b>TIRE, SPARE 340/80R18 XMCL RH</b> . . . . . 0		<b>\$1,550 NI</b>
P	303-0422	<b>TIRE/ RIM, 440/80 R28 XMCL RH</b> . . . . . 0		<b>\$2,735 NI</b>
P	476-5366	<b>TIRES, 440/80R28, MX</b> . . . . . 0		<b>\$1,680 NI</b>



CATERPILLAR MACHINE PRICE LIST

# 432F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**SPARE TIRES (Cont.)**

P	578-0528	SPARE TIRES, 480/80R26 XMCL MX . . . . .	0	\$3,345 NI
---	----------	--	---	------------

**KIT, Two-Way flow aux lines for Standard Stick**  
 This kit provides all the components to install two-way auxiliary flow (combo) for machines fitted with a standard stick, allowing the machine to use worktools such as an auger. Installation instruction can be found in SIS under Media number M0071194.  
 Estimated Installation time - 4 hours  
 Note: For parts required to install this kit, refer to the Special Instruction. Some parts may need to be ordered via the service parts system, or manufactured by the dealer.  
 Note: Requires machine to be already be fitted with one-way auxiliary lines - not included in this kit.  
 See the Special Instruction for further details.  
 Note: The 349-1348 kit that is needed for this instruction can be ordered either ex-factory, or from the service parts distribution system.

**PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
	Required for all machines for USA & Canada		
0G-0077	PACK, ADDITIONAL REAR BUCKETS . . . . .	0	\$65 NET
	Packing required for all additional buckets		
0G-3268	PACK FOR FRONT BUCKET NOT INST . . . . .	0	\$124 NET
	One Packing per Not Installed Bucket must be ordered		
0G-3269	PACK-N.I. BUCKET OR DISMOUNTED . . . . .	0	NC
	One Packing per Not Installed Bucket must be ordered		
0G-3304	PACKING FOR FORK /HOOKS/TINES . . . . .	0	NC
0G-3280	PACK, MISCELLANEOUS MATERIAL . . . . .	0	NC
461-6840	SHIPPING/STORAGE PROTECTION . . . . .	0	\$203 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
462-1034	RUST PREVENTATIVE APPLICATOR . . . . .	0	\$108 NET
	Preparation for shipment - Silix applicators recommended for shipment by sea, required if RORO shipping used.		