

CATERPILLAR MACHINE PRICE LIST

434434 BACKHOE LOADER
LEICESTER, ENGLANDShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES**BACKHOE**

- 4.3 metre side shift excavator style backhoe.
- Boom and swing transport locks
- Mechanical operated backhoe and stabilizer controls

LOADER

- Parallel Lift (PL) Loader
- Lift cylinder brace
- Self-leveling loader
- Transmission neutralizer switch
- Mechanical operated loader controls
- Return to Dig
- Loader Float Function

POWERTRAIN

- Engine with 2.7kw starter and thermal starting aid
- Antifreeze solution (-37 Centigrade)
- Water Separator(combined fuel/water)
- Dry-type air cleaner with precleaner and filter condition indicator
- Hydraulically boosted brakes with dual pedals
- Hand and foot throttle
- Parking brake
- Transmission-Four speed manual shift
- Transmission neutralizer axle
- All wheel drive with rear diff lock
- Hydrostatic power steering
- Spin-on filters for engine oil, fuel, and transmission oil

HYDRAULICS

- Load sensing, variable flow system with 162 L/min (43 gpm) axial piston pump
- 6 micron spin-on hydraulic filter
- Caterpillar Compact 294 hose
- Electro-hydraulic slide frame lock release
- Hydraulic oil cooler
- Flow-Sharing Hydraulic Valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals

- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Self cancelling turn signals
- Diagnostic ports for engine and machine Electronic Control Modules

OPERATOR ENVIRONMENT

European ROPS Cab with:

- Isolation mounts
- Coat hook
- Floor mat and Dome Light
- Front and rear windshield wipers and washers
- Heater/defroster
- Left and right side doors with locks and opening windows
- Lockable storage
- Tilt steering column
- Air suspension fabric seat with 50mm seat belt
- Backlit gauge group (fuel level, engine coolant temperature, tachometer, and electric hourmeter)
- Two exterior rear view mirrors
- Warning light and audible alarm for engine oil pressure and coolant temp
- Worklights, 4 front & 4 rear
- Opening rear side windows
- Internal power socket (12v)
- Radio ready headliner
- Vandal guard
- Sun Visor (perforated)
- 2 external beacon sockets
- Steering wheel knob

FLUIDS

- Antifreeze - Extended Life Coolant -30C (-20F)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 160L (42.3 gal) capacity & 19L (5 gal) diesel exhaust fluid
- Rubber impact strips on radiator guard
- CD-ROM Parts Manual
- Safety Manual

CATERPILLAR MACHINE PRICE LIST

434

434 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

434

434 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

434

434 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>603-3546</p> <p>434 07A BHL AM-N DCA1 0</p> <p>LANE 3 - AVAILABLE FROM LEICESTER FACTORY</p>	<p>0</p>	<p>\$148,530</p>
---	----------	-------------------------

- INCLUDES:
- 543-3350 434 07A BACKHOE LOADER CFG2
 - 9R-0868 STABILIZER PADS, STREET
 - 337-9694 COUNTERWEIGHT, 255 LBS
 - 337-9732 SOUND SUPPRESSION, EU, 103 DB
 - 387-6612 LIGHTS, ROADING, RH DIP
 - 398-2866 LINKAGE, DIG, 14FT, REGULATED
 - 456-3390 COUPLING, QD, THREADED WITH CAPS
 - 467-4599 GUARD, REAR LIGHT
 - 486-0971 FENDERS, FRONT
 - 491-6734 WORKLIGHTS (8) HALOGEN LAMPS
 - 540-2301 RADIO, DAB BLUETOOTH
 - 542-7810 AIR CONDITIONER, T4F
 - 543-5179 ENGINE, 74.5KW, C3.6 DITA, T5
 - 544-5782 HYD, MP, PILOT, 5FNC/7BNK
 - 545-5047 DISPLAY, STANDARD
 - 545-5097 STICK, EXTENDABLE, 14FT, PILOT
 - 545-6688 PT, AWD/4WS, POWERSHIFT, PILOT
 - 548-1197 LINES, TWO-WAY, 14FT E-STICK
 - 549-4574 GUARD, DRIVESHAFT
 - 551-6942 COLD WEATHER PACKAGE, 240V
 - 557-4934 CAB, DELUXE
 - 559-3958 PREPARATION PACKAGE PILOT, EU
 - 560-6797 PRODUCT LINK, CELLULAR, PLE643
 - 564-2022 LOADER QUICK COUPLER
 - 567-5090 AUTO-UP STABILIZERS
 - 569-6244 RIDE CONTROL
 - 573-4520 SEAT, DELUXE FABRIC
 - 586-0928 POWER SIDE SHIFT

CATERPILLAR MACHINE PRICE LIST

434

434 BACKHOE LOADER
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

MISCELLANEOUS ORDERS

These will automatically be placed on the factory.

OP-7262

434 MISC MATL 0

NC

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

OP-9003	LANE 3 ORDER	0		NC
---------	------------------------	---	--	----

HYDRAULICS

LOADER BUCKETS - QUICK COUPLER

P	458-6805	BUCKET-GP, 1.7 YD3, IT, BOCE	1,164	\$4,703
		Includes bolt-on cutting edge		
P	458-6806	BUCKET-GP, 1.7 YD3, IT, BOT	1,074	\$4,760
		Includes bolt-on teeth		
P	458-6832	BUCKET-MP, 1.7 YD3, IT, BOCE	1,940	\$6,800
		Includes bolt-on cutting edge		
P	458-6831	BUCKET-MP, 1.7 YD3, IT, BOT	1,850	\$6,857
		Includes bolt-on teeth		

OPERATOR ENVIRONMENT

SEAT BELT

L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$146
---	----------	------------------------------------	---	-------

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

NOTE: ALL Tire Groups contain valve stem protection as standard

TIRES AVAILABLE FROM MICHELIN

P	365-7287	TIRES, 440 80R28, MX, XMCL	0	\$6,460
		Michelin 440/80R28 XMCL radial directional rear tires for excellent traction on all types of ground and good wear resistance on hard abrasive surfaces.		

DOCUMENTATION

DECAL PACKAGES

P	559-0872	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx	NC
-----------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

WORK TOOLS

Heavy Duty Backhoe Buckets - Uniteeth

Order as 'Not Installed'and add the packing reference 0G-3269.

Note:Includes 3-piece cutting edge with wear strips welded on back of bucket for increased wear resistance, and bolt on Uniteeth.

P	273-3731	BUCKET-HD, 12", 2.8 FT3, UNI	0	\$785 NI
		Includes 3 bolt-on Uniteeth.		
P	273-0862	BUCKET-HD, 18", 4.2 FT3, UNI	0	\$882 NI
		Includes 3 bolt-on Uniteeth.		
P	273-0799	BUCKET-HD, 24", 6.2 FT3, UNI	0	\$1,007 NI
		Includes 4 bolt-on Uniteeth.		
P	273-0042	BUCKET-HD, 30", 8.2 FT3, UNI	0	\$1,132 NI
		Includes 5 bolt-on Uniteeth.		

Standard Duty Backhoe Buckets - Uniteeth

Order as 'Not Installed'and add the packing reference 0G-3269.

NOTE: Features scalloped sides and short floor.
 For use with CAT sticks

P	273-3791	BUCKET, 12", 2.8 FT3, UNI	0	\$785 NI
		Includes 3 bolt-on Uniteeth		
P	273-1374	BUCKET, 18", 4.2 FT3, UNI	0	\$882 NI
		Includes 3 bolt-on Uniteeth		
P	273-1948	BUCKET, 24" 6.2 FT3, UNI	0	\$1,007 NI
		Includes 4 bolt-on Uniteeth		
P	273-1950	BUCKET, 30", 8.2 FT3, UNI	0	\$1,132 NI
		Includes 5 bolt-on Uniteeth		

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS

KITS AVAILABLE EX-FACTORY

NOTE: Order kits using top level reference number for miscellaneous material. The order must include kit packing instructions (See Packing). All kits will be shipped freight collect.

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

KITS AVAILABLE FOR NORTH AMERICAN CONFIGURATION (DCA1)

- 581-4141 KIT, HYD CPLR LINES, PILOT E/H
- 604-4586 KIT, 8TH FUNCTION PILOT, E/H
- 442-9566 KIT, HOE, COUPLING Q-DISCON
- 455-7380 KIT, LOADER, COUPLING QD
- 467-0071 KIT, STREET PADS, MP-BUCKET
- 178-3593 PINS, BUCKET, BHL-F, 45MM-50MM
- 444-7500 COUPLER, PG, MAN.D.LOCK, BHL
- 485-5303 COUPLER, PG, HYD.D.LOCK, BHL

KIT PRICING & DETAIL BELOW

BACKHOE KITS

P	579-6460	KIT, CONTROLS, BACKHOE PATTERN 0	\$554 NI
		Complete Backhoe Control kit for backhoe (SAE) control pattern	
P	579-6459	KIT, CONTROLS, EXCAVATOR PTRN 0	\$542 NI
		Complete Backhoe Control kit for excavator (ISO) control pattern	
P	581-4143	KIT, 1 WAY AUX LINES, STD STK 0	\$3,158 NI
		One-way auxiliary lines for use with Standard Stick MECH for improved line routings.	
P	387-6460	KIT, 1 WAY AUX LINES, 4.3M E-STK 0	\$3,078 NI
		Provides 1-way auxiliary flow, for use with 4.3M (14FT). Includes a dedicated hammer return directly to tank. Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. Ideal for worktools such as hammers, cold planners and vibratory compactors. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 6 hours.	

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

BACKHOE KITS (Cont.)

P	387-6461	KIT,2 WAY AUX LINES,4.3M E-STK 0 Provides 2-way auxiliary flow, for use with 4.3M (14FT) and includes 1-way flow with a dedicated hammer return to tank (COMBO). Extendible Stick only. Includes everything required to upgrade a machine not fitted with auxiliary lines. Note: Requires E-stick to be pinned retracted when using the aux circuit. For use with one way flow tools, such as a Hydraulic Hammer, Vibratory compactor or Cold Planer, and two way flow tools such as an auger or tilting bucket. For installation instructions see Media Number REHS5781 in SIS Web. Suggested time for installation - 10 hours.		\$3,474 NI
P	581-4552	KIT,HYD CPLR LINES,MECH 0 A kit to fit hydraulic lines to operate a hydraulic quick coupler on a machine with mechanical hydraulic controls. This kit is only available to order through the Leicester factory and the work instructions can be found using special instructions M0105774		\$1,750 NI
P	581-4141	KIT,HYD CPLR LINES,PILOT E/H 0 A kit to fit hydraulic lines to operate a hydraulic quick coupler on a machine with pilot or electro hydraulic hydraulic controls. This kit is only available to order through the Leicester Factory and the work instructions can be found using special instructions M0105774		\$1,750 NI
P	604-4586	KIT, 8TH FUNCTION PILOT,E/H 0 Kit includes an extra valve slice for the main hoe implement valve, once installed it enables the use of the 8th function hydraulic outlet. This machine is for either Pilot or EH Controlled Machines. Note : This does not include the hydraulic lines along the boom and stick, these must be installed by the dealer .		\$1,625 NI
P	581-4145	KIT, OBJECT HANDLING,EU, 14FT 0 Includes boom & stick cylinder lock valves and stability alarm system. For use within the EU when the hoe bucket link has a lifting eye.		\$2,565 NI
P	581-4144	KIT, OBJECT HANDLING,EU,14FT 0 Includes boom & stick cylinder lock valves, stability alarm system and hoe bucket link with lifting eye. For use within the EU when the hoe bucket link has a lifting eye. ONLY FOR USE WITH: MECH HYDRAULICS		\$2,565 NI
P	581-4147	KIT, 8 FUNCTION MECH 0 Kit includes an extra valve slice for the main hoe implement valve, once installed it enables the use of the 8th function hydraulic outlet.		\$1,572 NI
P	455-7380	KIT, LOADER, COUPLING QD 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$374 NI

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

BACKHOE KITS (Cont.)

P	472-4304	KIT, QUICK COUPLER, LOADER 0 This Kit provides a Front Loader Quick Coupler enabling the machine to use IT worktools. The kit includes the quick coupler, electrical harness and switches in the Cab front console. This kit requires front aux lines (MP) to already be installed on the machine. For installation instructions see Media Number REHS9962 in SIS Web. Suggested time for installation - 6 hours.		\$4,804 NI
P	442-9566	KIT, HOE, COUPLING Q-DISCON 0 Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		\$368 NI

LOADER KITS

P	586-8331	KIT, LOADER, LOAD CHECK VALVES 0		\$7,388 NI
P	577-8610	KIT, RIDE CONTROL 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry.		\$1,476 NI
P	577-8607	KIT, RIDE CONTROL (PILOT/ECM) 0 FOR USE WITH: MECHANICAL CONTROLLED, MANUAL SHIFT MACHINES Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry. FOR USE WITH PILOT CONTROLLED OR AUTOSHIFT MACHINES For installation instructions see Media Number REHS5776 in SIS Web. Suggested time for installation - 6 hours.		\$1,439 NI

OTHER KITS

P	420-6067	KIT, FENDERS, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$419 NI NET
P	566-0159	KIT, POWER SIDE SHIFT COMPLETE 0 This kit includes a dedicated PSS hydraulic valve, cylinders, hoses, connectors and hardware required to upgrade a factory built machine to operate using a Powered Side Shift. This kit is compatible with Mechanical and Pilot hydraulically operated machines on both Standard and Narrow frame models. For installation instructions see Media Number REHS5788 in SIS Web. Suggested time for installation - 6 hours.		\$3,292 NI
P	467-0071	KIT, STREET PADS, MP-BUCKET 70 FOR USE WITH: MULTI-PURPOSE BUCKETS ONLY		\$979 NI

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	349-1348	KIT, 2 WAY AUX E-STK UPGRADE 0 Provides 2-way auxiliary flow (COMBO), for use with Extendible Stick only. Requires machine with 1-way auxiliary lines (not included in this kit).		\$275 NI
P	178-3593	PINS, BUCKET, BHL-F, 45MM-50MM 6 Includes bucket pins and hardware.		\$168 NI
P	223-1882	PINS, SPARE, NARROW STICK 2 Includes Hoe bucket pins and hardware (a selection of spacers, shims and retainers)		\$125 NI NET
P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation. For installation instructions see Media Number REHS9977 in SIS Web. Suggested time for installation - 2 hours. FOR USE WITH: LRC MACHINES		\$500 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL 192 Mechanical Hoe Quick Coupler for backhoe buckets.		\$2,090 NI
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL 192 Hydraulic quick coupler with dual lock for backhoe buckets.		\$4,083 NI

SPARE TIRES

Provides one spare tire & rim. Please note certain front and rear tire arrangements are RH directional, a rework maybe be required to switch the direction to LH directional
 Spare tire orders with the machine can only be shipped by RORO.
 By truck shipments please order by stand alone misc order.

Spare tires will be packed and banded on a pallet.

Please select 0G-3282 Packing with your spare tire order.

SPARE TIRES NOT AVAILABLE FOR NORTH AMERICA (DCA1)

P	447-1467	SPARE TIRE, 440/80-24, PWR CL 0		\$2,425 NI
P	303-0432	WHEEL, SPARE 0		\$2,520 NI
P	518-6190	SPARE TIRE, 440/80-28 MICHELIN 0		\$2,530 NI
P	303-0422	TIRE/ RIM, 440/80 R28 XMCL RH 0		\$2,635 NI
P	476-0366	TIRES, 440/80R28, MX 0		\$2,580 NI

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)***KITS*****KIT, Quick Coupler, Loader**

This kit provides all the components to install a hydraulic loader quick coupler for mechanical controlled machines, allowing the machine to use IT worktools. Installation instructions can be found in SIS under Media number M0068106. Estimated Installation time - 7 Hours

Note: For parts required to install this kit, refer to the Special Instruction. Some parts may need to be ordered via the service parts system, or manufactured by the dealer.

Note: This kits requires the machine to already be installed with front aux lines (for MP bucket). See the special Instruction for further details

Note: Continuous Flow is not available on mechanically controlled machines. See the Special Instruction for further details.

Note: The 472-4303 (non-EST) or 472-4304 (EST) kit that is needed for instruction can be ordered either ex-factory, or from the service parts distribution system.

KIT, Two-Way flow aux lines for Standard Stick

This kit provides all the components to install two-way auxiliary flow (combo) for machines fitted with a standard stick, allowing the machine to use worktools such as an auger. Installation instruction can be found in SIS under Media number M0071194.

Estimated Installation time - 4 hours

Note: For parts required to install this kit, refer to the Special Instruction. Some parts may need to be ordered via the service parts system, or manufactured by the dealer.

Note: Requires machine to be already be fitted with one-way auxiliary lines - not included in this kit.

See the Special Instruction for further details.

Note: The 349-1348 kit that is needed for this instruction can be ordered either ex-factory, or from the service parts distribution system.

KIT, MACHINE SECURITY SEA

This kit enables the customer to buy the option software Through antares for the onboard feature upgrade to add Keypad security on the display. Caterpillar will then provide The option key software part number 602-1225. Dealer to Provide price for any additional hardware and this software

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

KIT, SPLIT REAR WINDOW-HAMMER

This kit can be ordered through Antares with Part Number 575-4252 and will be supplied through the parts network. This kit will be made to order . Replacement split rear window can be used when a Hammer. Attachment is being operated to give the operator incremental protection against debris. This kit will fit into the outer frame of the existing rear window.

PACKING

0G-3274	PACK, ROLL ON/ROLL OFF BY SEA 0	\$238 NET
	Preparation for shipment by sea. Complete machine.	
0G-3269	PACK-N.I. BUCKET OR DISMOUNTED 0	NC
	One Packing per Not Installed Bucket must be ordered	
461-6840	SHIPPING/STORAGE PROTECTION 0	\$206 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	
462-1034	RUST PREVENTATIVE APPLICATOR 0	\$110 NET
	Preparation for shipment - Silix applicators recommended for shipment by sea, required if RORO shipping used.	
0G-3280	PACK, MISCELLANEOUS MATERIAL 0	NC

CATERPILLAR MACHINE PRICE LIST

434

USE	REF NO.		Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--	-----------------	----------------------

AM-NORTH INFORMATION

FOR REFERENCE PURPOSE ONLY

All the parts under this heading are included in AM-N DCA1

L	545-6688	PT, AWD/4WS, POWERSHIFT, PILOT 0		**
		Provides all wheel drive/ all wheel steered manual gear shift through power shuttle lever		
L	545-5097	STICK, EXTENDABLE, 14FT, PILOT 0		**
		Provides 5.3 meter (17.4ft) maximum digging depth		
L	398-2866	LINKAGE, DIG, 14FT, REGULATED 0		**
L	543-5179	ENGINE, 74.5KW, C3.6 DITA, T5 0		**
		EPA Tier 4 Final Certified Engine EU Stage 5 Certified Engine with aftertreatment Net Power @ Rated (2200RPM) is 91HP (68kW) Gross Power @ Rated (2200RPM) is 100HP (74.5kW)		
L	544-5782	HYD, MP, PILOT, 5FNC/7BNK 0		**
		PROVIDES PILOT CONTROLS Includes valves and controls needed for front MP bucket and hydraulics, with pilot controls, for standard hoe functions, on either E-stick or standard stick.		
P	564-2022	LOADER QUICK COUPLER. 0		**
		Provides a Loader Quick Coupler Select if IT Bucket is required.		
L	557-4934	CAB, DELUXE 0		**
		Includes the following additions to the standard cab: - Fresh air recirculation - Telescopic steering column - Courtesy light on door opening		
L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS 0		**
L	573-4520	SEAT, DELUXE FABRIC 0		**
P	337-9694	COUNTERWEIGHT, 255 LBS 0		**
L	560-6797	PRODUCT LINK, CELLULAR, PLE643 0		**
		Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager)uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services		