

Eager Beaver Trailers

Prices Effective 3-24-22

55GSL-PT Base Price \$120,037
60GSL-PT Base Price \$132,635

Base Price Includes:

3 Axles, 3/4" Wall Thickness, True 25,000 lb. Capacity Each, 54" Spacing
CushAir Ride With Dump Valve, All-Wheel ABS
Spring Brake On All Axles
Lift 3rd Axle
7 Roto Ring Tiedowns Per Side
102" Swing Clearance / 50" 5th Wheel Height / 4" Relief Neck
275 / 70R 22.5 Sumitomo ST727 Tires
24' Deck Length
Wetline Hydraulics
2" Nominal Apitong Decking Full Width
36" Front Flip Ramps
Sherwin Williams Genesis Paint: Yellow, Black, Red or Blue
24" Loaded Deck Height / 8" Ground Clearance
Frame Stress & Bottom Linkage for Future 4th Flip / Spread Axle

55GSL-PT



60GSL-PT



Options:	Price:	Notes:
Bucket Pocket	\$1,891	Last 6' of Main Deck -- Expanded Metal Bottom
Toolbox 1st & 2nd Section of Deck	\$1,000	
Polished Aluminum Wheels (Outside Only)	\$3,684	
Mill Finished Aluminum Wheels (Inside or Outside)	\$3,073	
13HP Honda Power Pack	\$4,066	
Power Pack / Wetline Combo	\$6,699	
Side Rail Reinforcement	\$777	
Gooseneck Fenders	\$2,827	
Flasher Kit w/ Battery Backup	\$500	Flashes All Lights When G/N is Detached
Amber Strobes in Tailboard	\$500	
110" Swing Clearance	\$1,590	Adds 8" to OAL
114" Swing Clearance	\$2,725	Adds 12" to OAL
Two Position Kingpin	\$1,118	Removable / Drop-in Kingpin
Full Width Gooseneck Platform	\$8,025	Load Bearing
Additional Roto Ring Tiedowns	\$210	(Per Pair)
HD Pull-Out Front outrigger	\$862	
Oversize Load Sign	\$575	
Grouser Bars Front Slope	\$390	
Grouser Bars Rear Slope	\$390	
Undermount Crossmembers in Boomwell	\$1,750	Provides Maximum Depth Possible in Boomwell Area
Stub Crossmembers	\$1,767	Between Full-Width Crossmembers
Spare Tire -- 275 / 70R 22.5	\$1,079	Part # 999995
Spring Assisted Front Flip Ramps	\$290	
LED Lightbar in Gooseneck	\$849	
Lockable Toolbox in Gooseneck Engine Compartment	\$450	Not Available If Powerpack is Installed
Complete Setup for Future 4th Flip / Spread Axle	\$1,538	Frame Stress & Bottom Linkage Std.
Wood Over Steel Wheelcovers	\$2,795	Outside of Rear Deck
Boomwell In Lieu of Wood-Center	NC	

Deck Height & Length Options:

Trailers over 53' in Overall Length Require Permits

24" Loaded Deck Height / 8" Ground Clearance (16" Beam Depth -- Standard)

	<u>22' Deck</u>	<u>23' Deck</u>	<u>24' Deck</u>	<u>25' Deck</u>	<u>26' Deck</u>	<u>27' Deck</u>	<u>28' Deck</u>	<u>29' Deck</u>	<u>30' Deck</u>
55GSL-PT	NC	NC	Standard	\$2,169	\$5,820	\$8,456	NA	NA	NA
60GSL-PT	NC	NC	Standard	\$2,754	\$7,392	NA	NA	NA	NA

22" Loaded Deck Height / 6" Ground Clearance (16" Beam Depth -- Dropped 2")

	<u>22' Deck</u>	<u>23' Deck</u>	<u>24' Deck</u>	<u>25' Deck</u>	<u>26' Deck</u>	<u>27' Deck</u>	<u>28' Deck</u>	<u>29' Deck</u>	<u>30' Deck</u>
55GSL-PT	\$2,191	\$2,191	\$2,191	\$4,360	\$8,011	\$10,647	NA	NA	NA
60GSL-PT	\$2,782	\$2,782	\$2,782	\$5,537	\$10,174	NA	NA	NA	NA

Deck Width Options:

9' Deck w/ 102" Axles	\$4,382
9' Deck w/ 108" Axles	\$16,066
10' Deck w/ 120" Axles	\$16,066

Flip Axle & Spreader Bar Options:

Complete Setup for Future 4th Flip / Spread Axle	\$1,266
4th Flip Axle	\$16,823

Trailers over 8' 6" Wide Require Permits

Frame Stress & Bottom Linkage Std.
Must ALSO Purchase Complete Setup

