

710 P-tier Backhoe Loader

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS



21-Sep-2022

John Deere -2022 Price List

Code	Description	QTY	List Price (USD)
17F0T	<p>710 P-tier Backhoe Loader</p> <p>710 P Standard Equipment</p> <p>ENGINE: John Deere PowerTech™ EWL 4.5L turbocharged 4-cylinder engine Serpentine belt with automatic belt tensioner Vertical spin-on engine oil filter Primary and secondary spin-on fuel filter with water separator Dual safety element dry-type air cleaner with evacuator valve Vertical curved exhaust stack Exhaust aftertreatment system</p> <p>COOLING SYSTEM: Engine radiator Engine coolant -40 degrees F (-40C) Coolant recovery tank with low level indicator Cooling fan with fan guard Oil-to-water engine oil cooler Oil to air hydraulic oil cooler Oil to air transmission oil cooler Fold-out hinged cooling system High ambient temperature engine coolant</p> <p>POWERTRAIN: Powershift transmission with torque converter Auto-shift feature (on/off) Vertical spin-on transmission filter Single electric transmission control lever (forward/neutral/reverse) with integrated gear selection & horn Electronic transmission controller with on-board diagnostics Rigid mounted rear axle with 4-planet final drive Differential lock, foot switch activated, protection on/off Mechanical limited slip front wheel drive Hydrostatic power steering with emergency manual mode power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Power-assisted hydraulic service brakes inboard, wet disc, self-adjusting and self-equalizing (conforms to ISO 3450) Parking/emergency brake: independent of service brakes (conforms to ISO 3450) spring applied, hydraulically released, wet multi-disc</p> <p>HYDRAULICS: 52.3 GPM (198 L/m) axial piston pump - PCLS closed center system Dedicated hydraulic reservoir 4 micron spin-on replaceable element "O" ring face seal connectors Circuit relief valve protection Economy mode Auto idle Lift mode provides up to 15% additional craning capacity</p> <p>BACKHOE: 17 ft. 3 in. (5.26 m) digging depth (extendible dipperstick, retracted) Backhoe transport lock lever Swing locking pin stored in op. station</p>	1	\$267,643.00

2-lever pilot controls with pattern selection reversible pad stabilizer feet with integrated lock stabilizer valve with Two-direction anti-drift valves
 Less bucket with bucket pins
 Backhoe boom includes mounting hole for optional boom protection plate.

LOADER:

Return-to-dig feature
 Bucket level indicator
 Hydraulic self-leveling (anti-spill)
 Single lever control with electric clutch cut-off switch and momentary MFWD control
 Less bucket with bucket pins
 Loader boom service lock
 High-visibility loader arms

ELECTRICAL:

12 volt system
 160 amp alternator
 (4) four front driving/working, (4) four rear working and (2) side docking halogen lights (32,500 candlepower each)
 (2) front and (2) rear turn signal/ flashing
 (2) rear stop and tail
 (2) rear reflectors
 Blade type multi-fused circuits
 Dual batteries with 350 min. reserve capacity (1900 CCA)
 Pre-wired for rotating beacon
 By-pass start safety cover on starter
 Positive terminal battery covers

OPERATOR STATION:

Modular-design ROPS/FOPS (level 2) canopy with molded roof (meets ISO 3471 and ISO 3449); isolation mounted
 Left and right front access
 Slip-resistant steps and ergonomically located handholds (conforms to SAE J185)
 Seat, deluxe deep foam, vinyl cover, high back with adjustable:
 Suspension for weight/height
 Fore-aft
 Lumbar adjustments
 Flip-up arm rests
 3 in. orange seat belt with retractor
 Tilt steering
 Fuel gauge
 Engine coolant temperature gauge
 Transmission oil temperature gauge
 Electric monitor system with audible and visual warning:
 - Air cleaner restriction
 - Low alternator voltage
 - Engine oil pressure
 - Hydraulic filter restriction
 - Park brake on-off
 - Low brake pressure
 - Seat belt
 - Engine coolant temperature
 - Fuel level
 - Electric hourmeter/ tachometer / voltmeter
 Machine diagnostics
 Sealed switch module
 Keyless start
 Machine security
 12 volt outlets (1)
 Horn (conforms to SAE J994, J1446)

Code	Description	QTY	List Price (USD)
John Deere -2022 Price List	Interior rearview mirror (Conforms to SAE J985)		
	Rotary hand throttle		
	Suspended foot throttle		
	Operator's manual storage compartment		
	Integrated cup holder with form fitting rubber insert		
	Lockable right hand storage		
	Coat hook		
	OVERALL VEHICLE:		
	(2) front and (2) rear built-in tie downs		
	One piece unitized construction mainframe		
	600 lb. (272 Kg.) auxiliary counterweight		
	Dent resistant rear fenders		
	Vandal protection locking for:		
	Engine hood		
	Tool box		
	46 gal. (174.1 L) fuel tank		
	Hydraulic reservoir		
	DEF tank		
	Instrument panel		
	4.3 gal. (16.3 L) DEF tank		
	Reverse warning alarm		
	21L - 28 In. 18 PR rear & 15 - 19.5 in. 12 PR front tires		
	Ground level fueling		
	Remote grease bank for front axle		
	Tilt hood with (2) service positions		
	JDLink Ultimate in approved countries		
17F0T	710 P-tier Backhoe Loader	1	\$267,643.00

DESTINATION AND LANGUAGE

Destination Codes

Basic Factory Options - Required

North America

0202

United States

No Added Cost

Labels

Basic Factory Options - Required

0351

Translated Text Labels

No Added Cost

Vehicle labels translated to selected language

Operator's Manual and Language

Basic Factory Options - Required

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

0259	English English language for operator's manual and electronic content		No Added Cost
0263	French French language for operator's manual and electronic content		No Added Cost
0287	Spanish Spanish language for operator's manual and electronic content		No Added Cost

OPERATOR'S STATION

Operator's Station

Basic Factory Options - Required

1002	Canopy (ROPS/FOPS) Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Molded floor mat is optional. Keyless start. Deluxe mechanical suspension deluxe, vinyl, swivel seat with lumbar adjustment and arm rests, fully adjustable. 3 inch retractable seat belt. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflectors		No Added Cost
1003	Cab Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Tinted safety glass. Deluxe interior trim. Headliner. Molded floor mat. Less radio (cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions). Air conditioning 26,000 BTU. CFC free R134a refrigerant. Heater/defrosters/pressurizer, 40,000 BTU, 10 speed. Deluxe mechanical suspension, cloth, swivel seat with lumbar adjustment and am rests, fully adjustable. Keyless start. 3 inch orange seat belt with retractor. Tilt steering wheel. Interior rearview mirror. Front 2-speed wiper with windshield washer and rear 1-speed wiper. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflector		\$13,933.00

See 'Order as Desired' codes for additional cab options not included in standard cab (i.e. air suspension seat, radio, sun

John Deere -2022 Price List
visor).

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

Operator's Station-Order As Desired

Field Installed Attachments - Optional

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

8096	Premium Mirror Option - Exterior Rear View Mirrors (2) and Front View Mirror (1)		\$169.00
------	--	--	----------

8103	Premium Canopy Option - Headliner and Tilt Steering With floor mat.		\$1,084.00
------	--	--	------------

8109	Sun Visor		\$95.00
------	-----------	--	---------

8146	Left Side Console Storage with Cup Holders		\$81.00
------	--	--	---------

8182	Radio, Bosch Basic Package AM/FM/Weather Radio		\$873.00
------	---	--	----------

8183	Radio, Bosch Premium Package AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		\$1,356.00
------	--	--	------------

8207	Seat, Cloth Air-Suspension For enclosed Cab.		\$503.00
------	---	--	----------

8208	Seat, Cloth Air-Suspension - Heated For enclosed Cab.		\$994.00
------	--	--	----------

8209	Seat, Vinyl Air-Suspension For open ROPS or enclosed Cab.		\$503.00
------	--	--	----------

PRECISION TECHNOLOGY SOLUTIONS

Connectivity Hardware

Basic Factory Options - Required

183E	<p>John Deere -2022 Price List JDLink™</p> <p>Includes integrated cab wiring harness, antenna, and JDLink™ Modem's (MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>	<p>Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS</p>	<p>Grounds Equipment - Bid #ESCNJ 18/19-25 No Added Cost</p>
------	---	--	--

183Q	<p>JDLink™ Satellite</p> <p>Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>		\$3,462.00
------	--	--	------------

POWERTRAIN

Transmission Basic Factory Options - Required

3009	<p>Autoshift Transmission - Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential</p> <p>4F/3R autoshift transmission. Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>		No Added Cost
------	--	--	---------------

30A1	<p>Custom Code - 2 Wheel Drive Transmission</p> <p>With autoshift 4F/3R transmission. Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>		(\$2,863.00)
------	--	--	--------------

ENGINE

Engine Basic Factory Options - Required

4006	<p>John Deere PowerTech™ EWL 4.5L (276 cu. in.) Engine Meets Final Tier 4 and Stage IV Emissions</p> <p>Net peak power of 148 Hp. For use only in areas where EPA final tier 4/EU stage IV is required.</p> <p>Series turbocharged. Wet sleeve cylinder liners. 4 valves / cylinder. Electronically controlled HPCR fuel delivery system, B20 biodiesel compatible. Serpentine belt with automatic belt tensioner. Enclosed safety fan guard. Vertical spin-on engine oil filter. Spin-on fuel filter with water separator. Dual safety element dry-type air cleaner with evacuator valve. Underhood exhaust filter and catalysts (DOC, DPF, and SCR). Automatic exhaust filter regeneration. Diesel exhaust fluid (DEF) injection system. Glow plugs. Electronically controlled, variable-speed cooling fan.</p>		No Added Cost
------	---	--	---------------

John Deere -2022 Price List
 Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS
 Grounds Equipment - Bid #ESCNJ 18/19-25_{nal}
 Engine - Order As Desired

8213	Chrome Exhaust Extension		\$178.00
------	--------------------------	--	----------

Oil Sampling Ports - Order As Desired	Field Installed Attachments - Optional
---------------------------------------	--

8075	Diagnostic Oil Sampling Ports		\$207.00
	Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil		

Engine	Field Installed Attachments - Optional
--------	--

AT393180	Environmental Drain Kit		\$595.00
----------	-------------------------	--	----------

WHEELS/TIRES/TRACKS

Wheels and Tires	Basic Factory Options - Required
------------------	----------------------------------

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

For use with Mechanical Front Wheel Drive

5249	Galaxy 20.5-25 16PR Rear & 15-19.5 12PR Front		No Added Cost
	Requires axle code 3009.		

5253	Galaxy 21L-28 18PR Rear & 15-19.5 12PR Front		No Added Cost
	Requires axle code 3009.		

54C1	Custom Code - Firestone 20.5-25 L-2 16PR Rear & 15-19.5 SS-1 12PR Front		\$3,298.00
------	---	--	------------

John Deere -2022 Price List
Requires axle code 3009.

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

For use with 2 Wheel Drive

5248	Galaxy 20.5-25 16PR Rear & 14.5/75-16.1 16PR Front Requires axle code 30A1.		No Added Cost
------	--	--	---------------

ELECTRICAL

Batteries	Basic Factory Options - Required
-----------	----------------------------------

6154	Dual Maintenance Free Batteries With Disconnect, Jump Post, and Engine Block Heater 350 minute reserve capacity (1900 CCA). Recommended for use in ambient temperatures below 32 degrees F (0 degrees C). Includes engine block heater.		No Added Cost
------	--	--	---------------

Lighting - Order as Desired	Field Installed Attachments - Optional
-----------------------------	--

8142	LED Light Package Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.		\$1,053.00
------	---	--	------------

8226	Strobe Light with Magnetic Mount Light is shipped loose in the cab.		\$588.00
------	--	--	----------

Lighting	Field Installed Attachments - Optional
----------	--

AT445009	LED Flood Light Kit Includes 2 lights.		\$223.00
----------	---	--	----------

AT445010	LED Spot Light Kit Includes 2 lights.		\$223.00
----------	--	--	----------

AT313592	6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit		\$267.00
----------	---	--	----------

John Deere - 2022 Price List	MANERAM/STRUCTURES	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25
------------------------------	--------------------	--	---

Backhoe Dipperstick	Basic Factory Options - Required
---------------------	----------------------------------

6751	Standard Dipperstick Includes extended stabilizer legs.	No Added Cost
------	--	---------------

6752	Extendible Dipperstick Includes extended stabilizer legs. Requires code 6578 counterweight.	\$10,722.00
------	---	-------------

Counterweight	Basic Factory Options - Required
---------------	----------------------------------

6574	600 lb. (272 kg.) Counterweight Recommended for backhoe with a standard dipperstick or backhoe with a front loader coupler.	No Added Cost
------	--	---------------

6578	1500 lb. (680 kg.) Counterweight Recommended for extended backhoe or a backhoe with pin-on standard loader bucket.	\$1,721.00
------	---	------------

Stabilizers - Order As Desired	Field Installed Attachments - Optional
--------------------------------	--

8131	Heavy-Duty Stabilizer Pads Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.	\$462.00
------	---	----------

80T1	Custom Code - Short Stabilizer Legs Transport width 93 in.---Operating width 13 ft. 5 in.	\$3,901.00
------	--	------------

HYDRAULICS/CONTROLS		
---------------------	--	--

Backhoe Auxiliary Hydraulics	Basic Factory Options - Required
------------------------------	----------------------------------

7000	No Auxiliary Requires code 6752.	No Added Cost
------	-------------------------------------	---------------

7001	Auxiliary Hydraulics with One Way Flow (Hammer)	\$5,439.00
------	---	------------

Code	Description	QTY	List Price (USD)
John Deere -2022 Price List Includes plumbing to end of dipperstick. Includes plumbing to bulkhead (mid-point of dipperstick). Also includes hydraulic quick disconnects.		Educational Services Commission of New Jersey Grounds Equipment - Bid #ESCNJ 18/19-25 NJ State Approved Co-op #65MCESCCPS	
7004	Auxiliary Hydraulics with Two Way Flow Requires standard dipperstick code 6751. Requires activation of left thumb roller on pilot controls (code 7028). Does not include plumbing or relief valves. Plumbing field kit (AT194368) can be used to provide relief valves and instructions for fabricating required hoses.		No Added Cost
7002	Auxiliary Hydraulics with One & Two Way Flow (Hammer & Thumb/Swinger) Includes plumbing to end of dipperstick for one way flow valve. Less plumbing for two way flow valve.		\$8,583.00
Backhoe Controls		Basic Factory Options - Required	
7028	Pilot Controls, Two Lever, with Pattern Selection		No Added Cost
Loader Controls		Basic Factory Options - Required	
All selections come with Return to Dig feature.			
7037	Two-Function Loader Hydraulics, Single Lever Single lever loader control with electric clutch disconnect and momentary MFWD. Includes ride control.		No Added Cost
7038	Loader Coupler, Two-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets		\$7,002.00
7040	Three-Function Loader Hydraulics, Single Lever Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.		\$3,268.00
7041	Loader Coupler, Three-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube. Will accept G, J, K, and L-series loader coupler buckets.		\$9,267.00
Hydraulics/Controls - Order as desired		Field Installed Attachments - Optional	

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

8135	Hydrau XR - Synthetic Hydraulic Fluid Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		\$608.00
------	---	--	----------

IMPLEMENTS/ATTACHMENTS

Backhoe Buckets Basic Factory Options - Required

All buckets include lift holes.
Fanggs teeth are standard on HD buckets.
Fabricated teeth are standard on regular buckets.

7800	Less Backhoe Bucket with Bucket Pins		No Added Cost
------	--------------------------------------	--	---------------

7812	24 in. (610 mm.) Wide, Heavy-Duty, 11.0 cu. ft. (0.31 cu. m.) Bucket Bucket includes TK Teeth.		\$5,346.00
------	---	--	------------

7814	30 in. (762 mm.) Wide, Heavy-Duty, 15.0 cu. ft. (0.42 cu. m.) Bucket Bucket includes TK Teeth.		\$5,648.00
------	---	--	------------

7815	36 in. (914 mm.) Wide, Heavy-Duty, 18.8 cu. ft. (0.53 cu. m.) Bucket Bucket includes TK Teeth.		\$6,082.00
------	---	--	------------

Loader Buckets Basic Factory Options - Required

Loader buckets include skid plates and lift hooks unless stated otherwise.

Pin-On Loader Buckets

Requires codes 7037 or 7040 loader hydraulics.

7861	1.31 cu. yd. (1.0 cu. m.) Multi-Purpose Bucket 96 in. (2.44 m.) wide Requires code 7040, three function hydraulics. Includes reversible cutting edge for moldboard and back of clamshell and two built-in lift loops. Does not include front bolt-on cutting edges or skid plates. Pre-punched for (8) tooth shanks OR T126774 reversible bolt-on cutting edge.		\$9,729.00
------	--	--	------------

7869	96 in. (2.44 m.) Wide, 1.87 cu. yd. (1.43 cu. m.) General Purpose Bucket Includes ride control. Includes reversible bolt-on cutting edge, skid plates, and two built-in lift loops.		\$8,641.00
------	---	--	------------

John Deere -2022 Price List
 Coupler Loaders Buckets

Educational Services Commission of New Jersey
 NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

Requires codes 7038 or 7041 loader coupler

7867	96 in. (2.44 m.) Wide, 2.0 cu. yd. (1.5 cu. m.) Coupler Bucket Includes reversible bolt-on cutting edge with skid plates and two built-in lift loops.		\$10,359.00
------	--	--	-------------

7850	Less Loader Bucket with Pins for Buckets or Front Attachments Old style pins will be necessary with older buckets and attachments.		No Added Cost
------	---	--	---------------

7851	Less Coupler Bucket		No Added Cost
------	---------------------	--	---------------

MISCELLANEOUS

Miscellaneous - Order As Desired	Field Installed Attachments - Optional
----------------------------------	--

8101	Finish Paint - Decals Not Installed		\$165.00
------	-------------------------------------	--	----------

8039	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.		\$172.00
------	---	--	----------

Guarding and HD Options - Order as Desired	Field Installed Attachments - Optional
--	--

8062	Backhoe Boom Protection Plate Mounted and torqued to the underside of the backhoe boom with kremnuts. Provides protection from unintended contact by large/heavy materials or attachments.		\$602.00
------	---	--	----------

Miscellaneous	Field Installed Attachments - Optional
---------------	--

BYT10330	Rear Wiring Harness for Hammer, Auto Greaser Harness that enables installation of an auto greaser (primarily for hammer use).		\$180.00
----------	--	--	----------

AT451194	Pivotable Beacon Bracket		\$104.00
----------	--------------------------	--	----------

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	--	--	---

AT462684	Jump Start and Battery Disconnect Kit		\$247.00
----------	---------------------------------------	--	----------

AT408903	Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher Kit Does not Include Fire Extinguisher.		\$100.00
----------	--	--	----------

BYT10664	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines		\$8,258.00
----------	---	--	------------

BYT10665	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines		\$8,694.00
----------	--	--	------------

Guards	Field Installed Attachments - Optional
--------	--

AT465778	Bottom Guard		\$614.00
----------	--------------	--	----------

AT439395	MFWD Wheel Fender Kit		\$766.00
----------	-----------------------	--	----------

AT333761	Backhoe Boom Protection Plate, Bolt-On Average installation, 1.5 hours. * Bolts to underside of backhoe boom. * Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.		\$608.00
----------	--	--	----------

AT315225	Stabilizer Guard		\$873.00
----------	------------------	--	----------

HYDRAULICS

Hydraulics	Field Installed Attachments - Optional
------------	--

BYT11689	Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments For use on 710L base machine code 0AC1T. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.		\$5,046.00
----------	---	--	------------

John Deere -2022 Price List

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

BYT11992	<p>Sixth Function Valve Kit (2 way flow for thumb swinger or grapple)</p> <p>For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. Valve section and two hoses. For use with Pilot Controls. If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order: AT472332 Auxiliary Valve Controller (AVC) AT432173 Wiring Harness 14M7303 Nut (Qty 4) 19M7775 Cap Screw M6 X 16 (Qty 4)</p>		\$3,048.00
BYT11701	<p>Selective Flow Control Kit (1 way flow for use with hammer or compactor)</p> <p>For use on Backhoes with a Serial Number 390995 and Higher. Selective flow control to the backhoe valve for switch control of auxiliary hydraulics. Does not include plumbing kit.</p>		\$1,759.00
BYT10280	<p>Loader Coupler, Hydraulic</p> <p>For use on Backhoes with a Serial Number 304845 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.</p>		\$8,391.00
AT448456	<p>Accu-Swing Kit for Backhoe</p>		\$492.00
AT431342	<p>Controlled Lowering Device for Backhoe Boom Cylinder</p> <p>Meets ISO 8643. To be used on a Boom in the retracted/locked position. Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.</p>		\$3,120.00
AT431343	<p>Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder</p> <p>Requires prior installation of AT431342 Controlled Lowering Device for Backhoe Boom Cylinder Kit. Meets ISO 8643. To be used on a standard and extendable dipper in the retracted/locked position. Load holding valve in the event of hose failure. Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.</p>		\$2,556.00
AT194368	<p>Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way for Thumb, Clamp, Swinger or Jaw Bucket</p> <p>Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps and hardware. For Low Flow intermittent usage. Requires Dealer to make eight hoses per installation instructions. Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate. Not required with factory thumb installation codes 9230 and 9235.</p>		\$278.00

OPERATOR'S STATION AND CONTROLS

Operator's Station

Field Installed Attachments - Optional

AT186155	<p>(2) External Rear View Mirrors</p>		\$293.00
----------	---------------------------------------	--	----------

Code	Description	QTY	List Price (USD)
AT186288	John Deere -2022 Price List Slow Moving Vehicle Emblem	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESCNJ 18/19-25 \$115.00
AT186307	Sun Visor		\$96.00
AT187707	License Plate Bracket and Light		\$233.00
AT192032	Operator Manual Tether Cables for ROPS or Cab		\$28.00
BYT10670	Mechanical to Air Seat Conversion For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.		\$816.00
BYT11382	AM/FM/WB Stereo with Digital Clock for Cab		\$1,015.00
AT451676	Radio Auxiliary kit Requires code 8182 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.		\$291.00
AT446496	License Plate Bracket Light not included.		\$59.00
BYT10250	Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass.Refer to installation instructions for a list of glass pieces to order from service parts.		\$405.00
AT313589	Beacon/Strobe Ready Wiring Kit Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		\$35.00
BYT11328	Universal XM-Tuner Installation Kit Includes hardware and brackets to add XM capability to radio.		\$358.00

FRONT LOADER

Loader Buckets

Field Installed Attachments - Optional

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

AT188048	LDR Pin-On Bucket 1.87 Cu. Yd. (1.43 Cu. M.) with Auxiliary Cutting Edge, Skid Plates & Two Lift Loops		\$7,390.00
----------	--	--	------------

AT188049	LDR Pin-On Bucket 1.62 Cu. Yd. (1.24 Cu. M.) with Auxiliary Cutting Edge and Skid Plates		\$5,708.00
----------	--	--	------------

BYT10706	LDR Pin-On Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M) wide with Two Lift Loops Does not include front bolt-on cutting edges and skid plates. Includes reversible cutting edge for moldboard and back of clamshell. 96-in. (2.44 m) wide. Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge. Two built-in lift loops. Requires Three Function Hydraulics.		\$9,929.00
----------	--	--	------------

BYT10709	LDR Coupler Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M.) wide with Two Lift Loops Does not include front bolt-on cutting edges and skid plates. Includes reversible cutting edge for moldboard and back of clamshell. 96-in. (2.44 m) wide. Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge. Two built-in lift loops. Requires Three Function Hydraulics.		\$10,610.00
----------	--	--	-------------

AT309342	LDR Coupler Bucket 2.0 Cu. Yd. (1.5 Cu. M.) with Bolt-on Cutting Edge and Skid Plates with Two Lift Loops 96 in. (2.44 m) wide Includes Reversible Bolt-On Cutting Edge with Skid Plates and two built-in lift loops.		\$8,860.00
----------	---	--	------------

Loader Controls	Field Installed Attachments - Optional
-----------------	--

BYT11542	Multi-Purpose Bucket Anti-Drift Valve Kit Prevents clam shell from drifting open during load, carry and three-point stance operations. Kit includes valve, hoses and mounting hardware. Compatible with all Backhoe and Tractor Loader multi-purpose buckets (installation instructions will also detail mounting procedure for buckets produced prior to September 2018)		\$759.00
----------	--	--	----------

WEIGHTS AND BALLASTING

Counterweight	Field Installed Attachments - Optional
---------------	--

AT458681	Counterweight, Front, 600 lbs (272 kg)		\$1,002.00
----------	--	--	------------

AT458682	Counterweight, Front, 1,500 lbs (680 kg)		\$2,023.00
----------	--	--	------------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

John Deere -2022 Price List	Educational Services Commission of New Jersey NJ State Approved Co-op #65MCECCPS		Grounds Equipment - Bid #ESCNJ 18/19-25
-----------------------------	---	--	---

BACKHOE

Stabilizer Legs

Field Installed Attachments - Optional

AT376409	Standard Stabilizer Street Pads		\$234.00
----------	---------------------------------	--	----------

AT376410	Heavy Duty Stabilizer Pads		\$467.00
----------	----------------------------	--	----------

Backhoe Buckets

Field Installed Attachments - Optional

AT437360	BKH Pin-on Bucket 36 In. (914 mm) Severe-Duty 18.0 Cu. Ft.		\$7,006.00
----------	--	--	------------

AT437354	BKH Pin-On Bucket 18 In. (457 mm) Severe-Duty 7.5 Cu. Ft.		\$4,845.00
----------	---	--	------------

AT437355	BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty Bucket 11.0 Cu. Ft.		\$4,572.00
----------	--	--	------------

AT437357	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 14.5 Cu. Ft.		\$4,831.00
----------	---	--	------------

AT437359	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 18.0 Cu. Ft.		\$5,202.00
----------	---	--	------------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23