



Current Date 13Sep2019

724K LOADER

724K Standard
 Equipment

POWERTRAIN:

5 Speed Transmission
 with Lock-Up Torque
 Converter
 Electronically Controlled
 Fully Automated Shift
 System
 Quick Shift Button on
 Loader Control Lever
 with 2 Selectable Modes

Automatic / Manual Shift
 Modes

Programmable Maximum
 High Gear

Adaptive Clutch-Cutoff
 Clutch Calibration

Engaged from Monitor

100% Locking Front and
 Conventional Rear

Differentials with
 Inboard

Mounted Heavy Duty
 Planetary Gears Heavy

Duty Self Adjusting
 Front and

Rear Power Brakes

Electrically Actuated
 Automatic Spring

Applied, Hydraulically
 Released, Wet Multi-Disc

Park Brake

Transmission Fill Tube
 and Sight Gauge

2000 Hour Transmission
 Filter

Wheel Spin Control
 System

Standard Front Axle Oil
 Temperature Sensor

COOLING:
 Quad-Cool System:
 Heavy Duty, Trash

4000 Hour In-Tank Filter

ELECTRICAL:
 24 Volt Electrical System

Solid State Electrical
 Power Distribution
 System

(2) Heavy Duty
 Batteries:

- each 950 Cold
 Cranking amps/190

minute Reserve Capacity
 (FT4)

- each 1400 Cold
 Cranking amps/440

minute Reserve Capacity
 (S2/T3)

Lockable Master
 Electrical Disconnect

Switch

Battery Terminal Safety
 Covers

Starting Switch with
 Electric Fuel Shut Off

Pre-wired for
 Beacon/Strobe Light

Lights:

(2) Halogen Driving
 Lights with Guards

(4) Front and (2) Rear
 Work Lights

Turn Signals and
 Flashers

LED Stop and Tail Lights

Horn, Electric

Reverse Warning Alarm
 Voltage Converter for

24V to 12V / 8 Amps
 Multi-Function / Multi-
 Language LCD Color

Monitor includes:
 DIGITAL INSTRUMENTS

Sun Visor
 Keyless Start with Multiple Security
 Modes
 Sealed Switch Module with Function
 Indicators
 Seat with Back Rest Extension, Deep
 Foam, Fabric Cover, Adjustable Air
 Suspension for Weight/Height with
 Fore-Aft Adjustment, and Adjustable
 Arm Rests
 Hydraulic Controls Integrated to Seat

3 In. High Visibility Blaze Orange
 Seat Belt with Retractor
 (2) Cup Holders
 Lunch box (Cooler) Holder
 Dome and Reading Light
 12 Volt Power Port
 Radio Ready
 Rubber Floor Mat
 Tilt Steering Column
 Textured Steering Wheel with
 Spinner Knob
 Operator's Manual Storage
 Compartment
 Left Side Operator Station Access
 Slip-Resistant Steps and
 Ergonomically Located Handholds

OVERALL VEHICLE:
 Level 1 Sound Package
 NeverGrease Rear Axle Oscillation
 Joints
 Front and Rear Tie Downs
 Full Coverage Front Fenders
 Cast Bumper with Rear Hitch and
 Locking Pin
 Articulation Locking Bar
 Boom Locking Bar
 40 Degree Steering Articulation to
 Each Side with Rubber Cushion Stops
 on Frame
 Vandal Protection With Lockable
 Engine Enclosures, Right
 Counterweight
 Compartment, Battery Box, Filler

Resistant High Ambient Cooling Package	ANALOG Display:	Access for
2 Side access to all Coolers	Hydraulic Oil Temperature	Radiator/Fuel/Hydraulic/Transmission
Cooling System isolated from Engine	Engine Coolant Temperature	Right and Left Handrails, Platforms and Steps
Compartment	Transmission Oil Temperature	Fluid Sampling Ports for Engine, Transmission, Hydraulic, Axles Oils and Engine Coolant
Engine Radiator	Engine Oil Pressure	Environmental Drains with Hoses for Engine, Transmission, Hydraulic
Integral Engine Oil Cooler	DIGITAL Display:	Oils and Engine Coolant
Hydraulic Oil Cooler (Oil to Air)	Engine RPM	Ground Level Fueling
Transmission Oil Cooler (Oil to Air)	Transmission Gear / Direction Indicator	Fuel Tank Fill Strainer
Front and Rear Axle Coolers with Axle Oil Filtration	Hour Meter	Storage Compartment
Charge Air Cooler (Air to Air)	Fuel Level	Left and Right Engine Frame Service Steps and Handholds
Coolant Recovery Tank Antifreeze, -34F (-37 C)	DEF Level (FT4 Only)	Heavy Duty Fuel Tank Guard
	Speedometer	Ground Level Fueling and DEF
	Odometer	Less Tires and Wheels
Cool-on Demand Swing out Fan	Outside Temperature	
Enclosed Fan Safety Guard	Integrated Cycle Counter with 5 Categories	
	Indicator Lights for Standard and Selected Options	
	Indicator Lights For Amber Caution and Red Stop	
	Operator Warning Messages	
HYDRAULICS:	BUILT-IN	
Pressure compensating Load Sensing Hydraulic System	DIAGNOSTICS:	
2 Function -- 2-Lever Fingertip Control and Steering Column FNR	Diagnostic Code Details	
Ride Control, Automatic with Monitor Adjustable Speed Settings	Sensor Values	
Automatic Return to Dig	Calibrations	
	Individual Circuit Tester	
In Cab Adjustable Automatic Boom Height Kickout / Return To Carry	MENU DISPLAY:	
Hydraulic Function Enable/ Disable	Codes	
Hydraulic Reservoir with Sight Gauge and Fill Strainer	Machine Settings	
Hydraulic Diagnostic Ports	Diagnostics	
	Monitor Settings	
	OPERATOR'S STATION:	
	ROPS Quiet Cab with Heater and Air Conditioning	
	Defroster and Pressurizer	
	Front and Rear Intermittent Windshield Wipers and Washers	
	(1) Inside and (2) Outside Rear View Mirrors	
	Left and Right Rear Side Opening Windows	

Required - *You must select one from each category*

▼ BASE MACHINE

FOB Davenport, Ia.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

Description	Code	Price
724K LOADER	7670T	\$313,633.00

▼ GATHERING GROUP CONFIGURATIONS

Description	Code	Price
Standard Gathering Group	0810	No Added Cost

▼ OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Labels and Decals	2605	No Added Cost
Spanish Labels and Decals	2610	No Added Cost
French Labels and Decals	2615	No Added Cost
Russian Labels and Decals	2620	No Added Cost

▼ ENGINE

Description	Code	Price
John Deere PowerTech Engine	0924	\$43,602.00

John Deere PowerTech PSS 9.0L meets EPA FT4 and EU Stage IV Emissions (264 Net Peak hp)
 For use only in areas where EPA Final Tier 4/EU Stage IV is required.

- Turbocharged
- Wet Sleeve Cylinder Liners
- Programmable Auto-Idle and Auto-Shutdown
- Selected Idle Adjustment from 900-1250 RPM
- Starter Protection
- 4 Valves / Cylinder
- Cooled Exhaust Gas Recirculation
- Automatic Derating for Exceeded System Temperatures
- Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible
- Electrical Fuel Priming System
- Serpentine Drive Belt with Automatic Tensioner
- Under Hood Dual Element Air Cleaner with Restriction Indicator
- Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack
- Automatic Exhaust Filter Regeneration
- Dual-Stage Fuel Filter and Water Separator
- 500 Hour Vertical Spin-on Oil Filter
- Oil crankcase filter, Lifetime
- Automatic Engine Cool-down Timer
- Remote Start Battery Terminals.
- 100 Amp Alternator

FAN DRIVE			
Description	Code	Price	
Standard Fan Drive	1510	No Added Cost	
Reversing Fan Drive	1520	\$1,683.00	
Requires code 1430 Air Intake System with Centrifugal Precleaner Engine			
AIR INTAKE			
Description	Code	Price	
Air Intake system without Precleaner Engine	1410	No Added Cost	
Air Intake System with Centrifugal Precleaner Engine	1430	\$617.00	
EXHAUST			
Description	Code	Price	
Engine Exhaust with Flat Black Curved Stack	1310	No Added Cost	
Engine Exhaust with Chrome Curved Stack	1330	\$344.00	
FUEL FILTRATION			
Description	Code	Price	
Standard Fuel Filter & Water Separator	1610	No Added Cost	
Requires code 0911 or code 0924.			
ALTERNATOR			
Description	Code	Price	
100 amp Alternator - FT4	1211	\$497.00	
For use with Engine option code 0924 For use with Power Converter Code 2708			
130 amp Alternator	1215	\$751.00	
For use with FT4 Engine code 0924.			
CONVERTER			
Description	Code	Price	
24 Volt to 12 Volt - 8 Amp Converter	2708	No Added Cost	
24 Volt to 12 Volt - 15 Amp Converter	2715	\$115.00	
24 Volt to 12 Volt - 30 Amp Converter	2730	\$265.00	
LIGHTING			
Description	Code	Price	
Halogen Work and Drive Lights	7110	No Added Cost	

Incandescent Front Turn and Marker Lights LED Rear Turn and Marker Lights		
Halogen Work and Drive Lights	7120	\$257.00
LED Front Turn/Marker & Rear Turn/Brake Lights		
Premium LED Work and Drive Lights	7140	\$1,706.00
All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		

▼ PAYLOAD SCALE

Description	Code	Price
Embedded Payload Scale (EPS)	2850	\$7,135.00
<p>EPS is an integrated weighing system visible in the base monitor. It provides bucket and material payload weighing at the pile and daily payload totals. EPS does not have the capability of connecting any external hardware, so printers, data modules, or modems cannot be used.</p> <p>EPS components are factory installed but require calibration by the corresponding Loadrite Dealer. Loadrite must be contacted to activate and calibrate this scale. The cost to set up, activate and calibrate this scale is already included in the price.</p> <p>Contact number: 1-800-528-5623 nationwide call in</p> <p>Only for use on order codes 2010 (Z-Bar Linkage) or 2020 (High Lift Z-Bar Linkage).</p>		
No Payload Scale	2890	No Added Cost
<p>Z-Bar and High Lift Linkage models will be shipped Loadrite ready. AT439717 may be added at a later time to install L2180 Payload Scale.</p>		

▼ TRANSMISSION

Description	Code	Price
Transmission	1110	(\$3,900.00)
4-Speed		
5-Speed Transmission with Lock-up Torque Converter	1120	No Added Cost

▼ AXLES

Description	Code	Price
Front Hydraulically Locking Differential and Rear Conventional Differential Axles	3046	No Added Cost
High Traction - Front & Rear Hydraulically Locking Differential Axles	3049	\$2,414.00

▼ DIFFERENTIAL LOCK

Description	Code	Price

Automatic Differential Lock	3110	\$1,429.00
-----------------------------	------	------------

Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions.
Minimizing tire spin.
Requires Transmission & Bottom guard code 9410.

Manual Axle Differential Lock	3120	No Added Cost
-------------------------------	------	---------------

▼ WHEELS AND TIRES

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.
Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Description	Code	Price
-------------	------	-------

[Less Wheels and Tires](#)

Less Wheels and Tires	4000	No Added Cost
-----------------------	------	---------------

Includes 9 Degree Axle Stops
If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.

23.5x25 3pc.Rims Less Tires	4010	\$5,868.00
-----------------------------	------	------------

750/65R25 5pc. Rims Less Tires	4012	\$8,453.00
--------------------------------	------	------------

[Other Tire Options](#)

725/70-25 L4 16PR Titan LS150 Logger Tread on 5pc Rims	5113	\$27,089.00
--	------	-------------

Not for use with code 5550 (Full Front and Rear Fenders For Muddy Applications) Includes axle stops.

23.5-25 20PR L3 Titan Bias Tires with 3 pc. Rims	4523	\$20,952.00
--	------	-------------

750/65R25 L3 Low Profile 1 Star XLD Michelin Radial Tires with 5 pc. Rims	5241	\$36,958.00
---	------	-------------

[23.5R25 L3 Single Star Radial Tires With 3 Piece Rims](#)

No Brand Preference	4935	\$21,812.00
---------------------	------	-------------

Michelin XHA2	4621	\$27,273.00
---------------	------	-------------

Bridgestone VMT	4622	\$24,640.00
-----------------	------	-------------

▼ TIRE PRESSURE MONITORING

Description	Code	Price
-------------	------	-------

Tire Pressure Monitoring System	5310	\$1,700.00
---------------------------------	------	------------

Less Tire Pressure Monitoring System	5320	No Added Cost
--------------------------------------	------	---------------

FENDERS



Description	Code	Price
Full Coverage Front Fenders	5540	No Added Cost
Full Front and Rear Fenders For Muddy Applications	5550	\$2,995.00
Not for use with code 5113 (Titan LS150 Logger Tire).		
Less Fenders	5570	No Added Cost



LINKAGE CONFIGURATION

Description	Code	Price
Standard Z-BAR	2010	No Added Cost
High Lift Z-BAR	2020	\$6,343.00
Adds 14.88 inches (378 mm) height to bucket hinge pin, fully raised. Rated tipping load, breakout and lift capacity will be lower than unit equipped with the standard boom.		



HYDRAULIC CONTROLS

Description	Code	Price
2 Function -- Joystick with FNR	2422	\$571.00
1 lever controls boom and bucket. Requires code 2120 Conventional Steering.		
2 Function -- Joystick with Steering Column FNR	2424	\$571.00
1 lever controls boom and bucket.		
2 Function -- 2-Lever Fingertip Control and Steering Column FNR	2426	No Added Cost
1 lever controls boom and 2nd lever controls bucket functions.		
3 Function -- Joystick with FNR and 3rd Function Auxiliary Control Lever	2432	\$2,929.00
1 lever controls both boom and bucket and 2nd lever controls auxiliary functions. Includes auxiliary hydraulic lines to boom cross tube.		
3 Function -- Joystick with 3rd Function Auxiliary Control Lever and Steering Column FNR	2434	\$2,929.00
1 lever controls boom and bucket, 2nd lever controls auxiliary functions. Includes auxiliary hydraulic lines to boom cross tube.		
3 Function -- 3-Lever Fingertip Controls with Steering Column FNR	2436	\$2,929.00
1 Lever controls boom, 2nd Lever for bucket and 3rd Lever controls auxiliary		

functions.
 Includes auxiliary hydraulic lines to boom cross tube.

4 Function -- 4 Lever Finger Tip Controls and Steering Column FNR	2444	\$4,242.00
---	------	------------

1 lever controls boom, 1 lever controls bucket, 2 single levers controls 2 additional auxiliary functions.
 Includes auxiliary hydraulic lines to boom cross tube.

OPERATOR'S STATION

Description	Code	Price
Left Side Steps	5610	No Added Cost
Left And Right Side Steps	5620	\$920.00

A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	No Added Cost

SEAT

Description	Code	Price
Standard Fabric, Back Rest Extension, Air Suspension Seat	2220	No Added Cost

Fabric Covered Seat with Back Rest Extension includes full adjustment, Lumbar, and Air Suspension with full damping capability.
 Requires code 2120 (Conventional Wheel)

Premium Heated, Leather/Fabric, High-Wide Back w/ Head Rest Extension, Air Suspension Seat w/ Conventional Left Arm Rest	2230	\$829.00
--	------	----------

Requires order code 2120 (Conventional Wheel).

Seat includes full adjustment, Lumbar and Air Suspension with full damping capability.

Premium Heated Leather/Fabric, High-Wide Back w/ Head Rest Extension, Air Suspension Seat w/ Left Hand Joystick Steering	2210	No Added Cost
--	------	---------------

Seat included in code 2110 Joystick Steering with full adjustment, Lumbar, Air Suspension with full damping capability.

MIRRORS

Description	Code	Price
Standard Outside Mirrors	8310	No Added Cost
Heated Outside Mirrors	8320	\$624.00

STEERING SYSTEMS

Description	Code	Price
	2120	No Added Cost

Steering Wheel Only

Steering Wheel remains without Joystick Steering.
Requires code 2220 or 2230 Seat.

Joystick Steering	2110	\$4,892.00
-------------------	------	------------

Provides 2 Steering Systems with Steering Wheel and Left Hand Joystick with FNR Switch.
Requires code 2210 Seat
Requires code 2424, 2426, 2434, 2436, or 2444 Steering Column FNR

▼ STEERING CYLINDERS

Description	Code	Price
Greased Steering Cylinder Joints	1910	No Added Cost
NeverGrease Steering Cylinder Joints	1915	No Added Cost

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLINK Ultimate Dual 5 Year Subscription	170J	\$2,074.00
--	------	------------

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as

advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ MACHINE CONFIGURATION

Description	Code	Price
Standard Loader	1010	No Added Cost
FT4 Waste Handler	1021	No Added Cost

Requires the following codes:
 0810 - Standard Gathering Group
 0924 - FT4 Engine
 1110- 4 Speed Transmission
 1430 - Air Intake System with Centrifugal Precleaner Engine
 1520 - Reversing Fan Drive
 2010 or 2020 - Z-BAR or High Lift Linkage
 3120 - Manual Axle Differential Lock
 5570 - Less Fenders
 5610 - Left Side Steps
 8450 - Cab w/ Air A/C Charge
 9540 - Less Hitch and Rear Counterweights

Cannot order code:
 9125 Beacon Bracket
 9126 Dual Beacon Bracket
 9045 Quick Fluid Service

Requires AT450481 FT4 724K Waste Handler Package, Installed.
 (Requires loader to ship to GR Mfg).

The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.

Optional - *Select as desired*

▼ MISCELLANEOUS

Description	Code	Price
Engine Compartment Light	9240	\$145.00

▼ COLD START PACKAGES

Description	Code	Price
Automatic Ether Starting Aid	9010	\$338.00

Recommended below 10 degrees F (-12 degrees C).
 Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C).

Ether can not included.

Engine Block Heater	9015	\$243.00
---------------------	------	----------

Recommend for cold starts below -10 degrees F (-23 C)

▼ QUICK FLUID SERVICE WITH ENVIRONMENTAL DRAIN

Description	Code	Price
Quick Fluid Service	9045	\$850.00

Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

▼ ANTI-CORROSION

Description	Code	Price
Electrical Corrosion Prevention Package	9210	\$1,425.00

Preventive corrosion treatment for use in corrosive environments.
 Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.

▼ LIFT HOOKS

Description	Code	Price
Lift Hooks	9510	\$428.00

▼ GUARDS AND SOUND ABSORPTION

Description	Code	Price
Transmission and Bottom Guards with Level 2 Sound Package Included	9410	\$2,428.00

Recommended in applications where underside is vulnerable.

▼ REAR HITCH AND COUNTERWEIGHTS

Description	Code	Price
Less Hitch and Rear Counterweights	9540	(\$5,820.00)

For use with Standard or High Lift Linkage Codes 2010 or 2020.

▼ TIRE BRAND PREFERENCE

Description	Code	Price
No Tire Brand Preference		

23.5R25 1 STAR L3 NO BRAND PREFERRED RADIAL WITH 3 PC RIMS	9710	No Added Cost
--	------	---------------

▼ HYDRAULIC CONTROLS

Description	Code	Price
-------------	------	-------

Hydraulic Control System for Attachment Coupler Locking Pins	9310	\$1,452.00
--	------	------------

For use with field installed Attachment couplers.
Includes hydraulic lines from control valve to loader boom cross tube, electric switch and solenoid valve.

▼ HYDRAULIC FLUID

Description	Code	Price
Hydraulic Fluid - Hydrau XR	9316	\$250.00

Optional factory fill.
Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F).
Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).

▼ OPERATOR'S STATION

Description	Code	Price
Powered Cab Air Pre-Cleaner	9115	\$945.00

Extends cab air filter change intervals.

Rear Camera and Radar Object Detection System	9130	\$4,589.00
---	------	------------

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Rear Camera Only	9131	\$1,285.00
------------------	------	------------

Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System).

5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9140	\$139.00
---	------	----------

▼ RADIO

Description	Code	Price
AM/FM/Weather Band (WB) Radio with Remote AUX Port	9106	\$576.00

Not for use with code 2790 (No 24 Volt Power).

Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	9111	\$850.00
--	------	----------

Not for use with code 2790 (No 24 Volt Power).

▼ STEERING

Description	Code	Price
Secondary Steering	9305	\$2,851.00

▼ BUCKET PINS ONLY

All bucket capacity ratings are with auxiliary cutting edge or teeth with segments installed.

Description	Code	Price
Bucket Pins Only - Less Bucket and Coupler	8550	\$895.00

Pins are shipped with the machine.
 The pins provided are designed and intended for use in installing Deere provided pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.
 When installing attachments that are heavier than 5100lbs (standard z-bar) or 3900lbs (high lift), it is strongly recommended field kit AT361146 be installed. This field kit allows control over the dump speed and protects the linkage components from damage with large attachments.

▼ Z-BAR PIN-ON BUCKETS

Description	Code	Price
4.25 Cu. Yd. (3.3 Cu. M.) GP Bucket with Bolt-on Cutting Edge	8760	\$10,305.00

With Bolt on Skid Shoes

4.25 Cu. Yd. (3.3 Cu. M.) GP Bucket with Teeth and Cutting Edge Segments	8765	\$11,650.00
--	------	-------------

4.75 Cu. Yd. (3.6 Cu. M.) GP Bucket with Bolt-On Cutting Edge	8774	\$11,424.00
---	------	-------------

4.75 Cu. Yd. (3.6 Cu. M) GP Bucket with Teeth and Segments	8776	\$12,593.00
--	------	-------------

Includes additional welded wear strips on underside of bucket where side and floor of bucket meet.

4.75 Cu. Yd. (3.6 Cu. M.) GP Bucket with JAGZä Cutting Edges	8779	\$13,391.00
--	------	-------------

Includes additional welded wear strips on underside of bucket where side and floor of bucket meet.

▼ HYDRAULIC COUPLERS

Description	Code	Price
Hi-Vis Z-BAR Hydraulic Attachment Coupler	8561	\$8,146.00

When ordered with 3rd function hydraulics, plumbing to coupler included. (Euro adaptable to include Volvo attachments)

▼ COUPLER FORKS

Description	Code	Price
Hi-Vis Coupler Fork Frame Carriage w/60 in.(1524mm) Tines	8586	\$11,995.00

76.2 in. (1935.5 mm) Frame.
 Requires code 8561 Hi-Vis Coupler

Hi-Vis 76.2 in.(1935.5mm) Coupler Fork Frame Carriage w/72 in.(1830mm) Tines	8588	\$12,502.00
--	------	-------------

Requires code 8561 Hi-Vis Coupler.



COUPLER BUCKETS

Description	Code	Price
4.0 Cu. Yd. (3.1 Cu. M.) General Purpose Hi-Vis Coupler Bucket with Bolt-on Cutting Edge	8857	\$9,948.00
4.0 Cu. Yd. (3.1 Cu. M.) General Purpose Hi-Vis Coupler Bucket with Teeth and Cutting Edge Segments	8859	\$11,208.00



SMV EMBLEM AND MOUNTING BRACKETS

Description	Code	Price
Slow Moving Vehicle (SMV) Emblem	9525	\$157.00
License Plate Bracket and Light	9520	\$177.00
Single Beacon Bracket	9125	\$189.00
Bracket has fold down position for transport. Cannot be ordered with code 9126.		
Dual Beacon Bracket	9126	\$378.00
Cannot be ordered with code 9125.		



PAINT

Description	Code	Price
Finish Paint - Decals Not Installed	9800	No Added Cost
For custom paint. Paintable cab roof. Decals packaged with machine. Safety decals installed.		



RUST PROTECTION

Description	Code	Price
Non-Export Rust Preventive Coating	9909	\$235.00
Coating protects exposed unpainted surfaces from road salt during shipment.		



4WD LOADER SIMULATOR

4WD Loader Operator Training Simulator
 - JD Bookstore order code: SIM5700
 - JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot pedals, steering wheel and integrated seat. Item ordered through the JD Bookstore.



ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereotechinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<u>Bucket Hardware & Accessories</u>		
Auxiliary Heavy Duty Cutting Edge	AT314304	\$2,368.00
For use on 4.0 yd.3 (3.0 M3), 4.25 yd.3 (3.3 M3) and 4.75 yd.3 (3.6 M3) buckets.		
Auxiliary Spillguard Weld-on for Non-Clipped Corner Buckets	AT206671	\$1,132.00
Spillguards add 0.4 cubic yards to Bucket Capacity.		
Hi-Vis Coupler Attachment Adapter Hook Plates (2) Standard	AT352590	\$2,036.00
Teeth with Segments	AT400167	\$3,172.00
For use on 4.0 yd.3 (3.0 M3), 4.25 yd.3 (3.3 M3) and 4.75 yd.3 (3.6 M3) buckets.		
<u>Buckets Coupler</u>		
4.0 Cu. Yd. (3.1 Cu. M.) Hi-Vis Coupler Bucket without Auxiliary Cutting Edge or Teeth and Segments	AT332261	\$10,249.00
Capacity rating is with auxiliary cutting edge or teeth with segments installed. Average installation, 4.5 hours. Capacity rating is with auxiliary cutting edge or teeth with segments installed.		
<u>Buckets Pin-on</u>		
4.25 Cu. Yd. (3.3 Cu. M.) GP Bucket without Auxiliary Cutting Edge or Teeth and Segments	AT347756	\$12,241.00
For Units AFTER serial number 618144 Capacity rating is with auxiliary cutting edge or teeth with segments installed.		
4.75 Cu. Yd. (3.6 Cu. M.) General Purpose Bucket without Bolt-On Cutting Edge	AT347755	\$10,754.00
Capacity rating is with auxiliary cutting edge or teeth with segments installed.		
4.75 Cu. Yd. (3.6 Cu. M.) General Purpose Jagz Bucket without Bolt-On Cutting Edge	AT345902	\$10,807.00
Capacity rating is with auxiliary cutting edge or teeth with segments installed.		

<u>Couplers</u>			
Hi-Vis Z-Bar Hydraulic Attachment Coupler	AT354840		\$8,106.00
<u>Forks</u>			
Hi-Vis 76.2 in. (1935.5mm) Coupler Fork Frame Carriage w/60 in. (1524mm) Tines	AT340684		\$11,622.00
Hi-Vis 76.2 in. (1935.5mm) Coupler Fork Frame Carriage w/72 in. (1830mm) Tines	AT340685		\$12,792.00
<u>Hydraulics</u>			
2-Lever Fingertip Control to Joystick Control w/FNR Conversion Kit	AT337445		\$1,826.00
For use when equipped with Two Function hydraulics and 2-Lever Fingertip Control.			
3-Lever Fingertip Controls to Joystick with 3rd Function Auxiliary Control Lever and Steering Column FNR	AT337447		\$2,640.00
For use when equipped with 3 Function Valve and 3- Lever Fingertip controls.			
3rd Function Hydraulics For 2-Lever Fingertip Controls on Z-Bar Linkage Units	AT337702		\$2,944.00
For Stage 2/Tier 3/iT4 Engines For use when equipped with Two Spool Valve with 2-Lever Fingertip Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.			
3rd Function Hydraulics For 2-Lever Fingertip Controls on Z-Bar Linkage Units	AT438587		\$2,944.00
For FT4 Engines For use when equipped with Two Spool Valve with 2-Lever Fingertip Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.			
3rd Function Hydraulics For Joystick Control on Z-Bar Linkage	AT337488		\$2,761.00
For Stage 2/Tier 3/iT4 Engines When Equipped with Two Function Valve with Joystick Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.			
3rd Function Hydraulics For Joystick Control on Z-Bar Linkage	AT438589		\$2,761.00
For FT4 Engine When Equipped with Two Function Valve with Joystick Control.Includes third hydraulic valve section, controller, auxiliary function lever and plumbing to boom cross tube.			
3rd Function Plumbing from Boom to Coupler on Z-Bar High Lift Units	AT322227		\$568.00

For use on units that have a coupler added in the field to a Z-bar High Lift Unit and have 3rd function hydraulics.
Installation Instructions T215273.

3rd Function Plumbing from Boom to Coupler on Z-Bar Units	AT322224	\$495.00
---	----------	----------

For use on units that have a coupler added in the field to a Z-bar Unit and have 3rd function hydraulics.
Installation Instructions T215273

4th Function Hydraulics For 3-lever Fingertip Controls on Z-Bar Linkage	AT364974	\$2,447.00
---	----------	------------

For Stage 2/Tier 3/IT4 Engines
For use when loader is equipped with 3-Lever Fingertip Control. Includes fourth hydraulic valve section, auxiliary function fingertip control lever and plumbing to boom cross tube.

4th Function Hydraulics For 3-lever Fingertip Controls on Z-Bar Linkage	AT438581	\$2,447.00
---	----------	------------

For FT4 Engines
For use when loader is equipped with 3-Lever Fingertip Control. Includes fourth hydraulic valve section, auxiliary function fingertip control lever and plumbing to boom cross tube.

5th Function Electrically Controlled Auxiliary Valve	AT365109	\$3,691.00
--	----------	------------

Bucket Linkage Dump Speed Control	AT361146	\$491.00
-----------------------------------	----------	----------

Allows control over the dump speed and protects the linkage components from damage with large attachments.

Cable Reinforced Coupler Plumbing kit for Hi-Vis Powerllec and Z-Bar Linkage	AT347176	\$242.00
--	----------	----------

Installation Instructions T237184.
For use with Deere designed Euro (Volvo) style coupler.

Detent kit for 3rd Function	AT337443	\$344.00
-----------------------------	----------	----------

FNR from Steering Column to Joystick Conversion kit	AT337704	\$456.00
---	----------	----------

High Lift NeverGrease to Greased Linkage Conversion Kit	AT457035	\$2,405.00
---	----------	------------

This kit converts units ordered with NeverGrease boom and bucket cylinders to a standard greased linkage system with traditional grease zerks.

High-Altitude Hydraulic Kit	AT364679	\$606.00
-----------------------------	----------	----------

For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.
For use with Tier 3 or IT4 Engines.
For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.
For use with Stage 2, Tier 3, or IT4 Engines.

Hydraulic Control System for Quick Coupler Locking Pins on Z-Bar linkage units	AT337420	\$1,375.00
--	----------	------------

This kit not compatible with the 644K Hybrid Loader.
This kit not compatible with the 644K Hybrid Loader.

Hydraulic Warm Up Circuit Kit	AT364336	\$1,047.00
-------------------------------	----------	------------

Joystick Control Conversion to 2-Lever Fingertip Controls	AT337444	\$1,821.00
---	----------	------------

To convert from Joystick to 2-Lever Fingertip Controls

Joystick Control with Auxiliary Lever Conversion to 3-Lever Fingertip Controls	AT337446	\$2,280.00
--	----------	------------

To convert from Joystick with Auxiliary Lever to 3-Lever Fingertip Controls.

Pump Manifold Guard Kit	AT368171	\$124.00
-------------------------	----------	----------

For Stage 2/Tier 3/iT4/FT4 Engines.
For Stage 2/Tier 3/iT4 Engines.

Pump Manifold Guard Kit	AT438403	\$124.00
-------------------------	----------	----------

For FT4 Engine

Z-Bar NeverGrease to Greased Linkage Conversion Kit	AT457034	\$2,405.00
---	----------	------------

This kit converts units ordered with NeverGrease boom and bucket cylinders to a standard greased linkage system with traditional grease zerks.

Operator Environment

24 Volt to 12 Volt - 15 Amp Converter	AT418212	\$315.00
---------------------------------------	----------	----------

444K - S/N 670313 and above
524K - S/N 670311 and above
544K - S/N 670309 and above
624K - S/N 658065 and above
644K - S/N 658218 and above
724K - S/N 658297 and above
744K/824K/844K - S/N 663886 and above

24 Volt to 12 Volt - 30 Amp Converter	AT418533	\$465.00
---------------------------------------	----------	----------

444K - S/N 670313 and above
524K - S/N 670311 and above
544K - S/N 670309 and above
624K - S/N 658065 and above
644K - S/N 658218 and above
724K - S/N 658297 and above
744K/824K/844K - S/N 663886 and above

AM/FM/WB Radio	AT337114	\$590.00
----------------	----------	----------

Includes speakers, wiring, 24 Volt to 12 Volt - 8 Amp Converter and antenna.

444K - S/N - 670312 and below
524K - S/N - 670310 and below
544K - S/N - 670308 and below
624K - S/N - 658064 and below
644K - S/N - 658217 and below
724K - S/N - 658296 and below

744K/824K/844K S/N - 663885 and below
Works on all 644K Hybrid models

AM/FM/WB Radio with CD Player	AT337116	\$672.00
-------------------------------	----------	----------

Includes speakers, wiring, 24 Volt to 12 Volt - 8 Amp Converter and antenna.
This kit works for all 444K - 724K and 744K/824K/844K S/N 663885 and below.
444K - S/N - 670312 and below
524K - S/N - 670310 and below
544K - S/N - 670308 and below
624K - S/N - 658064 and below
644K - S/N - 658217 and below
724K - S/N - 658296 and below
744K/824K/844K S/N - 663885 and below
Works on all 644K Hybrid models

Automatic Ride Control	AT307759	\$5,060.00
------------------------	----------	------------

Installation instructions AT206054

Joystick Steering	AT362266	\$4,943.00
-------------------	----------	------------

For Stage 2/Tier 3/iT4 Engines
This kit not compatible with the 644K Hybrid Loader.

Joystick Steering	AT419352	\$4,943.00
-------------------	----------	------------

For FT4 Engines

Rear Camera and Radar Object Detection System	AT439861	\$4,344.00
---	----------	------------

624K - FT4 era machines, Stage 2 and Tier IIIA emission levels.
644K and 724K - FT4 era machines, all emission levels.

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Will require AT410941 (Advanced Display Monitor with Camera mode).

624K-724K also requires one of the following kits if converter is not already installed:
AT418212 24 Volt to 12 Volt 15 Amp Converter
AT418533 24 Volt to 12 Volt 30 Amp Converter

Rear Camera and Radar Object Detection System (IT4)	AT379594	\$4,344.00
---	----------	------------

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode)

444K-644K also requires AT357789 24 Volt to 12 Volt 8 Amp Converter

Please Order AT410941 in JD Point

Rear Camera and Radar Object Detection System (ST2/T3) S/N 658064 and below	AT363292	\$4,344.00
--	----------	------------

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode)

444K-644K also requires AT357789 24 Volt to 12 Volt 8 Amp Converter

Please Order AT410941 in JD Point

Secondary Steering	AT439849	\$2,823.00
--------------------	----------	------------

This kit works on the following machines with Stage 2/Tier3/iT4 engines:
644K - S/N 642444 and above
724K - S/N 641523 and above

Secondary Steering System	AT419351	\$2,823.00
---------------------------	----------	------------

For use with FT4 Engine

Operator Environment

MP3/iPod/Sat Radio/Cell Phone holder w/ 2 Power Ports and Cargo Net	AT349372	\$154.00
---	----------	----------

kit includes a cargo net, bracket/holder, wire harness, 2 power ports, plastic holder, and instructions.

Overall Vehicle

Dual Beacon Wiring Harness and Switch Kit	AT377291	\$178.00
---	----------	----------

Embedded Payload Scale for Z-Bar Linkage only	AT363057	\$7,135.00
---	----------	------------

EPS is an integrated weighing system visible in the base monitor. It provides bucket and material payload weighing at the pile and daily payload totals. EPS does not have the capability of connecting any external hardware, so printers, data modules, or modems cannot be used.

Loadrite must be contacted to activate and calibrate this scale. The cost to calibrate this scale is already included in the price.

Contact number:
1-800-528-5623 nationwide call in

Only for use on order codes 2010 (Z-Bar Linkage) or 2020 (High Lift Z-Bar Linkage).

Engine Compartment Light	AT441577	\$145.00
--------------------------	----------	----------

For use on Stage 2/Tier 3 Engines S/N 658065 and above

Engine Compartment Light	AT418284	\$145.00
--------------------------	----------	----------

For use on FT4 Engines S/N 658065 and above

Fold-Down Beacon Bracket	AT366856	\$189.00
--------------------------	----------	----------

Full Rear Fenders For Muddy Applications	AT344352	\$2,443.00
--	----------	------------

For S/N 658296 and below

	AT418982	\$2,443.00
--	----------	------------

Full Rear Fenders For Muddy Applications

For S/N 658297 and above

License Plate Bracket and Light	AT352644	\$187.00
---------------------------------	----------	----------

For units with Stage 2 or T3 Engines.

License Plate Bracket and Light	AT370158	\$184.00
---------------------------------	----------	----------

For units with iT4 or FT4 Engines

Right Side Steps and Handholds	AT439489	\$920.00
--------------------------------	----------	----------

For use on S/N 658297 and above

SMV Emblem and Bracket	AT352645	\$117.00
------------------------	----------	----------

For units with Stage 2 or Tier 3 engines: 444K - S/N 642101 and above

524K - S/N 642246 and above

544K - S/N 642665 and above

624K - S/N 642635 and above

644K - S/N 642444 and above

724K - S/N 641523 and above

Single LED work light with high beam lens	AT399788	\$415.00
---	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Single LED work light with symmetric lens	AT399789	\$415.00
---	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Slow Moving Vehicle Emblem	AT370093	\$95.00
----------------------------	----------	---------

For units with iT4 or FT4 engines:

444K - S/N 642101 and above

524K - S/N 642246 and above

544K - S/N 642665 and above

624K - S/N 642635 and above

644K - S/N 642444 and above

724K - S/N 641523 and above

Powertrain & Cooling

Automatic Axle Differential Lock (Auto-Diff/Lock)	AT362998	\$1,534.00
---	----------	------------

Axle Temperature Gauge Kit	AT385730	\$651.00
----------------------------	----------	----------

This kit works on the following machines:

444K - S/N 642100 and below

524K - S/N 642245 and below

544K - S/N 642664 and below

624K - S/N 642634 and below

644K - S/N 642443 and below

724K - S/N 641522 and below

Centrifugal Pre-Cleaner	AT373707	\$858.00
-------------------------	----------	----------

For use with IT4 and FT4 Engines.
For use with IT4 Engines.
For use with FT4 Engines.

Engine Air Intake Centrifugal Pre-Cleaner	AT351799	\$614.00
---	----------	----------

For units with Stage 2 or Tier 3 engines

Ether Starting Aid for FT4 engines	AT419830	\$342.00
------------------------------------	----------	----------

Recommended below 10 degrees F (-12 degrees C).
Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C).

Ether Starting Aid for IT4 engines	AT372539	\$342.00
------------------------------------	----------	----------

Recommended below 10 degrees F (-12 degrees C).
Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C).

Ether Starting Aid for Stage 2/Tier 3 engines	AT338243	\$342.00
---	----------	----------

Recommended below 10 degrees F (-12 degrees C).
Recommend with Engine Block Heater for cold starts below -10 degrees F (-23 C).

Fast Fill Fuel System	AT338445	\$2,346.00
-----------------------	----------	------------

For Stage 2/Tier 3 Engines
Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.
150 gpm fill rate.

Fast Fill Fuel System	AT419831	\$2,418.00
-----------------------	----------	------------

For FT4 Engine
Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.
150 gpm fill rate.

Fast Fill Fuel System	AT372933	\$2,418.00
-----------------------	----------	------------

For IT4 Engines
Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.
150 gpm fill rate.

Quick Fluid Service w/Environmental Drains and Sampling ports	AT339005	\$679.00
---	----------	----------

For ST2/T3 machines.
Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

Quick Fluid Service w/Environmental Drains and Sampling ports	AT369702	\$679.00
---	----------	----------

For IT4 machines.
This kit not compatible with the 644K Hybrid Loader.

Quick Fluid Service w/Environmental Drains and Sampling ports	AT419353	\$679.00
---	----------	----------

For FT4 machines.
This kit not compatible with the 644K Hybrid Loader.

Reversible Engine Fan Drive	AT337347	\$1,407.00
-----------------------------	----------	------------

For use with Stage 2 or Tier 3 engines

Reversible Engine Fan Drive	AT369674	\$1,683.00
-----------------------------	----------	------------

For Loaders with IT4 Engines
Includes reversing valve, motor and plumbing
For Loaders with IT4 Engines
Includes reversing valve, motor and plumbing.

This kit not compatible with the 644K Hybrid Loader.

Reversible Engine Fan Drive	AT419349	\$1,683.00
-----------------------------	----------	------------

For use with FT4 Engines.

Severe Duty Fuel filters & Water Separator with Heater	AT371241	\$966.00
--	----------	----------

For use with Stage 2 engine code 0930 and custom tier 3 export engine code 09B1
For use with Stage 2 or T3 engines.

Tire Pressure Monitoring System (TPMS); 25 Inch Rim	AT373932	\$1,693.00
---	----------	------------

REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

[G.r.mfg.](#)

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Amber Strobe Light	AT301703	\$512.00
--------------------	----------	----------

Cab roof mounted, gel filled and double flash. Kit includes bracket for installation.

For Tier 3, IT4 and FT4.

Articulation Joint Guard Kit	AT450484	\$1,624.00
------------------------------	----------	------------

Serial number 658065 and above, FT4 engine only.

Articulation Joint Guard Kit	AT450491	\$1,624.00
------------------------------	----------	------------

Serial number 658065 and above, T3 engine only.

Articulation Joint Guards	AT368020	\$1,624.00
---------------------------	----------	------------

S/N 658064 and below, all engine emissions.

	AT345009	\$1,273.00
--	----------	------------

Axle Seal Guards

For all engine emissions.

Boom Cylinder Hydraulic Line & Cavity Guards	AT364535	\$2,614.00
--	----------	------------

S/N 625967 and below, for T3 engines only.

Boom Cylinder Hydraulic Line & Cavity Guards	AT375237	\$2,614.00
--	----------	------------

S/N 625968 and above, all engine emissions.

FT4 Waste Handler Package, Installed	AT450481	\$28,084.00
--------------------------------------	----------	-------------

Requires code 1021, FT4 Waste Handler Package

FOB Davenport, Iowa, dealer is responsible for freight of unit from factory to Trussville, Alabama, and freight from Trussville to final destination.

Installed package includes the following:

Axle Seal Guards
 Boom Cylinder Hydraulic Line & Cavity Guards
 Bucket Cylinder Hydraulic Line/Rod/Sensor Guard
 Articulation Joint Guards
 Hydraulic Tank and Cab Entry Step Guard
 Extreme Service Transmission Side Guards
 Extreme Service Loader Frame Front Cover
 Extreme Service Guards for Loader Drive, Work, & Turn Lights
 Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard)
 Rear Loader Frame Guard
 4th Gear Disabled
 Strobe Light Right Rear Cab Roof Mounted, Fold Down
 Lower Boom & Bucket Grease Fitting Guards
 Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs
 Battery Disconnect Switch Compartment Guard
 Precleaner Prescreen Kit

Front Screen for Canopy or Cab	AT407942	\$2,303.00
--------------------------------	----------	------------

444K-844K Z-BAR, HI-LIFT, POWERLLEL, and Tool Carrier
 Front Screen will fully open to facilitate cleaning.
 ISO 8084 CERTIFIED

Front Tire Striker Bar	AT341614	\$1,827.00
------------------------	----------	------------

Works for all engine emissions.
 Recommended when solid tires with lugs are installed.
 For Tier 3, IT4 and FT4.
 Recommended when solid tires with lugs are installed.

Heavy Duty Rear Grille Guard	AT345012	\$2,631.00
------------------------------	----------	------------

For Tier 3, IT4 and FT4; S/N 658218 and above.
 Requires Rear Access Platforms with Steps & Hand Holds.
 For Tier 3, IT4 and FT4.
 Requires Rear Access Platforms with Steps & Hand Holds.

Hydraulic Operated Extreme Service Bottom Guards	AT364536	\$6,221.00
--	----------	------------

S/N 658064 and below, all engine emissions. (644K & 724K)
 Works for all 644K Hybrid machines.

Cannot be used with code 3110 Axle Auto Diff Lock.
Cannot be ordered with code 9410 Transmission and Bottom Guards with Level 2 Sound Package.

IT4 CAB SIDES AND REAR SCREEN PACKAGE	AT407941	\$3,810.00
---------------------------------------	----------	------------

444K, 524K, 544K, 624K, 644K, 724K, 844K SII IT4 Z-Bar, Hi-Lift, Powerllet, and Tool Carrier

Rear Access Platform With Steps & Hand Holds	AT398404	\$6,094.00
--	----------	------------

IT4 engines only.
Required for rear axle warranty when equipped with foam filled or solid tires. Monitor to be reprogrammed to block 4th gear. Requires custom code to deduct main counterweight and rear hitch. Contact DMAC for custom code.
For IT4 only
Required for rear axle warranty when equipped with foam filled or solid tires. Monitor to be reprogrammed to block 4th gear. Requires custom code to deduct main counterweight and rear hitch. Contact DMAC for custom code.

Rear Access Platforms	AT450483	\$6,420.00
-----------------------	----------	------------

S/N 658065 and above, FT4 engine only.
Requires code 9540 to deduct main counterweight and rear hitch.

T3 Waste Handler Package, Installed	AT450488	\$26,965.00
-------------------------------------	----------	-------------

FOB Davenport, Iowa, dealer is responsible for freight of unit from factory to Trussville, Alabama, and freight from Trussville to final destination.

Serial number 658297 and above
Requires code 1022, T3 Waste Handler Package
Installed package includes the following:
Axle Seal Guards
Boom Cylinder Hydraulic Line & Cavity Guards
Bucket Cylinder Hydraulic Line/Rod/Sensor Guard
Articulation Joint Guards
Extreme Service Flex Cab Entry Step
Extreme Service Transmission Side Guards
Extreme Service Loader Frame Front Cover
Extreme Service Guards for Loader Drive, Work, & Turn Lights
Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard)
Rear Loader Frame Guard
4th Gear Disabled
Strobe Light Right Rear Cab Roof Mounted, Fold Down
Lower Boom & Bucket Grease Fitting Guards
Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs
Battery Disconnect Switch Compartment Guard
Precleaner Prescreen Kit

Miscellaneous

Front Screen-Laser Cut Plate, for Canopy or Cab, ISO8084 Certified	AT361424	\$2,303.00
--	----------	------------

Overall Vehicle

Rear Access Platform With Steps & Hand Holds	AT345011	\$6,092.00
--	----------	------------

S/N below 642635 or S/N 658065 and above, T3 engines only.
Requires code 9540 to deduct main counterweight and rear hitch.

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |