

## CATERPILLAR MACHINE PRICE LIST

**725**725 TRUCK  
PETERLEE, ENGLANDShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Auto shift six-speed forward and single speed reverse transmission  
Cat C9 engine.  
Differentials: standard with automatic clutched inter and cross-axle differential locks  
Dual circuit enclosed multiple disc brakes  
Automatic Retarder Control (ARC)  
S.O.Ssm sampling valves  
Three axle, six-wheel drive  
Machine speed limiter  
Automatic Retarder Control  
Hill Assist  
Waiting Brake

**ELECTRICAL**

Electrical system: 24 volt, 5A 24 to 12 volt converter  
Lights: cab interior, front, side, rear, two reversing, work lights, two stop/tail lights, front and rear direction indicators  
Hood Raise Lower Switch

**OPERATOR ENVIRONMENT**

Climate control with R134A refrigerant  
Adjustable air vents  
CAT rear view camera  
Touch Screen  
incorporating the rear view camera feed  
Electro hydraulic hoist control  
Glass windows: laminated front, toughened rear and toughened opening sides  
Heater and defroster with four-speed fan

Horn, electric  
Radio ready  
ROPS/FOPS cab  
Seat, fully adjustable, air suspension  
Seat, padded companion/trainer  
Seat belts: two retractable  
Secondary steering - electro hydraulic  
Storage: cup holder, under seat storage, behind seat storage and coat hook  
Sun visor  
Tilt and telescopic steering wheel  
Windshield wiper and washer, two speed, intermittent (front)

**OTHER STANDARD EQUIPMENT**

Reverse/back-up alarm  
Body, adapted for exhaust heat  
Guards: rear window and radiator, crankcase and axle  
Mirrors: extensive arrangement for improved visibility  
Mud flaps: wheel arch and body mounted with transportation tie backs  
Spill guard, front, integral part of fabricated body  
Starting receptacle, electric, remote  
Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank  
Cat Detect with Stability Assist  
Rollover Warning System  
Assisted Hoist System

CATERPILLAR MACHINE PRICE LIST

**725**

725 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

<p><b>593-2916</b></p> <p><b>725 04A ARTICULATED TRUCK DCA1</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM SAVANNAH PDC.                      Tier IV Final emission package.</p>	<p><b>\$465, 630</b></p>
---	--------------------------

- INCLUDES:
- 555-6401 725 04A ARTICULATED TRUCK
  - 555-6412 CHASSIS, STANDARD
  - 380-3578 TIRES, 23.5R25 BS \*\* VLT E-3
  - 481-8888 PRODUCT LINK, CELLULAR PLE641
  - 555-6462 BODY, STANDARD
  - 503-2045 TANK, STANDARD FUEL
  - 555-6414 EXHAUST, STANDARD
  - 396-1948 AID, STANDARD STARTING
  - 480-1971 NO MACHINE SECURITY SYSTEM
  - 480-1973 NO ROOF LIGHTS
  - 381-1676 HEATER, ENGINE COOLANT, 120V
  - 320-5940 FUEL ADDITIVE, ANTI WAX
  - 500-5946 MIRROR, STANDARD
  - 485-0331 SEAT, DELUXE
  - 381-0092 ANTIFREEZE, -36C (-33F)
  - 480-1980 AM/FM RADIO (BLUETOOTH READY)
  - 462-5037 CAB, STANDARD
  - 455-3502 NO TAILGATE
  - 485-0336 NO PAYLOAD MONITOR
  - 497-9403 NO REAR WIPER
  - 583-9949 ROW ENGINE ARRANGEMENT
  - 566-5659 SEAT BELT, STANDARD

CATERPILLAR MACHINE PRICE LIST

**725**

725 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

<b>593-2913</b>	<b>725 04A ARTICULATED TRUCK DCA2</b> . . . . . 0 LANE 1 - AVAILABLE FROM SAVANNAH PDC. Tier IV Final emission package.	<b>\$467,890</b>
-----------------	---	------------------

- INCLUDES:
- 555-6401 725 04A ARTICULATED TRUCK
  - 555-6412 CHASSIS, STANDARD
  - 443-7475 TIRES, 23.5R25 MX \*\* XADN+ E-3
  - 481-8888 PRODUCT LINK, CELLULAR PLE641
  - 555-6462 BODY, STANDARD
  - 503-2045 TANK, STANDARD FUEL
  - 555-6414 EXHAUST, STANDARD
  - 396-1948 AID, STANDARD STARTING
  - 480-1971 NO MACHINE SECURITY SYSTEM
  - 480-1973 NO ROOF LIGHTS
  - 381-1676 HEATER, ENGINE COOLANT, 120V
  - 320-5940 FUEL ADDITIVE, ANTI WAX
  - 500-5946 MIRROR, STANDARD
  - 485-0331 SEAT, DELUXE
  - 381-0092 ANTIFREEZE, -36C (-33F)
  - 480-1980 AM/FM RADIO (BLUETOOTH READY)
  - 462-5037 CAB, STANDARD
  - 455-3502 NO TAILGATE
  - 485-0336 NO PAYLOAD MONITOR
  - 497-9403 NO REAR WIPER
  - 583-9949 ROW ENGINE ARRANGEMENT
  - 566-5659 SEAT BELT, STANDARD

<b>555-6401</b>	<b>725 04A ARTICULATED TRUCK</b> . . . . . 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY Available with Tier IV Final or EU Stage 5 engine. Available for US, Canada, EU, Puerto Rico, C/JL, South Korea, Australia and New Zealand.	<b>\$469,000</b>
-----------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

0P-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**INSTRUCTIONS**

421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . .</b>	0	NC
	The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

**DECAL PACKAGE**

P	555-6418	<b>FILM GROUP, ANSI . . . . .</b>	0	NC
		This package includes the ANSI decals and is required by USA.		
P	555-6417	<b>FILM GROUP, ISO . . . . .</b>	0	NC
		This package includes the ISO decals and is required by all HRC regions except USA.		
P	552-5786	<b>FILM GROUP, CANADA . . . . .</b>	0	NC
		Required by Canada only.		

**PACKING**

0P-9901	DOMESTIC . . . . .	0	\$168 NET
0P-9902	ROLL ON-ROLL OFF . . . . .	0	\$218 NET

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

**FLUIDS**

L	381-0094	ANTIFREEZE, -50C (-58F) . . . . .	0	\$283 NET
---	----------	-----------------------------------	---	-----------

**SHIPPING AND STORAGE PROTECTION**

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH . . . . .	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

**(MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY)**

YOUR ORDER WILL BE LANE 3 UNLESS YOU SELECT A PACKAGE OR ATTACHMENT LISTED AS LANE 1 ONLY.

0P-9003	LANE 3 ORDER . . . . .	0	NC
---------	------------------------	---	----

**ELECTRICAL**

**LIGHTS**

L	480-1973	NO ROOF LIGHTS . . . . .	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK . . . . .	0	\$1,070

**SECURITY**

L	480-1971	NO MACHINE SECURITY SYSTEM . . . . .	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE . . . . .	0	\$505

**REAR WIPER**

L	497-9403	NO REAR WIPER . . . . .	0	NC
L	480-7003	WIPER, REAR . . . . .	0	\$565

**OPERATOR ENVIRONMENT**

L	480-1968	NO RADIO/STEREO SYSTEM . . . . .	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY) . . . . . Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click the link below: <a href="https://dealer.cat.com/en/products/technology.html">https://dealer.cat.com/en/products/technology.html</a>	0	\$600

**MIRROR TYPE**

L	500-5946	MIRROR, STANDARD . . . . .	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED . . . . .	0	\$1,065

**SEAT TYPE**

L	485-0330	SEAT, STANDARD . . . . .	0	NC
L	485-0331	SEAT, DELUXE . . . . .	0	\$1,910

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	566-5659	SEAT BELT, W/ INDICATION . . . . .	0	NC
L	485-3446	SEAT BELT, 4 POINT . . . . .	0	\$685

**CAB TYPE**

L	462-5037	CAB, STANDARD . . . . .	0	NC
L	488-5323	CAB, HIGH AMBIENT . . . . . Infrared Reflective Glass (IRR)	0	\$1,605

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK COMMUNICATIONS**

L	481-8887	PRODUCT LINK, SATELLITE PLE631 . . . . . Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446
L	481-8888	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

**Cat Production Measurement**

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD . . . . .	0	NC
L	503-5941	PAYLOAD . . . . . If ordering this option for a machine without a body, empty and loaded payload calibration will be required if a body is installed later.	0	\$12,190

**FUEL SYSTEMS**

**TANK TYPE**

L	503-2045	TANK, STANDARD FUEL . . . . .	0	NC
L	517-1808	FILLER, FAST FUEL . . . . .	0	\$3,560

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	443-7475	<b>TIRES, 23.5R25 MX ** XADN + E-3</b> . . . . . 0 Michelin radial, supplier part 295773, tread depth: 38 mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		\$-3,960
L	554-5152	<b>TIRES, 23.5R25 MX ** X DEFEND</b> . . . . . 0 Michelin radial, supplier part 923499, tread depth: 54mm, 19.5/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.		\$3,820
L	380-3578	<b>TIRES, 23.5R25 BS ** VLT E-3</b> . . . . . 0 Bridgestone radial, supplier part 442-940, tread depth: 42.5mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		\$-6,220
L	369-8730	<b>TIRES, 750/65R25 MX ** XAD-65</b> . . . . . 0 Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity.		\$3,790
L	380-3582	<b>TIRES, 750/65R25 BS ** VLT E-3</b> . . . . . 0 Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity.		\$5,470
L	564-8924	<b>TIRES, 750/65R25 YOKOHAMA</b> . . . . . 0		\$-4,090

**OTHER ATTACHMENTS**

**ENGINE**

L	583-9949	<b>ROW ENGINE ARRANGEMENT</b> . . . . . 0 Tier IV Final		NC
---	----------	--	--	----

**STARTING TYPE**

L	396-1948	<b>AID, STARTING, STANDARD</b> . . . . . 0		NC
L	396-1960	<b>AID, COLD WEATHER STARTING</b> . . . . . 0		\$1,810

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**DECALS**

P	555-6418	FILM GROUP, ANSI . . . . . 0 This package includes the ANSI decals and is required by USA.		NC
P	555-6420	FILM GROUP, ANSI . . . . . 0 For use with bare chassis machines. This package includes the ANSI decals and is required by USA.		NC

**FRAMES**

L	555-6412	CHASSIS, STANDARD . . . . . 0 For use with body.		NC
L	555-6413	CHASSIS, STANDARD (NO BODY) . . . . . 0 This package is a bare chassis machine without hoist cylinders.		\$-23,140

**BODY**

**BODY TYPE**

L	555-6462	BODY, STANDARD . . . . . 0		NC
L	555-6463	LINER, DUMP BODY . . . . . 0		\$12,960

**EXHAUST TYPE**

L	555-6414	EXHAUST, STANDARD . . . . . 0		NC
L	555-6416	EXHAUST, STANDARD . . . . . 0 For use with bare chassis machines.		NC
L	555-6415	EXHAUST, HEATED BODY . . . . . 0		\$4,680

**TAILGATE**

P	455-3502	NO TAILGATE . . . . . 0		NC
P	397-2858	TAILGATE, SCISSOR . . . . . 0 For use with 725 trucks from serial numbers 2T300001 & UP and 2L600001 & UP. Not for use with bare chassis machines. ALSO AVAILABLE ON A MISCELLANEOUS ORDER		\$13,310

**FLUIDS**

L	381-0092	ANTIFREEZE, -36C (-33F) . . . . . 0		NC
L	381-0094	ANTIFREEZE, -50C (-58F) . . . . . 0		\$283 NET

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**INSTRUCTIONS**

***OPERATION AND MAINTENANCE MANUAL***

421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . . 0</b>	<b>NC</b>
----------	---	-----------

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

**PACKING**

***DOMESTIC PACKAGING***

0P-9901	<b>DOMESTIC . . . . . 0</b>	<b>\$168 NET</b>
---------	-----------------------------	------------------

***EXPORT PACKAGING***

0P-9902	<b>ROLL ON-ROLL OFF . . . . . 0</b>	<b>\$218 NET</b>
---------	-------------------------------------	------------------

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

P	363-7685	BEACON, LED . . . . .	0	\$590
---	----------	-----------------------	---	-------

**OTHER ATTACHMENTS**

L	364-4046	GROUP, ETHER . . . . .	0	\$123
L	381-1676	HEATER, ENGINE COOLANT, 120V . . . . . No supply cables are included with this attachment.	0	\$205
L	381-1677	HEATER, ENGINE COOLANT, 240V . . . . . No supply cables are included with this attachment.	0	\$205
L	553-7100	WHEEL CHOCKS . . . . . Not for use with bare chassis machines	0	\$1,425
L	320-5940	FUEL ADDITIVE, ANTI WAX . . . . .	0	\$132
L	500-5939	REAR BLINDS . . . . .	0	\$267

**AUTOMATIC LUBRICATION**

L	582-7511	AUTOLUBE ARRANGEMENT . . . . .	0	NC
When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:				
L	582-7512	LUBRICATION, AUTOMATIC . . . . . Not for use with Scissor Tailgate	0	\$6,070
L	582-7513	LUBRICATION, AUTOMATIC . . . . . For use with Scissor Tailgate	0	\$6,070
L	582-7514	LUBRICATION, AUTOMATIC . . . . . For use with SWB bare chassis machine without hoist cylinders.	0	\$6,070

**DOCUMENTATION**

**MISCELLANEOUS**

OP-2046	PREPARATION FOR INSPECTION . . . . .	0	\$418 NET
Only to be used when a third party inspection is required prior to shipment (to be arranged by the dealer).			

CATERPILLAR MACHINE PRICE LIST

**725**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

**PACKING**

***SHIPPING AND STORAGE PROTECTION***

Machines from the Peterlee factory have been sprayed with Fluid Film  
TM, see your account rep for details. The product is added for  
corrosion protection while shipping and for extended storage periods.  
This product will need to be power washed with soapy water prior to  
shipment to the customer.

<b>P</b>	<b>OP-2047</b>	<b>DIRECT SHIP TO CUSTOMER - WASH . . . . .0</b> Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.	<b>NC</b>
----------	----------------	--	-----------