

CATERPILLAR MACHINE PRICE LIST

**730**

730 TRUCK  
 PETERLEE, ENGLAND

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Auto shift six-speed forward and single speed reverse transmission  
 Cat C13 engine  
 Engine will be certified and labelled for emissions compliance as required for the region of sale.  
 Differentials: standard with automatic clutched inter and cross-axle differential locks  
 Dual circuit enclosed multiple disc brakes  
 Retarder: engine brake  
 S.O.Ssm sampling valves  
 Three axle, six-wheel drive  
 Machine speed limiter  
 Automatic Retarder Control  
 Hill Assist  
 Waiting Brake

Horn, electric  
 Radio ready  
 ROPS/FOPS cab  
 Seat, fully adjustable, air suspension  
 Seat, padded companion/trainer  
 Seat belts: two retractable  
 Secondary steering - electro hydraulic  
 Storage: cup holder, under seat storage, behind seat storage and coat hook  
 Sun visor  
 Tilt and telescopic steering wheel  
 Windshield wiper and washer, two speed, intermittent (front)

**OTHER STANDARD EQUIPMENT**

Reverse/back-up alarm  
 Body, adapted for exhaust heat  
 Guards: rear window and radiator, crankcase and axle  
 Mirrors: extensive arrangement for improved visibility  
 Mud flaps: wheel arch and body mounted with transportation tie backs  
 Spill guard, front, integral part of fabricated body  
 Starting receptacle, electric, remote  
 Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank  
 Cat Detect with Stability Assist  
 Rollover Warning System  
 Assisted Hoist System

**ELECTRICAL**

Electrical system: 24 volt, 5A 24 to 12 volt converter  
 Lights: cab interior, front, side, rear, two reversing, work lights, two stop/tail lights, front and rear direction indicators  
 Hood Raise Lower Switch

**OPERATOR ENVIRONMENT**

Air conditioning with R134A refrigerant  
 Adjustable air vents  
 CAT rear view camera  
 Touch Screen incorporating the rear view camera feed  
 Electro hydraulic hoist control  
 Glass windows: laminated front, toughened rear and toughened opening sides  
 Heater and defroster with four-speed fan

CATERPILLAR MACHINE PRICE LIST

**730**

730 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

<p><b>564-6713</b></p> <p><b>730-04A ARTICULATED TRUCK DCA4</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC</p> <p>Tier IV Final emission package.</p>	<p><b>\$536,240</b></p>
--	-------------------------

- INCLUDES:
- 485-1709 730-04A ARTICULATED TRUCK
  - 503-5009 CHASSIS, STANDARD
  - 443-7475 TIRES, 23.5R25 MX \*\* XADN+ E-3
  - 481-8888 PRODUCT LINK, CELLULAR PLE641
  - 571-8585 BODY, STANDARD
  - 503-2045 TANK, STANDARD FUEL
  - 578-2329 EXHAUST, STANDARD
  - 502-9602 AID, STANDARD STARTING
  - 502-7483 NO SOUND SUPPRESSION (HRC)
  - 480-1971 NO MACHINE SECURITY SYSTEM
  - 480-1973 NO ROOF LIGHTS
  - 381-0102 HEATER, ENGINE COOLANT, 120V
  - 320-5940 FUEL ADDITIVE, ANTI WAX
  - 500-5946 MIRROR, STANDARD
  - 485-0331 SEAT, DELUXE
  - 381-0092 ANTIFREEZE, -36C (-33F)
  - 480-1980 AM/FM RADIO (BLUETOOTH READY)
  - 455-3503 NO TAILGATE
  - 462-5039 STANDARD CAB
  - 485-0336 NO PAYLOAD MONITOR
  - 566-5659 SEAT BELT, STANDARD
  - 497-9403 NO REAR WIPER
  - 563-9782 ROW ENGINE ARRANGEMENT

CATERPILLAR MACHINE PRICE LIST

**730**

730 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

<p><b>564-6714</b></p> <p><b>730 04A ARTICULATED TRUCK DCA5</b> . . . . . 0</p> <p>LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC                      Tier IV Final emission package.</p> <p>INCLUDES:                      485-1709 730-04A ARTICULATED TRUCK                      503-5009 CHASSIS, STANDARD                      380-3578 TIRES, 23.5R25 BS ** VLT E-3                      481-8888 PRODUCT LINK, CELLULAR PLE641                      571-8585 BODY, STANDARD                      503-2045 TANK, STANDARD FUEL                      578-2329 EXHAUST, STANDARD                      502-9602 AID, STANDARD STARTING                      502-7483 NO SOUND SUPPRESSION (HRC)                      480-1971 NO MACHINE SECURITY SYSTEM                      480-1973 NO ROOF LIGHTS                      381-0102 HEATER, ENGINE COOLANT, 120V                      320-5940 FUEL ADDITIVE, ANTI WAX                      500-5946 MIRROR, STANDARD                      485-0331 SEAT, DELUXE                      381-0092 ANTIFREEZE, -36C (-33F)                      480-1980 AM/FM RADIO (BLUETOOTH READY)                      455-3503 NO TAILGATE                      462-5039 STANDARD CAB                      485-0336 NO PAYLOAD MONITOR                      566-5659 SEAT BELT, STANDARD                      497-9403 NO REAR WIPER                      563-9782 ROW ENGINE ARRANGEMENT</p>	<p><b>\$533, 980</b></p>
---	--------------------------

<p><b>485-1709</b></p> <p><b>730-04A ARTICULATED TRUCK</b> . . . . . 0</p> <p>LANE 3 - AVAILABLE FROM PETERLEE FACTORY</p> <p>Available with Tier IV Final or EU Stage 5 engine.                      Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia                      and New Zealand.</p>	<p><b>\$537, 350</b></p>
--	--------------------------

<p><b>485-1710</b></p> <p><b>730-04A EJ ARTICULATED TRUCK</b> . . . . . 0</p> <p>LANE 3 - AVAILABLE FROM PETERLEE FACTORY</p> <p>Includes ejector body.                      Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia                      and New Zealand.</p>	<p><b>\$636, 550</b></p>
---	--------------------------

<p><b>OP-6473</b></p> <p><b>730 MISCELLANEOUS MATERIAL</b> . . . . . 0</p> <p>AVAILABLE FROM PETERLEE FACTORY</p>	<p><b>NC</b></p>
---	------------------

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**INSTRUCTIONS**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
	Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		

**DECAL PACKAGE**

P	488-0553	FILM GROUP, ANSI . . . . .	0	NC
		This package includes the ANSI decals and is required by all of the USA.		
P	488-0550	FILM GROUP, ISO . . . . .	0	NC
		This package includes the ISO decals and is required by Canada.		
P	552-5786	FILM GROUP, CANADA . . . . .	0	NC
		REQUIRED BY: CANADA ONLY.		

**PACKING**

OP-9901	DOMESTIC . . . . .	0	\$168 NET
OP-9902	ROLL ON-ROLL OFF . . . . .	0	\$218 NET

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

**FLUIDS**

L	381-0094	ANTIFREEZE, -50C (-58F) . . . . .	0	\$283 NET
---	----------	-----------------------------------	---	-----------

**SHIPPING AND STORAGE PROTECTION**

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH . . . . .	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

**(MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY)**

YOUR ORDER WILL BE LANE 3 UNLESS YOU SELECT A PACKAGE OR ATTACHMENT LISTED AS LANE 1 ONLY.

0P-9003	LANE 3 ORDER . . . . .	0	NC
---------	------------------------	---	----

**ELECTRICAL**

**LIGHTS**

L	480-1973	NO ROOF LIGHTS . . . . .	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK . . . . .	0	\$1,070

**SECURITY**

L	480-1971	NO MACHINE SECURITY SYSTEM . . . . .	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE . . . . .	0	\$505

**REAR WIPER**

L	497-9403	NO REAR WIPER . . . . .	0	NC
L	480-7003	WIPER, REAR . . . . .	0	\$565

**OPERATOR ENVIRONMENT**

L	480-1968	NO RADIO/STEREO SYSTEM . . . . .	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY) . . . . . Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click the link below: <a href="https://dealer.cat.com/en/products/technology.html">https://dealer.cat.com/en/products/technology.html</a>	0	\$600

**MIRROR TYPE**

L	500-5946	MIRROR, STANDARD . . . . .	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED . . . . .	0	\$1,065

**SEAT TYPE**

L	485-0330	SEAT, STANDARD . . . . .	0	NC
L	485-0331	SEAT, DELUXE . . . . .	0	\$1,910

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	566-5659	SEAT BELT, W/ INDICATION . . . . .	0	NC
L	485-3446	SEAT BELT, 4 POINT . . . . .	0	\$685

**CAB TYPE**

L	462-5039	STANDARD CAB . . . . . To be used by HRC regions.	0	NC
L	497-9389	HIGH AMBIENT CAB . . . . . Infrared Reflective Glass (IRR) To be used by HRC regions.	0	\$1,605

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK COMMUNICATIONS**

L	481-8887	PRODUCT LINK, SATELLITE PLE631 . . . . . Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446
L	481-8888	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

**Cat Production Measurement**

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	503-5941	PAYLOAD . . . . . If ordering this option for a machine without a body, empty and loaded payload calibration will be required if a body is installed later.	0	\$12,190
L	485-0336	NO PAYLOAD . . . . .	0	NC

**FUEL SYSTEMS**

**TANK TYPE**

L	503-2045	TANK, STANDARD FUEL . . . . .	0	NC
L	517-1808	FILLER, FAST FUEL . . . . .	0	\$3,560

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	443-7475	<b>TIRES, 23.5R25 MX ** XADN + E-3</b> . . . . . 0 Michelin radial, supplier part 295773, tread depth: 38 mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired. Not for use with 730 Ejector.		\$-3, 960
L	554-5152	<b>TIRES, 23.5R25 MX ** X DEFEND</b> . . . . . 0 Michelin radial, supplier part 923499, tread depth: 54mm, 19.5/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance. Not for use with 730 Ejector.		\$3, 820
L	380-3578	<b>TIRES, 23.5R25 BS ** VLT E-3</b> . . . . . 0 Bridgestone radial, supplier part 442-940, tread depth: 42.5mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired. Not for use with 730 Ejector.		\$-6, 220
L	369-8730	<b>TIRES, 750/65R25 MX ** XAD-65</b> . . . . . 0 Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity. Mandatory with 730 Ejector. Optional with 730 Tipper.		\$3, 790
L	380-3582	<b>TIRES, 750/65R25 BS ** VLT E-3</b> . . . . . 0 Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. Mandatory with 730 Ejector. Optional with 730 Tipper.		\$5, 470

**OTHER ATTACHMENTS**

L	502-7483	<b>NO SOUND SUPPRESSION</b> . . . . . 0 This is a mandatory attachment for all Non-EC Dealers.		NC
---	----------	---	--	----

**ENGINE**

L	563-9782	<b>ROW ENGINE ARRANGEMENT</b> . . . . . 0 Tier IV Final emission package. ONLY FOR USE WITH: 485-1709 730 ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN		NC
---	----------	--	--	----



CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**STARTING TYPE**

L	502-9602	AID, STARTING, STANDARD . . . . .	0	NC
L	502-9603	AID, COLD WEATHER STARTING . . . . .	0	\$1,810

**DECALS**

P	488-0553	FILM GROUP, ANSI . . . . . For use with tipper machine. This package includes the ANSI decals and is required by USA.	0	NC
P	488-0554	FILM GROUP, ANSI . . . . . For use with ejector machine. This package includes the ANSI decals and is required by USA.	0	NC
P	488-0561	FILM GROUP, ANSI . . . . . For use with bare chassis machines. This package includes the ANSI decals and is required by USA.	0	NC

**FRAMES**

*Please contact the factory for current long wheel base availability.*

L	503-5009	CHASSIS, STANDARD . . . . . For use with body.	0	NC
L	503-5010	CHASSIS, STANDARD (NO BODY) . . . . . This package is a bare chassis machine with hoist cylinders.	0	\$-23,360
L	503-5011	CHASSIS, STANDARD (NO BODY) . . . . . This package is a bare chassis machine without hoist cylinders.	0	\$-26,090
L	503-7289	CHASSIS, LONG WHEEL BASE . . . . . This package is a long wheel base machine without hoist cylinders.	0	\$-10,630

**BODY**

**BODY TYPE**

Not for use with 730c2 Ejector machines and bare chassis machines.

L	571-8585	BODY, STANDARD . . . . .	0	NC
L	571-8587	LINER, DUMP BODY . . . . .	0	\$13,580

**EXHAUST TYPE**

L	578-2329	EXHAUST, STANDARD . . . . .	0	NC
L	578-2332	EXHAUST, HEATED BODY . . . . .	0	\$4,680

**TAILGATE**

P	573-7897	TAILGATE, SCISSOR . . . . . Not for use with 730 Ejector. Not for use with bare chassis machines. ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$13,810
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**TAILGATE (Cont.)**

P	455-3503	NO TAILGATE .....	0	NC
---	----------	-------------------	---	----

**FLUIDS**

L	381-0092	ANTIFREEZE, -36C (-33F) .....	0	NC
L	381-0094	ANTIFREEZE, -50C (-58F) .....	0	\$283 NET

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

421-8926	SERIALIZED TECHNICAL MEDIA KIT .....	0	NC
----------	--------------------------------------	---	----

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

**PACKING**

**DOMESTIC PACKAGING**

OP-9901	DOMESTIC .....	0	\$168 NET
---------	----------------	---	-----------

**EXPORT PACKAGING**

OP-9902	ROLL ON-ROLL OFF .....	0	\$218 NET
OP-6684	PACK, MISCELLANEOUS MATERIAL .....	0	\$382 NET

Reference number required on all miscellaneous orders

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

P	363-7685	BEACON, LED . . . . .	0	\$590
---	----------	-----------------------	---	-------

**OTHER ATTACHMENTS**

L	364-4045	GROUP, ETHER . . . . . To be used by HRC regions.	0	\$123
L	381-0102	HEATER, ENGINE COOLANT, 120V . . . . . No supply cables are included with this attachment.	0	\$205
L	381-0103	HEATER, ENGINE COOLANT, 240V . . . . . No supply cables are included with this attachment.	0	\$205
L	553-7100	WHEEL CHOCKS . . . . . Not for use with bare chassis machines	0	\$1,425
L	320-5940	FUEL ADDITIVE, ANTI WAX . . . . .	0	\$132
L	500-5939	REAR BLINDS . . . . .	0	\$267

***AUTOMATIC LUBRICATION***

L	567-7485	AUTOLUBE ARRANGEMENT . . . . .	0	NC
When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:				
L	567-7487	LUBRICATION, AUTOMATIC . . . . . Not for use with Scissor Tailgate	0	\$6,070
L	567-7488	LUBRICATION, AUTOMATIC . . . . . For use with Scissor Tailgate	0	\$6,070
L	578-4130	LUBRICATION, AUTOMATIC . . . . . For use with ejector body. Please note that this system lubricates the base machine only. The ejector system must be lubricated manually.	0	\$6,070
L	587-7989	LUBRICATION, AUTOMATIC . . . . . For use with long wheel base machines.	0	\$6,070

**FACTORY SOURCED KITS**

***FINISH TO ORDER KITS***

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using OP-6473 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY) . . . . .	0	\$600 NI
P	526-6598	FILLER, FAST FUEL . . . . .	0	\$3,560 NI
P	480-2054	LIGHTS, ROOF MOUNTED WORK . . . . .	0	\$1,070 NI

CATERPILLAR MACHINE PRICE LIST

**730**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FACTORY SOURCED KITS (CONT.)**

***FINISH TO ORDER KITS (Cont.)***

P	572-1733	KIT, PAYLOAD . . . . . 0		\$12,190 NI
		Please contact the factory for current availability.		
P	564-8361	WHEEL CHOCKS . . . . . 0		\$1,425 NI

AM-N/AM-S use OP0648 to order 730 TAILGATE, SCISSOR from OEM Solutions source. This top level number is to be used along with part number 489-1756. The manufacturing and ship source on the order needs to be L5A.

**ALTERNATE SOURCED ATTACHMENTS**

***FINISH TO ORDER KITS***

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.  
 ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED . . . . . 0		\$588 NI
P	563-6604	FILLER, FAST FUEL . . . . . 0		\$3,560 NI

**DOCUMENTATION**

***MISCELLANEOUS***

	OP-2046	PREPARATION FOR INSPECTION . . . . . 0		\$418 NET
		Only to be used when a third party inspection is required prior to shipment (to be arranged by the dealer).		

**PACKING**

***SHIPPING AND STORAGE PROTECTION***

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	OP-2047	DIRECT SHIP TO CUSTOMER - WASH . . . . . 0		NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		