

CATERPILLAR MACHINE PRICE LIST

735735 TRUCK
PETERLEE, ENGLANDShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission
Automatic Traction Control
Cat C13 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Dual circuit enclosed multiple disc brakes
Fluid sampling valves
Three axle, six wheel drive
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Touch Screen
including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock
Cat Detect with Stability Assist
Rollover Warning System
Assisted Hoist System

CATERPILLAR MACHINE PRICE LIST

735

735 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

562-7095	735-04A ARTICULATED TRUCK DCA2 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC Tier IV Final emission package.	\$666, 920
-----------------	---	-------------------

- INCLUDES:
- 485-1708 735-04A ARTICULATED TRUCK
 - 487-9933 CHASSIS, STANDARD
 - 563-4448 TIRES, 750/65R25 BS ** VLT E-3
 - 481-8888 PRODUCT LINK, CELLULAR PLE641
 - 489-6842 BODY, STANDARD
 - 503-2045 TANK, STANDARD FUEL
 - 487-9912 EXHAUST, STANDARD
 - 502-9602 AID, STANDARD STARTING
 - 502-7483 NO SOUND SUPPRESSION
 - 480-1971 NO MACHINE SECURITY SYSTEM
 - 480-1973 NO ROOF LIGHTS
 - 381-0102 HEATER, ENGINE COOLANT, 120V
 - 320-5940 FUEL ADDITIVE, ANTI WAX
 - 500-5946 MIRROR, STANDARD
 - 381-0092 ANTIFREEZE, -36C (-33F)
 - 480-1980 AM/FM RADIO (BLUETOOTH READY)
 - 455-3503 NO TAILGATE
 - 485-0330 SEAT, STANDARD
 - 485-0336 NO PAYLOAD
 - 566-5659 SEAT BELT, STANDARD
 - 497-9403 NO REAR WIPER
 - 497-9404 STANDARD CAB

CATERPILLAR MACHINE PRICE LIST

735

735 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

569-7914 735-04A ARTICULATED TRUCK DCA3 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC Tier IV Final emission package.	\$668,830
--	------------------

INCLUDES:

- 485-1708 735-04A ARTICULATED TRUCK
- 487-9933 CHASSIS, STANDARD
- 563-4448 TIRES, 750/65R25 BS ** VLT E-3
- 481-8888 PRODUCT LINK, CELLULAR PLE641
- 571-9271 BODY, STANDARD
- 503-2045 TANK, STANDARD FUEL
- 578-2329 EXHAUST, STANDARD
- 502-9602 AID, STANDARD STARTING
- 502-7483 NO SOUND SUPPRESSION
- 480-1971 NO MACHINE SECURITY SYSTEM
- 480-1973 NO ROOF LIGHTS
- 381-0102 HEATER, ENGINE COOLANT, 120V
- 320-5940 FUEL ADDITIVE, ANTI WAX
- 500-5946 MIRROR, STANDARD
- 381-0092 ANTIFREEZE, -36C (-33F)
- 480-1980 AM/FM RADIO (BLUETOOTH READY)
- 455-3503 NO TAILGATE
- 485-0331 SEAT, DELUXE
- 485-0336 NO PAYLOAD
- 566-5659 SEAT BELT, STANDARD
- 497-9403 NO REAR WIPER
- 497-9404 STANDARD CAB
- 563-9783 ROW ENGINE ARRANGEMENT

485-1708 735-04A ARTICULATED TRUCK 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY Available with Tier IV Final or EU Stage 5 engine. Available for AM-N, EU, Puerto Rico, South Korea, Japan, Australia, and New Zealand.	\$660,510
--	------------------

0P-6475 735 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PETERLEE FACTORY	NC
--	-----------

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		

DECAL PACKAGE

P	488-0552	FILM GROUP, ANSI	0	NC
		REQUIRED BY: USA		
P	488-0549	FILM GROUP, ISO	0	NC
		REQUIRED BY: CANADA		
P	552-5786	FILM GROUP, CANADA	0	NC
		REQUIRED BY: CANADA ONLY.		

PACKING

OP-9917	DOMESTIC	0	\$168 NET
OP-9918	ROLL ON-ROLL OFF	0	\$218 NET

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

L	381-0094	ANTIFREEZE, -50C (-58F) 0	0	\$283 NET
---	----------	-------------------------------------	---	-----------

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH 0 Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.	0	NC
---	---------	--	---	----

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	502-9602	AID, STARTING, STANDARD	0	NC
L	502-9603	AID, COLD WEATHER STARTING	0	\$1,810

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$505

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	\$565

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY) Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click the link below: https://dealer.cat.com/en/products/technology.html	0	\$600

MIRROR TYPE

L	500-5946	MIRROR, STANDARD	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED	0	\$1,065

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	\$1,910

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	\$685

CAB TYPE

L	497-9404	STANDARD CAB To be used by HRC regions.	0	NC
L	497-9391	HIGH AMBIENT CAB Infrared Reflective Glass (IRR) To be used by HRC regions.	0	\$1,605

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

L	481-8887	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446
L	481-8888	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

Cat Production Measurement

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	503-5941	PAYLOAD If ordering this option for a machine without a body, empty and loaded payload calibration will be required if a body is installed later.	0	\$12,190
L	485-0336	NO PAYLOAD	0	NC

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FUEL SYSTEMS

TANK TYPE

L	503-2045	TANK, STANDARD FUEL	0	NC
L	517-1808	FILLER, FAST FUEL	0	\$3,560

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	563-4447	TIRES, 750/65R25 MX ** XAD-65 Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity.	0	\$3,790
L	563-4448	TIRES, 750/65R25 BS ** VLT E-3 Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity.	0	\$5,470
L	565-2653	TIRES, 750/65R25 YH**RT31 E-3 Yokohama radial, supplier part 03169, tread depth: 44MM, 22/3 rim. suitable for soft or rocky underfoot conditions where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity.	0	\$-4,090

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	502-7483	NO SOUND SUPPRESSION This is a mandatory attachment for all Non-EC Dealers.	0	NC
---	----------	--	---	----

ENGINE

L	563-9783	ROW ENGINE ARRANGEMENT Tier IV Final emission package. ONLY FOR USE WITH: 485-1708 735 ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FRAMES

CHASSIS TYPE

Please contact the factory for current long wheel base availability.

L	487-9933	CHASSIS, STANDARD	0	NC
		For use with body.		
L	487-9934	CHASSIS, STANDARD (NO BODY)	0	\$-29, 550
		This package is a bare chassis machine with hoist cylinders.		
L	487-9935	CHASSIS, STANDARD (NO BODY)	0	\$-32, 730
		This package is a bare chassis machine without hoist cylinders.		
L	487-9936	CHASSIS, LONG WHEEL BASE	0	\$-13, 300
		This package is a long wheel base machine without hoist cylinders.		

BODY

BODY TYPE

L	571-9271	BODY, STANDARD	0	NC
L	571-9272	LINER, DUMP BODY	0	\$14, 170

EXHAUST TYPE

L	578-2329	EXHAUST, STANDARD	0	NC
L	578-2332	EXHAUST, HEATED BODY	0	\$4, 680

TAILGATE

P	455-3503	NO TAILGATE	0	NC
P	573-7898	TAILGATE, SCISSOR	0	\$14, 300

FLUIDS

COOLANT TYPE

L	381-0092	ANTIFREEZE, -36C (-33F)	0	NC
L	381-0094	ANTIFREEZE, -50C (-58F)	0	\$283 NET

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL

P	363-7685	BEACON, LED	0	\$590
---	----------	-----------------------	---	-------

OTHER ATTACHMENTS

L	364-4045	GROUP, ETHER To be used by HRC regions.	0	\$123
L	381-0102	HEATER, ENGINE COOLANT, 120V No supply cables are included with this attachment.	0	\$205
L	381-0103	HEATER, ENGINE COOLANT, 240V No supply cables are included with this attachment.	0	\$205
L	553-7100	WHEEL CHOCKS Not for use with bare chassis machines	0	\$1,425
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$132
L	500-5939	REAR BLINDS	0	\$267

AUTOMATIC LUBRICATION

L	567-7485	AUTOLUBE ARRANGEMENT	0	NC
---	----------	--------------------------------	---	----

When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:

L	567-7487	LUBRICATION, AUTOMATIC Not for use with Scissor Tailgate	0	\$6,070
L	567-7488	LUBRICATION, AUTOMATIC For use with Scissor Tailgate	0	\$6,070
L	587-7989	LUBRICATION, AUTOMATIC For use with long wheel base machines	0	\$6,070

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using 0G-0705 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	\$600 NI
P	526-6598	FILLER, FAST FUEL	0	\$3,560 NI
P	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070 NI
P	572-1733	KIT, PAYLOAD Please contact the factory for current availability.	0	\$12,190 NI
P	564-8361	WHEEL CHOCKS	0	\$1,425 NI

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

FINISH TO ORDER KITS (Cont.)

AM-N/AM-S use OP0650 to order 730 TAILGATE, SCISSOR from OEM Solutions source. This top level number is to be used along with part number 522-4291. The manufacturing and ship source on the order needs to be L5A.

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.
 ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	\$588 NI
P	563-6604	FILLER, FAST FUEL	0	\$3,560 NI

DOCUMENTATION

MISCELLANEOUS

	OP-2046	PREPARATION FOR INSPECTION	0	\$418 NET
		Only to be used when a third party inspection is required prior to shipment (to be arranged by the dealer).		

PACKING

PACKING (Must Select One)

	OP-9917	DOMESTIC	0	\$168 NET
	OP-9918	ROLL ON-ROLL OFF	0	\$218 NET
	OP-6684	PACK, MISCELLANEOUS MATERIAL	0	\$382 NET
		Reference number required on all miscellaneous orders		

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	OP-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		