

CATERPILLAR MACHINE PRICE LIST

740GC740GC ARTICULATED TRUCK
PETERLEE, ENGLANDShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Advanced Automatic Traction Control
Cat C15 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)/no lever
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch.

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, left, right and front
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock

CATERPILLAR MACHINE PRICE LIST

740GC

740GC ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

538-3728	740GC 04A ARTICULATED TRUCK 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY Available with Tier IV Final or EU Stage 5 engine. AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA, AND NEW ZEALAND	\$716,660
-----------------	---	------------------

0P-6802	740 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PETERLEE FACTORY	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

NOTE***SPECIALTY MACHINES***

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY,
CONCRETE MIXER & OTHER APPLICATIONS

Specialty Machines are available from Dealers and Original Equipment
Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare
Chassis Trucks are available in either standard or long wheel base
versions. For more information about Specialty machines, applications
and to review a list of potential OEMs, please visit dealer.cat.com
(<https://dealer.cat.com/en/articulated-trucks/specialty-machines.html>).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS
EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact
your Caterpillar OEM Solutions representative at
dealer.cat.com/oemsolutions or visit www.cat.com/oemsolutions.

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

FEATURE PACKAGES

LUBRICATION TYPE

L	577-6946	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine with hoist cylinders or standard chassis with no tailgate CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	577-6948	LUBRICATION, MANUAL ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	577-6949	LUBRICATION, AUTOMATIC CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	\$6,070
L	577-6951	LUBRICATION, AUTOMATIC ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	\$6,070
L	577-6953	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine without hoist cylinders	0	\$6,070
L	577-6952	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine with hoist cylinders	0	\$6,070

POWERTRAIN

ENGINE

L	563-9784	ROW ENGINE ARRANGEMENT Tier IV Final emission package. ONLY FOR USE WITH: 538-3728 740GC ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN	0	NC
---	----------	---	---	----

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	383-2606	AID, STARTING, STANDARD	0	NC
L	570-0213	AID, COLD WEATHER STARTING Recommended in temperatures below -18C.	0	\$1,810

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

ELECTRICAL (CONT.)

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$505

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	\$565

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY) Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click the link below: https://dealer.cat.com/en/products/technology.html	0	\$600

MIRROR TYPE

L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	\$1,065

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	\$1,910

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	\$685

CAB TYPE

L	545-6497	CAB, STANDARD To be used by HRC regions.	0	NC
L	545-6499	CAB, HIGH AMBIENT Infrared Reflective Glass (IRR) To be used by HRC regions.	0	\$1,605

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	481-8887	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD 0		NC
L	544-4782	PAYLOAD 0 Includes Cat Production Measurement payload weighing system. If ordering this option for a machine without a body, empty and loaded payload calibration will be required if a body is installed later.		\$12,190

FUEL SYSTEMS

TANK TYPE

L	517-2530	TANK, STANDARD FUEL 0 ONLY FOR USE WITH: HRC REGIONS		NC
L	517-4331	FILLER, FAST FUEL 0 ONLY FOR USE WITH: HRC REGIONS		\$3,560

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	475-0053	TIRES, 29.5R25 YH ** RT41 E-4 0 Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.5 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		\$-22,460
---	----------	--	--	-----------

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	493-8938	NO SOUND SUPPRESSION 0 ONLY FOR USE WITH: HRC REGIONS		NC
---	----------	--	--	----

FENDERS

L	487-5083	FENDER COVER. 0		NC
---	----------	-------------------------	--	----

FRAMES

CHASSIS TYPE

L	538-3755	CHASSIS, STANDARD 0		NC
L	538-3756	CHASSIS, STANDARD (NO BODY) 0 This package is a bare chassis machine with hoist cylinders.		\$-31,160
L	538-3757	CHASSIS, STANDARD (NO BODY) 0 This package is a bare chassis machine without hoist cylinders.		\$-34,710

BODY

BODY TYPE

L	538-3751	BODY, STANDARD 0		NC
L	538-3752	LINER, DUMP BODY 0		\$14,820

EXHAUST TYPE

L	526-4109	EXHAUST, STANDARD 0		NC
---	----------	-------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY (CONT.)

EXHAUST TYPE (Cont.)

L	526-4110	EXHAUST, HEATED BODY	0	\$4,680
---	----------	----------------------------	---	---------

FLUIDS

COOLANT TYPE

L	377-1338	ANTIFREEZE, -36C (-33F)	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F)	0	\$283 NET

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
--	----------	--------------------------------------	---	----

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

DECALS

P	538-3762	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA.				
P	538-3764	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.				

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL

P	363-7685	BEACON, LED	0	\$590
---	----------	-----------------------	---	-------

OTHER ATTACHMENTS

L	328-4116	GROUP, ETHER	0	\$123
		ONLY FOR USE WITH: HRC REGIONS		
L	377-1330	HEATER, ENGINE COOLANT, 120V	0	\$203
		No supply cables are included with this attachment.		
L	377-1331	HEATER, ENGINE COOLANT, 240V	0	\$203
		No supply cables are included with this attachment.		
L	553-7094	WHEEL CHOCKS	0	\$1,875
		Not for use with bare chassis machines		
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$132

BODY

TAILGATE

P	538-3778	TAILGATE, SCISSOR	0	\$14,840
---	----------	-----------------------------	---	----------

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using OP-6802 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	\$600 NI
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070
P	538-3779	TAILGATE, SCISSOR	0	\$14,840 NI
P	564-8360	WHEEL CHOCKS	0	\$1,875 NI
L	545-5766	KIT, EXHAUST	0	\$4,680 NI
L	578-6193	KIT, PAYLOAD	0	\$12,190 NI

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.
 ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	\$588 NI
---	----------	-----------------------	---	----------

DOCUMENTATION

MISCELLANEOUS

	0P-2046	PREPARATION FOR INSPECTION	0	\$418 NET
		Only to be used when a third party inspection is required prior to shipment (to be arranged by the dealer).		

PACKING

PACKING (Must Select One)

	0P-9917	DOMESTIC	0	\$168 NET
	0P-9918	ROLL ON-ROLL OFF	0	\$218 NET
	0P-6684	PACK, MISCELLANEOUS MATERIAL	0	\$382 NET
		Reference number required on all miscellaneous orders		

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		