

CATERPILLAR MACHINE PRICE LIST

745745 ARTICULATED TRUCK
PETERLEE, ENGLANDShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Automatic Traction Control
Cat C18 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch.

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

Rear wiper

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock

CATERPILLAR MACHINE PRICE LIST

745

745 ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

569-4987 INCLUDES: 482-0372 745 ARTICULATED TRUCK 491-8577 CHASSIS, STANDARD 451-7036 TIRES, 29.5R25 BS ** VLTA E-3 487-5083 FENDER COVER 481-8888 PRODUCT LINK, CELLULAR PLE641 544-6283 BODY, STANDARD 517-2530 TANK, STANDARD FUEL 526-4109 EXHAUST, STANDARD 493-8967 AID, STANDARD STARTING 542-1058 LUBRICATION, MANUAL 493-8938 NO SOUND SUPPRESSION 480-1971 NO MACHINE SECURITY SYSTEM 480-1973 NO ROOF LIGHTS 377-1330 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 480-7004 MIRROR, STANDARD 377-1338 ANTIFREEZE, -36C (-33F) 480-1980 AM/FM RADIO (BLUETOOTH READY) 485-0336 NO PAYLOAD 566-5659 SEAT BELT, STANDARD 563-9785 ROW ENGINE ARRANGEMENT	745-04A ARTICULATED TRUCK DCA6 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC Tier IV Final emission package.	\$771, 370
--	--	-------------------

569-4991 INCLUDES: 482-0372 745 ARTICULATED TRUCK 491-8577 CHASSIS, STANDARD 377-1321 TIRES, 29.5R25 MX ** XADN+ E-3 487-5083 FENDER COVER 481-8888 PRODUCT LINK, CELLULAR PLE641 544-6283 BODY, STANDARD 517-2530 TANK, STANDARD FUEL 526-4109 EXHAUST, STANDARD 493-8967 AID, STANDARD STARTING 542-1058 LUBRICATION, MANUAL 493-8938 NO SOUND SUPPRESSION 480-1971 NO MACHINE SECURITY SYSTEM 480-1973 NO ROOF LIGHTS 377-1330 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 480-7004 MIRROR, STANDARD 377-1338 ANTIFREEZE, -36C (-33F) 480-1980 AM/FM RADIO (BLUETOOTH READY) 485-0336 NO PAYLOAD 566-5659 SEAT BELT, STANDARD 563-9785 ROW ENGINE ARRANGEMENT	745-04A ARTICULATED TRUCK DCA7 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC Tier IV Final emission package.	\$775, 880
---	--	-------------------

CATERPILLAR MACHINE PRICE LIST

745

745 ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>569-4992</p>	<p>745-04A ARTICULATED TRUCK DCA8 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC Tier IV Final emission package. INCLUDES: 482-0372 745 ARTICULATED TRUCK 491-8577 CHASSIS, STANDARD 475-0053 TIRES, 29.5R25 YH ** RT41 E-4 487-5083 FENDER COVER 481-8888 PRODUCT LINK, CELLULAR PLE641 544-6283 BODY, STANDARD 517-2530 TANK, STANDARD FUEL 526-4109 EXHAUST, STANDARD 493-8967 AID, STANDARD STARTING 542-1058 LUBRICATION, MANUAL 493-8938 NO SOUND SUPPRESSION 480-1971 NO MACHINE SECURITY SYSTEM 480-1973 NO ROOF LIGHTS 377-1330 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 480-7004 MIRROR, STANDARD 377-1338 ANTIFREEZE, -36C (-33F) 480-1980 AM/FM RADIO (BLUETOOTH READY) 485-0336 NO PAYLOAD 566-5659 SEAT BELT, STANDARD 563-9785 ROW ENGINE ARRANGEMENT</p>	<p>\$768,760</p>
------------------------	--	-------------------------

<p>569-4978</p>	<p>745-04A ARTICULATED TRUCK DCA5 0 LANE 1 - AVAILABLE FROM TACOMA PDC Tier IV Final emission package. INCLUDES: 482-0372 745 ARTICULATED TRUCK 491-8577 CHASSIS, STANDARD 475-0053 TIRES, 29.5R25 YH ** RT41 E-3 487-5083 FENDER COVER 481-8888 PRODUCT LINK, SATELLITE PL641 544-6283 BODY, STANDARD 517-2530 TANK, STANDARD FUEL 526-4110 EXHAUST, HEATED BODY 494-1546 AID, COLD WEATHER STARTING 542-1058 LUBRICATION, MANUAL 493-8938 NO SOUND SUPPRESSION 480-1971 NO MACHINE SECURITY SYSTEM 480-2054 LIGHTS, ROOF MOUNTED WORK 377-1330 HEATER, ENGINE COOLANT, 120V 320-5940 FUEL ADDITIVE, ANTI WAX 480-7005 MIRROR, HEATED 377-1339 ANTIFREEZE, -50C (-58F) 480-1980 AM/FM RADIO (BLUETOOTH READY) 485-0336 NO PAYLOAD 566-5659 SEAT BELT, STANDARD 563-9785 ROW ENGINE ARRANGEMENT</p>	<p>\$777,770</p>
------------------------	--	-------------------------

CATERPILLAR MACHINE PRICE LIST

745

745 ARTICULATED TRUCK	Ship Weight	LIST PRICE
PETERLEE, ENGLAND	lbs	AT DEALER

482-0372	745-04A ARTICULATED TRUCK 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY	\$790,280
-----------------	--	------------------

Available with Tier IV Final or EU Stage 5 engine.
 AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA,
 AND NEW ZEALAND

0G-0705	745 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PETERLEE FACTORY	NC
----------------	--	-----------

NOTE: NACD/LACD use 0P0651 to order 745 TAILGATE, SCISSOR from Wamego USA, source. This top level number is to be used when ordering scissor tailgates without ordering a machine, the part number to use is 526-7702. The manufacturing and ship source on the order needs to be BPA.

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

NOTE***SPECIALTY MACHINES***

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY,
CONCRETE MIXER & OTHER APPLICATIONS

Specialty Machines are available from Dealers and Original Equipment
Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare
Chassis Trucks are available in either standard or long wheel base
versions. For more information about Specialty machines, applications
and to review a list of potential OEMs, please visit dealer.cat.com
(<https://dealer.cat.com/en/articulated-trucks/specialty-machines.html>).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS
EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact
your Caterpillar OEM Solutions representative at
dealer.cat.com/oemsolutions or visit www.cat.com/oemsolutions.

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
	Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		

DECAL PACKAGE

P	484-6479	FILM GROUP, ANSI	0	NC
		ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697		
		REQUIRED BY: USA		
P	484-6475	FILM GROUP, ISO	0	NC
		ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697		
		REQUIRED BY: CANADA		
P	552-5786	FILM GROUP, CANADA	0	NC
		REQUIRED BY: CANADA ONLY		

PACKING

OP-9917	DOMESTIC	0	\$168 NET
OP-9918	ROLL ON-ROLL OFF	0	\$218 NET

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

L	377-1339	ANTIFREEZE, -50C (-58F)	0	\$283 NET
---	----------	-----------------------------------	---	-----------

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

FEATURE PACKAGES

LUBRICATION TYPE

L	542-1058	LUBRICATION, MANUAL	0	NC
L	543-3476	LUBRICATION, AUTOMATIC	0	\$6,070
		CANNOT BE USED WITH: 526-2725 TAILGATE, SCISSOR		
L	543-3475	LUBRICATION, AUTOMATIC	0	\$6,070
		ONLY FOR USE WITH: 526-2725 TAILGATE, SCISSOR		
L	543-3478	LUBRICATION, AUTOMATIC	0	\$6,070
		Use this number when ordering a bare chassis machine without hoist cylinders		
L	543-3477	LUBRICATION, AUTOMATIC	0	\$6,070
		Use this number when ordering a bare chassis machine with hoist cylinders		
L	585-0203	LUBRICATION, AUTOMATIC	0	\$6,070
		ONLY FOR USE WITH: 491-8580 CHASSIS, LONG WHEEL BASE		

POWERTRAIN

ENGINE

L	563-9785	ROW ENGINE ARRANGEMENT	0	NC
		Tier 4 Final emission package. REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN ONLY FOR USE WITH: 482-0372 745 ARTICULATED TRUCK		

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	493-8967	AID, STARTING, STANDARD	0	NC
L	494-1546	AID, COLD WEATHER STARTING	0	\$1,810
		Recommended in temperatures below -18C.		

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$505

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY) Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click the link below: https://dealer.cat.com/en/products/technology.html	0	\$600

MIRROR TYPE

L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	\$1,065

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	\$685

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	481-8887	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD	0	NC
L	484-8384	PAYLOAD Includes Cat Production Measurement payload weighing system. If ordering this option for a machine without a body, empty and loaded payload calibration will be required if a body is installed later.	0	\$12,190

FUEL SYSTEMS

TANK TYPE

L	517-2530	TANK, STANDARD FUEL ONLY FOR USE WITH: HRC REGIONS	0	NC
L	517-4331	FILLER, FAST FUEL ONLY FOR USE WITH: HRC REGIONS	0	\$3,560

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	377-1321	TIRES, 29.5R25 MX ** XADN+ E-3 Michelin radial, supplier part 597428, tread depth: 44mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.	0	\$-15,340
L	554-5158	TIRES, 29.5R25 MX ** X DEFEND Michelin radial, supplier part 940473, tread depth: 65mm, 25.00/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.	0	\$-3,650
L	451-7036	TIRES, 29.5R25 BS ** VLTA E-3 Bridgestone radial, supplier part 422-967, tread depth: 48mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.	0	\$-19,850

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

L	377-1324	TIRES, 29.5R25 BS ** VLTS E-4 0 **PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING** Bridgestone radial, supplier part 422916, tread depth: 65mm, 25.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments.		\$-8,600
L	475-0053	TIRES, 29.5R25 YH ** RT41 E-4 0 Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.5 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		\$-22,460
L	386-3028	TIRES, 875/65R29 MX**XAD65 E-3T 0 **PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING** Michelin radial, supplier part 40269, tread depths: 51mm, 27.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. REQUIRES: 488-0471 EXTENSION, FENDER		\$-3,330
L	478-8915	TIRES, 875/65R29 BS**VLTS E-4 0 **PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING** Bridgestone radial, supplier part 4730, tread depth: 60mm, 27.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments. REQUIRES: 488-0471 EXTENSION, FENDER		\$7,010

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	493-8938	NO SOUND SUPPRESSION 0 ONLY FOR USE WITH: HRC REGIONS		NC
---	----------	---	--	----

FENDERS

L	487-5083	FENDER COVER 0		NC
L	488-0471	EXTENSION, FENDER 0 REQUIRED BY: 386-3028 TIRES,875/65R29 MX**XAD65 E-3T 478-8915 TIRES,875/65R29 BS**VLTS E-4		\$880

FRAMES

CHASSIS TYPE

L	491-8577	CHASSIS, STANDARD 0		NC
L	491-8578	CHASSIS, STANDARD (NO BODY) 0 This package is a bare chassis machine with hoist cylinders.		\$-34,710
L	491-8579	CHASSIS, STANDARD (NO BODY) 0 This package is a bare chassis machine without hoist cylinders.		\$-38,370
L	491-8580	CHASSIS, LONG WHEEL BASE 0 This package is a long wheel base chassis machine without hoist cylinders.		\$-15,120

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY

BODY TYPE

L	544-6283	BODY, STANDARD	0	NC
L	544-6293	LINER, DUMP BODY	0	\$15,530

EXHAUST TYPE

L	526-4109	EXHAUST, STANDARD	0	NC
L	526-4110	EXHAUST, HEATED BODY	0	\$4,680

FLUIDS

COOLANT TYPE

L	377-1338	ANTIFREEZE, -36C (-33F)	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F)	0	\$283 NET

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
----------	--	---	----

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

DECALS

P	484-6479	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA.				
P	484-6482	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.				

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL

P	363-7685	BEACON, LED	0	\$590
---	----------	-----------------------	---	-------

OTHER ATTACHMENTS

L	397-6078	GROUP, ETHER	0	\$123
L	377-1330	HEATER, ENGINE COOLANT, 120V ONLY FOR USE WITH: HRC REGIONS No supply cables are included with this attachment.	0	\$203
L	377-1331	HEATER, ENGINE COOLANT, 240V No supply cables are included with this attachment.	0	\$203
L	553-7094	WHEEL CHOCKS Not for use with bare chassis machines	0	\$1,875
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$132

BODY

TAILGATE

P	526-2725	TAILGATE, SCISSOR	0	\$15,420
---	----------	-----------------------------	---	----------

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using 0G-0705 with targeted availability of 2 weeks from receipt of order.

P	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,070 NI
P	564-8360	WHEEL CHOCKS	0	\$1,875 NI
P	556-8573	KIT, PAYLOAD Please contact the factory for current availability.	0	\$12,190 NI
L	545-5766	KIT, EXHAUST	0	\$4,680 NI
P	548-9567	KIT, AUTOMATIC LUBRICATION Not for use with tailgate	0	\$6,070 NI
P	548-9569	KIT, AUTOMATIC LUBRICATION For use with tailgate	0	\$6,070 NI

AM-N/AM-S use OP0651 to order 745 TAILGATE, SCISSOR from OEM Solutions source. This top level number is to be used when ordering scissor tailgates without ordering a machine. The manufacturing and ship source on the order needs to be L5A.

CATERPILLAR MACHINE PRICE LIST

745

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.
 ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	\$588 NI
P	540-1699	FILLER, FAST FUEL	0	\$3,560 NI

DOCUMENTATION

MISCELLANEOUS

	OP-2046	PREPARATION FOR INSPECTION	0	\$418 NET
		Only to be used when a third party inspection is required prior to shipment (to be arranged by the dealer).		

PACKING

PACKING (Must Select One)

	OP-9917	DOMESTIC	0	\$168 NET
	OP-9918	ROLL ON-ROLL OFF	0	\$218 NET
	OP-6684	PACK, MISCELLANEOUS MATERIAL	0	\$382 NET
		Reference number required on all miscellaneous orders		

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	OP-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		