

CATERPILLAR MACHINE PRICE LIST

772G WTR

772G WATER TRUCK CHASSIS
 DECATUR, IL, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- Cat C18 ACERT diesel engine
- Air cleaner with precleaner (2)
- Air-to-air aftercooler (ATAAC)
- Electric start
- Engine idle shutdown
- Global off-highway aluminum radiator
- Automatic Retarder Control (ARC)
- Manual retarder (utilizes rear oil cooled, multiple disc brakes)
- Brake release motor, towing
- Dry disc brakes, front
- Front brake disconnect switch, front
- Oil-cooled multiple disc brakes, rear
- Brake wear indicator, rear
- Parking/secondary/service brakes
- Transmission:
 - 7 speed automatic powershift w/ (ECPC) electronic clutch pressure control
 - Advanced productivity electronic control strategy (APECS)
 - Automatic neutral idle
 - Autostall
 - Second gear start

SUSPENSION SYSTEMS

Suspension, front and rear

ELECTRICAL

- Alarm backup
- Alternator, 120 amp
- Batteries, maintenance-free, 12V (2), 1400 CCA combined
- Electrical system, 25 amp, 24v to 12v converter
- Backup light, halogen
- Directional signals/hazard warning, front & rear, LED
- Engine compartment light
- Headlights with dimmer
- Operator access courtesy lights
- Lights, side profile
- Lights, stop/tail, LED
- Service center
 - Battery jump start
 - Breakers, electrical
 - Lock out switch
 - Ports, ET and VIMS

OPERATOR ENVIRONMENT

- Advisor display
- Air cleaner service indicator
- Fluid level monitoring
- Fuel level monitoring
- Display languages, market based

- Air conditioning/heat
- Automatic temperature control
- Ashtray and cigarette lighter
- Coat hook
- Cup holders (4)
- Diagnostic connection port, 24V
- Entertainment radio ready: 5 amp converter, speakers and wiring harness
- Foot rest
- Brake oil temperature gauge
- Coolant temperature gauge
- Engine overspeed indicator
- Fuel level indicator
- Hour meter
- Speedometer w/odometer
- Tachometer
- Transmission gear indicator
- Hoist lever
- Horn
- Light, courtesy and dome
- Mirrors, heated
- Rollover protection (ROPS) and falling object protection (FOPS)
- Cat COSS 2 deluxe seat
 - full air suspension
 - heated/ventilated
 - retractable 4 point seat belt with shoulder harness
- Seat, training, with lap belt
- Steering wheel, padded/tilt/telescopic
- Storage compartment
- Sun visor
- Throttle lock
- Window, sliding, right side (emergency exit)
- Window, powered, left side windshield wiper intermittent and washer

TECHNOLOGY PRODUCTS

- Economy Modes, standard and adaptive
- Product link ready
- Payload System (TPMS)
- Vital Info Management System (VIMS)
- Tire monitoring system (TKPH/TMPH)

GUARDS

- Driveline
- Engine crankcase
- Fan

FLUIDS

- Extended life coolant, -34C (-30F)
- Grouped ground-level filters

CATERPILLAR MACHINE PRICE LIST

772G WTR

772G WATER TRUCK CHASSIS
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT

- Body down indicator
- Center mounted rims
- Fuel tank, 530L (140 gallons)
- Ground level battery disconnect
- Ground level engine shutdown
- Ground level grease fittings
- Operation Maintenance Manual (OMM)
- Rims 15 x 33
- Secondary steering, electric
- Tie down eyes
- Tow hooks ,front/tow pin, rear
- Vandalism protection locks

CATERPILLAR MACHINE PRICE LIST

772G WTR

772G WATER TRUCK CHASSIS DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

375-7842	772G OFF-HIGHWAY TRUCK OEM 74,052	\$772,120
	LANE 2 - AVAILABLE FROM DECATUR FACTORY	
	LANE 3 - AVAILABLE FROM DECATUR FACTORY	

AVAILABLE FOR: AM-NORTH, EU, TURKEY, JAPAN AND SOUTH KOREA

NOTE: For tow tractor applications or questions regarding water trucks, please contact OEM Solutions Group at OEM_Solutions@cat.com (<https://oemsolutions.cat.com/en.html>)

SPECIALTY MACHINES

- WATER TRUCKS
- FUEL/LUBE TRUCKS
- EQUIPMENT TRAILERS
- BOTTOM DUMP TRAILERS

Specialty Machines are available from Dealers and Original Equipment Manufacturers (OEMs) using the Off-Highway Truck Bare Chassis. For more information about Specialty Machines, applications and to review a list of potential OEMs, please visit: <https://oemsolutions.cat.com/en/products/off-highway-truckbarechassis.html>

For more information about Off-Highway Truck Bare Chassis contact your Caterpillar OEM Solutions representative at: OEM_Solutions@cat.com or <https://oemsolutions.cat.com/en/contactus.html>

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

NOTE

TPMS REQUIRES: Download cable 305-5528 available from Cat Parts system. VIMS pc annual software subscription available through Cat Literature Distribution System. Caterpillar Dealer annual subscription: form number JERD-2138, Mail Code 969.
Customer annual subscription: form number JERD-2175, mail code 47.

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

	0P-9002	LANE 2 ORDER	0	NC
	0P-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	450-4635	REGIONAL PKG, NORTH AMERICA Accumulators with ANSI films.	113	NC
---	----------	--	-----	----

PERFORMANCE PACKAGES

L	561-8764	STANDARD PERFORMANCE Tier 4 Engine without compression brake and extended life brakes.	0	\$4, 210
L	444-8424	ADVANCED BRAKING PERFORMANCE Tier 4 Engine with compression brake and extended life brakes.	11, 718	\$8, 150

FEATURE PACKAGES

LIGHTING PACKAGE

L	541-1712	LIGHTING, HALOGEN Contains halogen flood lights.	0	NC
L	541-1713	LIGHTING, HID Contains high intensity discharge (HID) high beam flood lights.	0	\$685
L	468-8678	LIGHTING, LED Contains LED lights. -Front low beam headlights (4 LED/all facing forward) -Front high beam headlights (4 LED/all facing forward) -Rear lights (2 LED/all facing rear) -4 side work lights (4 LED/2 facing side and 2 facing rear tires) -1 engine bay light (1 LED/facing the RH side of engine)	0	\$5, 350

WEATHER PACKAGES

L	444-8440	WEATHER PACKAGE, BASIC For use in ambient temperature above -18C (0F). Contains 2 batteries and standard mirrors.	281	NC
L	444-8441	WEATHER PACKAGE, HEATED MIRRORS For use in ambient temperature above -18C (0F). Contains 2 batteries, heated mirrors and ether aid.	283	\$1, 175
L	444-8442	WEATHER PACKAGE, PREMIUM For use in ambient temperature below -18C (0F). 120 Volt. Contains 2 batteries, fuel heater, fuel line heater, heated mirrors, ether aid, engine block heater and tarp for radiator inlet grill.	369	\$3, 375

SERVICE PACKAGES

L	309-1646	GREASE FITTINGS, CLUSTERED Includes Clustered ground level grease fittings.	40	\$7, 790
---	----------	--	----	----------

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

SERVICE PACKAGES (Cont.)

L	444-8435	GREASE FITTINGS, CLSTRD W/FF	58	\$9,220
		Includes Clustered ground level grease fittings and Fast Fill		
L	361-9374	AUTO LUBE	133	\$18,100
		Autolube in place of clustered grease fittings.		
L	444-8434	AUTO LUBE WITH FAST FILL	151	\$19,400
		Autolube in place of clustered grease fittings and Fast Fill		

SPECIAL ARRANGEMENTS

CONVERSION ARRANGEMENT

L	377-4097	CAB, AR, TRACTOR ROPS RATING	0	\$11,300
		Provides ISO Tractor rated ROPS.		

POWERTRAIN

EXHAUST PACKAGES

L	375-7860	EXHAUST GP	48	NC
		Exhaust has full-time routing of exhaust through muffler which has lower sound levels.		

SUSPENSION SYSTEMS

SUSPENSION SYSTEMS

L	450-6170	SUSPENSION, W/ LIFT CYL	3,256	NC
		Suspension and cylinders.		
L	450-6169	SUSPENSION, W/O LIFT CYL	2,541	\$-11,670
		Suspension without cylinders.		

ELECTRICAL

ADVISOR LANGUAGE

L	341-6731	LANGUAGE, ADVISOR	0	NC
		Languages for Advisor are English/Spanish/French/German/Italian/Portuguese/Dutch/Norwegian/Swedish.		

OPERATOR ENVIRONMENT

CAB FILTRATION

L	299-7274	FILTER, AIR	18	NC
		For use when not ordering the precleaner.		
L	341-3855	PRECLEANER GP.	35	\$2,500
		For use in excessively dusty applications.		

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

Satellite Product Link uses a satellite network for remote transmission of asset information including location, utilization, and condition. For use in areas with poor or no cellular coverage.

The traction control feature is ideal for customers with everyday changing underfoot conditions such as muddy or soft ground due to water trucks or inclement weather. This feature is beneficial for operator efficiency and safety by allowing the operator to maintain control and higher travel speeds for the truck. Other benefits include lower tire cost by minimizing tire slippage and damage. This traction control electronically monitors and controls rear wheel slippage for greater traction and enhanced truck performance in poor underfoot conditions. If slippage exceeds a set limit based on turning angle and machine speed, the oil cooled disc brakes engage slow the spinning wheel. Torque is then automatically transferred to the wheel with better traction.

L	509-3018	PL, CELL PL641	0	NC
		Includes Cellular Product Link, PL641 and stanard steering control.		
L	509-3019	PL, CELL PL641 / TRACTION CTRL	0	\$6,940
		Includes Cellular Product Link, PL641 and Traction Control System.		
L	444-8458	PL, SAT PL321	264	\$316 NET
		Includes Satellite Product Link, PL321 and stanard steering control.		
L	444-8459	PL, SAT PL321 / TRACTION CTRL	335	\$7,390
		Includes Satellite Product Link, PL321 and Traction Control System.		

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

The information provided can be used to make a tire selection based on the particular conditions at the site. When available, the tire manufacturer should be consulted regarding proper tire selection.

Tread void ratio can be used to evaluate the damage resistance or traction capability of a particular tire. Tires with a numerically low tread void ratio tend to perform better in soft underfoot conditions; tires with a numerically high void ratio tend to perform better in harsh conditions where damage and puncture are a concern.

TKPH (ton kilometer per hour) and distance per hour are measures of the capability of the tire to withstand heat. Tires with a high TKPH or distance per hour ratings will be better suited for long, fast hauls but will be more susceptible to cuts and damage. Tires with a low TKPH or distance per hour rating are better suited for slow speed short hauls and provide improved cut and damage resistance.

Tires will have varying degrees of durability and wear rates.

L	290-1170	TIRE, 21.00 R33 BS VMTP ** E-4	7,923	\$-8,990
		Bridgestone Radial; Manufacture PN 428818		
		TKPH=237 (TMPH=162); Max Distance Per Hour=21 km (13 mi)		
		Tread Void Ratio=59%; Tread Depth=61 mm		
		Provides maximum traction on soft ground with a high cut resistant compound.		
L	366-7565	TIRE MX 21.00R33 ** E4.	7,169	\$4,810
		FOR USE IN LANE 3 ONLY		
		Michelin Radial; Manufacture PN 067981		
		TKPH=280 (TMPH=192); Max Distance Per Hour=25 km (16 mi)		
		Tread Void Ratio=61%; Tread Depth=71 mm		
		Provides maximum traction on soft ground with a medium cut resistant compound.		
	274-1710	TIRES, ALLOWANCE FOR OMISSION	0	\$-45,250
		Less: 1 set of six 21.00R33 (E4)		

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

PACKING

STORAGE PROTECTION

NOTE: For Chassis orders only, not Body orders.

OP-2671	NO STORAGE PROTECTION 0 Please select this if you do not want Rust Preventative applied. ONLY FOR USE WITH: US dealers	NC
----------------	---	-----------

NOTE: If No Storage Protection is selected, corrosion damage will not be covered under standard machine warranty.

OP-4616	STORAGE PROTECTION 0 Please select this if you want Rust Preventative applied.	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FEATURE PACKAGES

VISIBILITY PACKAGE

L	549-6787	VISIBILITY, CAMERA 0 Contains Work Area Vision System (WAVS) with single rearview camera.		\$3,265
L	341-3750	VISIBILITY,CAMERA & EU MIRRORS. 26 Contains ISO 5006 mirrors and Work Area Vision System (WAVS) with single rearview camera. The WAVS system with rear vision camera is available to monitor movement behind the truck for improved visibility and enhanced operator efficiency. REQUIRED BY: EU & Japan dealers		\$3,905

SAFETY AND SECURITY

3 INCH LAP SEAT BELT

L	272-2272	SEAT BELT, 3" WIDE 2		\$142 NI
---	----------	--------------------------------	--	----------

NOTE: REQUIRED FOR ALL TRUCKS SOLD IN CALIFORNIA
The California Occupational Health and Safety regulation (Title 8, section 1596) specifies that water wagons used in California are required to have a 3 inch lap seat belt. For California water wagon applications, the Dealer is to remove the 4-point seat belt and install the 2-point lap belt.

TIRES, RIMS, AND WHEELS

WHEEL CHOCKS

L	365-8571	WHEEL CHOCKS (ANSI) 93 Wheel chocks with ANSI label.		\$1,290
---	----------	---	--	---------

FLUIDS

ANTIFREEZE

	OP-2406	ANTIFREEZE, -50C (-58F) 0		\$275 NET
P	OP-2402	COOLANT, -40C (-40F) 0		\$275 NET

FIELD INSTALLED ATTACHMENTS

For Dealer Installed Options, please refer to Salesgram TEKQ1423 published in September 2017.

CATERPILLAR MACHINE PRICE LIST

772G WTR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

MUST SELECT ONE

OP-0269	DOMESTIC TRUCK 0 The rear dual tires, parts boxes and handrail skid shipped on a separate truck.	NC
----------------	--	-----------