

**CATERPILLAR MACHINE PRICE LIST**

**825K**

**825K COMPACTOR  
 DECATUR, IL, USA**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Air to air aftercooler
- Auto shift
- Brakes, full hydraulic, enclosed, wet multiple disc service brakes
- Electro-hydraulic parking brake
- Electronic Clutch Pressure Control (ECPC)
- Engine, Cat C15 w/ ACERT technology
- Fuel priming pump (electric)
- Fuel to air cooler
- Ground level engine shutoff
- Hydraulically driven demand fan
- Integrated braking system
- Radiator, Aluminum Modular (AMR)
- Separated cooling system
- Single Clutch Speed Shifting (SCSS)
- Starting aid (ether) automatic
- Throttle lock
- Torque converter w/ Lock Up Clutch (LUC)
- Transmission, planetary, with 3F/3R speed range control

- Horn, electric
- Implement hydraulic lockout
- Instrumentation, gauges:
  - Engine coolant temperature
  - Fuel level
  - Hydraulic oil temperature
  - Speedometer/Tachometer
  - Torque convertor temperature
- Instrumentation, warning indicators:
  - Action alert system, three category
  - Brake oil pressure
  - Electrical system, low voltage
  - Engine failure malfunction alert and action lamp
  - Parking brake status
- Laminated glass
- Light, dome (cab)
- Lunch box and beverage holders
- Mirror, internal (panoramic)
- Premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish
- Radio, CB (ready)
- STIC control system with lockout
- Sun visor (front)
- Tinted glass
- Transmission gear (indicator)
- Product Link Elite:
  - VIMS
  - Graphical information display
  - External data port
  - Customizable operator profiles
- Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

**ELECTRICAL**

- Alarm, back-up
- Alternator, 150-amp
- Batteries, maintenance-free, 4-1000CCA
- Electrical system, 24V
- Ground level lockable master disconnect switch
- Light, warning switched (LED strobe)
- Lights, access stairway, underhood, front, rear, & directional (rear)
- Starter, electric (heavy duty)
- Starting receptacle for emergency start

**OPERATOR ENVIRONMENT**

- AccuGrade mapping (ready)
- Air conditioner
- Cab, sound-suppressed pressurized internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp) and power port
- Cab glass, rubber mounted
- Cab pre-cleaner, powered
- Cab door, sliding window (LH)
- Camera, rear vision
- Compaction control (ready)
- Coat and hard hat hooks
- Electro-hydraulic tilt and lift controls
- Finger tip shifting controls
- Flip-up armrest
- Heater and defroster

**TIRES, RIMS, AND WHEELS**

- Wheels, tamping tips

**GUARDS**

- Guard, driveshaft
- Guards, crankcase and powertrain

**BLADES**

- Bulldozer straight blade, hydraulics, and linkage

**OTHER STANDARD EQUIPMENT**

- Cleaner bars with teeth
- Doors, service access (locking)
- Ecology drains for engine, radiator, transmission, hydraulic tank
- Emergency platform egress

## CATERPILLAR MACHINE PRICE LIST

**825K**825K COMPACTOR  
DECATUR, IL, USAShip Weight  
lbsLIST PRICE  
AT DEALER**OTHER STANDARD EQUIPMENT (CONT.)**

Engine, crankcase, 500 hour interval  
 with CJ-4 oil  
 Engine idle management features:  
 -Auto idle kickdown  
 -Delayed engine shutdown  
 -Engine idle shutdown  
 Exhaust stack, fold down  
 Fast fuel system  
 Fire suppression (ready)  
 Fuel tank, 782 L (207 gal)  
 Hitch, drawbar with pin  
 Hoses, Cat XT(TM)  
 Hydraulic, engine, and transmission oil  
 coolers  
 Oil change system, high speed  
 Oil sampling valves  
 Stairway, left and right rear access  
 Steering, load sensing  
 Toe kicks  
 Total hydraulic filtration system  
 Vandalism protection caplocks  
 Venturi stack

CATERPILLAR MACHINE PRICE LIST

**825K**

825K COMPACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

<b>376-5110</b>	<b>825K SOIL COMPACTOR HRC</b> ..... LANE 2 - AVAILABLE FROM DECATUR FACTORY LANE 3 - AVAILABLE FROM DECATUR FACTORY	76,545	<b>\$953,330</b>
-----------------	--	--------	------------------

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

CATERPILLAR MACHINE PRICE LIST

**825K**

---

USE	REF NO.	<b>MANDATORY ATTACHMENTS</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

---

**NOTE**

For a more detailed description of price list items, please refer to the virtual Price List guide on the following website:  
<https://dealer.cat.com/en/compactors/soil.html>  
 Once there, select the model and then select the Large Soil Compactors Price List Guide under the Sales Support section.

CATERPILLAR MACHINE PRICE LIST

**825K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9002	LANE 2 ORDER . . . . .	0	NC
	OP-9003	LANE 3 ORDER . . . . .	0	NC

**SPECIAL ARRANGEMENTS**

**ENGINE AND SOUND SUPPRESSION PACKAGES**

NOTE: 141-5066 EU Certification requires Sound Suppression.

L	376-5230	ENGINE & NO SOUND SUPPRESSION . . . . . Includes: -Engine, US EPA T4F/EU Stage V Technology -No Sound Suppression Machine sound level: 113 dB(A) per ISO 6395 Operator sound level: 73 dB(A) per ISO 6396 REQUIRES: 376-5110 825K SOIL COMPACTOR HRC	0	NC
L	376-5240	ENGINE & SOUND SUPPRESSION . . . . . Includes: -Engine, US EPA T4F/EU Stage V Technology -Sound Suppression Provides sound suppression arrangement for reduced spectator sound. Machine sound level: 110 dB(A) per ISO 6395 Operator sound level: 72 dB(A) per ISO 6396 REQUIRES: 376-5110 825K SOIL COMPACTOR HRC	28	\$3,330

**ENGINE PRECLEANERS**

L	377-9320	PRECLEANER, STANDARD . . . . . REQUIRES: 376-5110 825K SOIL COMPACTOR HRC	0	NC
L	377-0851	PRECLEANER, DUAL . . . . . REQUIRES: 376-5110 825K SOIL COMPACTOR HRC	37	\$2,880

**POWERTRAIN**

**AXLES**

L	376-5096	AXLES, STANDARD . . . . . Provides standard front and rear axles.	0	NC
L	376-5097	AXLES, NO-SPIN REAR . . . . . Provides standard front axle and no-spin rear axle.	119	\$4,620

**HYDRAULICS**

L	386-2302	HYDRAULICS . . . . . Available worldwide, except for Canada & EU.	0	NC
L	386-2301	HYDRAULICS, CANADA & EU . . . . . Available worldwide.	0	NC

CATERPILLAR MACHINE PRICE LIST

**825K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHTS**

L	593-1294	LIGHTS, HALOGEN . . . . .	0	NC
L	593-1393	LIGHTS, LED . . . . .	0	\$2,640

**OPERATOR ENVIRONMENT**

**MIRRORS**

L	346-3864	MIRRORS, STANDARD . . . . .	0	NC
L	376-7034	MIRRORS, HEATED . . . . .	6	\$123

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	578-9008	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	528-5690	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446

**TIRES, RIMS, AND WHEELS**

**WHEELS**

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

L	127-9740	<b>WHEELS, TAMPING TIPS</b> . . . . . Provides wheels with standard tamping tips.	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

**825K**

USE	REF NO.	<b>LANE 2 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

***WHEELS (Cont.)***

L	420-3481	<b>WHEELS, HIGH IMPACT TIPS</b> ..... 444 Provides wheels with tamping tips designed to withstand the impact encountered when compacting soils containing rocky material.	<b>\$15,840</b>
---	----------	--	-----------------

**INSTRUCTIONS**

P	593-8295	<b>FILMS, ANSI</b> ..... 0 CANNOT BE USED WITH:QUEBEC (N050)	<b>NC</b>
---	----------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**825K**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**STARTING AIDS.**

MAY SELECT ONE ONLY

L	246-2689	HEATER, ENGINE COOLANT, 120V . . . . . 2 110/120-volt external power source required.		\$337
L	246-3514	HEATER, ENGINE COOLANT, 240V . . . . . 2 220/240-volt external power source required.		\$396

**OPERATOR ENVIRONMENT**

L	452-1394	RADIO, AM/FM/AUX/USB/BT . . . . . 5 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <a href="https://dealer.cat.com/en/products/technology.html">https://dealer.cat.com/en/products/technology.html</a>		\$775
---	----------	--	--	-------

**TECHNOLOGY PRODUCTS**

L	376-5112	COMPACTION CONTROL, BASIC . . . . . 3 A proprietary Caterpillar technology that detects soil stiffness via rolling resistance. The system provides the operator with real time soil stiffness information on the machine display.		\$8,080
---	----------	--	--	---------

**GPS MAPPING**

This is a factory designed and integrated mapping system offered with RTK level of accuracy. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping, as well as MDP(Machine Drive Power) mapping, if configured. Contact your Dealer Technology Representative to order a base station and/or data radio.

L	593-1394	MAPPING, GNSS RTK . . . . . 0 Includes CB460 Display (7.0 in/17.8 cm), MS955 Receiver with Rugged Zephyr 3 antenna, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.		\$24,680
---	----------	---	--	----------

NOTE: If equipped with Compaction Control, please reference the 825K Operation & Maintenance Manual to enable the MDP Mapping screen on the CB460 Display.

**FLUIDS**

**ANTIFREEZE**

Standard machine includes antifreeze protection to -34C (-29F). Different lubricants are also required for extreme temperatures. Please refer to operation and maintenance manual.

	OP-2406	ANTIFREEZE, -50C (-58F) . . . . . 0		\$283 NET
--	---------	-------------------------------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

**825K**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**INSTRUCTIONS**

P	504-1365	FILM, AM-NORTH . . . . . REQUIRED BY: AM-NORTH	0	NC
---	----------	---	---	----

**PACKING**

MUST SELECT ONE

	0P-0437	PACK, DOMESTIC TRUCK . . . . . Machine will ship complete. Corner cutting edges removed and placed in cab.	0	NC
--	---------	---	---	----