

CATERPILLAR MACHINE PRICE LIST

826K

**826K LANDFILL COMPACTOR
 DECATUR, IL, USA**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Air to air aftercooler
 Brakes, full hydraulic, enclosed, wet
 multiple disc service brakes
 Electro-hydraulic parking brake
 Electronic Clutch Pressure Control
 (ECPC)
 Engine, Cat C15 w/ Acert technology
 Fuel priming pump (electric)
 Fuel to air cooler
 Ground level engine shutoff
 Heat shield, turbo and exhaust manifold
 Hydraulically driven demand fan
 Integrated braking system
 Radiator, Aluminum Modular (AMR)
 Separated cooling system
 Single Clutch Speed Shifting (SCSS)
 Starting aid (ether) automatic
 Throttle lock
 Torque converter w/ Lock Up Clutch (LUC)
 Transmission, planetary, 2F/2R speed
 range control
 Underhood ventilation system

Horn, trumpet
 Hydraulic controls
 Implement hydraulic lockout
 Instrumentation, gauges:
 -Engine coolant temperature
 -Fuel level
 -Hydraulic oil temperature
 -Speedometer/Tachometer
 -Torque convertor temperature
 Instrumentation, warning indicators:
 -Action alert system, three category
 -Brake oil pressure
 -Electrical system, low voltage
 -Engine failure malfunction alert and
 action lamp
 -Parking brake status
 Laminated glass
 Light, dome (cab)
 Lunch box and beverage holders
 Mirror, internal (panoramic)
 Mirrors, heated, rear view (externally
 mounted)
 Premium plus seat containing
 forced air heating and cooling,
 2-way thigh adjustment, power
 lumbar and back bolster adjustment,
 ride stiffness adjustment, dynamic
 end dampening, and leather finish
 Radio, CB (ready)
 STIC control system with lockout
 Sun visor (front)
 Tinted glass
 Transmission gear (indicator)
 Product Link Elite:
 -VIMS
 -Graphical information display
 -External data port
 -Customizable operator profiles
 Wet-arm wipers/washer (front and rear),
 intermittent wipers (front and rear)

ELECTRICAL

Alarm, back-up
 Alternator, 150-amp
 Batteries, maintenance free, 4-1000CCA
 Electrical system, 24V
 Ground level lockable master disconnect
 switch
 Light, warning unswitched (LED strobe)
 Lights, access stairway, underhood,
 front & rear
 Starter, electric (heavy duty)
 Starting receptacle for emergency start

OPERATOR ENVIRONMENT

AccuGrade mapping (ready)
 Air conditioner with roof mounted
 condenser
 Cab, sound-suppressed pressurized,
 internal four-post rollover protective
 structure (ROPS/FOPS), radio ready for
 entertainment includes antenna,
 speakers, converter (12-volt 10/15-amp)
 and power port
 Cab glass, rubber mounted
 Cab pre-cleaner, powered
 Cab door, sliding window (LH)
 Camera, rear vision
 Coat and hard hat hooks
 Finger tip shifting controls
 Flip-up armrest
 Heater and defroster

GUARDS

Guards, axle (front and rear)
 Guard, cab window
 Guards, crankcase and powertrain,
 hydraulically powered
 Guard, driveshaft

BLADES

Bulldozer arrangement (no blade)

OTHER STANDARD EQUIPMENT

Demand fan/swing out (hyd. reversible)
 Doors, service access (locking)
 Ecology drains for engine, radiator,

CATERPILLAR MACHINE PRICE LIST

826K826K LANDFILL COMPACTOR
DECATUR, IL, USAShip Weight
lbsLIST PRICE
AT DEALER**OTHER STANDARD EQUIPMENT (CONT.)**

transmission, hydraulic tank
 Emergency platform egress
 Engine, crankcase, 500 hour interval
 with CJ-4 oil
 Engine idle management features:
 -Auto idle kickdown
 -Delayed engine shutdown
 -Engine idle shutdown
 Exhaust stack, fold down
 Fire suppression (ready)
 Fuel tank, 782 L (207 gal)
 Hitch, drawbar with pin
 Hoses, Cat XT(TM)
 Hydraulic, engine, and transmission oil
 coolers
 Oil change system, high speed
 Oil sampling valves
 Stairway, left and right rear access
 Steering, load sensing
 Total hydraulic filtration system
 Vandalism protection caplocks
 Venturi stack

CATERPILLAR MACHINE PRICE LIST

826K

826K LANDFILL COMPACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

376-5010	826K LANDFILL COMPACTOR HRC 83,637 LANE 2 - AVAILABLE FROM DECATUR FACTORY LANE 3 - AVAILABLE FROM DECATUR FACTORY		\$951,290
-----------------	---	--	------------------

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

0P-3306	826K MISCELLANEOUS MATERIAL 0 AVAILABLE FROM DECATUR FACTORY		NC
----------------	--	--	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

NOTE

For a more detailed description of price list items, please refer to the virtual Price List guide on the following website:
<https://dealer.cat.com/en/compactors/landfill.html>
 Once there, select the model and then select the Landfill Compactors Price List Guide under the Sales Support section.

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
	OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

ENGINE AND SOUND SUPPRESSION PACKAGES

L	376-5030	ENGINE & NO SOUND SUPPRESSION Includes: -Engine, US EPA T4F/EU Stage V Technology -No Sound Suppression Machine sound level: 113 dB(A) per ISO 6395 Operator sound level: 73 dB(A) per ISO 6396 REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC	0	NC
L	376-5040	ENGINE & SOUND SUPPRESSION Includes: -Engine, US EPA T4F/EU Stage V Technology -Sound Suppression Provides sound suppression arrangement for reduced spectator sound. Machine sound level: 110 dB (A) per ISO 6395 Operator sound level: 72 dB (A) per ISO 6396 REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC	28	\$3,225

ENGINE PRECLEANERS

L	417-6327	PRECLEANER, STANDARD REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC	0	NC
L	377-0851	PRECLEANER, DUAL Dual stage precleaner with dust ejection which includes the traditional Cat turbine in first stage and Optimax second stage. Limited precleaner maintenance is required. REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC	37	\$2,880

POWERTRAIN

AXLES

L	464-6023	AXLES, NO-SPIN REAR Provides standard front axle and no-spin rear axle.	119	NC
L	376-5098	AXLES, NO-SPIN FRONT Provides no-spin front axle and standard rear axle.	70	NC
L	376-5099	AXLES, NO-SPIN FRONT & REAR Provides no-spin front and rear axles.	190	\$5,290

HYDRAULICS

L	386-2300	HYDRAULICS Available worldwide, except for Canada & EU.	0	NC
L	386-2299	HYDRAULICS, CANADA & EU Available worldwide.	0	NC

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

ELECTRICAL

LIGHTS

L	528-9816	LIGHTS, HALOGEN	0	NC
L	528-9817	LIGHTS, LED	0	\$2,640

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	578-9008	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	528-5690	PRODUCT LINK, SATELLITE PLE631	0	\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

All wheels are provided with through hardened inner rim extension to work with machine axle guards, (5) wear bars welded on inner rim extension, and (5) wear bars welded on inner wheel disc. Also provides 1" hard facing on both edges of the wrapper between tips/blades.

NOTE: Loose wheel orders must go through Parts Distribution.

L	420-3478	WHEELS, 48" COMBINATION TIPS	0	NC
		Provides a combination of (12) plus tips & (18) paddle tips. The plus tips are welded on the inner & outer rows while the paddle tips are welded on the 3 inside rows.		

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

WHEELS (Cont.)

L	457-7896	WHEELS, 48" DIAMOND TIPS 0 Provides (30) diamond (extended life) tips welded in (5) rows of (6) tips each.		\$43,470
NOTE: These wheels will ship NOT INSTALLED.				
L	398-8542	WHEELS, 48" PADDLE TIPS -580 Provides (30) paddle tips welded in (5) rows of (6) tips each.		\$-1,560
L	398-8543	WHEELS, 48" PLUS TIPS 876 Provides (30) plus tips welded in (5) rows of (6) tips each.		\$7,200
L	398-8544	WHEELS, 40" PLUS TIPS -1,080 Provides (24) plus tips welded in (4) rows of (6) tips each on a (40") narrow wheel. This wheel is recommended for landfills where sinking is not an issue and the need for higher ground pressure is required to break and shred construction material		\$5,550
L	398-8540	WHEELS, 48" SMOOTH -5,408		\$-15,980
L	0P-3641	OMISSION, WHEELS -20,480		\$-34,100

OTHER ATTACHMENTS

STAIRWAYS

L	382-1989	STAIRWAY, FIXED 0 Provides fixed left and right side stairways.		NC
L	382-1990	STAIRWAY, SWINGOUT 783 Provides swingout left and right side stairways.		\$9,150

STRIKER BARS

L	477-3887	STRIKER BARS 0 NOTE: Striker bars are shipped NOT INSTALLED		NC
L	591-2586	STRIKER BARS W/CLEANER FINGERS 0 Provides a flexible finger design that will deflect under load and still maintain clean wheels in the most severe packing soil environment. NOTE: Striker bars and cleaner fingers are shipped NOT INSTALLED ONLY FOR USE WITH: 420-3478 WHEELS, 48" COMBINATION TIPS 457-7896 WHEELS, 48" DIAMOND TIPS 398-8542 WHEELS, 48" PADDLE TIPS 398-8543 WHEELS, 48" PLUS TIPS 398-8544 WHEELS, 40" PLUS TIPS		\$7,790

INSTRUCTIONS

P	593-8293	FILMS, ANSI 0 CANNOT BE USED WITH: QUEBEC (N050)		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS.

MAY SELECT ONE ONLY

L	246-2689	HEATER, ENGINE COOLANT, 120V	2	\$337
		110/120-volt external power source required.		
L	246-3514	HEATER, ENGINE COOLANT, 240V	2	\$396
		220/240-volt external power source required.		

OPERATOR ENVIRONMENT

L	452-1394	RADIO, AM/FM/AUX/USB/BT	5	\$775
		BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html		

TECHNOLOGY PRODUCTS

This is a factory designed and integrated mapping system offered with two levels of accuracy. SBAS level of accuracy requires no off-board infrastructure and delivers only pass count mapping. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping as well as CCA (Cat Compaction Algorithm) mapping. Contact your Dealer Technology Representative to order a base station and/or data radio.

Note: Outside of North America and Europe, SBAS is not available in all regions. Please consult your Dealer Technology Representative for SBAS availability in your region.

L	497-9368	MAPPING, GNSS SBAS	0	\$24, 610
		Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, and AS450 angle sensor. The SBAS option can be upgraded later to RTK with the addition of a high accuracy option key and data radio. These can be purchased from your Dealer Technology Representative.		
L	497-9369	MAPPING, GNSS RTK	0	\$31, 960
		Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, AS450 angle sensor, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.		

GUARDS

L	364-7648	GUARD, REAR FAN & GRILL.	462	\$4, 740
		Provides additional guarding for the rear fan and grill using a swing-out gate on rear bumper.		

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BLADES

NOTE: Loose blade orders must go through Parts Distribution or CWTS.

NOTE: Blades are shipped NOT INSTALLED

MAY SELECT ONE ONLY

L	397-7898	BLADE, 177" 16.1 YD3 STRAIGHT	5,537	\$30,301
		Capacity: 16.1 YD3 (12.3 M3) Height: 74.8" (1900 MM), Overall Width: 177.2" (4502 MM)		
		NOTE: Loose blades are not available from Decatur. Order via Antares & contact your local Parts Service Rep with questions.		
L	398-1102	BLADE, SEMI-U	6,012	\$32,214
		Capacity: 20.9 YD3 (16.0 M3) Height: 79.6" (2022 MM), Overall Width: 178.0" (4522 MM)		
		NOTE: Loose blades are not available from Decatur. Refer to the WT-800 price list for details & contact CWTS with questions.		
L	398-1103	BLADE, 173" 22.9 YD3 FULL U	5,675	\$33,401
		Capacity: 22.9 YD3 (17.5 M3) Height: 79.5" (2019 MM), Overall Width: 173.1" (4398 MM)		
		NOTE: Loose blades are not available from Decatur. Refer to the WT-800 price list for details & contact CWTS with questions.		

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
 Different lubricants are also required for extreme temperatures.
 Please refer to operation and maintenance manual.

P	0P-2406	ANTIFREEZE, -50C (-58F)	0	\$283 NET
---	----------------	--	---	------------------

FIELD INSTALLED ATTACHMENTS

Available through Parts Distribution

Contact your local Parts Customer Service Representative for availability and pricing inquiries.

P	566-9700	KIT, DIFFERENTIAL GUARD Kit provides mounting hardware and two (2) guards that provide protection to the Differential section of the Front and Rear Axle. Please reference media number M0097984 for more details. ONLY FOR USE WITH: 826G/826H/826K		
---	-----------------	---	--	--

CATERPILLAR MACHINE PRICE LIST

826K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH REQUIRED BY: AM-NORTH	0	NC
---	----------	---	---	----

PACKING

MUST SELECT ONE

0P-0443	PACK, DOMESTIC TRUCK	0	NC
	Remove air conditioner. Striker Bars & Blade is not installed. CANNOT BE USED WITH: 457-7896 WHEELS, 48" DIAMOND TIPS		
0P-0063	PACK, DOMESTIC TRUCK	0	\$1,065 NET
	Remove air conditioner & wheels. Striker Bars & Blade are not installed.		
0P-0812	PACK, MISC SHIPMENTS	0	NC
	Use this as the packing reference number on a MISC MSO.		