

CATERPILLAR MACHINE PRICE LIST

834K834K WHEEL DOZER
DECATUR, IL, USAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Advanced Productivity Electronic Control
Shifting (APECS)
Air to air aftercooler
Brakes, full hyd., enclosed, wet
multiple disc service brakes
Electro hydraulic parking brake
Engine, Cat C18 w/ACERT technology
Fuel priming pump (electric)
Fuel to air cooler
Ground level engine shutoff
Guard, transmission
Hydraulically driven demand fan
Integrated braking
Radiator, Aluminum Modular (AMR)
Separated cooling system
Starting aid (ether) automatic
Throttle lock
Torque converter, impeller clutch with
lock-up clutch & rimpull control system
Turbine precleaner, engine air intake
Transmission, planetary powershift,
4F/3R electronic control

-Fuel level
-Hydraulic oil temperature
-Speedometer/Tachometer
-Torque convertor temperature
Instrumentation, warning indicators:
-Action alert system, three category
-Axle/Brake oil temp. (front/rear)
-Brake oil pressure
-Electrical system, low voltage
-Engine failure malfunction alert and
action lamp
Mirrors, rearview (externally mounted)
Parking brake status
Rimpull select switch
Seat, Cat Comfort (cloth) air suspension
STIC control system with steering lock
Tinted glass
Transmission gear (indicator)
Product Link Elite:
-VIMS
-Graphical information display
-External data port
-Customizable operator profiles
Wet-arm wipers/washers (front and rear),
intermittent wipers (front and rear)

ELECTRICAL

Alarm, back-up
Alternator, 150-amp
Batteries, maintenance-free, 4-1000 CCA
Converter, 10/15-amp, 24V to 12V
Lights, front & rear, access stairway,
turn signals
Starter, electric (heavy duty)
Starter lockout in bumper
Starting receptacle for emergency start
Transmission lockout in bumper

OTHER STANDARD EQUIPMENT

CAES (ready)
Counterweight
Doors, service access (locking)
Dozer stabilizer, trunnions, push beam,
pins, cylinders and hydraulic lines
Ecology drains for engine, radiator,
hydraulic tank
Emergency platform egress
Engine, crankcase, 250 hour interval
with CJ-4 oil
Fast fuel system
Front walkway
Fuel tank, 731 L (188 gal)
Ground level fuel fill
Ground level transmission electronic
clutch pressure control access
Hitch, drawbar with pin
Hoses, Cat XT(TM)
Hydraulic oil cooler
Hydraulic, steering and brake
filtration/screening system
Oil sampling valves
Stairway, left and right rear access
Steering, load sensing
Toe kicks
Vandalism protection caplocks
Venturi stack

OPERATOR ENVIRONMENT

Air conditioner
Cab, sound-suppressed pressurized,
internal four-post rollover protective
structure (ROPS/FOPS), radio ready for
entertainment includes antenna,
speakers, converter (12-volt 10-15 amp)
and power port
Coat and hard hat hooks
E/H blade controls (seat mounted)
Flip-up armrest
Heater and defroster
Horn, electric
Implement hydraulic lockout
Laminated glass
Light, dome (cab)
Lunchbox and beverage holders
Instrumentation, gauges:
-Engine coolant temperature

CATERPILLAR MACHINE PRICE LIST

834K

834K WHEEL DOZER DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

347-5100	834K WHEEL DOZER HRC 115,385 LANE 2 - AVAILABLE FROM DECATUR FACTORY LANE 3 - AVAILABLE FROM DECATUR FACTORY		**
-----------------	---	--	-----------

Contact Global Mining for prices

AVAILABLE FOR: AM-N, EU, ISRAEL, JAPAN, & SOUTH KOREA

0P-4741	834K MISCELLANEOUS MATERIAL 0 AVAILABLE FROM DECATUR FACTORY		NC
----------------	--	--	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

DOZER ARRANGEMENTS

L	435-1135	DOZER, STANDARD Includes push arms. Blade not included. Blades are in the Optional Attachment section.	0	NC
L	435-1145	DOZER, SCOOP FOR USE WITH LANE 3 ONLY Provides base machine adapted for the CWTS Coal or Woodchip Scoop attachment. Includes push beam, dual lift cylinders, 3 function hydraulics with increased flow, and stabilizer linkage. Scoop attachment for coal or woodchip applications must be ordered separately through CWTS. Push arms are part of the CWTS scoop. REQUIRES: 550-0287 LIGHTS, LED (SCOOP) 372-2588 FENDERS, STANDARD	0	\$30,980

POWERTRAIN

ENGINES

L	375-3420	ENGINE, STANDARD US EPA T4F/EU Stage V Technology REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	NC
L	347-4880	ENGINE, BRAKE US EPA T4F/EU Stage V Technology Proves engine braking for steep grades or speed reduction. REQUIRES: 347-5100 834K WHEEL DOZER HRC	78	\$3,605

ENGINE PRECLEANERS

L	377-9320	PRECLEANER, STANDARD REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	NC
L	377-0851	PRECLEANER, DUAL REQUIRES: 347-5100 834K WHEEL DOZER HRC	37	\$2,880

AXLES

L	347-5246	AXLES, STANDARD Provides standard front and rear axles.	0	NC
L	347-5256	AXLES, NO-SPIN REAR Provides standard front axle and no-spin rear axle. With normal hard packed floor conditions this can cause significant tire wear. No-spin recommended in applications which require improved traction.	-15	\$4,925

HYDRAULICS

L	373-9317	HYDRAULICS AVAILABLE FOR: ALL REGIONS EXCEPT EU	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

L	373-9318	HYDRAULICS (EU) 15 AVAILABLE FOR: ALL REGIONS EXCEPT CANADA		NC
---	----------	--	--	----

ELECTRICAL

LIGHTS

L	345-0540	LIGHTS, STANDARD 0 Provides the following: Front flood/running lights (4 Halogen/all facing forward) Rear flood lights (4 Halogen/all facing rear) and 2 taillights Upper ROPS lights (6 Halogen/2 facing rear, 4 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		NC
L	360-8186	LIGHTS, HID 28 Provides the following: Front flood/running lights (4 Halogen/all facing forward) Rear flood lights (2 HID/4 Halogen/all facing rear) and 2 taillights. Upper ROPS lights (4 HID/facing forward and 4 Halogen/2 facing rear, 2 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		\$3,195

L	550-0286	LIGHTS, LED 0 Provides the following: Front flood/running lights (4 LED/all facing forward) Rear flood lights (4 LED/all facing rear) and 2 taillights Upper ROPS lights (8 LED/2 facing rear, 6 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		\$4,225
---	----------	--	--	---------

L	550-0287	LIGHTS, LED (SCOOP) 0 Provides the following: Front flood/running lights (4 LED/all facing forward) Rear flood lights (4 LED/all facing rear) and 2 taillights Upper ROPS lights (8 LED/2 facing rear, 6 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1145 DOZER, SCOOP		\$4,450
---	----------	---	--	---------

OPERATOR ENVIRONMENT

CAB PACKAGES

NOTE: 2-point seat belts are standard. 4-point seat belts are available through parts distribution if needed.

L	561-6844	CAB, BASIC 0 INCLUDES: -Cab door, standard window (LH) -Cab glass, standard -Cab precleaner, non-powered -Seat, heated and actively cooled -Seat belt, 3", 2-point, minder -Radio, CB (ready)		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB PACKAGES (Cont.)

L	561-6875	CAB, BASIC PLUS 0		\$1,155
		INCLUDES: -Cab door, sliding window (LH) -Cab glass, standard -Cab precleaner, non-powered -Seat, heated and actively cooled -Seat belt, 3", 2-point, minder -Radio, CB (ready)		
L	561-6905	CAB, DELUXE 0		\$11,200
		INCLUDES: -Cab door, standard window (LH) -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated and actively cooled -Seat belt, 3", 2-point, minder -Radio, CB (ready)		

MIRRORS

L	346-3864	MIRRORS, STANDARD 0		NC
L	376-7034	MIRRORS, HEATED 6		\$123

INTEGRATED OBJECT DETECTION SYSTEM

L	360-8191	CAMERA, REAR VISION 0		NC
		Provides an object detection system (camera only) to enhance operator awareness of surroundings. This system uses visual information only in order to provide the operator with additional information about the work area to the rear of the wheel loader.		
L	372-3042	DETECTION, OBJECT (RADAR) (C5) 19		\$2,880
		Not available for EU. Provides an object detection system (camera & radar) to enhance operator awareness of surroundings. This system uses visual and radar information in order to provide the operator with additional information about the work area to the rear of the wheel loader. For a list of countries that RF radar is approved for use in, visit https://dealer.cat.com/detect ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	578-9006	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	509-4150	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

FUEL SYSTEMS

FUEL LINES

L	433-3844	FUEL LINES, NON-HEATED 0		NC
L	433-3845	FUEL LINES, HEATED 3		\$1,450

COOLING

L	564-2654	STANDARD COOLING CONFIGURATION 0 ONLY FOR USE WITH: 347-5100 834K WHEEL DOZER HRC		NC
L	564-2656	EZ CLEAN COOLING CONFIGURATION 0 FOR USE WITH LANE 3 ONLY Provides reversing fan feature, lower cooling fin density, and easy core cleaning access. ONLY FOR USE WITH: 347-5100 834K WHEEL DOZER HRC		\$25,200
L	565-6882	STANDARD COOLING CONFIGURATION 0 ONLY FOR USE WITH: 347-5109 834K WHEEL DOZER LRC		NC
L	565-6902	EZ CLEAN COOLING CONFIGURATION 0 FOR USE WITH LANE 3 ONLY Provides reversing fan feature, lower cooling fin density, and easy core cleaning access. ONLY FOR USE WITH: 347-5109 834K WHEEL DOZER LRC		\$25,200

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires are tubeless, include heavy duty rims and come in a set of 4.

TIRES AVAILABLE FROM BRIDGESTONE

P	396-4291	TIRES, 35/65-33 BS DL 42PR L5 0 Bridgestone Bias; Tread Depth=97mm (122/32"); Rim=28"x33" Suitable for severe rock environments where maximum damage protection is needed.		\$6,700
P	485-3623	TIRES, 35/65R33 BS VSNT ** L4 1,460 Bridgestone Radial; Tread Depth=62.5mm (79/32"); Rim=28"x33" Provides damage resistance, mobility, and traction in moderate rock environments.		\$-2,215
P	499-5790	TIRES, 35/65R33 BS VSDL ** L5 2,772 Bridgestone Radial; Tread Depth=95mm (120/32"); Rim=28"x33" Suitable for severe rock environments where maximum damage protection is needed.		\$12,150

TIRES AVAILABLE FROM MICHELIN

P	478-4157	TIRES, 35/65R33 MX *** L4 0 Michelin Radial XTXL; Tread Depth=60mm (76/32"); Rim=28"x33" Directional tire that provides damage resistance, mobility, and traction in moderate rock environments.		\$9,100
P	396-4287	TIRES, 35/65R33 MX ** L5 0 Michelin Radial XLDD2; Tread Depth=97mm (122/32"); Rim=28"x33" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$12,160
P	396-4288	TIRES, 35/65R33 MX ** L5 0 Michelin Radial XMINED2; Tread Depth=97mm (122/32"); Rim=28"x33" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$31,130
P	499-3063	TIRES, 35/65R33 MX ** L5 0 Michelin Radial XMINED2; Tread Depth=97mm (122/32"); Rim=28"x33" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$31,130

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES, ALLOWANCE FOR OMISSION

P	396-4156	RIMS ONLY, TIRES OMITTED	-7,964	\$-38,790
---	----------	------------------------------------	--------	-----------

OTHER ATTACHMENTS

FENDERS

L	372-2588	FENDERS, STANDARD Provides standard front fenders.	0	NC
L	372-2598	FENDERS, ROADING Provides full coverage front and rear fenders. CANNOT BE USED WITH: 435-1145 DOZER, SCOOP	513	\$5,730

SOUND SUPPRESSION

NOTE: 141-5066 EU Certification requires Sound Suppression.

L	347-5105	NO SOUND SUPPRESSION REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	NC
L	347-5125	SOUND SUPPRESSION REQUIRES: 347-5100 834K WHEEL DOZER HRC 372-9038 GUARD, CRANKCASE 435-1165 GUARD, BOTTOM	298	\$5,030

WHEEL CHOCKS

L	541-8669	NO WHEEL CHOCKS ONLY FOR USE WITH: 564-2654 or 565-6882 STANDARD COOLING CONFIG	0	NC
L	541-8670	WHEEL CHOCKS Includes wheel chocks and an integrated storage system. ONLY FOR USE WITH: 564-2654 or 565-6882 STANDARD COOLING CONFIG	0	\$1,750
L	541-8671	NO WHEEL CHOCKS (EZ CLEAN) ONLY FOR USE WITH: 564-2656 or 565-6902 EZ CLEAN COOLING CONFIG	0	NC

INSTRUCTIONS

P	591-0039	FILMS, ANSI REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

L	367-5430	COOLER, AXLE OIL 0 Axle oil cooler attachment is recommended with ride control for long downhill grades or any high braking applications. ONLY FOR USE WITH: 564-2654 or 565-6882 STANDARD COOLING CONFIG		\$13,130
L	548-7100	COOLER, AXLE OIL 0 Axle oil cooler attachment is recommended with ride control for long downhill grades or any high braking applications. ONLY FOR USE WITH: 564-2656 or 565-6902 EZ CLEAN COOLING CONFIG		\$14,060

LINE GROUPS

STEERING

L	367-5429	STEERING, SECONDARY 117 Required for EU. Secondary steering system provides limited steering control in the event of a loss of power or a loss of hydraulic flow. The system includes a ground speed driven secondary pump that supplies hydraulic power to the steering system. This feature may be required by local regulations. Please contact your Caterpillar marketing representative with any questions.		\$13,020
---	----------	---	--	----------

STARTERS, BATTERIES, & ALTERNATORS

STARTING ARRANGEMENT

L	374-6450	STARTING, COLD WEATHER 94 Includes 1 additional starter and 2 additional batteries.		\$1,780
---	----------	---	--	---------

STARTING AIDS

MAY SELECT ONE ONLY

L	374-7404	HEATER, ENGINE COOLANT, 120V 1 110/120-volt external power source required.		\$363
---	----------	---	--	-------

ELECTRICAL

L	376-7128	LIGHT, WARNING (LED STROBE) 17 ***DEALER INSTALLED ATTACHMENT***		\$720
---	----------	--	--	-------

OPERATOR ENVIRONMENT

L	504-5735	RADIO, AM/FM/AUX 0		\$755
L	376-7135	RADIO, AM/FM/AUX/USB/BT/CD/SAT 6 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html Requires service contract with satellite radio provider.		\$1,680

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

L	378-8646	MIRROR, INTERNAL (PANORAMIC)	10	\$468
L	346-3863	VISOR, CAB	2	\$177

TIRES, RIMS, AND WHEELS

TIRE PRESSURE MONITORING SYSTEM

L	564-6125	MONITORING, TIRE PRESSURE Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the info display. Warnings are provided through VisionLink if pressure is outside of a configurable target range. The system is not recommended for use on tires with liquid additives or sealants.	0	\$3,300
---	----------	---	---	---------

GUARDS

L	372-9038	GUARD, CRANKCASE Required by 347-5125 or 347-4919 Sound Suppression.	107	\$735
L	435-1165	GUARD, BOTTOM Required by 347-5125 or 347-4919 Sound Suppression.	104	\$3,110
L	447-5688	GUARD, HYDRAULIC TANK Provides protection for hydraulic tank and brake accumulators.	28	\$332

OTHER ATTACHMENTS

L	459-6446	COVER, INLET GRILL (CW) Provides inlet grill covers for extended idling in cold weather. Recommended for ambient temperatures of -10C (14F) and below. REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	\$3,695
L	376-1572	OIL CHANGE SYSTEM, HIGH SPEED Provides remote port and components for high speed oil change.	5	\$605
L	260-1950	COUNTERWEIGHT, FRONT FOR USE WITH LANE 3 ONLY REQUIRES: 435-1135 DOZER, STANDARD 376-3845 BLADE, COAL	6,637	\$14,140

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES

Blades are for machine orders only.

Loose blade orders must go through Parts Distribution or Cat Work Tools when not ordering a machine.

Please contact CWTS or refer to the WT-800 price list for coal scoop and wood chip scoop options.

MAY SELECT ONE

L	572-0996	BLADE, STRAIGHT	7,200	\$37,028
		REQUIRES: 435-1135 DOZER, STANDARD		
L	572-0997	BLADE, SEMI-U	8,472	\$45,483
		REQUIRES: 435-1135 DOZER, STANDARD		
L	572-0998	BLADE, UNIVERSAL	10,002	\$48,039
		REQUIRES: 435-1135 DOZER, STANDARD		
L	376-3845	BLADE, 227" 29.0 CYD, COAL U	10,699	\$52,276
		FOR USE WITH LANE 3 ONLY		
		REQUIRES: 435-1135 DOZER, STANDARD		
		260-1950 COUNTERWEIGHT		

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
 Different lubricants are also required for extreme temperatures.
 Please refer to operation and maintenance manual.

P	0P-2411	COOLANT, -50C (-58F)	0	\$530 NET
---	---------	---------------------------------------	---	-----------

FACTORY SOURCED KITS

OBJECT DETECTION KITS

Please consult the DETECTCAT retrofit price list for dealer installed Object Detection kits on Large Wheel Loaders.

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

RETRO-FIT KITS for CURRENT 834K

If ordering on a MISC MSO, you need to use OP-4741 for TOP LEVEL and OP-0812 for PACKING.

Kits must be ordered as NOT-INSTALLED.

No returns on Kit components or for parts removed.

C	476-9629	KIT, AXLE OIL COOLER 0 834K Ser# TWY00001 & up, TW400001 & up, LWY00001 & up, L4Y00001 & up Provides all parts for field installation of the axle oil cooler system.		\$12,960 NI
C	471-9675	KIT, COVER, INLET GRILL (CW) 0 834K Ser# TWY00001 & up, TW400001 & up Provides all parts for field installation of the inlet grill covers for extended idling in cold weather. Recommended for ambient temperatures of -10C (14F) and below.		\$4,060 NI
C	560-2915	KIT, TIRE PRESSURE MONITORING 0 834K Ser# TWY00708 & up, TW400001 & up, LWY00752 & up, L4Y00001 & up Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the primary display. Warnings are provided through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires SEA for permanent activation.		\$3,220 NI
C	563-3197	KIT, WHEEL CHOCKS 0 834K Ser# TWY00001 & up, TW400001 & up, LWY00001 & up, L4Y00001 & up Provides all parts for field installation of wheel chocks and an integrated storage system.		\$2,040 NI

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH 0 REQUIRED BY: AM-NORTH		NC
---	----------	--	--	----

PACKING

MUST SELECT ONE

	OP-3712	PACK, DOMESTIC TRUCK 0 Removes blade, arms, and trunnions.		NC
	OP-0453	PACK, DOMESTIC TRUCK 0 Removes blade, arms, trunnions, and tires.		NC
	OP-0812	PACK, MISC SHIPMENTS 0 Use this as the packing reference number on a MISC MSO.		NC