

CATERPILLAR MACHINE PRICE LIST

836K

**836K LANDFILL COMPACTOR
 DECATUR, IL, USA**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- Advanced Productivity Electronic Control Shifting (APECS)
- Air to air aftercooler
- Brakes, full hyd., enclosed, wet multiple disc service brakes
- Electro hydraulic parking brake
- Engine, Cat C18 w/ACERT technology
- Fuel priming pump (electric)
- Fuel to air cooler
- Ground level engine shutoff
- Guard, (3 pc) transmission
- Heat shield, turbo and exhaust manifold
- Hydraulically driven demand fan
- Integrated braking
- Radiator, Next Generation Modular (NGMR)
- Separated cooling system
- Single stage engine precleaner with dust ejection
- Starting aid (ether) automatic
- Throttle lock
- Torque converter w/ Lock Up Clutch (LUC)
- Transmission, planetary, with 2F/2R speed range control
- Underhood ventilation system

- Implement hydraulic lockout
- Laminated glass
- Light, dome (cab)
- Lunchbox and beverage holders
- Instrumentation, gauges:
 - Engine coolant temperature
 - Fuel level
 - Hydraulic oil temperature
 - Speedometer/Tachometer
 - Torque convertor temperature
- Instrumentation, warning indicators:
 - Action alert system, three category
 - Axle/Brake oil temp. (front)
 - Brake oil pressure
 - Electrical system, low voltage
 - Engine failure malfunction alert and action lamp
- Mirror, internal (panoramic)
- Mirrors, heated, rearview (externally mounted)
- Parking brake status
- Seat, Cat optimized seat system
- Seat belt, retractable, 76mm (3"), 2-point, minder
- STIC control system with steering lock
- Sun visor (front)
- Tinted glass
- Transmission gear (indicator)
- Product Link Elite:
 - VIMS
 - Graphical information display
 - External data port
 - Customizable operator profiles
- Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

ELECTRICAL

- Alarm, back-up
- Alternator, 150-amp
- Batteries, maintenance-free, 4-1000 CCA
- Converter, 10/15-amp, 24V to 12V
- Lights, front & rear, access stairway
 - 4 rear facing flood (2 stairway)
 - 2 front & 2 rear upper ROPS
 - 2 tail lights
- Starter, electric (heavy duty)
- Starter lockout (ground level)
- Starting receptacle for emergency start
- Transmission lockout (ground level)

GUARDS

- Guards, axle (front and rear)
- Guard, cab window
- Guards, crankcase and powertrain, hydraulically powered
- Guard, differential
- Guard, rear fan and grill

OPERATOR ENVIRONMENT

- AccuGrade mapping (ready)
- Air conditioner
- Cab, sound-suppressed pressurized, internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp) and power port
- Camera, rear vision
- Coat and hard hat hooks
- Flip-up armrest
- Heater and defroster
- Horn, trumpet
- Hydraulic controls (floor mounted)

BLADES

- Bulldozer arrangement (no blade)

OTHER STANDARD EQUIPMENT

- Auto Blade Positioner (ABP)
- Counterweight
- Demand fan/swing out (hyd. reversible)
- Doors, service access (locking)
- Ecology drains for engine, radiator, hydraulic tank
- Electronic clutch pressure control &

CATERPILLAR MACHINE PRICE LIST

836K836K LANDFILL COMPACTOR
DECATUR, IL, USAShip Weight
lbsLIST PRICE
AT DEALER**OTHER STANDARD EQUIPMENT (CONT.)**

remote mounted pressure taps
 Emergency platform egress
 Engine Air Intake Filter, Radial Style
 Engine, crankcase, 500 hour interval
 with CJ-4 oil
 Fuel tank, 793 L (210 gal)
 Hitch, drawbar with pin
 Hoses, Cat XT(TM)
 Hydraulic oil cooler
 Hydraulic, steering and brake
 filtration/screening system
 Oil sampling valves
 Steering, load sensing
 Vandalism protection caplocks
 Venturi stack

CATERPILLAR MACHINE PRICE LIST

836K

836K LANDFILL COMPACTOR	Ship Weight	LIST PRICE
DECATUR, IL, USA	lbs	AT DEALER

347-5200	836K LANDFILL COMPACTOR HRC 122,008 LANE 2 - AVAILABLE FROM DECATUR FACTORY LANE 3 - AVAILABLE FROM DECATUR FACTORY	\$1,195,110
-----------------	--	--------------------

INCLUDES:
 Engine, Cat C18 w/ACERT technology
 -US EPA T4F/EU Stage V Technology

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

0P-2885	836K MISCELLANEOUS MATERIAL 0 AVAILABLE FROM DECATUR FACTORY	NC
----------------	--	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

NOTE

For a more detailed description of price list items, please refer to the virtual Price List guide on the following website:
<https://dealer.cat.com/en/compactors/landfill.html>
 Once there, select the model and then select the Landfill Compactors Price List Guide under the Sales Support section.

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
	OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

AXLES

L	368-9305	AXLES,NO-SPIN FRONT & STD REAR Provides no-spin differential front axle and standard rear axle.	0	NC
L	368-9306	AXLES, NO-SPIN FRONT & REAR Provides no-spin differential front and rear axles.	11	\$5,210

ENGINE PRECLEANERS

L	552-4197	PRECLEANER, STANDARD Strata Tube single stage precleaner with dust ejection that includes a fine mesh screen with large surface area to prevent debris ingestion. May improve filter life but does require regular maintenance of cleaning screen & ejector bowl. REQUIRES: 347-5200 836K LANDFILL COMPACTOR HRC	0	NC
L	552-4210	PRECLEANER, DUAL Dual stage precleaner with dust ejection which includes the traditional Cat turbine in first stage and Optimax second stage. May reduce filter life but limited precleaner maintenance is required. REQUIRES: 347-5200 836K LANDFILL COMPACTOR HRC	0	\$2,880

HYDRAULICS

L	373-9360	HYDRAULICS, STANDARD Available worldwide, except for EU.	0	NC
L	373-9361	HYDRAULICS (EU) Available worldwide, except for Canada.	0	NC

ELECTRICAL

LIGHTS

L	345-0539	LIGHTS, STANDARD	0	NC
L	550-0285	LIGHTS, LED	0	\$3,430

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB PACKAGES

L	561-6904	CAB, DELUXE	0	NC
		INCLUDES: -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated and actively cooled -Seat belt, 3", 2-point, minder -Mirror, internal (panoramic)		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	578-9006	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	528-5693	PRODUCT LINK, SATELLITE PLE631	0	\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

FUEL SYSTEMS

FUEL LINES

L	433-3844	FUEL LINES, NON-HEATED	0	NC
L	433-3845	FUEL LINES, HEATED	3	\$1,450

FUEL TANKS

L	519-9940	FUEL TANK, NON-FAST FILL	0	NC
L	521-5386	FUEL TANK, FAST FILL	0	\$2,080

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

All wheels have through hardened inner rim extension, (8) wear bars welded on inner rim extension, and (8) wear bars welded on inside wheel disc. Also includes 1" wide hardfacing on both edges of the outer wrapper of the wheel.

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

NOTE: Loose wheel orders must go through Parts Distribution.

NOTE: All Wheels will ship directly to the dealer or customer location from the supplier.

NOTE: Wheels are shipped NOT INSTALLED

L	378-0419	WHEELS, COMBINATION TIPS 0 Provides (4) 55" wheels with a combination of (16) plus tips welded on the inner and outer two rows of tips with (24) paddle tips welded on the three inside rows of tips.		NC
L	457-7890	WHEELS, DIAMOND TIPS 804 Provides (4) 55" wheels with (40) diamond (extended life) tips welded on in 5 rows.		\$48,800
L	378-0415	WHEELS, PADDLE TIPS -678 Provides (4) 55" wheels with (40) paddle tips welded on in 5 rows.		\$-1,675
L	377-3057	WHEELS, PLUS TIPS 158 Provides (4) 55" wheels with (40) plus tips welded on in 5 rows.		\$10,570
L	378-0412	WHEELS, CHOPPER 0 Provides (4) 55" wheels with (28) chopper style blades welded in a chevron pattern. These type of wheels are recommended for wet/soft waste where chopping and/or traction is a large concern and abrasive wear life is not a major concern.		\$9,800
L	347-1980	WHEELS, SMOOTH -10,272 Provides (4) 55" smooth wheels. CANNOT BE USED WITH: 347-5198 STRIKER BARS W/CLEANER FINGERS		\$-17,800

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

WHEELS (Cont.)

L	OP-3642	OMISSION, WHEELS -28,700 CANNOT BE USED WITH: 347-5198 STRIKER BARS W/CLEANER FINGERS		\$-43,800
---	---------	--	--	-----------

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

GUARDS

GUARD ACTUATION

L	347-5285	GUARD ACTUATION, STANDARD (2V) 0		NC
L	347-5295	GUARD ACTUATION, PREMIUM (4V) 0		\$3,160

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	347-5115	NO SOUND SUPPRESSION 0 Machine sound power level: 111 dB(A) per ISO 6395 Operator sound pressure level: 72 dB(A) per ISO 6396		NC
L	347-5135	SOUND SUPPRESSION 52 Provides sound suppression arrangement for reduced spectator sound. Machine sound power level: 109 dB(A) per ISO 6395 Operator sound pressure level: 71 dB(A) per ISO 6396		\$3,250

STAIRWAYS

L	347-5218	STAIRWAY, FIXED (LH & RH) 0		NC
L	347-5118	STAIRWAY, SWINGOUT (LH & RH) 0		\$18,830

STRIKER BARS

L	508-0042	STRIKER BARS 0 NOTE: Striker bars are shipped NOT INSTALLED		NC
L	591-2585	STRIKER BARS W/CLEANER FINGERS 0 Provides a flexible finger design that will deflect under load and still maintain clean wheels in the most severe packing soil environment. NOTE: Striker bars and cleaner fingers are shipped NOT INSTALLED ONLY FOR USE WITH: 378-0419 WHEELS, COMBINATION TIPS 457-7890 WHEELS, DIAMOND TIPS 378-0415 WHEELS, PADDLE TIPS 377-3057 WHEELS, PLUS TIPS		\$10,050

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------	--------------------	-------------------------

INSTRUCTIONS

P	597-9753	FILMS, ANSI 0 REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)	NC
---	----------	---	----

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING ARRANGEMENT.

L	374-6440	STARTING, COLD WEATHER 0 Includes 1 additional starter and 2 additional batteries.		\$1,850
---	----------	---	--	---------

STARTING AIDS.

MAY SELECT ONE ONLY

L	374-7404	HEATER, ENGINE COOLANT, 120V 1 110/120-volt external power source required.		\$363
L	374-7414	HEATER, ENGINE COOLANT, 240V 2 220/240-volt external power source required.		\$428

ELECTRICAL

L	376-7129	LIGHT, WARNING (LED STROBE) 35 ***DEALER INSTALLED ATTACHMENT***		\$750
---	----------	---	--	-------

OPERATOR ENVIRONMENT

RADIOS

MAY SELECT ONE ONLY

L	452-1394	RADIO, AM/FM/AUX/USB/BT 5 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html		\$775
L	376-7135	RADIO, AM/FM/AUX/USB/BT/CD/SAT 6 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html Requires service contract with satellite radio provider.		\$1,680

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

This is a factory designed and integrated mapping system offered with two levels of accuracy. SBAS level of accuracy requires no off-board infrastructure and delivers only pass count mapping. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping as well as CCA (Cat Compaction Algorithm) mapping. Contact your Dealer Technology Representative to order a base station and/or data radio.

Note: Outside of North America and Europe, SBAS is not available in all regions. Please consult your Dealer Technology Representative for SBAS availability in your region.

L	492-0374	MAPPING, GNSS SBAS 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, and AS450 angle sensor. The SBAS option can be upgraded later to RTK with the addition of a high accuracy option key and data radio. These can be purchased from your Dealer Technology Representative.		\$24,610
L	492-0375	MAPPING, GNSS RTK 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, AS450 angle sensor, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.		\$31,960

OTHER ATTACHMENTS

L	376-1572	OIL CHANGE SYSTEM, HIGH SPEED 5 Provides remote port and components for high speed oil change.		\$605
---	----------	--	--	-------

BLADES

NOTE: Loose blade orders must go through Parts Distribution or CWTS.

NOTE: Blades are shipped NOT INSTALLED

MAY SELECT ONE ONLY

L	314-7311	BLADE, STRAIGHT 6,880 Capacity: 25.9 CYD (19.8 CUM) Height: 87.5" (2222 MM), Overall Width: 204.4" (5193 MM) NOTE: Loose blades are not available from Decatur. Order via Antares & contact your local Parts Service Rep with questions.		\$40,892
L	315-7877	BLADE, SEMI U 8,265 Capacity: 29.3 CYD (22.4 CUM) Height: 87.2" (2215 MM), Overall Width: 209.1" (5311 MM) NOTE: Loose blades are not available from Decatur. Refer to the WT-800 price list for details & contact CWTS with questions.		\$42,468

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BLADES (CONT.)

L	315-7879	BLADE, FULL-U 8,037 Capacity: 33.7 CYD (25.8 CUM) Height: 87.2" (2215 MM), Overall Width: 207.6" (5273 MM)		\$44,133
---	----------	---	--	-----------------

NOTE: Loose blades are not available from Decatur. Refer to the WT-800 price list for details & contact CWTS with questions.

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
 Different lubricants are also required for extreme temperatures.
 Please refer to operation and maintenance manual.

P	0P-2411	COOLANT, -50C (-58F) 0		\$530 NET
---	---------	---	--	------------------

FIELD INSTALLED ATTACHMENTS

Available through Parts Distribution

Contact your local Parts Customer Service Representative for availability and pricing inquiries.

P	560-0101	KIT, DIFFERENTIAL GUARD Kit provides mounting hardware and two (2) guards that provide protection to the Differential section of the Front and Rear Axle. Please reference media number M0097984 for more details. ONLY FOR USE WITH: 836G/836H/836K - Ser# TWZ, Ser# LWZ, Ser# T6X220 & below, Ser# L6Z00252 & below		
P	553-2067	KIT, RADIAL AIR FILTER Kit includes all parts needed for radial filter conversion. Kit is for use in applications that experience frequent face plugging of the UHE SPECIAL APPLICATION primary filter 490-3649. Please reference media number M0102511 for more details. ONLY FOR USE WITH: 836K - Ser# Prefix TWZ, Ser# T6X00150 & below		
P	580-6492	KIT, CAB PRESSURE INDICATOR Kit contains a mechanical pressure indicator, as well as all necessary installation hardware that will monitor the positive cab pressure. Please reference media number M0112781 for more details. ONLY FOR USE WITH: 836K		

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH 0 REQUIRED BY: AM-NORTH		NC
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

PACKING

MUST SELECT ONE

0P-0436	PACK, DOMESTIC TRUCK 0 Remove air conditioner. Wheels, striker bars & blade are not installed.	NC
0P-0812	PACK, MISC SHIPMENTS 0 Use this as the packing reference number on a MISC MSO.	NC