

CATERPILLAR MACHINE PRICE LIST

903D**903D COMPACT WHEEL LOADER
SAGAMI, JAPAN**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- Emissions Compliance
- Higher Regulated Countries
 - USA Cat C2.4, 42HP EPA Tier 4 final
 - JPN MLIT Step4 Certified
- The deisel engines are fitted with
 - Cold start plugs
 - Electrical fuel priming pump
 - Air cleaner, two-Stage with visual indicator
 - Closed Circuit Breather
 - S-O-S sampling valves (engine oil and hydraulic oil)
 - Frame mounted heavy duty axles 20 Kph (12.5Mph) max travel speed with outboard planetary reduction
 - Maintenance free, sealed for life, prop shaft and universal joints

OTHER STANDARD EQUIPMENT

- Z bar linkage
- Engine enclosure - lockable
- Hydraulic oil level sight gauge
- Lockable fuel filler cap
- Quick release fuel fltr/water separator
- Parking Brake (Secondary Brake)
- Front and rear fenders
- Loader end float function
- Reversing light
- Self-cancelling direction indicators
- 3rd aux valve and hoses
- Quick coupler,manual SSL compatible (North America only)
- Guarded front headlight
- Return to dig bucket positioner
- Continuous Flow (NA Only)

ELECTRICAL

- 12 volt direct electric starting
- Ignition key start / stop switch
- Alternator: 70A (OROPS/Heater), 90A(A/C)
- Maintenance free, sealed for life, heavy duty battery
- Cab mounted fuse panel
- Service port connector for electronic diagnostics (ET)
- Product Link

OPERATOR ENVIRONMENT

- Gauges: -
 - Fuel level
 - Engine coolant temperature
- Digital service hourmeter
- Operator warning system indicators:
 - Parking brake applied
 - Hydraulic oil temperature
 - Engine oil pressure
 - Service brake pressure
 - Hydraulic filter bypass
 - DPF monitor
- Cup holder
- Heavy duty easy clean floormat
- 2 external mirrors - knockback
- Retractable seat belt, 50mm (2 in)
- Extended life coolant antifreeze
- Multi-Function Joystick with F-N-R Switch, 3rd Aux Roller, Continuous Flow Activation with Indicator, and Diff Lock Button (NA Only)

CATERPILLAR MACHINE PRICE LIST

903D

903D COMPACT WHEEL LOADER
 SAGAMI, JAPAN

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

| | | |
|----------|---|----------|
| 593-7757 | 903D CWL AM-N DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER INCLUDES: 535-8995 903D COMPACT WHEEL LOADER 515-6041 OPEN CANOPY 536-6100 NO HEAT OR A/C, OPEN CANOPY 420-7252 SEAT, VINL, SUSPENSION, 2" BELT 528-9288 IMPLEMENT VALVE, PARALLEL 535-9121 LOADER ARRANGEMENT, STD 525-2583 PREP PACK, EMC 539-2923 AXLE, DIFF LOCK 580-7152 SPEED SENSOR 481-9636 LINES, AUX, STD 535-9383 WITHOUT RIDE CONTROL 589-7262 COUPLER, HYDRAULIC, STANDARD 576-8724 PRODUCT LINK, CELLULAR PL243 457-2661 TIRE FLOTATION 33-15.5 X 16.5 538-1025 FENDERS, FRONT AND REAR 536-0513 HOOD, PRECLEANER 484-7002 STEP 396-7982 LIGHTS, WORKING HALOGEN 485-0718 GUARD HOSE AUX 486-2592 RADIATOR, STD 439-0831 DRAIN | \$74,530 |
|----------|---|----------|

| | | |
|----------|---|----------|
| 593-7758 | 903D CWL AM-N DCA2 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER INCLUDES: 535-8995 903D COMPACT WHEEL LOADER 515-6033 ENCLOSED CAB 536-6094 AIR CONDITIONER 420-7253 SEAT, FAB, SUSPENSION, 2" BELT 528-9288 IMPLEMENT VALVE, PARALLEL 535-9121 LOADER ARRANGEMENT, STD 525-2583 PREP PACK, EMC 539-2923 AXLE, DIFF LOCK 481-9636 LINES, AUX, STD 535-9383 WITHOUT RIDE CONTROL 589-7262 COUPLER, HYDRAULIC, STANDARD 576-8724 PRODUCT LINK, CELLULAR PL243 486-2592 RADIATOR, STD 457-2661 TIRE FLOTATION 33-15.5 X 16.5 538-1025 FENDERS, FRONT AND REAR 536-0513 HOOD, PRECLEANER 484-7002 STEP 396-7982 LIGHTS, WORKING HALOGEN 458-8296 RADIO, READY 439-0831 DRAIN 580-7152 SPEED SENSOR | \$81,820 |
|----------|---|----------|

CATERPILLAR MACHINE PRICE LIST

903D

| 903D COMPACT WHEEL LOADER SAGAMI, JAPAN | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | | |
|-----------------|--|-----------------|
| 535-8995 | 903D COMPACT WHEEL LOADER 0 LANE 2 - AVAILABLE FROM JAPAN FACTORY LANE 3 - AVAILABLE FROM JAPAN FACTORY | \$66,250 |
|-----------------|--|-----------------|

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

FACTORY STOCK FOR AM-NORTH

LANE SELECTION

| | | | |
|---------|--|---|----|
| 0P-9001 | LANE 1 ORDER | 0 | NC |
| | Select this option when ordering from Distribution Center. | | |

INSTRUCTION DECALS

| | | | | |
|---|----------|---------------------------------|---|----|
| L | 460-1009 | FILM, U.S. | 0 | NC |
| | | FOR USE WITH : USA DEALERS | | |
| L | 460-1010 | FILM, INTERNATIONAL | 0 | NC |
| | | FOR USE WITH : CANADIAN DEALERS | | |

PRODUCT LINK DECALS

| | | | | |
|---|----------|----------------------------------|---|----|
| L | 510-3068 | FILM, US PRODUCT LINK | 0 | NC |
| L | 510-3067 | FILM, INTERNATIONAL PL | 0 | NC |

MEDIA PACK

| | | | |
|----------|---|---|----|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT | 0 | NC |
| | Kit will include instructions and parts CD in the legally required language, based on the shipping address. | | |
| | Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. | | |
| | https://oos.midlandcorp.com/CAT/Default.aspx | | |

SHIPPING

| | | | |
|---------|---|---|-----------|
| 0G-3150 | PACK, ROLL ON/ROLL OFF BY SEA | 0 | \$229 NET |
| 0P-2266 | SHIPPING/STORAGE PROTECTION | 0 | \$213 NET |

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

LANE SELECTION

| | | | |
|---------|---|---|----|
| 0P-9002 | LANE 2 ORDER | 0 | NC |
| | Only for dealers enrolled in the Base Orders Management (BOM) program | | |
| 0P-9003 | LANE 3 ORDER | 0 | NC |

POWERTRAIN

AXLE

| | | | | |
|---|----------|--|---|---------|
| L | 539-2922 | AXLE, STD DIFF | 0 | NC |
| L | 539-2923 | AXLE, DIFF LOCK Front & Rear diff lock REQUIRES: 580-7152 SPEED SENSOR | 0 | \$2,635 |

HYDRAULICS

HYDRAULIC

| | | | | |
|---|----------|-------------------------------------|---|----|
| L | 528-9288 | IMPLEMENT VALVE, PARALLEL | 0 | NC |
|---|----------|-------------------------------------|---|----|

LIFT ARM SELECTION

| | | | | |
|---|----------|---|---|----|
| L | 535-9117 | LOADER ARRANGEMENT, HI LIFT Hinge Pin Height 127" | 0 | NC |
| L | 535-9121 | LOADER ARRANGEMENT, STANDARD Hinge Pin Height 121" | 0 | NC |

QUICK COUPLERS

| | | | | |
|---|----------|--|---|---------|
| L | 589-8150 | COUPLER, MANUAL Manual SSL style quick coupler ONLY FOR USE WITH: 535-9117 LOADER ARRANGEMENT, HI LIFT OR 535-9121 LOADER ARRANGEMENT, STANDARD | 0 | NC |
| L | 589-7262 | COUPLER, HYDRAULIC, STANDARD ONLY FOR USE WITH: 535-9121 LOADER ARRANGEMENT, STANDARD | 0 | \$1,210 |
| L | 589-7263 | COUPLER, HYDRAULIC, HIGH LIFT ONLY FOR USE WITH: 535-9117 LOADER ARRANGEMENT, HI LIFT | 0 | \$1,210 |

LINES

| | | | | |
|---|----------|--|---|-------|
| L | 481-2599 | LINES, AUX, HI LIFT FOR USE WITH : 535-9117 LOADER ARRANGEMENT, HI LIFT | 0 | \$316 |
| L | 481-9636 | LINES, AUX, STANDARD FOR USE WITH : 535-9121 LOADER ARRANGEMENT, STD | 0 | \$316 |

OPERATOR ENVIRONMENT

OPERATOR STATION SELECTION

| | | | | |
|---|----------|------------------------|---|---------|
| L | 515-6033 | ENCLOSED CAB | 0 | \$3,695 |
| L | 515-6041 | OPEN CANOPY | 0 | NC |

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

HVAC SELECTION

| | | | | |
|---|----------|--|--|---------|
| L | 536-6094 | AIR CONDITIONER. 0 | | \$3,190 |
| | | CONDITIONER PROVIDES A/C & HEAT ONLY FOR USE WITH: 515-6033 ENCLOSED CAB | | |
| L | 536-6097 | HEATER. 0 | | NC |
| | | HEATER PROVIDES HEAT ONLY ONLY FOR USE WITH: 515-6033 ENCLOSED CAB | | |
| L | 536-6100 | NO HEAT OR A/C, OPEN CANOPY 0 | | NC |
| | | OPEN DOES NOT PROVIDE HEAT OR A/C ONLY FOR USE WITH: 515-6041 OPEN CANOPY | | |

SEAT SELECTION

| | | | | |
|---|----------|--|--|-------|
| L | 420-7252 | SEAT, VINL, SUSPENSION, 2"BELT 0 | | \$266 |
| L | 420-7253 | SEAT, FAB, SUSPENSION, 2"BELT 0 | | \$407 |
| | | REQUIRES: 515-6033 ENCLOSED CAB | | |
| L | 464-4894 | SEAT, VINL, SUSPENSION, 3"BELT 0 | | \$266 |
| L | 464-4895 | SEAT, FAB, SUSPENSION, 3"BELT 0 | | \$407 |
| | | REQUIRES: 515-6033 ENCLOSED CAB | | |

RIDE CONTROL

| | | | | |
|---|----------|---|--|---------|
| L | 535-9383 | WITHOUT RIDE CONTROL 0 | | NC |
| L | 591-8871 | AUTO RIDE CONTROL 0 | | \$1,725 |
| | | Improves ride quality when travelling. In Automatic mode. Ride Control is set to activate above 6 mph. | | |

STEP

| | | | | |
|---|----------|-----------------|--|----|
| L | 484-7002 | STEP. 0 | | NC |
|---|----------|-----------------|--|----|

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

| | | | | |
|---|----------|---|--|----|
| L | 576-8724 | PRODUCT LINK, CELLULAR PL243 0 | | NC |
| | | Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. Remote Engine Disable function is as a standard. | | |

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

COOLING

RADIATOR SELECTION

| | | | | |
|---|----------|---|---|-------|
| L | 486-2592 | RADIATOR,STD | 0 | NC |
| L | 486-2593 | RADIATOR,SCREEN. For Use in high debris applications | 0 | \$253 |

TIRES, RIMS, AND WHEELS

TIRE SELECTION

| | | | | |
|---|----------|---|---|---------|
| L | 457-2659 | TIRE, 12-16.5 10PR. Width over tire 65" | 0 | \$390 |
| L | 457-2661 | TIRE FLOTATION 33-15.5 X 16.5. Width over tire 67" | 0 | \$2,300 |
| L | 457-2663 | TIRE FLEXPOR 33 X 6 X 11 Width over tire 63" FOR USE WITH: LANE 3 | 0 | \$2,700 |

FENDERS

| | | | | |
|---|----------|-----------------------------------|---|-------|
| L | 488-8370 | FENDER, REAR ONLY | 0 | NC |
| L | 538-1025 | FENDERS, FRONT AND REAR | 0 | \$311 |

FRAMES

HOOD SELECTION

| | | | | |
|---|----------|--|---|-------|
| L | 536-0511 | HOOD, STD | 0 | NC |
| L | 536-0513 | HOOD, PRECLEANER Adds cyclone style precleaner for high debris applications | 0 | \$530 |

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

| | | | | |
|--|----------|---|---|----|
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx | 0 | NC |
|--|----------|---|---|----|

DECAL PACKAGES

| | | | | |
|---|----------|--|---|----|
| L | 460-1009 | FILM, U.S. FOR USE WITH : USA DEALERS | 0 | NC |
|---|----------|--|---|----|

PRODUCT LINK FILM

| | | | | |
|---|----------|---------------------------------|---|----|
| L | 510-3068 | FILM, US PRODUCT LINK | 0 | NC |
|---|----------|---------------------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS
 All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

ELECTRICAL

| | | | | |
|---|----------|---|--|-------|
| L | 396-7982 | LIGHTS, WORKING HALOGEN 0 Four halogen floodlights mounted beneath cab roof, two front, two rear. | | \$448 |
| L | 558-6178 | LIGHTS, WORKING LED 0 Four LED floodlights mounted beneath cab roof, two front, two rear. | | \$735 |
| L | 549-7282 | WORKTOOL WIRING HARNESS 0 Supplies electrical power for valves on selected Work Tools via a 14 pin connector. | | \$335 |
| L | 586-2248 | ENGINE & TRAVEL SPEED CONTROL 0 Provides a throttle lock switch which can lock the engine speed to a desired level when activated. Also provides creeper control, which controls the maximum machine travel speed via a rotary dial. REQUIRES: 580-7152 SPEED SENSOR | | \$630 |
| L | 580-7152 | SPEED SENSOR 0 REQUIRES: 539-2923 AXLE, DIFF LOCK 586-2248 ENGINE & TRAVEL SPEED CONTROL | | \$185 |
| L | 575-0637 | HEATER, ENGINE COOLANT, 120V 0 For additional cold weather startability | | \$200 |

OPERATOR ENVIRONMENT

RADIO

| | | | | |
|---|----------|---|--|-------|
| L | 458-8296 | RADIO, READY 0 FOR USE WITH : 515-6033 ENCLOSED CAB | | \$266 |
| L | 457-3315 | RADIO, AM/FM 0 FOR USE WITH : 515-6033 ENCLOSED CAB | | \$370 |

GUARDS

GUARD

| | | | | |
|---|----------|---|--|----|
| L | 485-0718 | GUARD HOSE AUX 0 REQUIRES: 481-2599 LINES, AUX, HI LIFT OR 481-9636 LINES, AUX, STD ONLY FOR USE WITH: 515-6041 OPEN CANOPY | | NC |
|---|----------|---|--|----|

OTHER ATTACHMENTS

DRAIN

| | | | | |
|---|----------|--|--|------|
| L | 439-0831 | DRAIN GROUP 0 Engine oil eco drain | | \$75 |
|---|----------|--|--|------|

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

FIELD INSTALLED ATTACHMENTS***Available through parts distribution.***

These are not physical kits. They are paper kits, which means each part must be ordered from the associated kit parts list.

457-6221 Kit-Aux Front Lines (High Lift)

Auxiliary hydraulic lines w/QD's, brackets and hardware for proper installation, refer to media number SEBP7662. This kit provides AUX Hydraulic lines for STD flow work tools. Kit contains required hydraulic hoses, QCDC connectors, brackets and attachment hard ware.
Estimate time to install: 2.0 hours

485-0719 Kit-Aux Front Lines (Standard Lift)

Auxiliary hydraulic lines w/QD's, brackets and hardware for proper installation, refer to media number SEBP7662. This kit provides AUX hydraulic lines for STD flow work tools. Kit contains required hydraulic hoses, QCDC connectors, brackets and attachment hard ware.
Estimate time to install: 2.0 hours

470-6943 Kit-Guard Hose (Aux SSL)

For proper installation, refer to media number SEBP7662. This kit provides a guard for AUX Hydraulic lines for Open Canopy. Kit contains required hose guard and straps.
Estimate time to install: 1.0 hours

479-1105 Kit-Armrest

For proper installation, refer to media number SEBP7662. This kit provides the parts to install an armrest on the seat for previous model (903C) machines that did not have an armrest from the factory.
Estimated time to install: 15 Mins

378-9630 Heater, Engine Block 120V

Engine Block Heater, 120V
Order parts which are shown in the parts list. For proper installation, refer to media number SEBP7662. Please note: Harness routing may be different for 903C. This kit provides heater assembly, harnesses, and attachment hardware.
Estimate time to install: 10 hours

484-2366 KIT,COUPLER ELEC

For proper installation, refer to media number M0065162. This kit provides the list of parts needed to install an electric skid steer loader style quick coupler to allow the operator to attach and detach a work tool from within the machine.
Estimated time to install: 3 hours

NOTE: Parts must be ordered through ANTARES parts ordering.

CATERPILLAR MACHINE PRICE LIST

903D

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------------|--------------------|-------------------------|
|-----|---------|----------------------------|--------------------|-------------------------|

PACKING

TRANSPORT AND PACKING

| | | |
|---------|---|------------------|
| 0G-3150 | PACK, ROLL ON/ROLL OFF BY SEA 0 | \$229 NET |
| 0P-2266 | SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. | \$213 NET |