

904 P Wheel Loader

**JOHN DEERE**

22-Nov-2022

Code	Description	QTY	List Price (USD)
6150DW	904 P Wheel Loader	1	\$731,956.00
	904 P-Tier Standard Equipment		
			<p>POWERTRAIN: 5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes Automatic / Manual Shift Modes Programmable Maximum High Gear Transmission Clutch Disconnect with 4 Selectable Settings Transmission Clutch Calibration Engaged from Monitor Conventional Front & Rear Differentials with Inboard Mounted Heavy Duty Planetary Gears Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Filter Wheel Spin Control System</p> <p>COOLING: Quad-Cool System: Heavy Duty, Debris Resistant and High Ambient Cooling Package 2 Side access to all Coolers Cooling System isolated from Engine Compartment Engine Radiator Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Charge Air Cooler (Air to Air) Air Conditioner Condenser Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan Automatic Reversing Hydraulic Fan Enclosed Fan Safety Guard Front and Rear Axle Coolers</p> <p>HYDRAULICS: 2 Function -- 2-Lever Single Axis Electrohydraulic Controls Joystick Steering with Lever Mounted FNR Control Variable-Displacement, Load-Sensing Axial Piston Steering Hydraulic Pump; Closed-Center System 2 Variable-Displacement, Load-Sensing Axial-Piston Implement Pumps; Closed-Center System In Cab Adjustable Automatic Boom Height Kickout/Return To Carry/Bucket Return To Dig Ride Control, Automatic with Monitor Adjustable Speed Settings Hydraulic Function Enable/ Disable Hydraulic Reservoir with Sight Gauge and Fill Strainer</p>

Hydraulic Diagnostic Ports
(2) 4000 Hour In-Tank Filters

ELECTRICAL:

24 Volt Electrical System
Solid State Electrical Power Distribution System
150 Amp Alternator
(2) Heavy Duty Batteries - each 1400 Cold Cranking
amps/440 minute
Reserve Capacity
Remote Jump Starting Terminals with Covers
By-Pass Start Safety Cover at Starter
Lockable Master Electrical Disconnect Switch
Starting Switch with Electric Fuel Shut Off
Pre-wired for Beacon/Strobe Light

Lights:

(1) Engine Compartment Light
(1) LED Coolant Reservoir Illumination Light
(2) Halogen Driving Lights with Guards
(4) Front, (2) Rear Cab and 2-Rear Grille mounted Work
Lights
LED Turn Signals and Flashers
LED Stop and Tail Lights
Horn, Electric
Reverse Warning Alarm
Voltage Converter for 24V to 12V / 30 Amps
Multi-Function / Multi-Language LCD Color Monitor
includes:

DIGITAL INSTRUMENTS

ANALOG Display:

Hydraulic Oil Temperature
Engine Coolant Temperature
Transmission Oil Temperature
Engine Oil Pressure

DIGITAL Display:

Engine RPM
Transmission Gear / Direction Indicator
Hour Meter
Fuel Level
DEF Level (FT4 Only)
Speedometer
Odometer
Outside Temperature
Fuel Consumption Rate
Integrated Cycle Counter with 5 Categories
Indicator Lights for Standard and Selected Options
Indicator Lights for Amber Caution and Red Stop
Operator Warning Messages

BUILT-IN DIAGNOSTICS:

Diagnostic Code Details
Sensor Values
Calibrations
Individual Circuit Tester

MENU DISPLAY:

Codes
Machine Settings
Diagnostics
Monitor Settings

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab with:
Air Conditioning, Heater, Defroster and Pressurizer
Keyless Start with Multiple Security Modes
Sealed Switch Module with Function Indicators
Deluxe Heated And Ventilated Seat with
Leather/Fabric, High-Wide Back with
Head Rest
Seat Pan Tilt and Extend Adjustment
Suspension for Weight/Height with Fore-Aft Adjustment
Vertical and Horizontal Adjustable Arm Rests
Hydraulic Controls Integrated to Seat
3 Inch High Visibility Blaze Orange Seat Belt with Retractor
(2) Cup Holders
Lunch box (Cooler) Holder
LED Dome and Reading Light
(3) 12 Volt Power Ports
Front Sun Visor
Premium Radio with Blue Tooth Connectivity
Rubber Floor Mat

Operator's Manual Storage Compartment
(2) Inside Rear View Mirrors
Front and Rear Intermittent Windshield Wiper and Washers
Left and Right-Side Cab Access
Slip-Resistant Steps and Ergonomically Located Handholds
Front Window Washing Platforms
5000lb Capacity Anchor Point for Fall Arrest Lanyard Tie Off
Ring
CB Radio Ready with CB Mounting Bracket, Power and
Antennae Wiring

OVERALL VEHICLE:

Level 1 and Level 2 Sound Package
Automatic Greasing System with Selectable Grease Interval
Settings
(2) Programmable Multi-Function Buttons Located on
Hydraulic Implement Controls
Bushed Pin Joints (including Static Joints on Bucket and
Steering
Cylinder)
Bushed Steering Cylinder Pin Joints on Loader Frame
Cab Left and Right Handrails, Steps and Platforms
Cast Bumper with Rear Hitch and Locking Pin
Lift Eyes
Front, Mid and Rear Tie Downs
Front Fenders
Articulation Locking Bar
40 Degree Steering Articulation to Each Side with Rubber
Cushion Stops on Frame
Vandal Protection With Lockable Engine Enclosures, Right
Counterweight
Compartment, Battery Box, Filler Access for Right and Left
Radiators/Fuel/Hydraulic/Transmission
Fuel Tank Fill Strainer
Ground Level Fueling (and DEF - FT4 Only)
Ground Level Lubrication

Same Side Ground Level Daily Servicing
 Left and Right Engine Frame Steps and Handholds
 Storage Compartment
 Transmission Side Access Guards
 Front and Rear Bottom Guards
 Heavy Duty Fuel Tank Guard

6150DW 904 P Wheel Loader 1 \$731,956.00

DESTINATION AND LANGUAGE

Destination Code Basic Factory Options - Required

0202 United States No Added Cost

0203 Puerto Rico No Added Cost

0245 Guam No Added Cost

Operator's Manual and Language Basic Factory Options - Required

0259 English No Added Cost
 English language for operator's manual and electronic content

0287 Spanish No Added Cost
 Spanish language for operator's manual and electronic content

Labels Basic Factory Options - Required

0351 Translated Text Labels No Added Cost
 Vehicle labels translated to selected language

MACHINE CONFIGURATION

Machine Configuration Basic Factory Options - Required

0400 Standard Loader No Added Cost

Linkage Configuration Basic Factory Options - Required

0451 Standard Z-BAR No Added Cost

PACKAGES

Trim Packages Basic Factory Options - Required

0604 Level 1 Trim No Added Cost

- Includes:
- Flat Black Exhaust
 - 30 Amp Converter
 - Halogen Work and Drive Lights
 - Premium, Heated and Ventilated Seat w/ Heavy Duty Air Suspension
 - Premium Radio (AM/FM/WB) w/ Bluetooth and Remote Aux/USB Ports
 - Less Tire Pressure Monitoring System
 - Less Rear Sunvisor

0605 Level 2 Trim \$4,934.00

- Includes:
- Curved Chrome Exhaust
 - 30 Amp Converter
 - LED Work and Drive Lights
 - Premium, Heated and Ventilated Seat w/ Heavy Duty Air Suspension
 - Premium Radio (AM/FM/WB) w/ Bluetooth and Remote Aux/USB Ports
 - Tire Pressure Monitoring System
 - Rear Sunvisor

Performance Packages Basic Factory Options - Required

0653 Level 1 Performance No Added Cost

This Package is recommended for machines that will be used on hard packed and well maintained surfaces for loadout applications.

- Package includes:
- Standard Front Differential
 - Standard Rear Differential
 - Axle Cooling
 - Manual Diff Lock
 - Throttle Lock

COLD WEATHER PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8500	Cold Weather Package This Package is recommended for machines that will spend extended periods of time working in colder environments Package includes: - Ether Start Aid - Block Heater - Hydrau XR Hydraulic Oil (provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F)) * Selection of this package will also require the machine to be equipped with option code 8295 (Heated and Powered Exterior Mirrors)	\$1,161.00
------	--	------------

8295	Heated And Powered Exterior Mirrors	\$740.00
------	-------------------------------------	----------

DEBRIS PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8501	Debris Package This Package is recommended for machines working in dusty or high debris applications. Package includes: - Cab Fresh Air Precleaner	\$983.00
------	---	----------

MAINTENANCE AND SERVICE PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8502	Maintenance and Service Package Package includes: - Autolube - Quick Fluid Service w/ Environmental Drain	\$7,124.00
------	--	------------

8098	Fast Fuel System	\$863.00
------	------------------	----------

AUXILIARY EQUIPMENT PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8508	Auxiliary Equipment Package Package includes: - Beacon Light (Amber) - Seat Belt Indicator Beacon Light (Green) - Fire Extinguisher	\$911.00
------	---	----------

- Slow Moving Vehicle Emblem
- License Plate Bracket

OPERATOR'S STATION

VISION SYSTEMS

Basic Factory Options - Required

0951 Rear Camera (Primary Display) No Added Cost
 Rear camera with display integrated into monitor

0953 Advanced Vision System \$7,379.00
 Two digital cameras are installed on the rearview mirror platforms to widen the field of view making the area beside the rear tires visible from the operator seat. These views, along with that of the rearview camera are integrated into a dedicated single display within the cab.
 * For night time operation it is highly recommended to equip the machine with the LED lighting package (See Trim Packages)

Detection System

Basic Factory Options - Required

1102 Advanced Object Detection \$3,790.00
 Includes an object detection system (radar) that provides audible alerts when objects are detected at the rear of the machine. Also includes dynamic reversal projected path lines.

1100 Less Detection System No Added Cost

Steering Systems

Basic Factory Options - Required

1601 Joystick No Added Cost
 Vehicle Steering executed through Joystick mounted on the left armrest (includes FNR on joystick).
 * No Steering Wheel will be available if this option is selected.

1602 Steering Wheel \$520.00
 Vehicle Steering executed through Steering Wheel (includes FNR on steering column).
 * No Joystick Steering will be available if this option is selected.

Operator's Station-Order As Desired

Field Installed Attachments - Optional

8210	Secondary Steering Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.	\$5,720.00
------	---	------------

PRECISION TECHNOLOGY SOLUTIONS

Machine Connectivity	Basic Factory Options - Required
----------------------	----------------------------------

183E	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG). JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	No Added Cost
------	--	---------------

183Q	JDLink™ Satellite Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG). JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	\$3,215.00
------	---	------------

Payload Scale	Basic Factory Options - Required
---------------	----------------------------------

2203	Topcon Payload Scale w/ Cycle Counter Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	\$8,040.00
------	--	------------

2204	Topcon Payload Scale & Printer w/ Cycle Counter Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. Option also includes a printer that connects directly into the Topcon display. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	\$9,496.00
------	---	------------

2201	Less Payload Scale w/ Cycle Counter Models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time.	No Added Cost
------	--	---------------

ENGINE

Engine	Basic Factory Options - Required
--------	----------------------------------

4088	John Deere 13.5L - FT4/SV John Deere PowerTech PSS 13.5L Meets FT4/EU Stage V Emissions	No Added Cost
------	--	---------------

MAINFRAME/STRUCTURES

Rear Hitch and Counterweights	Basic Factory Options - Required
-------------------------------	----------------------------------

6521	Main Counterweight & Rear Hitch w/ Pin	No Added Cost
------	--	---------------

HYDRAULICS/CONTROLS

Hydraulic Controls	Basic Factory Options - Required
--------------------	----------------------------------

7025	Single Axis Lever Controls Provides an individual hydraulic function control lever for the boom, bucket, and aux functions (if equipped). * Only available for 2 function and 3 function hydraulics.	No Added Cost
------	--	---------------

7026	Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle (If equipped for applicable models).	\$594.00
------	--	----------

Hydraulic Systems	Basic Factory Options - Required
-------------------	----------------------------------

7053	Two Function Hydraulics Controls boom and bucket only.	No Added Cost
------	---	---------------

WHEELS/TIRES/TRACKS

Wheels and Tires	Basic Factory Options - Required
------------------	----------------------------------

LOW PROFILE

5163	Michelin XHA2 - 875/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$45,552.00
5162	Bridgestone VTS - 875/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$44,117.00
5164	No Brand Preference - 875/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$43,435.00

Fenders Basic Factory Options - Required

5553	Full Coverage Front Fenders w/ Mudflaps Includes: - Full width front fenders - Mudflaps	No Added Cost
5554	Full Coverage Front & Rear Fenders w/ Mudflaps Includes: - Full width front fenders - Full width rear fenders - Mudflaps	\$3,629.00
5555	Roading Fenders Front and Rear Includes: - Full width front fenders - Full width rear fenders - Mudflaps - Front wiper flaps	\$3,759.00

No Tire Brand Preference - Order As Desired Field Installed Attachments - Optional

8297	875/65R29 L3 1-STAR RADIAL TIRES w/5 PC RIMS - NO BRAND PREFERENCE	No Added Cost
------	--	---------------

IMPLEMENTS/ATTACHMENTS

Hydraulic Couplers or Attachment Mounting Basic Factory Options - Required

7408	Factory Pin-on Bucket Ready	No Added Cost
------	-----------------------------	---------------

For use when ordering factory installed pin-on buckets.

7407	Field Bucket Ready: Pins Only For use with Field Installed Pin On Buckets The pins shipped with the machine are compatible with Deere designed field installed pin-on buckets. Any other Buckets, Couplers, or Attachments must be reviewed prior to use.	\$1,976.00
------	---	------------

Buckets	Basic Factory Options - Required
---------	----------------------------------

Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.

PROCESSED MATERIALS

7892	9.30 YD (7.10 CM) Enhanced Performance Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	\$50,220.00
------	--	-------------

7893	9.80 YD (7.50 CM) Enhanced Performance Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	\$52,897.00
------	--	-------------

7894	9.80 YD (7.50 CM) Enhanced Performance - Narrow Narrow bucket reduces the width to 3 meters (down from 3.65 meter standard width) and extends the cutting edge 0.18 meters to maintain capacity. Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	\$58,771.00
------	---	-------------

Cutting Edges/Segments/Teeth	Basic Factory Options - Required
------------------------------	----------------------------------

7458	Bolt-On Cutting Edge	No Added Cost
------	----------------------	---------------

7465	Less Cutting Edge, Segments, and Teeth	No Added Cost
------	--	---------------

Implements/Attachments - Order As Desired	Field Installed Attachments - Optional
---	--

8032	Attachment Recognition	\$1,019.00
------	------------------------	------------

Enables the machine to recognize asset tracking beacons on any attachment and adjusts the hydraulic settings that were entered for that attachment.

MISCELLANEOUS

Miscellaneous - Order As Desired

Field Installed Attachments - Optional

8082	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,482.00
8101	Finish Paint Less Decals - Translated For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	No Added Cost
8039	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.	\$244.00
	Operator Environment	Field Installed Attachments - Optional
AT515876	Steering Wheel & Joystick Software Software Only Kit to be ordered through Service Parts.	\$13.20
AT506141	Steering Joystick Only Software Software Only Kit to be ordered through Service Parts.	\$13.20
AT506144	Steering Wheel Only Software Software Only Kit to be ordered through Service Parts.	\$13.20
AT499386	Secondary Steering Software Software Only Kit to be ordered through Service Parts.	\$13.20
AT505990	Software, Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position. This software can only be purchased through JDPoint. For installation instructions refer to BYT11515 available through the online Bookstore Suggested list price only.	See Parts

BYT11212	Steering Wheel Parts Kit	\$5,005.00
	Kit is for the addition of a Steering Wheel for Machines when removing Joystick Steering or adding Steering Wheel to Joystick Steering.	
	Includes Steering Column Mounted FNR shifter	
	Requires ordering the appropriate Installation Instructions (BYT11209, BYT11210, or BYT11211) to enable the correct software update for this feature and function.	
BYT11211	Steering Joystick Only to Steering Wheel Only - Instructions and Software	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for the removal of Joystick Only Steering to be replaced by Steering Wheel Only.	
	For Machines equipped with Secondary Steering, refer to Kit BYT11209.	
	REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
BYT11588	Satellite Radio Installation Kit	\$382.00
	Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11209	Steering Joystick Only to Steering Wheel Only for Machines w/ Secondary Steering - Instructions and Software	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for the removal of Joystick Only Steering to be replaced by Steering Wheel Only for Machines equipped with Secondary Steering.	
	REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit.	
BYT11213	Steering Wheel Only to Steering Joystick Only for Machines w/ Secondary Steering - Instructions and Software	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for converting Steering Wheel Only Steering to Joystick Only Steering for Machines equipped with Secondary Steering.	
	REQUIRES BYT11216, Joystick Steering Parts Kit.	
BYT11217	Secondary Steering for Joystick Steering Only - Installation Instructions and Software Only	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	REQUIRES BYT11214, Secondary Steering Parts Kit.	
BYT11219	Secondary Steering for Steering Wheel Only - Installation Instructions and Software Only	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	REQUIRES BYT11214, Secondary Steering Parts Kit.	
BYT11516	FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	\$11.00

This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on loaders that have the pattern reversed from F-N-R (Forward - Neutral - Reverse) to R-N-F.

BYT11216	Joystick Steering Parts Kit	\$8,273.00
	Kit is for the addition of a Joystick on Machines with Steering Wheel Only or Steering Wheel w/ Secondary Steering.	
	Requires ordering the appropriate Installation Instructions (BYT11213, BYT11215, or BYT11218) to enable the correct software update for this feature and function.	
BYT11265	Dedicated 7-inch Rear Camera Display	\$1,527.00
	Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	
BYT11215	Steering Wheel Only to Steering Wheel & Joystick - Instructions and Software Only	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for the addition of a Joystick to Machines equipped with Steering Wheel Only. After Installation, both Steering Wheel and Joystick can be used for Steering the Machine.	
	REQUIRES BYT11216, Joystick Steering Parts Kit	
BYT11218	Steering Wheel Only To Steering Joystick Only - Instructions and Software Only	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for the removal of Steering Wheel Only to be replaced by Joystick Only.	
	REQUIRES BYT11216, Joystick Steering Parts Kit.	
BYT11210	Steering Joystick Only to Steering Wheel & Joystick - Instructions and Software	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
	Kit is for the addition of a Steering Wheel for Machines equipped with Joystick Steering Only. After Installation, both Steering Wheel and Joystick can be used for Steering the Machine.	
	REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
BYT11214	Secondary Steering Parts Kit	\$5,667.00
	Requires ordering the appropriate Installation Instructions (BYT11217 or BYT11219) to enable the correct software update for this feature to function.	
BYT11526	Rear Camera and Rear Object Radar Detection	\$4,072.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11527	Rear Camera Only	\$1,007.00
	Display shows view behind the machine. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11503	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port Radio	\$789.00

BYT11515	Software, Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	\$200.00
Miscellaneous		Field Installed Attachments - Optional
AT519021	Attachment Recognition Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines. Software Only Kit to be ordered through Service Parts.	\$1,109.56
BYT11374	844KIII/844L Kit, High-Flow Splash Fuel Fill, Right Side Allows 60 gpm splash filling.	\$392.00
Powertrain & Cooling		Field Installed Attachments - Optional
AT464502	Fast Fill Fuel System For use with Stage 2/Tier 3/FT4 Engines. Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections. 150 gpm fill rate.	\$2,417.00
BYT11253	Powered Cab Air Pre-Cleaner Extends cab air filter change intervals	\$878.00
AT424415	Automatic Ether Starting Aid For use with FT4 engines.	\$353.00
BYT11504	Tire Pressure Monitoring System - 29" Rim Sensor Mounting - Less Sensors Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	\$941.00
BYT11532	Kit, Engine Block Heater - 13.5L 120V Includes remote plug-in at rear of loader and associated harnesses.	\$124.00
BYT11533	Kit, Engine Block Heater - 13.5L 240V Includes remote plug-in at rear of loader and associated harnesses.	\$286.00
Hydraulics		Field Installed Attachments - Optional

BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function) To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	\$1,275.00
	Overall Vehicle	Field Installed Attachments - Optional
AT368286	Slow Moving Vehicle (SMV) Emblem and Bracket For use with IT4/FT4 engines.	\$121.00
BYT11493	Kit, Autolube Deere autolube system integrated with JDLink. Will require field installation at additional cost.	\$5,667.00
BYT11525	Kit, Roading Fender, Front Wipers Only - L3 Tires Only These cannot be used with L4 or L5 tires due to increased tire heights. These are intended to reduce spray while traveling forward at high speeds.	\$207.00
BYT11393	Kit, Platform Railing Extension To 1M Height Extends left and right platform railings to 1 meter height to meet local requirements.	\$4,012.00
BYT11524	Kit, Front Fender Extensions, 875/65R29 Tires Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	\$1,130.00
BYT11519	Kit, Beacon Bracket Left Beacon Bracket Only - Beacon Not Included	\$196.00
BYT11511	Kit, Rear Fender Only, 875/65R29 Tires Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	\$3,107.00
BYT11505	Kit, Beacon Single, Orange	\$169.00
BYT11514	Kit, 24V Aux Electrical Output Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	\$179.00
BYT11535	Kit, Quick Service For FT4/Stage V or EPA Tier 3/Stage IIIA Engines	\$722.00
BYT11380	KIT, WHEEL CHOCKS & BRACKET	\$1,700.00

Wheel Chocks & Bracket that holds a pair of Checkers Brand (Part Number MC3010) Wheel Chocks.

These brackets can be accessed from ground level and are mounted under the platform steps so they are easy for the operator access when getting on and off the machine.

BYT11521	Kit, External Seat Belt Indicator	\$321.00
	Includes Right Beacon bracket and green strobe beacon that indicates if it the seat belt is latched for external awareness. With the machine powered up, the green strobe beacon will flash anytime the belt is latched regardless if it is in park or not.	
BYT11520	Kit, Dual Beacon Bracket	\$392.00
	Left and Right Beacon Brackets Only - Beacon Not Included	
BYT11320	Kit, Platform Toe Kicks	\$258.00
	Adds toe kicks to left and right platforms to meet local requirements.	

BUCKETS

Buckets & Bucket Wear Components

Field Installed Attachments - Optional

BYT10910	Wear Plates for 9.8 cu. yd. Narrow Bucket	\$6,914.00
	Wear parts are made of abrasion resistant steel (AR400) Side wear plates (inner and outer) -- 4 pieces Bucket liners -- 3 pieces	
BYT10764	KIT, 9.3 Cu. Yd (7.1 Cu. M.) Enhanced Production Material Handling Pin-on Bucket with Bolt-on Cutting Edge without Wear	\$50,724.00
	Bolt-on Cutting Edge is Installed.	
BYT10911	Wear Plates for 9.8 cu. yd. & 9.3 cu. yd. Bucket	\$6,437.00
	Wear parts are made of abrasion resistant steel (AR400) Side wear plates (inner and outer) -- 4 pieces Bucket liners -- 3 pieces	
BYT10765	KIT, 9.8 Cu. Yd (7.1 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates.	\$54,494.00
	Bolt-on Cutting Edge is Installed.	
BYT10531	Kit, 9.8 Cu. Yd (7.5 Cu. M.) Special Narrow Width Enhanced Production Material Handling Pin-on Bucket without Wear Plate	\$59,359.00
	Narrow 118 inch wide bucket for loading narrow hoppers or very narrow trucks or trailers, common to the California market. Bucket is narrower than outside edges of tires and compromises cleaning up around loading areas. Is not recommended for excavating or digging below ground. If your customer does not load narrow trucks and loads typical tandem-axle or longer bed trucks, this bucket is not recommended. Is designed for handling processed aggregates.	
	Includes enhanced production bucket features with updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	

HYDRAULICS

Hydraulics

Field Installed Attachments - Optional

BYT11543	Single Axis Controls Conversion to Joystick Controls (2 or 3-Function) To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with integrated auxiliary function roller.	\$1,253.00
----------	---	------------

PAYLOAD SCALE

Payload Scale

Field Installed Attachments - Optional

BYT11545	John Deere Payload Scale Kit Kit includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink to track and visualize payload weighing data. This scale kit fits only the 744L, 824L, and 844L (including Aggregate Handler) models only. Printer is available as a separate field kit. Calibration, service, and support will be provided by the John Deere Dealer.	\$7,929.00
----------	--	------------

BYT11837	John Deere Payload Printer For TopCon Alpha 100 Payload Scale	\$1,414.00
----------	--	------------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.