

## CATERPILLAR MACHINE PRICE LIST

**908M**908M COMPACT WHEEL LOADER  
LEICESTER, ENGLANDShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

- Hydraulic filter bypass

**POWERTRAIN**

Emissions Compliance

Higher Regulated Countries

-Cat 55kw gross, C3.3B, HRC

For Canada:

-US EPA Tier 4i or Tier 4f Certified

-EU Stage 3A or 3B Certified

For United States:

-US EPA Tier 4f Certified

-EU Stage 3B Certified

For Europe

-EU Stage V

Engines are fitted with

-cold start plugs

-electric fuel priming pump

-Air cleaner, two-stage with

visual indicator

-Closed Circuit Breather

-Hydraulically driven suction fan

-S-O-S sampling valves

(engine oil and hydraulic oil)

-Two speed hydrostatic transmission

with inching function, 12 mph-20kph

maximum speed

-Frame mounted heavy duty axles with

outboard planetary reduction

-Maintenance free,sealed for life, prop

shaft and universal joints

**ELECTRICAL**

12 volt direct electric starting

Ignition key start / stop switch

80 ampere alternator

Maintenance free, sealed for life,

heavy duty battery

Battery disconnect switch

Cab mounted fuse panel

Service port connector for

electronic diagnostics (ET)

**OPERATOR ENVIRONMENT**

Gauges: -

- Fuel level

- Hydraulic oil temperature

- Engine coolant temperature

- Speedometer

Operator station on isolation mounts

Digital service hourmeter

Operator warning system indicators:

- Master warning

- Parking brake applied

- Hydraulic oil pressure

- Engine oil pressure

- Coolant temperature

- Electrical system

## CATERPILLAR MACHINE PRICE LIST

**908M**908M COMPACT WHEEL LOADER  
LEICESTER, ENGLANDShip Weight  
lbsLIST PRICE  
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

## OPERATOR ENVIRONMENT (Continued)

Multifunction joystick:

- Forward/neutral/reverse
- Gear 1/2 switch, low range
- Continuous flow, auxiliary

Internal rear view mirror

Suspension seat, adjustable  
wrist rest

Interior/Exterior aux. power sockets

Suspended brake/accel. pedals

Cup holder

Heavy duty easy clean floormat

Personal storage

Onboard digital display cluster

2 external mirrors - knockback

Retractable seat belt, 50mm (2 in)

**COOLING**

Extended life coolant antifreeze

Protected to -33F (-36C)

**OTHER STANDARD EQUIPMENT**

Z bar linkage with parallel lift

3rd valve aux hydraulics, standard flow

Engine enclosure - lockable

Lockable side door compartments

Hydraulic oil level sight gauge

Lockable fuel filler cap

Radiator expansion bottle

Quick release fuel fltr/water separator

ECO engine oil drain

Quick Coupler

Parking Brake (Secondary Brake)

Quick disconnect hydraulics, auxiliary

Recovery hitch &amp; pin

Front and rear fenders

Pressure test points

Machine lifting/tie down points

Loader end float function

High intensity rear lights

Reversing light

E coat primer

Self-cancelling direction indicators

CATERPILLAR MACHINE PRICE LIST

**908M**

---

908M COMPACT WHEEL LOADER  
LEICESTER, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Order Management Program  
Please use Lane 2 when placing orders that are part of the Base Order  
Management program.**

CATERPILLAR MACHINE PRICE LIST

**908M**

908M COMPACT WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

587-6480	908M WHEEL LOADER DCA1 .....	0	\$130,240
----------	------------------------------	---	-----------

LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER

- INCLUDES:
- 437-9013 908M WHEEL LOADER S3B CERT
  - 438-1876 CAB, DELUXE, SINGLE BRAKE
  - 539-7204 SEAT, DELUXE
  - 236-8015 SEAT BELT, RETRACTABLE 3"
  - 308-0189 VALVE, DRAIN, ECO
  - 313-1722 LIGHTS, ROADING RH DRIVE DIP
  - 377-7559 PRECLEANER
  - 423-3083 ALARM, BACK UP
  - 433-3258 SECURITY SYSTEM, NONE
  - 437-9054 ENGINE, 55KW, C3.3B, T4F, HRC
  - 437-9056 SOUND SUPPRESSION, STANDARD
  - 437-9070 TRANS 22 MPH DIFF LOCK PILOT
  - 437-9092 JOYSTICK, PILOT, TANDEM VALVE
  - 437-9132 AIR CONDITIONER, AND HEATER
  - 447-0747 FEATURE PACKAGE, LOAD/ROAD
  - 447-9417 FAN, COOLING, ON DEMAND
  - 448-9539 LIGHTS, CAB, WORKING (FOUR)
  - 451-4357 CPLR, VERT, STD FLO, PILOT, SW
  - 454-2908 HYDRAULIC OIL, STANDARD
  - 454-2910 ANTIFREEZE, -50C (-58F)
  - 455-8485 HARNESS, WIRING, WT, VERTICAL
  - 573-9583 PRODUCT LINK, CELLULAR, PL243

NOTE: DCA1- TANDEM VALVE

CATERPILLAR MACHINE PRICE LIST

**908M**

908M COMPACT WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>600-3086</b>	<b>908M WHEEL LOADER DCA2</b> . . . . . 0	<b>\$130,240</b>
-----------------	---	------------------

LANE 1 - USE FBC & CHECK LA TOOL FOR AVAILABILITY FROM CLAYTON PDC

- INCLUDES:
- 437-9013 908M WHEEL LOADER S3B CERT
  - 236-8015 SEAT BELT, RETRACTABLE 3"
  - 308-0189 VALVE, DRAIN, ECO
  - 313-1722 LIGHTS,ROADING,RH DIP,HALOGEN
  - 377-7559 PRECLEANER
  - 423-3083 ALARM, BACK UP
  - 433-3258 SECURITY SYSTEM, NONE
  - 437-9054 ENGINE, 55KW, C3.3B, T4F, HRC
  - 437-9056 SOUND SUPPRESSION, STANDARD
  - 437-9070 TRANS 22 MPH DIFF LOCK E/H
  - 437-9094 JOYSTICK,E/H,PARALLEL VALVE
  - 437-9132 AIR CONDITIONER, AND HEATER
  - 438-1876 CAB, DELUXE, SINGLE BRAKE
  - 447-0747 FEATURE PACKAGE, LOAD/ROAD
  - 447-9417 FAN, COOLING, ON DEMAND
  - 448-9539 LIGHTS, STD, HALOGEN
  - 451-4357 CPLR, VERT, STD FLOW
  - 454-2908 HYDRAULIC OIL, STANDARD
  - 454-2910 ANTIFREEZE, -50C (-58F)
  - 455-8485 HARNESS, WIRING, WT, VERTICAL
  - 539-7204 SEAT, DELUXE
  - 573-9583 PRODUCT LINK, CELLULAR PL243

NOTE: DCA2 - PARALLEL VALVE

<b>437-9013</b>	<b>908M WHEEL LOADER S3B CERT</b> . . . . . 0	<b>\$107,920</b>
-----------------	---	------------------

LANE 2 - AVAILABLE FROM LEICESTER FACTORY  
 LANE 3 - AVAILABLE FROM LEICESTER FACTORY

SERIAL NUMBER PREFIX = H88

CATERPILLAR MACHINE PRICE LIST

**908M**

908M COMPACT WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>551-1285</b>      <b>908M CWL AGRICULTURE CFG2</b> . . . . . 0                      LANE 2 - AVAILABLE FROM LEICESTER FACTORY                      LANE 3 - AVAILABLE FROM LEICESTER FACTORY</p>	<p>0</p>	<p><b>\$107,920</b></p>
--	----------	-------------------------

SERIAL NUMBER PREFIX = H88

908M Ag Handler: Includes Ag handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Ag Handler range.

- REQUIRES: 437-9070 TRANS 22MPH (35KPH) DIFF LOCK E/H  
 437-9054 ENGINE, 55KW, C3.3B, T4  
 308-0189 VALVE, DRAIN, ECO  
 377-7559 PRECLEANER  
 438-1876 CAB, DELUXE, SINGLE BRAKE  
 539-7204 SEAT, DELUXE  
 437-9132 AIR CONDITIONER AND HEATER  
 447-0747 FEATURE PACKAGE, LOAD/ROAD OR  
 463-8332 FEATURE PACKAGE, LOAD/ROAD, LCV  
 462-2556 TIRES, 400/70 R20, MX, BIBLOAD OR  
 295-4000 TIRES, 400/70,R20, MX, XMCL  
 496-9971 LIGHTS, CAB, WORKING LED  
 260-5501 BEACON, ROTATING  
 423-3083 ALARM, BACK UP  
 455-8485 HARNESS, WIRING, WT, VERTICAL OR  
 455-8486 HARNESS, WIRING, WT, HORIZONTAL  
 541-4413 RADIO, FM BLUETOOTH

<p><b>0G-0428</b>      <b>908M MISCELLANEOUS MATERIAL</b> . . . . . 0                      Use this reference to order material from Parts Dept. Using a CMOPS order via the antares bridge.</p>	<p>0</p>	<p><b>NC</b></p>
--	----------	------------------

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Select this option when ordering from Distribution Center.		

**TIRE SELECTION**

L	295-4000	TIRES, 400/70 R20, MX, XMCL . . . . .	0	\$1,875
		Michelin. Long life traction tire for soft ground conditions Width across tires 79in/1995mm		

**INSTRUCTIONS AND OPERATION MANUALS**

Must select

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
	Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through <a href="https://catpublications.com">https://catpublications.com</a> .		

**INSTRUCTION DECALS**

L	462-0852	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals as required for the USA. (excl. Canada).		
L	462-0853	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals as required for all countries (incl. Canada) excluding the USA.		

**PREP PACK**

519-5210	CONVERSION, CANADA, EMC . . . . .	0	NC
	Decal to certify the machine meets emc regulations REQUIRED BY: Canadian Dealers		

**PACKING**

OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
	Must select for all DCAs.		
OG-3273	RUST PREVENTATIVE APPLICATOR . . . . .	0	\$114 NET
	Preparation for shipment - Silix applicators for shipment by sea		

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***BUCKETS***

P	261-1396	BUCKET-LM, 2.0 YD3, SSL, BOCE ..... 1,135 81" (2060mm) wide, incl 1 piece Bolt-on cutting edge		\$4,539
P	284-9279	BUCKET-GP, 1.2 YD3, SSL, BOCE ..... 869 74" (1880mm) wide With bolt-on cutting edge.		\$3,399
P	286-0581	BUCKET-GP, 1.4 YD3, SSL, BOCE ..... 979 81" (2060mm) wide With bolt-on cutting edge.		\$3,669
P	384-1700	BUCKET-GP, 1.0 YD3, SSL, BOCE ..... 0 74" (1880mm) wide, incl 1 piece Bolt-on cutting edge		\$3,190

**WORKTOOLS**

SEE WT CWL price list to order Work Tools such as:  
 General Purpose Buckets with various G.E.T.  
 Multi Purpose Buckets with various G.E.T.

Light Material Buckets with bolt on edge  
 Grapple Buckets with bolt on edge  
 Pallet Forks & Carriages  
 Brooms, Angle & Pickup



CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

0P-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
0P-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

**ROADING LIGHTS - SELECT ONE FROM:**

313-1722	LIGHTS,ROADING,RH DIP,HALOGEN . . . . .	0	NC
	Includes HALOGEN Front and Rear roading lights for regions that drive on the right hand side of the road.		
586-0712	LIGHTS, ROADING RH DIP, LED . . . . .	0	\$1,100
	Includes LED Front and Rear roading lights for regions that drive on the RIGHT hand side of the road. LED lighting provides brighter lighting and longer life.		

**POWERTRAIN**

**ENGINE**

L	437-9054	ENGINE, 55KW, C3.3B, T4F, HRC . . . . .	0	NC
		US EPA Tier 4f/EU Stage 3B Certified. FOR USE WITH 437-9013 908M CWL BASE MACHINE		

**TRANSMISSION**

Select the correct transmission to allow the required combination of:  
 Axles (with/without DL)  
 Speed (12mph/20kph or 22mph/35kph)

L	437-9074	TRANS 12 MPH STD E/H . . . . .	0	NC
		Open differentials for E/H joystick		
L	437-9065	TRANS 12 MPH DIFF LOCK E/H . . . . .	0	\$387
		Diff lock for E/H joystick		
L	437-9070	TRANS 22 MPH DIFF LOCK E/H . . . . .	0	\$1,505
		Diff lock for E/H joystick		

**SOUND SUPPRESSION - Select one**

L	437-9056	SOUND SUPPRESSION, STANDARD . . . . .	0	NC
		CANNOT BE USED BY: EU DEALERS		

**DRAIN VALVES - Select one**

L	308-0190	VALVE, DRAIN STD . . . . .	0	NC
		Threaded drain plug fitted in base of hydraulic & fuel tanks.		
L	308-0189	VALVE, DRAIN, ECO . . . . .	0	\$159
		Auto drain plug fitted in base of hydraulic & fuels tanks. Fluid drains when drain tube is screwed into plug.		

**AIR CLEANERS - Select one**

L	273-9577	AIR INTAKE, STANDARD . . . . .	0	NC
		Two-Stage Air Cleaner with in built centrifugal pre-cleaner		

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AIR CLEANERS - Select one (Cont.)**

L	377-7559	PRECLEANER. . . . . 0 Cyclone precleaner for use in medium to heavy dust environments		\$245
---	----------	--	--	-------

**COOLING FANS - Select One**

L	447-9417	FAN, COOLING, ON DEMAND . . . . . 0 Provides on-demand cooling capability for faster warm-ups, no over cooling, reduced fuel consumption and reduced sound levels. Note: Required when operating in ambient temperatures below -18C (0F)		\$422
---	----------	--	--	-------

**HYDRAULICS**

**WORKTOOL PACKAGES**

Select the required choice of both:

COUPLER: Vertical (previously SSL style) or  
 Horizontal Pin (ISO style) 852mm wide

Horizontal Pin (Atlas style)940mm wide(Not available in all regions)

FLOW: Standard or High Auxiliary Flow

L	451-4357	CPLR, VERT, STD FLOW . . . . . 0 SSL style coupler Provides a dedicated switch in the cab to operate coupler. 85 ltrs (22 US gallons) per minute		NC
L	451-4363	CPLR, VERT, HIGH FLOW . . . . . 0 SSL style coupler Provides a dedicated switch in the cab to operate coupler. 130 ltrs (34 US gallons) per minute Includes Worktool Wiring Harness = 14 pin		\$5,760
L	451-4360	CPLR HPL-ISO,STD FLOW . . . . . 0 ISO style coupler Provides a dedicated switch in the cab to operate coupler. 85 ltrs (22 US gallons) per minute		\$458
L	451-4366	CPLR HPL-ISO, HIGH FLOW . . . . . 0 ISO style coupler Provides a dedicated switch in the cab to operate coupler. 130 ltrs (34 US gallons) per minute Includes Worktool Wiring Harness = 8 pin		\$5,760

**HYDRAULIC HOSE GUARDS**

Select one when ordering a canopy, dependent on whether standard flow or high flow auxiliary hydraulics have been selected

L	455-2291	GUARD, HOSE (VERT/STD CPLR) . . . . . 0 Hydraulic hose sheaths required with Canopy. REQUIRES: 451-4357 CPLR, VERT, STD FLO,E/H ,SW CANNOT BE USED WITH: Any Cab.		NC
L	320-8425	GUARD, HOSE . . . . . 0 Hydraulic hose sheaths required with Canopy. REQUIRES: 451-4363 CPLR, VERT, HI FLO,E/H ,SW CANNOT BE USED WITH: Any Cab		NC
L	464-2017	GUARD, HOSE (HORIZ/STD CPLR) . . . . . 0 Hydraulic hose sheaths required with Canopy. REQUIRES: 451-4360 CPLR HORIZ, STD FLO,E/H ,SW CANNOT BE USED WITH: Any Cab		NC

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC HOSE GUARDS (Cont.)**

L	455-2293	GUARD, HOSE (HORIZ/HIFLO CPLR) . . . . . 0		NC
		Hydraulic hose sheaths required with Canopy. REQUIRES: 451-4366 CPLR, HORIZ, HI FLO,E/H ,SW CANNOT BE USED WITH: Any Cab		

**ELECTRICAL**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	573-9583	PRODUCT LINK, CELLULAR PL243 . . . . . 0		NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	573-9587	PRODUCT LINK, CELLULAR PL641 . . . . . 0		\$858
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**OPERATOR ENVIRONMENT**

**CAB/CANOPY - Select one**

L	438-1874	CAB, STANDARD, SINGLE BRAKE . . . . . 0		\$3, 630
		ROPS/FOPS certified Fixed steer column, fixed window (left),fixed window (right), heated rear window, coat hook, cabin light, sun visor and lockable storage box.		
L	438-1875	CAB, COMFORT, SINGLE BRAKE . . . . . 0		\$5, 410
		ROPS/FOPS certified Tilt steer column, radio ready, sliding window (left), fixed window (right), heated rear window, coat hook, cabin light, sun visor and lockable storage box.		
L	438-1876	CAB, DELUXE, SINGLE BRAKE . . . . . 0		\$6, 150
		ROPS/FOPS certified Adjustable steering column, sliding window (left), sliding window (right), heated rear window, coat hook, cabin light, sun visor, radio ready kit (wiring,speakers, aerial and grilles) and lockable storage box. REQUIRES: 539-7204 SEAT DELUXE		

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB/CANOPY - Select one (Cont.)***

L	438-1873	CANOPY, STANDARD, TWIN BRAKE . . . . . 0 ROPS/FOPS certified Fixed steer column, coat hook, sun visor CANNOT BE USED BY: EU DEALERS		\$-1,265
---	----------	--	--	----------

**SEATS**

L	539-7203	SEAT, VINYL . . . . . 0 Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: 438-1873 Canopy		NC
L	539-7204	SEAT, DELUXE . . . . . 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated cushions and armrests. REQUIRES: 438-18765 Cab, deluxe - AM-NORTH ONLY FOR USE WITH: 438-1874 Cab, std, 438-1875 Cab, comfort or 438-1876 Cab, deluxe		\$795
L	552-3734	SEAT, DELUXE PLUS . . . . . 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated and adjustable comfort cushions, and armrests. REQUIRES: 438-1876 Cab, deluxe - AM-NORTH ONLY FOR USE WITH: 438-1874 Cab std, 438-1875 Cab comfort or 438-1876 Cab, deluxe		\$1,085

**SEAT BELTS**

L	236-8015	SEAT BELT, RETRACTABLE 3" . . . . . 0 High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		\$146
L	550-9815	SEAT BELT, RETRACTABLE 2" . . . . . 0 High Visibility Orange 51MM (2 inch) wide seat belt.		NC

**ENVIRONMENTAL CONTROL**

Select one with enclosed cab

L	437-9131	HEATER . . . . . 0		NC
L	437-9132	AIR CONDITIONER, AND HEATER . . . . . 0		\$5,650

**JOYSTICK CONTROLS - Select one**

L	437-9092	JOYSTICK,E/H,TANDEM VALVE . . . . . 0 Recommended when using rotating hydromechanical attachments such as cold planers, wheel saws, snow blowers and augers as the primary attachment.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**JOYSTICK CONTROLS - Select one (Cont.)**

L	464-2118	JOYSTICK,E/H, TANDEM, LCV . . . . . 0 Tandem valve set with additional Load Check Valves. Please note one of the LCV Joystick options is required if a LCV Feature option is to be selected.		NC
L	437-9094	JOYSTICK,E/H,PARALLEL VALVE . . . . . 0 Recommended for use with buckets, MP buckets, grapple buckets, forks, material handling arms, snow pushes or wings and other basic tools that will not be heavily focused on auxiliary hydraulics as the primary attachment.		NC
L	464-2117	JOYSTICK,E/H, PARALLEL, LCV . . . . . 0 Parallel valve set with additional Load Check Valves. Please note one of the LCV Joystick options is required if a LCV Feature option is to be selected.		NC

**MACHINE SECURITY SYSTEM - Select one**

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE . . . . . 0		NC
L	423-6165	SECURITY SYSTEM, MACHINE . . . . . 0 Caterpillar Machine Security System (MSS) to manage access to the machine. Machine is shipped with system inactive. Requires ET to activate		\$1,055

**FEATURE PACKAGES**

Select one

L	449-1896	FEATURE PACKAGE, BASIC . . . . . 0 Basic package does not include new electronically controlled features such as Ride Control, Return To Dig, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control nor Drivetrain Aggressiveness control. FOR USE WITH: 4379092 Joystick, 4379093 Joystick 4379094 Joystick		NC
L	449-1897	FEATURE PACKAGE, BASIC, LCV . . . . . 0 This package includes Load Check Valves in addition to all the features of the 'Basic' feature package. FOR USE WITH: ENCLOSED CABS & 4642117 OR 4642118 Joystick		\$2,385
L	447-0747	FEATURE PACKAGE, LOAD/ROAD . . . . . 0 This package contains all the electronically controlled features such as Ride Control, Return To Dig, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control and Drivetrain Aggressiveness control. FOR USE WITH: 4379092 Joystick, 4379093 Joystick 4379094 Joystick, 4379095 Joystick		\$5,690
L	463-8332	FEATURE PACKAGE, LOAD/ROAD,LCV . . . . . 0 Except for Ride Control, this package includes Load Check Valves in addition to all the features of the 'Road/Load' feature package. FOR USE WITH: ENCLOSED CABS & 4642117 or 4642118 Joystick		\$8,070

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

**TIRES**

All tires include one-piece rim (quantity = 4)

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

**TIRES AVAILABLE FROM DUNLOP**

L	259-2925	TIRES, 405/70 R20, DL, SPT9 . . . . .	0	\$1,900
		Dunlop non-directional tire for mixed on road and off road service. Width across tires 79in/1995mm		

**TIRES AVAILABLE FROM MICHELIN**

L	462-2556	TIRES, 400/70 R20, MX, BIBLOAD . . . . .	0	\$1,875
		Michelin Bibload Hard Surface. More effective on hard surfaces for agricultural and construction applications. Offers better damage resistance, smooth ride and more traction. Width across tires 1993 mm / 78.5 ins		
L	295-4000	TIRES, 400/70 R20, MX, XMCL . . . . .	0	\$1,875
		Michelin. Long life traction tire for soft ground conditions Width across tires 79in/1995mm		

**TIRES AVAILABLE FROM NOKIAN**

L	457-5850	TIRES, 360/80 R20, NK, TRI 2 . . . . .	0	\$4,500
		Nokian.All season tire with excellent grip, high load bearing capacity and superior driving comfort. The unique tread pattern makes this tire the perfect choice for plowing and snow removal applications. Applications both on road and off road. Width across tires 78.6in/1997mm		

**FLUIDS**

**HYDRAULIC OIL - Select one**

L	454-2908	HYDRAULIC OIL, STANDARD . . . . .	0	NC
		Caterpillar Oil offers extended life of 6000hours with SOS sampling before Oil change is required.		
L	304-9376	HYDRAULIC OIL, BIODEGRADABLE . . . . .	0	\$1,730
		Caterpillar BIODEGRADABLE Oil offers extended life of 6000hours with SOS sampling before Oil change is required.		

**ENGINE COOLANT - Select one**

L	454-2909	ANTIFREEZE, -36C (-32F) . . . . .	0	NC
---	----------	-----------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**ENGINE COOLANT - Select one (Cont.)**

L	454-2910	ANTIFREEZE, -50C (-58F) . . . . . 0 Provides protection to -50C (-58F) with 70% Cat Extended Life Coolant and 30% deionized water. Note: If operating in ambient temperatures below -18C (0F), the demand cooling fan is required.		<b>\$283 NET</b>
---	----------	--	--	------------------

**INSTRUCTIONS**

**DECAL PACKAGES**

L	462-0852	INSTRUCTIONS, ANSI . . . . . 0 This package includes picto decals as required for the USA. (excl. Canada).		<b>NC</b>
---	----------	--	--	-----------

**INSTRUCTIONS AND OPERATION MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0 Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through <a href="https://catpublications.com">https://catpublications.com</a> .		<b>NC</b>
--	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**NOTE**

**LANE 2/ LANE 3 OPTIONAL SELECTIONS**  
 All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

**ELECTRICAL**

P	448-9539	<b>LIGHTS, STD, HALOGEN</b> . . . . . 0 Four halogen floodlights mounted beneath cab roof, two front, two rear.		\$615
P	496-9971	<b>LIGHTS, CAB, WORKING LED</b> . . . . . 0 Four 1000 lumen LED floodlights mounted beneath roof, two front, two rear.		\$840
P	260-5501	<b>BEACON, ROTATING, MAGNET (HAL)</b> . . . . . 0 Includes the beacon switch & indicator lamp necessary to operate a beacon Must be ordered as 'Not-Installed'.		\$399 NI
P	423-3083	<b>ALARM, BACK UP</b> . . . . . 0 Required for machines sold into North America		\$201
P	455-8485	<b>HARNESS, WIRING, WT, VERTICAL</b> . . . . . 0 Supplies electrical power for valves on selected Work Tools. Included in: Hi Flow Couplers FOR USE WITH: STANDARD FLOW VERTICAL COUPLERS CANNOT BE USED WITH: HORIZONTAL COUPLERS OR VERTICAL HI FLOW COUPLERS		\$335
P	455-8556	<b>HARNESS, WIRING, WT, HORIZONTL</b> . . . . . 0 Supplies electrical power for valves on selected Work Tools. Included in: Hi Flow Couplers FOR USE WITH: STANDARD FLOW HORIZONTAL COUPLERS CANNOT BE USED WITH: VERTICAL COUPLERS OR HORIZONTAL HI FLOW COUPLERS		\$335
P	345-3556	<b>HEATER, ENGINE COOLANT, 120V</b> . . . . . 0 For additional cold weather startability. Note: If operating in ambient temperatures below -18C (0F), the demand cooling fan is required		\$201

**OPERATOR ENVIRONMENT**

P	279-0643	<b>BLIND, REAR, PERFORATED</b> . . . . . 0 CANNOT BE USED ON MACHINES WITH AN OPEN CANOPY		\$313
P	260-5499	<b>RADIO READY, FOR BASE CAB</b> . . . . . 0 Required if Cat Radio to be fitted in 438-1874 Base Cab.		\$330
P	541-4413	<b>RADIO, AM/FM, BT/USB/AUX/MIC</b> . . . . . 0 Cat FM Radio with bluetooth, aux input & microphone ONLY FOR USE WITH: 438-1875 CAB, COMFORT 438-1876 CAB, DELUXE		\$565



CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

**HOSE GUARDS**

P	321-1299	<b>GUARD, HORIZONTAL COUPLER . . . . . 0</b> Guard designed to protect hoses to the Horizontal Coupler arrangement. For use in arduous conditions. FOR USE WITH: Horizontal Couplers(ISO), 451-4360, 451-4366 (ATLAS) 471-6043		\$68
---	----------	--	--	------

**OTHER ATTACHMENTS**

**CUSTOM COLOR**

P	479-0229	<b>CUSTOM COLOR . . . . . 0</b> FOR USE IN LANE 3 ONLY REQUIRES: 4 digit RAL color specification, to be added as note on the MSO before submitting. (no other code or description will be accepted) Please contact ORDER ENTRY GROUP & THE FACILITY using a DOCS CASE before placing CUSTOM COLOR requests.  Note 1: Custom paint will recolor the external yellow components. Black components remain black. Some internal / under hood / non externally visible parts may stay yellow, for example engine.  Note 2: Use of online RAL Code converters like <a href="https://qconv.com/en">https://qconv.com/en</a> or <a href="http://www.ralcolor.com/">http://www.ralcolor.com/</a> may help you find the closest match for your requirements.  Note 3: Once a custom paint order is placed, it may not be cancelled. (Full price may be charged for unused paint and labour) Custom paint may extend availability / RTS from what is published. Usually we see 10-12 weeks normal lead time for custom paint.		\$3,820
---	----------	---	--	---------

**WHEEL CHOCK**

P	303-2126	<b>WHEEL CHOCK . . . . . 0</b> CANNOT BE USED WITH: 447-9427 PREP PACK, TUV 20KPH 447-9428 PREP PACK, TUV 35KPH		\$132
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS**

***FORKS - CLASS 3***

Requires 0G-3149, PACKING, MISCELLANEOUS MATERIAL

Either: refer to Work Tools sections or  
 WT CWL price list to order Work Tools such as:  
 General Purpose Buckets with various G.E.T.  
 Multi Purpose Buckets with various G.E.T.  
 Light Material Buckets with bolt on edge  
 Grapple Buckets with bolt on edge  
 Pallet Forks & Carriages  
 Brooms, Angle & Pickup  
 Skid Steer Loader Worktools

**BUCKETS**

***GENERAL PURPOSE BUCKETS FOR USE WITH VERTICAL PIN COUPLER***

(Previously Skid Steer Coupler)

W	286-0581	BUCKET-GP, 1.4 YD3, SSL, BOCE .....	979	\$3,669
			979	\$3,669 NI
		With bolt-on cutting edge. 2060mm wide		

**FLUIDS**

***COLD WEATHER FUEL***

May select

L	484-5263	FUEL, COLD WEATHER .....	0	\$75
		Provides low temperature diesel fuel (to -30 celsius).		

**FIELD INSTALLED ATTACHMENTS**

***KITS***

Available through ANTARES Parts Ordering  
 NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (0GO428) and OP number for packing.

NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.

KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

***KITS (Cont.)***

P	592-3039	<b>KIT, CAMERA, FRONT VIEW</b> ..... 0 Includes a camera, display, harness, brackets and hardware to mount a forward facing camera system. The forward facing camera is mounted to an external breakaway bracket in the top right corner of cab. The display is mounted in the upper right corner of the cab and replaces an internal mirror. The forward camera may be required for local EU requirements. Consult Cat dealer for additional information. Refer to Product Bulletin, TEJB9979 at catpublications.com		<b>\$2,114 NI</b>
P	466-1959	Backwards compatible with K/M series machines. <b>KIT, CCB HEATER</b> Required for operating in temperatures BELOW -32C (-18F). Provides a second heater for the engine closed crankcase breather (CCB) system. Estimated time to install: 1.0 Hr		

***KITS AVAILABLE ONLY FROM SUPERTRAK***

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak  
 800.446.9858 --- 941.505.7800 --- www.Supertrak.com  
 Supertrak is responsible for the sales, parts, support and warranty.  
 All dealer net prices below are for reference only, and are subject to change by Supertrak.  
 Additional information and pictures are located on DEALER.CAT.COM in the Compact Wheel Loader, 906 - 908 area.

Note: Reference application specific OSHA requirements (e.g. window mesh spacing standards), particularly in forestry applications.

**The following kits are specific to the 906/907/908 machines.**

CT2026-005 KIT, FRONT WINDOW GUARD. 3060 USD NET  
 Bolt-on kit provides upper and lower front window protection along with upper cab light guarding. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Upper window guard opens with overcenter latches for easy window cleaning.  
 Estimated installation time: 3 hrs.

## CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)*****KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

CT2026-008 KIT, REAR WINDOW GUARD. 4354 USD NET  
Guards provide protection for rear lights, rear window, and rear side corner windows. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Side and corner guards open with latches for easy cleaning. Rear center portion is fixed, yet cleaning clearance is provided. Some light welding is required.  
Estimated installation time: 5 hrs.

CT2026-003 KIT, LOWER WINDOW DEBRIS GUARD. 784 USD NET  
Steel shields protect the lower front windows in mulching applications. Visibility is not obscured, as each shield is viewed within the front tire profile. Some light welding is required.  
Estimated installation time: 2hrs.

CT2026-009 KIT, CAB DOOR SCREENS. 1908 USD NET  
Guards protect the door glass from top to bottom on both sides. The guards are hinged for cleaning with bolts for fasteners. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Some light welding required.  
Estimated installation time: 2.5hrs.

CT2026-001 KIT, BRAKE LINE GUARDS. 755 USD NET  
Bolt-on design shields the outboard brake lines on the front axle.  
Estimated installation time: 0.5hrs

CT2026-002 KIT, TOWER HOSE GUARD. 731 USD NET  
Left and Right guards protect lift cylinder hoses in main frame. Compatible with or without front fenders. Bolt-on design attaches to existing mounting pattern for front fenders.  
Estimated installation time: 0.5hrs.

CT2026-007 KIT, LAMP COVER GUARD. 808 USD NET  
Bolt-on lamp guards are reversible from side to side and allow some lamp positioning adjustment. Mesh design incorporates 1" (25mm) squares.  
Estimated installation time: 0.5hrs.

MT1228-006 KIT, FUEL FILLER, METAL. 909 USD NET  
Bolt-on metal design provides a robust, damage resistant fuel neck. Unit has a strainer and an integral lip to reduce fuel tank contamination. Includes locking fuel cap with a non-standard, unique key.  
Estimated installation time: 0.5hrs.

## CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)*****KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

CT2026-004 KIT, REAR HALF FENDER UNDER CAB DEBRIS  
KIT. 1035 USD NET

Bolt-on steel fenders include integral seals which also prevent  
debris intrusion underneath operator station.

Estimated installation time: 2hrs.

CT2007-054 KIT, REAR HOOD GUARD. 2927 USD NET  
Swing out gate protects engine enclosure from blunt impacts  
while reversing. Kit mounts to the rear counterweight.

Estimated installation time: 3 hrs.

CT2007-057 KIT, TAIL LIGHT GUARD. 573 USD NET  
Steel plate guards prevent damage from blunt impacts  
while reversing. Guards mount to the rear counterweight.

Estimated installation time: 1 hr.

CT2007-077 KIT, DRIVESHAFT GUARD. 4684 USD NET  
Guard prevents twine and baling wire from getting wound  
around the driveshaft and also prevents blunt impact damage.  
Protection is maintained with steering and oscillation  
of the chassis.

Estimated installation time: 2.5 hrs.

CT2011-007 2" FRONT WINDOW SCREEN KIT 3060 USD NET

Bolt-on kit provides upper and lower window protection along  
with upper car light guarding. 2- (50 mm) mesh opening with  
(6 mm) wire diameter can be customized to meet the application  
requirements

CT2011-006 3 BAR CUSTOM FRONT WINDOW SCEN 2803 USD NET

CT2026-014 2" REAR WINDOW GUARD KIT 4354 USD NET

Guards provide protection for rear lights, rear window,  
rear window, and rear side corner windows.

2-(50 mm) mesh opening with (6 mm) wire diameter.

Some light welding required.

CT2026-011 2" CAB DOORS SCREEN KIT 1908 USD NET

Guards protect the door glass from top to bottom on both side.

The guards are hinged for cleaning with bolts for fasteners.

2-(50 mm) mesh opening with (6 mm) wire diameter.

Some light welding required.

CATERPILLAR MACHINE PRICE LIST

**908M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

***KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

CT2026-012 FRONT FENDER KIT 1450 USD NET  
 Metal front fenders deflectors, primarily used in Waste and Scrap environments

CT2026-010 HALF FENDER UNDER CAB DEBRIS KIT 1035 USD NET

MT1207-074 RH BELLY GUARD KIT 634 USD NET  
 Guard for rear of machine, bottom to protect the right side area

CT2007-033 BRAKE DEBRIS GUARD 502 USD NET  
 Guarding specific for the brake disc

**PACKING**

***SHIPPING***

<b>0G-3273</b>	<b>RUST PREVENTATIVE APPLICATOR</b> . . . . . 0	<b>\$114 NET</b>
	Preparation for shipment - Silix applicators for shipment by sea. Required by: German Dealers	
<b>0G-3150</b>	<b>PACK, ROLL ON/ROLL OFF BY SEA</b> . . . . . 0	<b>\$229 NET</b>
<b>0G-3149</b>	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0	<b>NC</b>
	Required by 'not-installed' worktools and buckets.	