

CATERPILLAR MACHINE PRICE LIST

910**910 WHEEL LOADER
LEICESTER, ENGLAND**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.6 Engine
 -Common rail fuel injection
 -U.S. EPA Tier 4 Final/ EU Stage V
 Caterpillar NOx Reduction System
 Fuel: Ultra Low Sulphur Diesel @ <15ppm
 Engine Oil: Cj-4
 Electric fuel pump with 4 micron
 filtration
 S.O.S port, transmission oil
 Hydrostatic transmission
 Lube for life universal joints
 Forward - Neutral - Reverse on joystick
 100% locking differentials, on the
 fly activation
 Air cleaner, radial seal, dual filters
 Cooling fan, hydraulic
 Intergrated Cyclone pre-cleaner

HYDRAULICS

Two valve, single lever joystick
 Diagnostic pressure taps
 SOS port, hydraulic oil
 Hydraulically demand driven cooling fan
 Hystat and gear pump

ELECTRICAL

150 Amp alternator
 Rooding lights
 12 volt direct electric starting
 Battery disconnect switch

OPERATOR ENVIRONMENT

Hydraulic control lever lockout
 Electrohydraulic implement controls
 Gauges
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Speedometer
 - Digital Hour meter
 - DEF
 Operator warning system indicators:
 - Brake charge pressure low
 - Engine malfunction
 - Park brake applied
 - Electrical system voltage flow
 - Hydraulic oil filter bypass
 - Action indicator
 Seat
 - adjustable height, backrest, armrest
 - Seat belt, retractable
 Heater/defroster
 Wiper/washer (front & rear)
 Tinted front glass,laminated

Adjustable steering column
 Rear window defrost
 Lockable Storage box with cup holder
 Internal 12V power source
 External 12V power source

FLUIDS

Extended life coolant antifreeze
 Protected to -36C (-33F) hydraulic oil
 Cat Advanced Hydo 10

OTHER STANDARD EQUIPMENT

Parallel lift, Optimized Z-Bar loader
 Fenders, front and rear
 Engine enclosure - lockable
 Recovery hitch
 Vandalism protection - locked service
 points
 Electronic Throttle Lock
 Rimpull Control
 Creeper Control
 Implement Modulation Control
 Drivetrain Aggressiveness Control

REGIONAL STANDARDS(as required)

Chocks
 bucket tooth or edge guard
 Decals, rooding speed
 Reflectors, rooding
 Camera, rear view
 Beacon

CATERPILLAR MACHINE PRICE LIST

910

910 WHEEL LOADER
 LEICESTER, ENGLAND

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

588-4093 910 14A WHEEL LOADER DCA1 0 \$145,450
 LANE 1 - AVAILABLE FROM CLAYTON PDC

- INCLUDES:
- 538-6986 910 14A WHEEL LOADER
 - 541-0761 ENGINE
 - 538-7153 POWERTRAIN, HI RIMPULL, 12MPH
 - 542-9197 CAB, DELUXE, SINGLE BRAKE
 - 541-2851 RIDE CONTROL
 - 538-7227 COUPLER, STD LIFT, IT
 - 546-1819 LIGHTS, ROADING, RH DIP, LED
 - 433-3258 SECURITY SYSTEM, NONE
 - 450-5405 HYDRAULIC OIL, STANDARD
 - 538-7123 STEERING, STANDARD
 - 538-7130 HEATER AND AIR CONDITIONER
 - 506-3811 FAN, DEMAND
 - 469-5852 FENDERS, STANDARD
 - 538-7164 COUNTERWEIGHT, 1510 LBS
 - 538-7188 HYDRAULICS, 2V/1L, STD LIFT
 - 543-4225 ALARM, BACK-UP
 - 504-4835 CAMERA, REAR VIEW
 - 542-9319 PRODUCT LINK, CELLULAR, PL243
 - 539-7204 SEAT, DELUXE
 - 550-9815 SEAT BELT, RETRACTABLE 2"
 - 543-5460 ARCTIC WEATHER PACKAGE, 120V
 - 550-3207 KICKOUT, NONE
 - 421-8926 SERIALIZED TECHNICAL MEDIA KIT
 - 560-3441 INSTRUCTIONS, ANSI

NOTE: Can be upgraded to hi speed 40 kph (25 mph) via Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately the same cost as the higher speed powertrain selection.

538-6986 910 14A WHEEL LOADER 0 \$121,580
 LANE 2 - AVAILABLE FROM LEICESTER FACTORY
 LANE 3 - AVAILABLE FROM LEICESTER FACTORY

SERIAL NUMBER PREFIX = JW2

0P-7342 910 MISCELLANEOUS MATERIAL 0 NC
 Use this reference to order material from Parts Dept. Using a CMOPS order via the antares bridge.

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0		NC
	Select this option when ordering from the Distribution Center.			

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	430-2654	TIRES, 15.5 R25, MX, L2 XTLA	0	\$1,070
		Michelin Radial Tires, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		

BUCKET

P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
---	----------	--	----------------	-----------------------

INSTRUCTION DECALS

L	560-3440	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries (incl. Canada) excluding the USA and EU.		
L	560-3441	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals as required for the USA. (excl. Canada)		

PREP PACK

L	519-5211	PREP PACK, EMC	0	NC
		Decal to certify the machine meets emc regulations REQUIRED BY: Canadian Dealers		

MEDIA KIT

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through https://catpublications.com .		

PACKING

	OP-0210	PACK, DOMESTIC TRUCK	0	NC
	OG-3273	RUST PREVENTATIVE APPLICATOR	0	\$114 NET
		Preparation for shipment		

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

SPECIAL ARRANGEMENTS - FINISH TO ORDER.

Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.

NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.

FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

Extended range of KITS can be ordered and installed at dealerships see KIT SECTION at the END of pricelist.

OPTIONS

P	546-6666	KIT, GUARD POWERTRAIN 0 Kit provides lower transmission guard that mounts underneath the rear frame.	\$1,182
P	546-6667	KIT, GUARD DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame.	\$738
P	540-7051	KIT, GUARD CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame.	\$496 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

POWERTRAIN - ENGINE

L	541-0761	ENGINE EPA Tier 4 Final certified Engine EU Stage V MLIT 2014 Net power @ Rated (2200RPM) is 99HP (74KW) Gross power @ Rated (220RPM) is 102HP (76KW)	0	NC
---	----------	---	---	-----------

POWERTRAIN - GEARING

L	538-7153	POWERTRAIN, HI RIMPULL, 12MPH Axle/differential with high rimpull, designed for stated top speed. Also recommended for applications where faster traveling speeds are not necessary. Transmission will have a range 1 and range 2. Maximum travel speed on level ground is 20 KPH (12 MPH). NOTE: Can be upgraded to hi speed 40 kph (25 mph) via Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately the same cost as the higher speed powertrain selection below.	0	NC
L	538-7159	POWERTRAIN, HI RIMPULL, 24MPH Axle/differential with high rimpull, designed for stated top speed. Recommended for most applications in areas without local travel speed restrictions. Transmission has a range 1,2 and 3. Maximum travel speed on level ground is 40 KPH (25 MPH).	0	\$4,075

COOLING FAN

L	540-3811	FAN, DEMAND Hydraulically operated on demand cooling fan	0	NC
L	538-7187	FAN, REVERSING Hydraulically operated on demand cooling fan with reversing ability. Includes an automatic and manual control for fan reversal.	0	\$1,225

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULICS - STANDARD LIFT

The 910,914 & 920 are designed for Caterpillar work tools, when using third party work tools, pin on coupler, or ISO wide or any other couplers designed by NON CAT SUPPLIERS the loader linkage could go over center when fully dumped.

Refer to Special Instructions, SEHS0166 "Procedure to Modify the Linkage in order to Prevent the Linkage from Over-Centering on the 910,914 & 920 for preventing an over center condition from occurring.

PLEASE NOTE: HARNESS, WIRING, WORKTOOL (471-6212) is recommended for use with complex hydromechanical work tools such as angle brooms, dozer blades, snow blowers, wheel saws, and mulchers.

L	538-7188	HYDRAULICS, 2V/1L, STD LIFT	0	NC
		Provides standard height lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		
L	538-7200	HYDRAULICS, 3V/1L, STD LIFT	0	\$2, 225
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		
L	538-7206	HYD, 4V/1L, STD FLOW, STD LIFT	0	\$4, 450
		Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		

HYDRAULICS - HIGH LIFT

L	538-7191	HYDRAULICS, 2V/1L, HIGH LIFT	0	\$4, 605
		Provides high lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		
L	538-7203	HYDRAULICS, 3V/1L, HIGH LIFT	0	\$6, 830
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		
L	538-7208	HYD, 4V/1L, STD FLOW,HIGH LIFT	0	\$9, 050
		Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		

COUPLERS

L	538-7199	NO COUPLER, PIN ON, 2V	0	NC
		Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

COUPLERS (Cont.)

L	538-7163	NO COUPLER, PIN ON, 3V/4V 0 Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		NC
L	540-4964	COUPLER READY, STD LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: Standard lift and requires either PO bucket or PO transport group		\$505
L	538-7198	COUPLER READY, HIGH LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: High lift and requires either PO bucket or PO transport group		\$505
L	538-7227	COUPLER, STD LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: STD lift and IT worktools		\$2,110
L	540-4962	COUPLER, HIGH LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: High lift and IT worktools		\$2,110
L	538-7231	COUPLER, STD LIFT, ISO WIDE 0 Compatible with the Volvo work tool interface. ONLY FOR USE WITH: Standard lift and ISO worktools		\$2,110
L	538-7194	COUPLER, HIGH LIFT, ISO WIDE 0 compatible with the Volvo work tool interface. ONLY FOR USE WITH: High lift and ISO worktools		\$2,110

ELECTRICAL

ROADING LIGHTS

P	552-2673	LIGHTS,ROADING,RH DIP,HALOGEN 0 Provides directional signals, front and rear and high/low beam. ONLY FOR USE WITH: Drive on right (Exc Italy)		NC
P	571-2780	LIGHTS,ROADING,RH DIP,LED REAR 0 Includes LED rear roading lights and Halogen Front roading lights for regions that drive on the right hand side of the road.		\$257
P	546-1819	LIGHTS, ROADING, RH DIP, LED 0 Includes LED roading lights Front and rear for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life		\$1,100

OPERATOR ENVIRONMENT

STEERING

L	538-7123	STEERING, STANDARD 0 CANNOT BE USED WITH: EU DEALERS		NC
L	538-7126	STEERING, SECONDARY 0 Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm.		\$1,290

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CANOPY/ CAB

L	542-9198	CANOPY, STANDARD, SINGLE BRAKE 0 Canopy features: ROPS, FOPS, fixed steering column, low effort joystick with FNR, gear selection, differential lock, continuous flow (opt), and proportional auxiliary switch (opt) in one hand, coat hook, sun visor, external knock back mirrors, interior rear view mirror, lockable storage box, and suspended pedals. CANNOT BE USED BY: EU DEALERS REQUIRES: HYDRAULIC HOSE GUARD IF 3 OR 4 VALVE HYDRAULICS SELECTED.		NC
L	542-9197	CAB, DELUXE, SINGLE BRAKE 0 ROPS/FOPS certified Deluxe cab includes all canopy features plus adjustable steering column, two doors with sliding glass windows, heated rear window, cabin light, radio ready kit, available Cat Radio/CD/MP3/WMA Player (opt), heater with available air conditioning (opt), available rear blind (opt).		\$7,770

SEATS

L	539-7203	SEAT, VINYL 0 Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: CANOPY		NC
L	539-7204	SEAT, DELUXE 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated cushions. CANNOT BE USED WITH: CANOPY		\$795
L	552-3734	SEAT, DELUXE PLUS 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated and adjustable comfort cushions. CANNOT BE USED WITH: CANOPY		\$1,085

SEAT BELTS

L	550-9815	SEAT BELT, RETRACTABLE 2" 0 High Visibility Orange 51MM (2 inch) wide seat belt.		NC
L	236-8015	SEAT BELT, RETRACTABLE 3" 0 High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		\$146

RIDE CONTROL

L	576-4747	RIDE CONTROL, NONE 0		NC
L	541-2851	RIDE CONTROL 0 Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 8 KPH Includes system active indicator on dash.		\$3,380

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

ACCESSORY EQUIPMENT

L	504-4835	CAMERA, REAR VIEW 0		\$1,575
		Provides a rear view camera system with display in the cab. REQUIRES: 542-9197 CAB,DELUXE,SINGLE BRAKE CANNOT BE USED WITH: 504-4834 REAR VIEW MIRROR INCLUDED IN: 570-3158 PREP PACK EU		

HEATER/ AIR CONDITIONER

REQUIRED IF ORDERING A CAB

L	538-7128	HEATER 0		NC
		Heater/Front defroster		
L	538-7130	HEATER AND AIR CONDITIONER 0		\$4,280
		Heater/Front defroster and air conditioner.		

MACHINE SECURITY SYSTEM

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE 0		NC
L	567-5049	SECURITY SYSTEM, MACHINE 0		\$1,055
		NOTE: KEYPAD system, not key-based. Caterpillar Machine Security System (MSS) to manage access to the machine via keypad code. Machine is shipped with the system inactive. Requires ET to activate.		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	542-9319	PRODUCT LINK, CELLULAR, PL243 0		NC
		Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		
L	542-9320	PRODUCT LINK, PLE643 0		\$846
		Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

TIRES AVAILABLE FROM MICHELIN

P	430-2654	TIRES, 15.5 R25, MX, L2 XTLA 0 Michelin Radial Tires, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$1,070
P	425-5015	TIRES, 15.5 R25, MX, L3 XHA 0 Michelin radial tire, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Width over tire measurement = 2290mm (90")		\$2,500
P	385-5822	TIRES, 17.5 R25, MX, L2 XTLA 1,789 Michelin Product Code #04118 Radial, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$2,750
P	577-9956	TIRES, 17.5 R25, MX, L3 XHA2 0 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 3 piece rim Width over tire measurement = 2259mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$7,750
P	385-5823	TIRES, 17.5 R25, MX, L3 XHA2 2,123 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 1 piece rim. Width over tire measurement = 2259mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$6,500

TIRES AVAILABLE FROM GOODYEAR

P	385-5821	TIRES, 17.5-25, GY, L2 SGL12PR 1,511 Goodyear Product Code #123-897-458 SGL D/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2260mm (89") REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$450
P	385-5825	TIRES, 17.5-25, GY, L3,3PC RIM 2,234 Goodyear Product Code #123-876-175 HRL D/L-3A (Hard Rock Lug) Wide base bias rock tire. Aggressive lug design provides good performance in harsh underfoot conditions. REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$3,560
P	430-2658	TIRES, 17.5 R25, GY, L3 RT-3B 0 Goodyear Product Code #606019 17.5R25 176A2 TL * UN RT-3B 6S Radial tire, non directional tread, self cleaning Superior resistance to rock cuts and penetration for use on rough terrain 1 piece rim Width across tires 89" (2260mm) REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$6,500

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SNOW TYRES YOKOHAMA AND NOKIAN

P	561-6547	TIRES, 17.5-25 12PR, YK, L2 SNOW 0 Yokohama and # P3540 Specially designed for operation on snowy roads. Directional tread pattern provides excellent traction and pulling performance. REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$1,950
P	533-2713	TIRES, 17.5 R25, NK, L2 SNOW 0 Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning. REQUIRES: 426-1506 LIMITER, AXLE OSCILLATION		\$4,810

GUARDS

HYDRAULIC GUARDS

Required when ordering a Canopy with 3 or 4 valve hydraulics.
 CANNOT BE USED WITH: CAB

NOTE: When ordering Third and Fourth valve, you MUST order Third and Fourth Hose Guards.

L	426-1433	GUARD, HOSE, 3 VALVE, STD LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY .		NC
L	426-1434	GUARD, HOSE, 4 VALVE, STD LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	542-5173	GUARD, HOSE, 4 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	435-0851	GUARD, HOSE, 3 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		\$101

COUPLER HOSE GUARDS

Required when ordering a Canopy and a loader arrangement with coupler.
 CANNOT BE USED WITH: CAB

L	435-0809	GUARD, COUPLER HOSE, STD LIFT 0 FOR USE WITH: 538-7231 COUPLER, ISO WIDE, STD LIFT 538-7227 COUPLER, STD LIFT, IT 540-4964 COUPLER READY, STD LIFT		\$101
L	435-0853	GUARD, COUPLER HOSE, HI LIFT 0 FOR USE WITH: 538-7198 COUPLER READY, HIGH LIFT 538-7194 COUPLER, ISO WIDE, HIGH LIFT 540-4962 COUPLER, HIGH LIFT, IT		\$101

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

FENDERS

L	469-5852	FENDERS, STANDARD 0 Provides non-metalic front fenders to help keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry.		\$428
L	469-5853	FENDERS, FULL COVER 0 Provides non-metalic front fenders with mud flaps to keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire with mud flaps to keep both machine and access ladder clean. Recommended for applications such as snow removal and extremely muddy conditions.		\$640
L	504-4713	METAL FENDER, DEFLECTORS 0 Provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage.		\$-326

KICKOUT/RETURN TO DIG

L	550-3207	KICKOUT, NONE 0		NC
L	550-0035	KICKOUT 0 Automatic lift and bucket kickouts, adjustable in-cab also includes cylinder snubbing.		\$1, 330

COUNTERWEIGHTS

L	538-7164	COUNTERWEIGHT, 1510 LBS 0 Rear counterweight option for all standard lift machines. ONLY FOR USE WITH: STD LIFT		NC
L	538-7167	CTWT, HIGH LIFT, 2127 LBS 0 Rear counterweight plus side mounted on rear frame option for all high lift machines. ONLY FOR USE WITH: HIGH LIFT		\$2, 020

WEATHER PACKAGE

L	559-9898	STANDARD WEATHER PACKAGE 0		NC
L	569-6317	COLD WEATHER PACKAGE 0 Standard weather package plus additional battery and wiring for colder climate regions		\$750
L	543-5460	ARCTIC WEATHER PACKAGE, 120V 0 Standard weather package plus additional battery and wiring, block heater and cold climate engine coolant for extreme cold climates.		\$1, 065

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

FLUIDS

HYDRAULIC OIL

L	450-5405	HYDRAULIC OIL, STANDARD	0	\$1,160
L	444-1000	HYDRAULIC OIL, BIODEGRADABLE	0	\$1,275

DOCUMENTATION

DECAL PACKAGES

L	560-3441	INSTRUCTIONS, ANSI This package includes picto decals as required for the USA. (excl. Canada) Only for use with: USA DEALERS	0	NC
---	----------	---	---	----

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through https://catpublications.com .	0	NC
--	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

JUMPER HOSES

L	555-6961	JUMPER HOSE, 3V 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V Lines only ONLY FOR USE WITH: 3V OR 4V HYDRAULICS		\$600
---	----------	---	--	-------

ELECTRICAL

BEACON

P	260-5501	BEACON, ROTATING, MAGNET (HAL) 0 Includes magnetic rotating beacon with Britex connector, on/off switch, wiring, and mounting.	0	\$399 \$399 NI
---	----------	--	---	-------------------

CAB WORKLIGHTS

P	448-9539	LIGHTS, STD, HALOGEN 0 Four halogen floodlights mounted beneath cab roof, two front, two rear.		\$615
P	561-3288	LIGHTS, STD, LED 0 Four LED floodlights mounted beneath cab roof, two front, two rear. Plus additional LED engine enclosure lights.		\$840
P	546-3116	LIGHTS, AUX, LED AND HALOGEN 0 Four LED and four halogen floodlights mounted beneath cab roof, four front (two halogen and two LED), four rear(two halogen and two LED). Plus additional LED engine enclosure lights.		\$955
P	543-4227	LIGHTS, AUX, LED 0 Eight LED floodlights mounted beneath cab roof, four front, four rear. Plus additional LED engine enclosure lights.		\$1,065

ACCESSORY EQUIPMENT

L	554-6985	WORKTOOL, WIRING 0 Supplies electrical power for valves on selected Work Tools. REQUIRES: Machine to be equipped with a COUPLER, can also be added as a Dealer Installed Kit 594-2120 KIT-WIRING -WORK TOOL		\$369
---	----------	--	--	-------

BACK-UP ALARM

L	543-4225	ALARM, BACK-UP 0 Required for machines sold into North America		\$202
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

AXLE OSCALATING LIMITER

L	426-1506	LIMITER, AXLE OSCILLATION 0 Restricts the rear axle oscillation from 11 degrees on each side to 9 degrees. When winter tire chains are installed, the axles should be equipped with Axle Oscillations Limiters to prevent contact between the tire chains and the chassis. Bolt-on design. REQUIRED BY: 17.5" TIRE SELECTIONS		\$96
---	----------	--	--	------

RADIO PACKAGES

P	541-4413	RADIO, AM/FM, BT/USB/AUX/MIC 0 Cat FM Radio with bluetooth, aux input & microphone. CANNOT BE USED WITH: CANOPY MACHINES		\$565
---	----------	---	--	-------

ACCESSORY EQUIPMENT

P	450-4690	PLATE, LICENSE 0 Rear plate with light attached to hold a license plate for roading. CANNOT BE USED WITH: 471-0856 CONVERSION, TUV ROADING, 40KPH 470-6188 CONVERSION, ITALIAN ROADING 485-1918 CONVERSION, ITALIAN ROADING		\$269
P	279-0643	BLIND, REAR, PERFORATED 0 Retractable blind reduces glare and radiant heat. Semi-transparent for rear visibility CANNOT BE USED WITH: CANOPY MACHINES		\$313
P	471-6921	TOOL BOX 0 Fabricated, heavy duty tool box is suitable for storing grease guns. Mounted externally on the chassis behind the right side ladder CANNOT BE USED WITH: 525-4951 COUNTERWEIGHT, JPN		\$630

GUARDS

L	558-7258	GUARD, REAR LIGHTS 0 Provides two (2) rear light guards that mount over the tail lights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$193
L	533-3604	GUARD, FRONT LIGHTS 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$386
L	539-1321	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$426
L	539-1319	GUARD, DRIVESHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$635
L	539-1317	GUARD, HITCH 0 Provides protection to hitch area of the rear frame and front frame, preventing debris from entering while allowing visibility to service points.		\$710

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

L	539-1318	GUARD, POWERTRAIN 0 Mounts underneath machine to provide protection for the transmission components. Includes service access panel for oil changes.		\$1,015
---	----------	--	--	---------

OTHER ATTACHMENTS

ACCESSORY EQUIPMENT

P	468-3869	WHEEL CHOCK 0 CANNOT BE USED WITH: 471-0854 CONVERSION, TUV ROADING, 20KPH 471-0856 CONVERSION, TUV ROADING, 40KPH		\$665
---	----------	--	--	-------

WORK TOOLS

WORKTOOLS

First worktool must ordered as installed, no packing reference required.
 Additional buckets must be ordered as 'not installed' and should include packing reference OG-3281
 Please note: Japan dealers cannot order additional worktools due to shipping reasons.

Performance Series buckets feature a wider moldboard opening angle, longer floor and forward curving (convex) sidebars. These aggressive buckets load easier and retain material better for faster cycle times.

Offered with:

- 1) Bolt-on, reversible cutting edges for maximum durability and smooth grading.
- 2) Bolt-on teeth with pin-on tooth tips for maximum penetration and digging.

All 910/914 PS General Buckets share the following characteristics:
 Single piece bolt-on cutting edge = 2400mm / 95" wide
 8x bolt on adaptors & long tips = 2430mm / 95" wide
 Performance Fill Factor = 110% (or 0.1cum/0.2cyd) of stated capacity.
 For correct bucket selection see OMM/specalog which shows max material densities per machine configuration per bucket size.

PIN ON BUCKETS

Only available with coupler pin on and coupler ready machines machines.

P	481-9759	BUCKET-GP, 1.8 YD3, PO, BOT 1,184	1,184	\$6,444 \$6,444 NI
P	472-6537	BUCKET-GP, 1.8 YD3, PO, BOCE 1,276	1,276	\$5,715 \$5,715 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
WORK TOOLS (CONT.)				
<i>PIN ON BUCKETS (Cont.)</i>				
P	481-9763	BUCKET-GP, 2.0 YD3, PO, BOT	1,270 1,270	\$6,715 \$6,715 NI
P	472-6542	BUCKET-GP, 2.0 YD3, PO, BOCE	1,342 1,342	\$5,986 \$5,986 NI
P	481-9766	BUCKET-GP, 2.3 YD3, PO, BOT	1,358 1,358	\$7,131 \$7,131 NI
P	415-5961	BUCKET-GP, 2.3 YD3, PO, BOCE	1,450 1,450	\$6,401 \$6,401 NI
P	481-9767	BUCKET-GP, 2.4 YD3, PO, BOT	1,398 1,398	\$7,257 \$7,257 NI
P	415-5927	BUCKET-GP, 2.4 YD3, PO, BOCE	1,490 1,490	\$6,528 \$6,528 NI
P	498-0033	BUCKET-LM, 3.3 YD3, PO, BOCE	816 816	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0036	BUCKET-LM, 3.9 YD3, PO, BOCE	878 878	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0039	BUCKET-LM, 4.6 YD3, PO, BOCE	938 938	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		
<i>IT STD COUPLER BUCKETS</i>				
Only available with coupler IT machines.				
P	481-9755	BUCKET-GP, 1.7 YD3, IT, BOT	1,129 1,129	\$6,300 \$6,300 NI
P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
P	481-9760	BUCKET-GP, 1.9 YD3, IT, BOT	1,173 1,173	\$6,571 \$6,571 NI
P	472-6539	BUCKET-GP, 1.9 YD3, IT, BOCE	1,265 1,265	\$5,842 \$5,842 NI
P	481-9762	BUCKET-GP, 2.0 YD3, IT, BOT	1,250 1,250	\$6,715 \$6,715 NI
P	472-6541	BUCKET-GP, 2.0 YD3, IT, BOCE	1,362 1,362	\$5,986 \$5,986 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

IT STD COUPLER BUCKETS (Cont.)

P	481-9764	BUCKET-GP, 2.2 YD3, IT, BOT	1,301 1,301	\$6,986 \$6,986 NI
P	390-8219	BUCKET-GP, 2.2 YD3, IT, BOCE	1,393 1,393	\$6,257 \$6,257 NI
P	559-5199	BUCKET, GP, 2.4 YD3, IT, BOT	1,385 1,385	\$7,457 \$7,457 NI
P	492-2491	BUCKET-GP, 2.4 YD3, IT, BOCE	1,470 1,470	\$6,528 \$6,528 NI
P	498-0031	BUCKET-LM, 3.3 YD3, IT, BOCE	792 792	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0034	BUCKET-LM, 3.9 YD3, IT, BOCE	854 854	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0037	BUCKET-LM, 4.6 YD3, IT, BOCE	914 914	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

ISO WIDE COUPLER BUCKETS

Only available with coupler ISO machines.

P	481-9756	BUCKET-GP, 1.7 YD3, ISO, BOT	1,169 1,169	\$6,300 \$6,300 NI
P	472-6535	BUCKET-GP, 1.7 YD3, ISO, BOCE	1,261 1,261	\$5,571 \$5,571 NI
P	481-9761	BUCKET-GP, 1.9 YD3, ISO, BOT	1,213 1,213	\$6,571 \$6,571 NI
P	472-6540	BUCKET-GP, 1.9 YD3, ISO, BOCE	1,305 1,305	\$5,842 \$5,842 NI
P	481-9765	BUCKET-GP, 2.2 YD3, ISO, BOT	1,341 1,341	\$6,986 \$6,986 NI
P	415-5957	BUCKET-GP, 2.2 YD3, ISO, BOCE	1,433 1,433	\$6,257 \$6,257 NI
P	492-2492	BUCKET-GP, 2.4 YD3, ISO, BOCE	1,470 1,470	\$6,528 \$6,528 NI
P	498-0032	BUCKET-LM, 3.3 YD3, ISO, BOCE	804 804	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

ISO WIDE COUPLER BUCKETS (Cont.)

P	498-0035	BUCKET-LM, 3.9 YD3, ISO, BOCE	866 866	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0038	BUCKET-LM, 4.6 YD3, ISO, BOCE	926 926	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

ISO WIDE COUPLER BUCKETS (Flat floor)

Only available with coupler ISO machines.

P	488-7005	BUCKET-FF, 1.8 YD3, ISO, WOT	1,490 1,490	\$7,608 \$7,608 NI
P	468-4749	BUCKET-FF, 1.9 YD3, ISO, BOCE	1,492 1,492	\$6,663 \$6,663 NI
P	488-7006	BUCKET-FF, 1.9 YD3, ISO, WOT	1,378 1,378	\$8,160 \$8,160 NI
P	468-4750	BUCKET-FF, 2.0 YD3, ISO, BOCE	1,525 1,525	\$7,213 \$7,213 NI
P	488-7007	BUCKET-FF, 2.2 YD3, ISO, WOT	1,490 1,490	\$8,775 \$8,775 NI
P	468-4751	BUCKET-FF, 2.3 YD3, ISO, BOCE	1,436 1,436	\$7,828 \$7,828 NI

FORK CARRIAGES

Please add the packing reference 0G-3280 if ordered 'Not-Installed'.

P	390-8288	CARRIAGE, PAL CL3, 61", IT	539	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with standard width 'IT' quick coupler ONLY FOR USE WITH: 538-7227 COUPLER, STD LIFT, IT OR 540-4962 COUPLER, HIGH LIFT, IT		
P	428-2109	CARRIAGE, PAL CL3, 61", ISO	535	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with wide (Volvo) coupler ONLY FOR USE WITH: 538-7231 COUPLER, STD LIFT, ISO WIDE OR 538-7194 COUPLER, HIGH LIFT, ISO WIDE		

FORK TINES

ORDER QUANTITY OF TWO

Please add the packing reference 0G-3304 if ordered 'Not-Installed'.

P	6W-8900	FORK TINES, 2" X 5" X 48"	251	\$718 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
WORK TOOLS (CONT.)				
<i>FORK TINES (Cont.)</i>				
P	6W-9739	FORK TINES, 2" X 5" X 53"	343	\$743 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		
P	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		
P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		

FIELD INSTALLED ATTACHMENTS

KITS AVAILABLE ONLY FROM SUPERTRAK

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak
 800.446.9858 --- 941.505.7800 --- www.Supertrak.com
 Supertrak is responsible for the sales, parts, support and warranty.
 All dealer net prices below are for reference only, and are subject to change by Supertrak.
 Additional information and pictures are located on DEALER.CAT.COM in the Compact Wheel Loader area.

Note: Reference application specific OSHA requirements (e.g. window mesh spacing standards), particularly in forestry applications.

CT2026-008 KIT, REAR WINDOW GUARD. 4354 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Side and corner guards open with latches for easy cleaning. Rear center portion is fixed, yet cleaning clearance is provided. Some light welding is required.
 Estimated installation time: 5 hrs.

CT2026-003 KIT, LOWER WINDOW DEBRIS GUARD. 784 USD NET
 Steel shields protect the lower front windows in mulching applications. Visibility is not obscured, as each shield is viewed within the front tire profile. Some light welding is required.
 Estimated installation time: 2hrs.

CT2026-007 KIT, LAMP COVER GUARD. 808 USD NET
 Bolt-on lamp guards are reversible from side to side and allow some lamp positioning adjustment. Mesh design incorporates 1" (25mm) squares. Estimated installation time: 0.5 hrs

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)***KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

CT2011-006 3 BAR CUSTOM FRONT WINDOW SCEEN 2803 USD NET

CT2026-014 2" REAR WINDOW GUARD KIT 4354 USD NET

Guards provide protection for rear lights, rear window,
rear window, and rear side corner windows.
2-(50 mm) mesh opening with (6 mm) wire diameter.
Some light welding required.

CT2026-019 3" FRONT WINDOW GUARD KIT 3060 USD NET

Bolt-on kit provides upper and lower window protection along with
upper car light guarding. 3- (75 mm) mesh opening with (6 mm) wire
diameter.

CT2026-020 3" REAR WINDOW GUARD KIT 4354 USD NET

Guards provide protection for rear lights, rear window, and rear side
corner windows. 3- (75 mm) mesh opening with (6 mm) wire diameter.
Some light welding required.

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS

KITS

Available through ANTARES Parts Ordering

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.

When ordering via CMOPS include top level reference numbers (OP7342) and OG3280 for packing.

NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.

KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.

Kits listed below on this pricelist are compatible with this machine model plus for any additional usage / compatibility refer to "<https://SIS2.CAT.COM>"

CURRENT MODELS:

14A - HRC UK Build (July 2020 onwards) 910-14A = JW2 / 914-14A = JC3 / 920-14A = SL4

K Series - LRC Brazil Build (June 2019 onwards) XXXXXXXX / 914K = BF4 / 920K = B98

NON-CURRENT MODELS:

M Series - HRC UK build (Jul 2016 to July 2020) 910M = H22 / 914M = H24 / 918M = H26

K Series - LRC UK Build (Jul 2016 to Aug 2020) 910K = L22 / 914K = L24 / XXXXXXXX

K Series - Original (Apr 2014 to Jul 2016) 910K = AY4 / 914K = CD2 / XXXXXXXX

KEY: XXXXXXXX = Model does not exist

P	592-3039	KIT, CAMERA, FRONT VIEW 0 Kit provides front view camera, harness, display and mounting. Fit the display in the top right corner inside the cab. Front camera located on top of cab roof. May be required for local EU requirements. Refer to Product bulletin TEJB9979 at catpublications.com . To see if the machine and attachment combination requires this additional visibility aid. Estimated Installation time = 3 hrs For proper installation refer to media number =M0120959 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24	\$2,114 NI
----------	-----------------	---	-------------------

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	598-6178	KIT, CAMERA, REAR VIEW 0 Kit provides rear view camera, harness, display and mounting. Remove Internal Mirror and replace with the display in the top right corner inside the cab. Rear camera located in the top of the rear engine bay door or radiator guard door if fitted. Estimated Installation time = 3 hrs For proper installation refer to media number = M0120959 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26		\$2,114 NI
P	541-9748	KIT, GUARD FRONT ROADING LIGHT 0 Kit provides two (2) front light guards that mount over the headlights Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$451 NI
P	546-6665	KIT, GUARD HITCH 0 Kit provides protection to hitch area of the rear frame. Estimated Installation time = 1 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$828 NI
P	546-6666	KIT, GUARD POWERTRAIN 0 Kit provides lower transmission guard that mounts underneath the rear frame. Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$1,182 NI
P	546-6667	KIT, GUARD DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame. Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / BF4 NON CURRENT: H22 / H24 / L22 / L24		\$738 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	540-7051	KIT, GUARD CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame. Estimated Installation time = 1 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / BF4 NON CURRENT: H22 / H24 / L22 / L24		\$496 NI
P	556-8803	KIT, MACHINE SECURITY SYSTEM 0 Kit provides a soft touch key pad system to enter passcode to manage access to machine. Includes headliner with cutout ready for keypad. Estimated Installation time = 2 hrs For proper installation refer to media number = M0121187 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26		\$1,236 NI
P	588-8080	KIT, GUARD, REAR LIGHTS 0 Kit provides two (2) rear light guards that mount over the tail lights using predrilled threaded holes in the counterweight Estimated Installation time = 0.5 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4		\$518 NI
P	594-2120	KIT, WORKTOOL HARNESS 0 Kit Provides an electrical harness and 8 pin connector on the loader arm, to allow electro-mechanical worktools to be controlled from within the machine Estimated Installation time = 1.5 hrs For proper installation refer to media number = M0120891 Compatible with: CURRENT: JW2 / JC3 / SL4		\$433 NI
P	592-4025	KIT, JUMPER LINES SINGLE, SF 0 Kit provides 3rd Function Std Flow jumper lines. (can be used on 3rd or 4th Function on a 910) Includes twist to connect couplings mounted to the coupler frame Kit contains extra parts for both Standard Lift and High Lift configuration. Estimated Installation time = 1 hr For proper installation refer to media number = M0120637 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$697 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)**KITS (Cont.)**

P	592-4024	KIT, JUMPER LINES SINGLE, HF 0 Kit provides 3rd Function High Flow jumper lines. Includes twist to connect couplings mounted to the coupler frame Kit contains extra parts for both Standard Lift and High Lift configuration. Estimated Installation time = 1 hr For proper installation refer to media number = M0120637 Compatible with: CURRENT: SL4 / B98 NON CURRENT: H26		\$775 NI
P	590-1140	KIT, LINES MP 29 Kit provides 3rd Function Std Flow jumper lines. Includes twist to connect couplings mounted to the coupler frame. Kit contains extra parts for both Standard Lift and High Lift configurations. Estimated Installation time = 1 hr For proper installation refer to media number = M0121603 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$542 NI
P	593-1439	KIT, FENDER, MUD FLAPS (F/R) 0 Kit provides Mud Flaps that can be added to the front and rear fenders to extend the coverage in muddy applications. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2		\$247 NI
P	593-1500	KIT, FENDER, REAR STD 0 Kit provides rear non-metallic fenders for the Rear tires to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry. Ideal to enable reconfiguration from no fender or metal fender to standard fender applications. Estimated Installation time = 2 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2 /		\$649 NI
P	598-6440	KIT, WORKING LIGHTS, 2F/2R LED 0 Kit provides four (4) additional, cab mounted LED lights to replace the original halogen units or to add additional lights next to the halogen units. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4		\$985 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	598-8610	KIT, ENGINE BAY LIGHTS 0 Kit provides three (3) additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refuelling the machine in dark conditions. Estimated Installation time = 2 hrs to install on machine. For proper installation refer to media number =M0120889 Compatible with: CURRENT: JW2 / JC3 / SL4		\$289 NI
P	595-1854	KIT, ENGINE HEATER, 120V 0 Kit provides 120V block heater to improve cold start performance. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = M0121087 Compatible with: CURRENT: JW2 / JC3 / SL4		\$238 NI
P	595-1855	KIT, ENGINE HEATER, 240V 0 Kit provides 240V block heater to improve cold start performance. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = M0121087 Compatible with: CURRENT: JW2 / JC3 / SL4		\$238 NI
P	599-1337	KIT, LICENSE PLATE 0 Kit provides licence plate holder and lamp that is mounted to the left rear counterweight Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2		\$261 NI
P	532-6741	KIT, TOOL BOX 0 Kit provides lockable storage box outside of the cab, mounted to the main frame behind the LH side entry steps. For use with Grease Guns, Chains, Tools etc. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24		\$733 NI
P	588-8015	KIT, RIDE CONTROL 0 Kit provides an accumulator system to absorb shock and reduce machine bounce which improves ride quality when travelling. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0120961 Compatible with: CURRENT: JW2 / JC3 / SL4		\$4,229 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	592-7863	KIT, COUPLER READY 0 kit provides the ability to add the extra coupler control valve slice to an existing implement valve. It also has all the relevant hoses and hardware to get the coupler control lines from the valve to the bulkhead brackets on the loader arm (COUPLER SOLD SEPARATELY) For use with 910 models only. For use with Std and High lift configurations. For use with IT or ISO23727 style couplers. Estimated Installation time = 8hrs to install on machine For proper installation refer to media number = M0121051 Compatible with: CURRENT: JW2 NON CURRENT: H22 / L22		\$657 NI
P	588-7091	KIT, REVERSING FAN 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Also includes guarding and covers for some engine components, inc. after treatment. Recommended for applications with a high content of airborne debris. Estimated Installation time = 8hrs to install on machine For proper installation refer to media number = M0120820 Compatible with: CURRENT: JW2 / JC3 / SL4		\$1,903 NI
P	599-9655	KIT, 20KPH TO 40KPH, UPGRADE 0 Additional Cost for software license (Jan 2021) approx. \$2,800 Kit provides the ability to upgrade from 20 to 40kph All necessary information to allow the dealer to locate and download the required Software and also the part numbers for the dealer to order the decals from parts department department is in this PAPER KIT. Requires purchase of software license from https://fps.cat.com (Use software option key part number = 523-8098) This feature is a software option key and is installed using Electronic Technician and a unique password. This cost to enable the feature via password is listed in the FPS system Estimated time to install: 30 min. For proper installation refer to media number = M0121089 Compatible with: CURRENT: JW2 / JC3 / SL4		\$29 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	592-9244	KIT, KICKOUT ROTARY SENSOR 0 Kit provides sensors and electrical harnesses to add return to dig (kickout) and Parallel Lift electronic control to the loader arm, which enables fork and bucket mode plus the increased controllability and efficiency Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121085 Compatible with: CURRENT: JW2 / JC3		\$1,558 NI
P	592-6210	KIT, QUICK COUPLER, IT 0 Kit provides an electro-hydraulic CAT IT Interface coupler system activated from the cab. Includes coupler fabrication, cylinders and hoses to the loader arm bulkhead bracket. Requires Coupler ready kit to be fitted, sold separately. Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121035 Compatible with: CURRENT: JW2 / JC3 / BF4 NON CURRENT: H22 / H24 / L22 / L24		\$2,467 NI
P	592-6215	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic ISO23727 Interface coupler system activated from the cab. Includes coupler fabrication, cylinders and hoses to the loader arm bulkhead bracket. Compatible with many competitive work tools, ISO23727 standard coupler interface is also used by Volvo. Check interface and dimensions of non-caterpillar attachments to ensure full compatibility. Requires Coupler ready kit to be fitted, sold separately. Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121035 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24		\$2,467 NI
P	595-3908	KIT, ELITE, NETWORK MANAGER 0 Kit includes components needed to upgrade from the standard cellular PL243 product link, to the Product Link Elite Lite system, by adding the Network Manager module, PL641. This will add more functionality. Estimated Installation time = 2hrs to install on machine For proper installation refer to media number = M0121241 Compatible with: CURRENT: JW2 / JC3 / SL4		\$564 NI

CATERPILLAR MACHINE PRICE LIST

910

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	592-8386	KIT, LINES - 2V TO 3V 0 Kit provides the upgrade to a single standard flow aux line plus the joystick, hydraulic lines and components to convert a 2 valve (2V) to 3 valve (3V) on a Standard or High Lift machine. IMPORTANT - This does not include the Valve Slice nor the full 3 bank implement valve. Dealer has the choice to buy the extra valve slice/tie rods to strip and rebuild. Or they can buy a full replacement 3 bank implement valve to install on the machine. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0121245 Compatible with: CURRENT: JW2		\$972 NI
P	593-0278	KIT, LINES - 3V TO 4V 0 Kit provides the upgrade from std flow to high flow aux line plus the joystick with twin aux rollers, hydraulic lines and components to convert a 3 valve (3V) to 4 valve (4V) on a Standard or High Lift machine. IMPORTANT - This does not include the Valve Slice nor the full 3 bank implement valve. Dealer has the choice to buy the extra valve slice/tie rods to strip and rebuild. Or they can buy a full replacement 4 bank implement valve to install on the machine. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0121245 Compatible with: CURRENT: JW2		\$2,083 NI

PACKING

	0G-3117	RORO W/RIMS W/TIRES 0 Mandatory selection for all non-European shipments.		\$325 NET
	0G-3281	PACK - BUCKET GROUP (WHL) 0		\$127 NET
	423-6175	TRANSPORT GROUP 0 Required to ship a machine not fitted with either a coupler or an installed pin-on bucket. ONLY FOR USE WITH: LOADER ARRANGEMENTS 462-7126,462-7441 523-4518 & 523-4521		NC
	0G-3273	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators for shipment by sea Please note: This selection is mandatory for some regions including USA & Canada.		\$114 NET
	0G-3280	PACK, MISCELLANEOUS MATERIAL 0		NC
	0G-3304	PACKING FOR FORK /HOOKS/TINES 0		NC