

CATERPILLAR MACHINE PRICE LIST

920**920 WHEEL LOADER
LEICESTER, ENGLAND**Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.6 Engine
 -Common rail fuel injection
 -U.S. EPA Tier 4 Final/ EU Stage V
 Caterpillar NOx Reduction System
 Fuel: Ultra Low Sulphur Diesel @ <15ppm
 Engine Oil: Cj-4
 Electric fuel pump with 4 micron
 filtration
 S.O.S port, transmission oil
 Hydrostatic transmission
 Lube for life universal joints
 Forward - Neutral - Reverse on joystick
 100% locking differentials, on the
 fly activation
 Air cleaner, radial seal, dual filters
 Cooling fan, hydraulic
 Intergrated Cyclone pre-cleaner

HYDRAULICS

Two valve, single lever joystick
 Diagnostic pressure taps
 SOS port, hydraulic oil
 Hydraulically demand driven cooling fan
 Hystat and variable displacement pump

ELECTRICAL

150 Amp alternator
 Rooding lights
 12 volt direct electric starting
 Battery disconnect switch

OPERATOR ENVIRONMENT

Hydraulic control lever lockout
 Electrohydraulic implement controls
 Gauges
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Speedometer
 - Digital Hour meter
 - DEF
 Operator warning system indicators:
 - Brake charge pressure low
 - Engine malfunction
 - Park brake applied
 - Electrical system voltage flow
 - Hydraulic oil filter bypass
 - Action indicator
 Seat
 - adjustable height, backrest, armrest
 - Seat belt, retractable
 Heater/defroster
 Wiper/washer (front & rear)
 Tinted front glass,laminated

Adjustable steering column
 Rear window defrost
 Lockable Storage box with cup holder
 Internal 12V power source
 External 12V power source

FLUIDS

Extended life coolant antifreeze
 Protected to -36C (-33F) hydraulic oil
 Cat Advanced Hydo 10

OTHER STANDARD EQUIPMENT

Parallel lift, Optimized Z-Bar loader
 Fenders, front and rear
 Engine enclosure - lockable
 Recovery hitch
 Vandalism protection - locked service
 points
 Automatic lift and bucket kickouts,
 adjustable in-cab
 Electronic Throttle Lock
 Rimpull Control
 Creeper Control
 Implement Modulation Control
 Drivetrain Aggressiveness Control

REGIONAL STANDARDS(as required)
 Chocks
 bucket tooth or edge guard
 Decals, roading speed
 Reflectors, roading
 Camera, rear view
 Beacon

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

588-4096	920 14A WHEEL LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	\$179,220
-----------------	---------------------------------------------------------------------------------------------------------	------------------

- INCLUDES:
- 538-6990 920 14A WHEEL LOADER
 - 541-0761 ENGINE
 - 538-7161 POWERTRAIN, HI RIMPULL, 24MPH
 - 542-9197 CAB, DELUXE, SINGLE BRAKE
 - 539-7204 SEAT, DELUXE
 - 538-7130 HEATER AND AIR CONDITIONER
 - 541-2852 RIDE CONTROL
 - 538-7124 STEERING, STANDARD
 - 550-9815 SEAT BELT, RETRACTABLE 2"
 - 546-1819 LIGHTS, ROADING, RH DIP, LED
 - 433-3258 SECURITY SYSTEM, NONE
 - 450-5405 HYDRAULIC OIL, STANDARD
 - 540-3811 FAN, DEMAND
 - 546-5274 FENDERS, STANDARD, 20.5 TIRES
 - 538-7202 HYDRAULICS, 3V/1L, STD LIFT
 - 541-6332 COUPLER, FUSION, STD LIFT
 - 538-7162 COUNTERWEIGHT, 2612 LBS
 - 543-4225 ALARM, BACK-UP
 - 504-4835 CAMERA, REAR VIEW
 - 543-4227 LIGHTS, AUX, LED
 - 542-9319 PRODUCT LINK, CELLULAR, PL243
 - 560-3441 INSTRUCTIONS, ANSI
 - 558-3772 ARCTIC WEATHER PACKAGE, 120V
 - 421-8926 SERIALIZED TECHNICAL MEDIA KIT

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

571-0346	920 14A CWL WASTE CFG1 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY	\$146,310
----------	---------------------------------------------------------------------------------------------------------------------------------	------------------

SERIAL NUMBER PREFIX = SL4

920 Waste Handler configuration: Includes Waste handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Waste Handler range.

REQUIRED:

- 538-7187 Fan, Reversing
- 539-1318 Guard, Powertrain
- 539-1320 Guard, Driveshaft
- 548-7634 Guard, Crankcase
- 539-1317 Guard, Hitch

RECOMMENDED

- 558-8258 Guard, rear door
- 541-2851 Ride Control OR
- 560-2617 Ride Control, High Lift
- 260-5501 Beacon
- 504-7713 Fenders, Deflectors
- 543-4227 Lights, LED
- 533-3604 Guard, Front Lights
- 558-7258 Guard, Rear Lights

- 559-2597 Tires, 17.5X25 Brawler, Smooth OR
- 559-2595 Tires, 17.5X25 Brawler, Traction OR
- 385-5823 Tires, 17.5, XHA2
- 561-7108 Tires, 20.5, XHA2

CATERPILLAR MACHINE PRICE LIST

920

920 WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
----------------------------------------	--------------------	-------------------------

<p>571-0348</p> <p>920 14A CWL AGGREGATE CFG1 0</p> <p>LANE 2 - AVAILABLE FROM LEICESTER FACTORY</p> <p>LANE 3 - AVAILABLE FROM LEICESTER FACTORY</p>	<p>0</p>	<p>\$146,310</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-------------------------

SERIAL NUMBER PREFIX = SL4

920 Agg Handler configuration: Includes Aggregate handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Aggregate handler range.

- REQUIRED:
- 550-2681 Counterweight, Agg/High Lift
 - 538-7190 HYD, 2V 1L, STD Lift OR
 - 538-7202 HYD, 3V 1L, STD Lift
 - 415-5927 BUCKET-GP, 1.9 M3, PO, BOCE OR
 - 492-2491 BUCKET-GP, 1.9 M3, IT, BOCE OR
 - 492-2492 BUCKET-GP, 1.9 M3, ISO, BOCE OR
 - 546-4014 BUCKET-GP, 1.9 M3, FUS, BOCE

- RECOMMENDED
- 538-7161 Powertrain, HI Rimpull, 40kph
 - 538-7187 Fan, Reversing
 - 542-9197 Cab Deluxe
 - 541-2852 Ride Control
 - 543-4227 Working Lights, LED
 - 539-1318 Guard, Powertrain, Lower
 - 539-1320 Guard, Driveshaft
 - 548-7634 Guard, Crankcase
 - 561-7108 Tire, 20.5, XHA2

<p>538-6990</p> <p>920 14A WHEEL LOADER 0</p> <p>LANE 2 - AVAILABLE FROM LEICESTER FACTORY</p> <p>LANE 3 - AVAILABLE FROM LEICESTER FACTORY</p>	<p>0</p>	<p>\$146,310</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-------------------------

SERIAL NUMBER PREFIX = SL4

<p>0P-7344</p> <p>920 MISCELLANEOUS MATERIAL 0</p> <p>Use this reference to order material from Parts Dept. Using a CMOPS order via the antares bridge.</p>	<p>0</p>	<p>NC</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	------------------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0		NC
	Select this option when ordering from the Distribution Center.			

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	561-7108	TIRES, 20.5 R25, MX, XHA2	0	\$11,030
		Michelin Product Code #84298 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2282mm (90") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground.		

BUCKET

P	546-4014	BUCKET-GP, 2.4 YD3, FUS, BOCE	1,618 1,618	\$6,672 \$6,672 NI
---	----------	-----------------------------------------	----------------	-----------------------

INSTRUCTION DECALS

L	560-3440	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries (incl. Canada) excluding the USA and EU.		
L	560-3441	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals as required for the USA. (excl. Canada)		

PREP PACK

L	519-5211	PREP PACK, EMC	0	NC
		Decal to certify the machine meets emc regulations REQUIRED BY: Canadian Dealers		

MEDIA KIT

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through https://catpublications.com .		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
	Required for all machines for USA, Canada & South America		
OG-3273	RUST PREVENTATIVE APPLICATOR	0	\$114 NET
	Preparation for shipment		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

SPECIAL ARRANGEMENTS - FINISH TO ORDER.

Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.
 NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.
 FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

Extended range of KITS can be ordered and installed at dealerships see KIT SECTION at the END of pricelist.

OPTIONS

P	546-6666	KIT, GUARD POWERTRAIN	0	\$1,182
		Kit provides lower transmission guard that mounts underneath the rear frame.		
P	546-6668	KIT, GUARD DRIVESHAFT	0	\$635
		Kit provides drive shaft guard that mounts underneath the front frame.		
P	588-8081	KIT, GUARD, CRANKCASE	0	\$426
		Kit provides engine crankcase guard that mounts underneath the rear frame.		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

POWERTRAIN - ENGINE

L	541-0761	ENGINE EPA Tier 4 Final certified Engine EU Stage V MLIT 2014 Net power @ Rated (2200RPM) is 120HP (90KW) Gross power @ Rated (220RPM) is 123HP (92KW)	0	NC
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	----

POWERTRAIN - GEARING

L	538-7158	POWERTRAIN, HI RIMPULL, 12MPH Axle/differential with high rimpull, designed for stated top speed. Also recommended for applications where faster traveling speeds are not necessary. Transmission will have a range 1 and range 2. Maximum travel speed on level ground is 20 KPH (12 MPH).	0	NC
L	538-7161	POWERTRAIN, HI RIMPULL, 24MPH Axle/differential with high rimpull, designed for stated top speed. Recommended for most applications in areas without local travel speed restrictions. Transmission has a range 1,2 and 3. Maximum travel speed on level ground is 40 KPH (25 MPH).	0	\$4,370

COOLING FAN

L	540-3811	FAN, DEMAND Hydraulically operated on demand cooling fan	0	NC
L	538-7187	FAN, REVERSING Hydraulically operated on demand cooling fan with reversing ability. Includes an automatic and manual control for fan reversal.	0	\$1,225

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULICS - STANDARD LIFT

The 910,914 & 920 are designed for Caterpillar work tools, when using third party work tools, pin on coupler, or ISO wide or any other couplers designed by NON CAT SUPPLIERS the loader linkage could go over center when fully dumped.
 Refer to Special Instructions, SEHS0166 "Procedure to Modify the Linkage in order to Prevent the Linkage from Over-Centering on the 910,914 & 920 for preventing an over center condition from occurring.
 PLEASE NOTE: HARNESS, WIRING, WORKTOOL (471-6212) is recommended for use with complex hydromechanical work tools such as angle brooms, dozer blades, snow blowers, wheel saws, and mulchers.

L	538-7190	HYDRAULICS, 2V/1L, STD LIFT 0		NC
		Provides standard height lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		
L	538-7202	HYDRAULICS, 3V/1L, STD LIFT 0		\$2,205
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		
L	538-7210	HYD,4V/1L,STD LIFT,HF,WT WIRING 0		\$6,770
		Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings for 3rd aux lines (high flow) and caps for 4th aux lines. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		

HYDRAULICS - HIGH LIFT

L	538-7193	HYDRAULICS, 2V/1L, HIGH LIFT 0		\$4,555
		Provides high lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions.		
L	538-7205	HYDRAULICS, 3V/1L, HI LIFT 0		\$6,760
		Provides third valve auxiliary hydraulics, controlled by a proportional roller on the joystick. Auxiliary lines terminate on the loader arms with caps. Electrohydraulic joystick lever operates both lift and tilt functions.		
L	538-7212	HYD,4V/1L,HI-LIFT,HF,WT WIRING 0		\$11,330
		Provides four valve hydraulics with two auxiliary functions, controlled by two separate proportional thumb roller on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings for 3rd aux lines (high flow) and caps for 4th aux lines. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings.		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

COUPLERS

L	540-4965	NO COUPLER, PIN ON, 2V 0 Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		NC
L	538-7166	NO COUPLER, PIN ON, 3V/4V 0 Machine will come with no coupler components ONLY FOR USE WITH: PO bucket or PO transport group		NC
L	549-5002	COUPLER READY, STD LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: Standard lift and requires either PO bucket or PO transport group		\$500
L	549-5004	COUPLER READY, HIGH LIFT 0 Machine will come with coupler ready. Includes lines and activation switch. ONLY FOR USE WITH: High lift and requires either PO bucket or PO transport group		\$500
L	538-7230	COUPLER, STD LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: STD lift and IT worktools		\$2,090
L	540-4963	COUPLER, HIGH LIFT, IT 0 Compatible with IT worktool interface ONLY FOR USE WITH: High lift and IT worktools		\$2,090
L	538-7232	COUPLER, ISO WIDE, STD LIFT 0 Compatible with the Volvo work tool interface. ONLY FOR USE WITH: Standard lift and ISO worktools		\$2,090
L	538-7195	COUPLER, ISO WIDE, HIGH LIFT 0 compatible with the Volvo work tool interface. ONLY FOR USE WITH: High lift and ISO worktools		\$2,090
L	541-6332	COUPLER, FUSION, STD LIFT 0 Compatible with Fusion worktool interface. ONLY FOR USE WITH: Standard Lift & Fusion worktools		\$3,545
L	538-7196	COUPLER, FUSION, HIGH LIFT 0 Compatible with Fusion worktool interface. ONLY FOR USE WITH: High Lift & Fusion worktools		\$3,545

ELECTRICAL

ROADING LIGHTS

P	552-2673	LIGHTS,ROADING,RH DIP,HALOGEN 0 Provides directional signals, front and rear and high/low beam. ONLY FOR USE WITH: Drive on right (Exc Italy)		NC
P	571-2780	LIGHTS,ROADING,RH DIP,LED REAR 0 Includes LED rear roading lights and Halogen Front roading lights for regions that drive on the right hand side of the road.		\$257
P	546-1819	LIGHTS, ROADING, RH DIP, LED 0 Includes LED roading lights Front and rear for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life		\$1,100

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

STEERING

L	538-7124	STEERING, STANDARD 0		NC
		CANNOT BE USED WITH: EU DEALERS		
L	538-7127	STEERING, SECONDARY 0		\$1,275
		Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm.		

CANOPY/ CAB

L	542-9198	CANOPY, STANDARD, SINGLE BRAKE 0		NC
		Canopy features: ROPS, FOPS, fixed steering column, low effort joystick with FNR, gear selection, differential lock, continuous flow (opt), and proportional auxiliary switch (opt) in one hand, coat hook, sun visor, external knock back mirrors, interior rear view mirror, lockable storage box, and suspended pedals. CANNOT BE USED BY: EU DEALERS REQUIRES: HYDRAULIC HOSE GUARD IF 3 OR 4 VALVE HYDRAULICS SELECTED.		
L	542-9197	CAB, DELUXE, SINGLE BRAKE 0		\$7,770
		ROPS/FOPS certified Deluxe cab includes all canopy features plus adjustable steering column, two doors with sliding glass windows, heated rear window, cabin light, radio ready kit, available Cat Radio/CD/MP3/WMA Player (opt), heater with available air conditioning (opt), available rear blind (opt).		

SEATS

L	539-7203	SEAT, VINYL 0		NC
		Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: CANOPY		
L	539-7204	SEAT, DELUXE 0		\$795
		Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated cushions. CANNOT BE USED WITH: CANOPY		
L	552-3734	SEAT, DELUXE PLUS 0		\$1,085
		Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, armrests and heated and adjustable comfort cushions. CANNOT BE USED WITH: CANOPY		

SEAT BELTS

L	550-9815	SEAT BELT, RETRACTABLE 2" 0		NC
		High Visibility Orange 51MM (2 inch) wide seat belt.		
L	236-8015	SEAT BELT, RETRACTABLE 3" 0		\$146
		High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RIDE CONTROL

L	576-4753	NO RIDE CONTROL	0	NC
L	541-2852	RIDE CONTROL Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 8 KPH Includes system active indicator on dash. ONLY FOR USE WITH: HYDRAULICS STANDARD LIFT	0	\$3,345
L	576-4754	NO RIDE CONTROL, HIGH LIFT	0	NC
L	560-2617	RIDE CONTROL, HIGH LIFT Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 8 KPH Includes system active indicator on dash. ONLY FOR USE WITH: HYDRAULICS HIGH LIFT	0	\$3,345

ACCESSORY EQUIPMENT

L	504-4835	CAMERA, REAR VIEW Provides a rear view camera system with display in the cab. REQUIRES: 542-9197 CAB,DELUXE,SINGLE BRAKE CANNOT BE USED WITH: 504-4834 REAR VIEW MIRROR INCLUDED IN: 570-3158 PREP PACK EU	0	\$1,575
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---------

HEATER/ AIR CONDITIONER

REQUIRED IF ORDERING A CAB

L	538-7128	HEATER Heater/Front defroster	0	NC
L	538-7130	HEATER AND AIR CONDITIONER Heater/Front defroster and air conditioner.	0	\$4,280

MACHINE SECURITY SYSTEM

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE	0	NC
L	567-5049	SECURITY SYSTEM, MACHINE NOTE: KEYPAD system, not key-based. Caterpillar Machine Security System (MSS) to manage access to the machine via keypad code. Machine is shipped with the system inactive. Requires ET to activate.	0	\$1,055

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	542-9319	PRODUCT LINK, CELLULAR, PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	542-9320	PRODUCT LINK, PLE643 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		\$846

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire

TIRES AVAILABLE FROM MICHELIN

P	385-5822	TIRES, 17.5 R25, MX, L2 XTLA 1,789 Michelin Product Code #04118 Radial, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$2,750
P	577-9956	TIRES, 17.5 R25, MX, L3 XHA2 0 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 3 piece rim Width over tire measurement = 2259mm (89")		\$7,750

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN (Cont.)

P	385-5823	TIRES, 17.5 R25, MX, L3 XHA2 2,123 Michelin Product Code #717546 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. 1 piece rim. Width over tire measurement = 2259mm (89")		\$6,500
P	561-7108	TIRES, 20.5 R25, MX, XHA2 0 Michelin Product Code #84298 Radial, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2282mm (90") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 546-5274 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$11,030
P	561-7110	TIRES, 20.5 R25, MX, XSNOW 0 Michelin Product Code #62408 Michelin Xsnoplus Tire. Specially designed for operation on snow and ice. Non directional tread pattern with excellent self-cleaning. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2284mm (90") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 546-5274 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$10,100

TIRES AVAILABLE FROM GOODYEAR

P	385-5825	TIRES, 17.5-25, GY, L3,3PC RIM 2,234 Goodyear Product Code #123-876-175 HRL D/L-3A (Hard Rock Lug) Wide base bias rock tire. Aggressive lug design provides good performance in harsh underfoot conditions.		\$3,560
P	385-5821	TIRES, 17.5-25, GY, L2 SGL12PR 1,511 Goodyear Product Code #123-897-458 SGL D/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self cleaning tread for floatation and traction. Width over tire measurement = 2260mm (89")		\$450

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM GOODYEAR (Cont.)

P	430-2658	TIRES, 17.5 R25, GY, L3 RT-3B 0 Goodyear Product Code #606019 17.5R25 176A2 TL * UN RT-3B 6S Radial tire, non directional tread, self cleaning Superior resistance to rock cuts and penetration for use on rough terrain 1 piece rim Width across tires 89" (2260mm)		\$6,500
P	561-7109	TIRES, 20.5-25, GY, SGL 12 PR 0 Goodyear Product Code #128-5164 SGL E/L-2A (Sure Grip Loader) - 12 ply rating Nylon bias, tubeless, directional and self-cleaning tread for floatation and traction. Oscillation limiter to maintain fender to tire clearance Width over tire measurement = 2304mm (91") NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 547-5217 FENDERS, EXT COVER, 20.5 OR 547-5217 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$5,450

SNOW TIRES YOKOHAMA AND NOKIAN

P	561-6547	TIRES, 17.5-25 12PR, YK, L2 SNOW 0 Yokohama and # P3540 Specially designed for operation on snowy roads. Directional tread pattern provides excellent traction and pulling performance.		\$1,950
P	533-2713	TIRES, 17.5 R25, NK, L2 SNOW 0 Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning.		\$4,810
P	580-6238	TIRES, 20.5 R25, NK, L2 SNOW 0 Nokian Hakkapeliitta Tire Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning. NOTE: A Fusion coupler or High Lift option is require with this 20.5 R25 tire to allow attachments such as buckets to sit level on the ground. REQUIRES: 546-5274 FENDERS, EXT COVER, 20.5 OR 547-5217 FENDERS, STANDARD, 20.5 CANNOT BE USED WITH: 538-7230 COUPLER, STD LIFT, IT 538-7232 COUPLER, ISO WIDE, STD LIFT		\$10,330

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SOLID TIRES AVAILABLE

P	559-2597	TIRES, 17.5X25 TL BRAWLER, SM 0 FOR USE IN LANE 3 ONLY PLEASE CONTACT THE FACTORY TO CHECK AVAILABILITY BEFORE ORDERING Trelleborg; Brawler SMOOTH HPS Solidflex ; 17.5x25; Press on Solid Tires. Solid tires supplied WITH rear metal platforms and metal front fenders only. Width across tires 2236mm (88"). CANNOT BE USED WITH: ANY ROADING CONVERSION PACKAGE 550-2681 CTWT, HIGH LIFT/AGG ONLY FOR USE WITH: 538-7158 POWERTRAIN & 504-4713 FENDERS, DEFLECTORS		\$18,960
P	559-2595	TIRES, 17.5X25 TL BRAWLER, TR 0 FOR USE IN LANE 3 ONLY PLEASE CONTACT THE FACTORY TO CHECK AVAILABILITY BEFORE ORDERING Trelleborg; Brawler TRACTION HPS Solidflex ; 17.5x25; Press on Solid Tires. Solid tires supplied WITH rear metal platforms and metal front fenders only. Width across tires 2236mm (88"). CANNOT BE USED WITH: ANY ROADING CONVERSION PACKAGE 550-2681 CTWT, HIGH LIFT/AGG ONLY FOR USE WITH: 538-7158 POWERTRAIN & 504-4713 FENDERS, DEFLECTORS		\$18,500

GUARDS

HYDRAULIC GUARDS

Required when ordering a Canopy with 3 or 4 valve hydraulics.
 CANNOT BE USED WITH: CAB

NOTE: When ordering Third and Fourth valve, you MUST order
 Third and Fourth Hose Guards.

L	466-2557	GUARD, HOSE, 3 VALVE, STD LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY .		NC
L	466-2558	GUARD, HOSE, 4 VALVE, HIGH FLOW 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	542-5175	GUARD, HOSE, 4 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		NC
L	550-7792	GUARD, HOSE, 3 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY		\$101

COUPLER HOSE GUARDS

Required when ordering a Canopy and a loader arrangement with coupler.
 CANNOT BE USED WITH: CAB

L	466-2559	GUARD, COUPLER HOSE 0 FOR USE WITH: 538-7230 COUPLER, STD LIFT, IT 549-5002 COUPLER, READY, STD LIFT 538-7232 COUPLER, ISO WIDE, STD LIFT 541-6332 COUPLER FUSION, STD LIFT		NC
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

COUPLER HOSE GUARDS (Cont.)

L	435-0853	GUARD, COUPLER HOSE, HI LIFT 0 FOR USE WITH: 540-4963 COUPLER, HIGH LIFT, IT 538-7195 COUPLER, ISO WIDE, HIGH LIFT 538-7196 COUPLER, FUSION, HIGH LIFT 549-5004 COUPLER READY, HIGH LIFT		\$101
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

OTHER ATTACHMENTS

FENDERS

L	469-5852	FENDERS, STANDARD 0 Provides non-metalic front fenders to help keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry.		\$428
L	469-5853	FENDERS, FULL COVER 0 Provides non-metalic front fenders with mud flaps to keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire with mud flaps to keep both machine and access ladder clean. Recommended for applications such as snow removal and extremely muddy conditions.		\$640
L	547-5217	FENDERS, EXT COVER 20.5 TIRES 0 Provides black, non-metallic front fenders and full coverage rear fenders. For use with roading. REQUIRES: 561-7108 TIRE, 20.5 R25, MX XHA2 561-7109 TIRE, 20.5 R25, GY, SGL 12PR 561-7110 TIRE, 20.5 R25, MX XSNOW 580-6238 TIRE, 20.5 R25, NK, L2 SNOW		\$725
L	546-5274	FENDERS, STANDARD, 20.5 TIRES 0 Provides black, non-metallic front fenders and partial coverage rear fenders. REQUIRES: 561-7108 TIRE, 20.5 R25, MX XHA2 561-7109 TIRE, 20.5 R25, GY, SGL 12PR 561-7110 TIRE, 20.5 R25, MX XSNOW 580-6238 TIRE, 20.5 R25, NK, L2 SNOW		\$430
L	504-4713	METAL FENDER, DEFLECTORS 0 Provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage.		\$-326

COUNTERWEIGHTS

L	538-7162	COUNTERWEIGHT, 2612 LBS 0 Rear counterweight option for all standard lift machines. ONLY FOR USE WITH: STANDARD LIFT MACHINES OR HIGH LIFT MACHINES WITH SOLID TIRES		NC
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

OTHER ATTACHMENTS (CONT.)**COUNTERWEIGHTS (Cont.)**

L	550-2681	CTWT, HIGH LIFT/AGG, 3230 LBS 0		\$2,000
		NOT RECOMENDED WITH SOLID TIRES Rear counterweight option side mounted on rear frame, for high lift and aggregate handler machines. REQUIRES: HIGH LIFT WITH STD TIRES AND AGGREGATE HANDLER MACHINES		

WEATHER PACKAGE

L	559-9898	STANDARD WEATHER PACKAGE 0		NC
L	569-6317	COLD WEATHER PACKAGE 0		\$750
		Standard weather package plus additional battery and wiring for colder climate regions		
L	558-3772	ARCTIC WEATHER PACKAGE, 120V 0		\$1,065
		Standard weather package plus additional battery and wiring, block heater and cold climate engine coolant for extreme cold climates.		

FLUIDS**HYDRAULIC OIL**

L	450-5405	HYDRAULIC OIL, STANDARD 0		\$1,160
L	444-1000	HYDRAULIC OIL, BIODEGRADABLE 0		\$1,275

DOCUMENTATION**DECAL PACKAGES**

L	560-3441	INSTRUCTIONS, ANSI 0		NC
		This package includes picto decals as required for the USA. (excl. Canada) Only for use with: USA DEALERS		

INSTRUCTIONS**INSTRUCTIONS AND OPERATION MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0		NC
		Kit will include Operation and Maintenance (OMM) in the legally required language, based on the final country of destination. Any additional media or translation not included in the kit, can be ordered through https://catpublications.com .		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

HYDRAULICS

JUMPER HOSES

L	555-7354	JUMPER HOSE, 3V 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V Lines only FOR USE WITH: IT/ISO COUPLER AND 3V HYDRAULICS		\$595
L	559-3857	JUMPER HOSE, 3V, FUSION 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V Lines only FOR USE WITH: FUSION COUPLER AND 3V HYDRAULICS		\$600
L	572-4906	JUMPER HOSE,4V, IT&ISO COUPLER 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V high flow Lines only FOR USE WITH: IT/ISO COUPLER AND 4V HYDRAULICS		\$595
L	572-4907	JUMPER HOSE,4V, FUSION COUPLER 0 Provides hoses from the loader arm down to the coupler, includes screw to connects, 3V high flow Lines only FOR USE WITH: FUSION COUPLER AND 4V HYDRAULICS		\$595
L	592-5276	QUICK DISCONNECT, 4V 0 Provides push fit quick disconnects at the loader arm for 3RD AUX only Required for factory testing, if no jumper hose selected. ONLY FOR USE WITH: 4V HYDRAULICS		NC

ELECTRICAL

BEACON

P	260-5501	BEACON, ROTATING, MAGNET (HAL) 0 Includes magnetic rotating beacon with Britex connector, on/off switch, wiring, and mounting.		\$399 \$399 NI
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------

CAB WORKLIGHTS

P	448-9539	LIGHTS, STD, HALOGEN 0 Four halogen floodlights mounted beneath cab roof, two front, two rear.		\$615
P	561-3288	LIGHTS, STD, LED 0 Four LED floodlights mounted beneath cab roof, two front, two rear. Plus additional LED engine enclosure lights.		\$840
P	546-3116	LIGHTS, AUX, LED AND HALOGEN 0 Four LED and four halogen floodlights mounted beneath cab roof, four front (two halogen and two LED), four rear(two halogen and two LED). Plus additional LED engine enclosure lights.		\$955
P	543-4227	LIGHTS, AUX, LED 0 Eight LED floodlights mounted beneath cab roof, four front, four rear. Plus additional LED engine enclosure lights.		\$1,065

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL (CONT.)

ACCESSORY EQUIPMENT

L	554-6985	WORKTOOL, WIRING 0 Supplies electrical power for valves on selected Work Tools. REQUIRES: Machine to be equipped with a COUPLER, can also be added as a Dealer Installed Kit 594-2120 KIT-WIRING -WORK TOOL		\$369
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

BACK-UP ALARM

L	543-4225	ALARM, BACK-UP 0 Required for machines sold into North America		\$202
---	----------	------------------------------------------------------------------------------------	--	-------

OPERATOR ENVIRONMENT

AXLE OSCILLATING LIMITER

L	473-9440	LIMITER, AXLE OSCILLATION 0 Restricts the rear axle oscillation from 11 degrees on each side to 9 degrees. When winter tire chains are installed, the axles should be equipped with Axle Oscillations Limiters to prevent contact between the tire chains and the chassis. Bolt-on design. CANNOT BE USED WITH: 20.5"TIRES		\$95
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------

RADIO PACKAGES

P	541-4413	RADIO, AM/FM, BT/USB/AUX/MIC 0 Cat FM Radio with bluetooth, aux input & microphone. CANNOT BE USED WITH: CANOPY MACHINES		\$565
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

ACCESSORY EQUIPMENT

P	450-4690	PLATE, LICENSE 0 Rear plate with light attached to hold a license plate for roading. CANNOT BE USED WITH: 540-4668 CONVERSION, TUV ROADING, 40KPH 540-4669 CONVERSION, ITALIAN ROADING, SL 540-4670 CONVERSION, ITALIAN ROADING, HL		\$269
P	279-0643	BLIND, REAR, PERFORATED 0 Retractable blind reduces glare and radiant heat. Semi-transparent for rear visibility CANNOT BE USED WITH: CANOPY MACHINES		\$313
P	471-6921	TOOL BOX 0 Fabricated, heavy duty tool box is suitable for storing grease guns. Mounted externally on the chassis behind the right side ladder CANNOT BE USED WITH: 525-4951 COUNTERWEIGHT, JPN		\$630

GUARDS

L	558-7258	GUARD, REAR LIGHTS 0 Provides two (2) rear light guards that mount over the tail lights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$193
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
GUARDS (CONT.)				
L	558-8258	GUARD, REAR DOOR 0 Provides protection to rear of the machine and cooling package. Includes swing out guard for cooling access and mounting for rear camera.		\$2,890
L	533-3604	GUARD, FRONT LIGHTS 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: EU ROADING CONVERSIONS		\$386
L	548-7634	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$424
L	539-1320	GUARD, DRIVE SHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$635
L	539-1317	GUARD, HITCH 0 Provides protection to hitch area of the rear frame and front frame, preventing debris from entering while allowing visibility to service points.		\$710
L	539-1318	GUARD, POWERTRAIN 0 Mounts underneath machine to provide protection for the transmission components. Includes service access panel for oil changes.		\$1,015

OTHER ATTACHMENTS

ACCESSORY EQUIPMENT

P	468-3869	WHEEL CHOCK 0 CANNOT BE USED WITH: 540-4667 CONVERSION, TUV ROADING, 20KPH 540-4668 CONVERSION, TUV ROADING, 40KPH		\$665
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------	--	-------

WORK TOOLS

WORKTOOLS

First worktool must ordered as installed,no packing reference required.
 Additional buckets must be ordered as 'not installed' and should include packing reference 0G-3281
 Please note: Japan dealers cannot order additional worktools due to shipping reasons.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

WORKTOOLS (Cont.)

Performance Series buckets feature a wider moldboard opening angle, longer floor and forward curving (convex) sidebars. These aggressive buckets load easier and retain material better for faster cycle times.

Offered with:

- 1) Bolt-on, reversible cutting edges for maximum durability and smooth grading.
- 2) Bolt-on teeth with pin-on tooth tips for maximum penetration and digging.

All 910/914 PS General Buckets share the following characteristics:

Single piece bolt-on cutting edge = 2400mm / 95" wide
 8x bolt on adaptors & long tips = 2430mm / 95" wide
 Performance Fill Factor = 110% (or 0.1cum/0.2cyd) of stated capacity.
 For correct bucket selection see OMM/specalog which shows max material densities per machine configuration per bucket size.

PIN ON BUCKETS

Only available with coupler pin on and coupler ready machines machines.

P	481-9759	BUCKET-GP, 1.8 YD3, PO, BOT	1,184 1,184	\$6,444 \$6,444 NI
P	472-6537	BUCKET-GP, 1.8 YD3, PO, BOCE	1,276 1,276	\$5,715 \$5,715 NI
P	481-9763	BUCKET-GP, 2.0 YD3, PO, BOT	1,270 1,270	\$6,715 \$6,715 NI
P	472-6542	BUCKET-GP, 2.0 YD3, PO, BOCE	1,342 1,342	\$5,986 \$5,986 NI
P	481-9766	BUCKET-GP, 2.3 YD3, PO, BOT	1,358 1,358	\$7,131 \$7,131 NI
P	415-5961	BUCKET-GP, 2.3 YD3, PO, BOCE	1,450 1,450	\$6,401 \$6,401 NI
P	481-9767	BUCKET-GP, 2.4 YD3, PO, BOT	1,398 1,398	\$7,257 \$7,257 NI
P	415-5927	BUCKET-GP, 2.4 YD3, PO, BOCE	1,490 1,490	\$6,528 \$6,528 NI
P	591-1472	BUCKET-GP, 2.6 YD3, PO, BOCE	1,570 1,570	\$6,833 \$6,833 NI

For use with: 20.5" tires. Ensuring dig depth.
 Not recommended for use with 17.5" tires due to the longer drop and excessive dig depth.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

PIN ON BUCKETS (Cont.)

P	562-8294	BUCKET-SNOW, 2.6 YD3, PO, BOCE	1,507 1,507	\$6,807 \$6,807 NI
P	498-0033	BUCKET-LM, 3.3 YD3, PO, BOCE	816 816	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0036	BUCKET-LM, 3.9 YD3, PO, BOCE	878 878	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0039	BUCKET-LM, 4.6 YD3, PO, BOCE	938 938	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

IT STD COUPLER BUCKETS

Only available with coupler IT machines.

P	481-9755	BUCKET-GP, 1.7 YD3, IT, BOT	1,129 1,129	\$6,300 \$6,300 NI
P	472-6534	BUCKET-GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,571 \$5,571 NI
P	481-9760	BUCKET-GP, 1.9 YD3, IT, BOT	1,173 1,173	\$6,571 \$6,571 NI
P	472-6539	BUCKET-GP, 1.9 YD3, IT, BOCE	1,265 1,265	\$5,842 \$5,842 NI
P	481-9762	BUCKET-GP, 2.0 YD3, IT, BOT	1,250 1,250	\$6,715 \$6,715 NI
P	472-6541	BUCKET-GP, 2.0 YD3, IT, BOCE	1,362 1,362	\$5,986 \$5,986 NI
P	481-9764	BUCKET-GP, 2.2 YD3, IT, BOT	1,301 1,301	\$6,986 \$6,986 NI
P	390-8219	BUCKET-GP, 2.2 YD3, IT, BOCE	1,393 1,393	\$6,257 \$6,257 NI
P	559-5199	BUCKET, GP, 2.4 YD3, IT, BOT	1,385 1,385	\$7,457 \$7,457 NI
P	492-2491	BUCKET-GP, 2.4 YD3, IT, BOCE	1,470 1,470	\$6,528 \$6,528 NI
P	562-8297	BUCKET-SNOW, 2.6 YD3, IT, BOCE	1,487 1,487	\$6,807 \$6,807 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

IT STD COUPLER BUCKETS (Cont.)

P	498-0031	BUCKET-LM, 3.3 YD3, IT, BOCE	792 792	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0034	BUCKET-LM, 3.9 YD3, IT, BOCE	854 854	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0037	BUCKET-LM, 4.6 YD3, IT, BOCE	914 914	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

ISO WIDE COUPLER BUCKETS

Only available with coupler ISO machines.

P	481-9756	BUCKET-GP, 1.7 YD3, ISO, BOT	1,169 1,169	\$6,300 \$6,300 NI
P	472-6535	BUCKET-GP, 1.7 YD3, ISO, BOCE	1,261 1,261	\$5,571 \$5,571 NI
P	481-9761	BUCKET-GP, 1.9 YD3, ISO, BOT	1,213 1,213	\$6,571 \$6,571 NI
P	472-6540	BUCKET-GP, 1.9 YD3, ISO, BOCE	1,305 1,305	\$5,842 \$5,842 NI
P	481-9765	BUCKET-GP, 2.2 YD3, ISO, BOT	1,341 1,341	\$6,986 \$6,986 NI
P	415-5957	BUCKET-GP, 2.2 YD3, ISO, BOCE	1,433 1,433	\$6,257 \$6,257 NI
P	492-2492	BUCKET-GP, 2.4 YD3, ISO, BOCE	1,470 1,470	\$6,528 \$6,528 NI
P	498-0032	BUCKET-LM, 3.3 YD3, ISO, BOCE	804 804	\$8,461 \$8,461 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100%		
P	498-0035	BUCKET-LM, 3.9 YD3, ISO, BOCE	866 866	\$9,117 \$9,117 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100%		
P	498-0038	BUCKET-LM, 4.6 YD3, ISO, BOCE	926 926	\$9,885 \$9,885 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100%		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

ISO WIDE COUPLER BUCKETS (Flat floor)

Only available with coupler ISO machines.

P	488-7005	BUCKET-FF, 1.8 YD3, ISO, WOT	1,490 1,490	\$7,608 \$7,608 NI
P	468-4749	BUCKET-FF, 1.9 YD3, ISO, BOCE	1,492 1,492	\$6,663 \$6,663 NI
P	488-7006	BUCKET-FF, 1.9 YD3, ISO, WOT	1,378 1,378	\$8,160 \$8,160 NI
P	468-4750	BUCKET-FF, 2.0 YD3, ISO, BOCE	1,525 1,525	\$7,213 \$7,213 NI
P	488-7007	BUCKET-FF, 2.2 YD3, ISO, WOT	1,490 1,490	\$8,775 \$8,775 NI
P	468-4751	BUCKET-FF, 2.3 YD3, ISO, BOCE	1,436 1,436	\$7,828 \$7,828 NI

FUSION BUCKETS

P	559-5194	BUCKET-GP, 1.9 YD3, FUS, BOT	1,314 1,314	\$6,571 \$6,571 NI
P	550-3488	BUCKET-GP, 1.9 YD3, FUS, BOCE	1,448 1,448	\$5,842 \$5,842 NI
P	559-5195	BUCKET-GP, 2.0 YD3, FUS, BOT	1,349 1,349	\$6,715 \$6,715 NI
P	549-6912	BUCKET-GP, 2.2 YD3, FUS, BOT	1,433 1,433	\$6,986 \$6,986 NI
P	550-3489	BUCKET-GP, 2.0 YD3, FUS, BOCE	1,484 1,484	\$5,986 \$5,986 NI
P	546-4012	BUCKET-GP, 2.2 YD3, FUS, BOCE	1,519 1,519	\$6,257 \$6,257 NI
P	549-6913	BUCKET-GP, 2.4 YD3, FUS, BOT	1,510 1,510	\$7,401 \$7,401 NI
P	546-4014	BUCKET-GP, 2.4 YD3, FUS, BOCE	1,618 1,618	\$6,672 \$6,672 NI
P	560-0128	BUCKET-LM, 3.3 YD3, FUS, BOCE	0 0	\$8,461 \$8,461 NI
P	560-0129	BUCKET-LM, 3.9 YD3, FUS, BOCE	0 0	\$9,117 \$9,117 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FUSION BUCKETS (Cont.)

P	560-0130	BUCKET-LM, 4.6 YD3, FUS, BOCE	0	\$9,885
			0	\$9,885 NI

FORK CARRIAGES

Please add the packing reference 0G-3280 if ordered 'Not-Installed'.

P	390-8288	CARRIAGE, PAL CL3, 61", IT	539	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with standard width 'IT' quick coupler ONLY FOR USE WITH: 538-7230 COUPLER, STD LIFT, IT OR 540-4963 COUPLER, HIGH LIFT, IT		
P	428-2109	CARRIAGE, PAL CL3, 61", ISO	535	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with wide (Volvo) coupler ONLY FOR USE WITH: 538-7232 COUPLER, ISO WIDE, STD LIFT OR 538-7195 COUPLER, ISO WIDE, HIGH LIFT		
P	532-8222	CARRIAGE, PAL C3/4, 62", FUS	324	\$2,610 NI
		1565mm wide carriage. Does not include fork tines. ONLY FOR USE WITH: 541-6332 COUPLER, FUSION, STD LIFT OR 538-7196 COUPLER, FUSION, HIGH LIFT		

FORK TINES

ORDER QUANTITY OF TWO

Please add the packing reference 0G-3304 if ordered 'Not-Installed'.

P	553-3872	FORK, PAL C3, 47" X 5" X 2"	199	\$765 NI
		REQUIRES: 532-8222 Fork Carriage		
P	553-3873	FORK, PAL C3, 53" X 5" X 2"	215	\$1,000 NI
		REQUIRES: 532-8222 Fork Carriage		
P	6W-8900	FORK TINES, 2" X 5" X 48"	251	\$718 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		
P	6W-9739	FORK TINES, 2" X 5" X 53"	343	\$743 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		
P	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		
P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		REQUIRES: 390-8288 Fork Carriage OR 428-2109 Fork Carriage		

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS***KITS AVAILABLE ONLY FROM SUPERTRAK***

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak
800.446.9858 --- 941.505.7800 --- www.Supertrak.com
Supertrak is responsible for the sales, parts,
support and warranty.
All dealer net prices below are for reference only, and are subject
to change by Supertrak.
Additional information and pictures are located on DEALER.CAT.COM
in the Compact Wheel Loader area.

Note: Reference application specific OSHA requirements
(e.g. window mesh spacing standards), particularly
in forestry applications.

CT2026-008 KIT, REAR WINDOW GUARD. 4354 USD NET
Guards provide protection for rear lights, rear window, and rear
side corner windows. 3" (75mm) mesh opening with 1/4" (6mm)
wire diameter can be customized to meet the application
requirements. Side and corner guards open with latches for easy
cleaning. Rear center portion is fixed, yet cleaning clearance is
provided. Some light welding is required.
Estimated installation time: 5 hrs.

CT2026-003 KIT, LOWER WINDOW DEBRIS GUARD. 784 USD NET
Steel shields protect the lower front windows in mulching
applications. Visibility is not obscured, as each shield is viewed
within the front tire profile. Some light welding is required.
Estimated installation time: 2hrs.

CT2026-007 KIT, LAMP COVER GUARD. 808 USD NET
Bolt-on lamp guards are reversible from side to side and allow
some lamp positioning adjustment. Mesh design incorporates
1" (25mm) squares.
Estimated installation time: 0.5 hrs

CT2011-006 3 BAR CUSTOM FRONT WINDOW SCREEN 2803 USD NET

CT2026-014 2" REAR WINDOW GUARD KIT 4354 USD NET
Guards provide protection for rear lights, rear window,
rear window, and rear side corner windows.
2-(50 mm) mesh opening with (6 mm) wire diameter.
Some light welding required.

CT2026-019 3" FRONT WINDOW GUARD KIT 3060 USD NET
Bolt-on kit provides upper and lower window protection along with
upper car light guarding. 3- (75 mm) mesh opening with (6 mm) wire
diameter.

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)***KITS AVAILABLE ONLY FROM SUPERTRAK (Cont.)***

CT2026-020 3" REAR WINDOW GUARD KIT 4354 USD NET
Guards provide protection for rear lights, rear window, and rear side corner windows. 3- (75 mm) mesh opening with (6 mm) wire diameter. Some light welding required.

ALTERNATE SOURCED ATTACHMENTS***KITS***

Available through ANTARES Parts Ordering
NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
When ordering via CMOPS include top level reference numbers (OP7344) and OG3280 for packing.

NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.

KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.

Kits listed below on this pricelist are compatible with this machine model plus for any additional usage / compatibility refer to "<https://SIS2.CAT.COM>"

CURRENT MODELS:

14A - HRC UK Build 910-14A = JW2 / 914-14A = JC3 / 920-14A = SL4
(July 2020 onwards)

K Series - LRC Brazil Build XXXXXXXX / 914K = BF4 / 920K = B98
(June 2019 onwards)

NON-CURRENT MODELS:

M Series - HRC UK build 910M = H22 / 914M = H24 / 918M = H26
(Jul 2016 to July 2020)

K Series - LRC UK Build 910K = L22 / 914K = L24 / XXXXXXXX
(Jul 2016 to Aug 2020)

K Series - Original 910K = AY4 / 914K = CD2 / XXXXXXXX
(Apr 2014 to Jul 2016)

KEY: XXXXXXXX = Model does not exist

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	592-3039	KIT, CAMERA, FRONT VIEW 0 Kit provides front view camera, harness, display and mounting. Fit the display in the top right corner inside the cab. Front camera located on top of cab roof. May be required for local EU requirements. Refer to Product bulletin TEJB9979 at catpublications.com. To see if the machine and attachment combination requires this additional visibility aid. Estimated Installation time = 3 hrs For proper installation refer to media number =M0120959 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$2,114 NI
P	598-6178	KIT, CAMERA, REAR VIEW 0 Kit provides rear view camera, harness, display and mounting. Remove Internal Mirror and replace with the display in the top right corner inside the cab. Rear camera located in the top of the rear engine bay door or radiator guard door if fitted. Estimated Installation time = 3 hrs For proper installation refer to media number = M0120959 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26		\$2,114 NI
P	541-9748	KIT, GUARD FRONT ROADING LIGHT 0 Kit provides two (2) front light guards that mount over the headlights Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$451 NI
P	546-6665	KIT, GUARD HITCH 0 Kit provides protection to hitch area of the rear frame. Estimated Installation time = 1 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$828 NI
P	546-6666	KIT, GUARD POWERTRAIN 0 Kit provides lower transmission guard that mounts underneath the rear frame. Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$1,182 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	546-6668	KIT, GUARD DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame. Estimated Installation time = 1.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: SL4 / B98 NON CURRENT: H26		\$635 NI
P	556-8803	KIT, MACHINE SECURITY SYSTEM 0 Kit provides a soft touch key pad system to enter passcode to manage access to machine. Includes headliner with cutout ready for keypad. Estimated Installation time = 2 hrs For proper installation refer to media number = M0121187 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26		\$1,236 NI
P	588-8082	KIT, GUARD, REAR RADIATOR 0 Kit provides protection to rear of the machine and cooling package. Includes swing out guard for cooling access and mounting for rear camera. Estimated Installation time = 2.5 hrs For proper installation refer to media number = Not Required Compatible with: CURRENT: JC3 / SL4		\$3,383 NI
P	588-8080	KIT, GUARD, REAR LIGHTS 0 Kit provides two (2) rear light guards that mount over the tail lights using predrilled threaded holes in the counterweight Estimated Installation time = 0.5 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4		\$518 NI
P	588-8081	KIT, GUARD, CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame. Estimated Installation time = 1 hr For proper installation refer to media number = Not Required Compatible with: CURRENT: SL4		\$497 NI
P	588-8158	KIT, COUNTERWEIGHT, AGGREGATE 0 Kit provides additional counterweights +280KG (620 Lbs) that are mounted on both sides of the rear frame. Estimated Installation time = 2 hrs For proper installation refer to media number = M0120887 Compatible with: CURRENT: JC3 / SL4		\$2,340 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	594-2120	KIT, WORKTOOL HARNESS 0 Kit Provides an electrical harness and 8 pin connector on the loader arm, to allow electro-mechanical worktools to be controlled from within the machine Estimated Installation time = 1.5 hrs For proper installation refer to media number = M0120891 Compatible with: CURRENT: JW2 / JC3 / SL4		\$433 NI
P	592-4025	KIT, JUMPER LINES SINGLE, SF 0 Kit provides 3rd Function Std Flow jumper lines. (can be used on 3rd or 4th Function on a 910) Includes twist to connect couplings mounted to the coupler frame Kit contains extra parts for both Standard Lift and High Lift configuration. Estimated Installation time = 1 hr For proper installation refer to media number = M0120637 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$697 NI
P	592-4024	KIT, JUMPER LINES SINGLE, HF 0 Kit provides 3rd Function High Flow jumper lines. Includes twist to connect couplings mounted to the coupler frame Kit contains extra parts for both Standard Lift and High Lift configuration. Estimated Installation time = 1 hr For proper installation refer to media number = M0120637 Compatible with: CURRENT: SL4 / B98 NON CURRENT: H26		\$775 NI
P	590-1140	KIT, LINES MP 29 Kit provides 3rd Function Std Flow jumper lines. Includes twist to connect couplings mounted to the coupler frame. Kit contains extra parts for both Standard Lift and High Lift configurations. Estimated Installation time = 1 hr For proper installation refer to media number = M0121603 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 L22 / L24		\$542 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	593-1336	KIT, FENDER, FRONT METAL 0 Kit provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage Estimated Installation time = 0.5 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JC3 / SL4 NON CURRENT: H24 / H26 / L24 / CD2		\$500 NI
P	593-1439	KIT, FENDER, MUD FLAPS (F/R) 0 Kit provides Mud Flaps that can be added to the front and rear fenders to extend the coverage in muddy applications. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2		\$247 NI
P	593-1500	KIT, FENDER, REAR STD 0 Kit provides rear non-metallic fenders for the Rear tires to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry. Ideal to enable reconfiguration from no fender or metal fender to standard fender applications. Estimated Installation time = 2 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2 /		\$649 NI
P	593-1499	KIT, FENDER, REAR WIDE 0 Kit provides wide, rear non-metallic fenders for the Rear tires to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry. Ideal to enable reconfiguration from no fender or metal fender to standard fender applications. Estimated Installation time = 2 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with : CURRENT: SL4 / B98 NON CURRENT: H26		\$849 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	598-6440	KIT, WORKING LIGHTS, 2F/2R LED 0 Kit provides four (4) additional, cab mounted LED lights to replace the original halogen units or to add additional lights next to the halogen units. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4		\$985 NI
P	598-8610	KIT, ENGINE BAY LIGHTS 0 Kit provides three (3) additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refuelling the machine in dark conditions. Estimated Installation time = 2 hrs to install on machine. For proper installation refer to media number =M0120889 Compatible with: CURRENT: JW2 / JC3 / SL4		\$289 NI
P	595-1854	KIT, ENGINE HEATER, 120V 0 Kit provides 120V block heater to improve cold start performance. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = M0121087 Compatible with: CURRENT: JW2 / JC3 / SL4		\$238 NI
P	595-1855	KIT, ENGINE HEATER, 240V 0 Kit provides 240V block heater to improve cold start performance. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = M0121087 Compatible with: CURRENT: JW2 / JC3 / SL4		\$238 NI
P	599-1337	KIT, LICENSE PLATE 0 Kit provides licence plate holder and lamp that is mounted to the left rear counterweight Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24 / AY4 / CD2		\$261 NI
P	532-6741	KIT, TOOL BOX 0 Kit provides lockable storage box outside of the cab, mounted to the main frame behind the LH side entry steps. For use with Grease Guns, Chains, Tools etc. Estimated Installation time = 1 hrs to install on machine. For proper installation refer to media number = Not Required Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24		\$733 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	588-8015	KIT, RIDE CONTROL 0 Kit provides an accumulator system to absorb shock and reduce machine bounce which improves ride quality when travelling. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0120961 Compatible with: CURRENT: JW2 / JC3 / SL4		\$4,229 NI
P	593-5422	KIT, COUPLER READY 0 kit provides the ability to add the extra coupler control valve slice to an existing implement valve. I also has all the relevant hoses and hardware to get the coupler control lines from the valve to the bulkhead brackets on the loader arm (COUPLER SOLD SEPARATELY) For use with 918/920 models only. For use with Std and High lift configurations. For use with IT or ISO23727 or Fusion style couplers. Estimated Installation time = 8hrs to install on machine For proper installation refer to media number = M0121051 Compatible with: CURRENT: SL4 / B98 NON CURRENT: H26		\$917 NI
P	588-7091	KIT, REVERSING FAN 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Also includes guarding and covers for some engine components, inc. after treatment. Recommended for applications with a high content of airborne debris. Estimated Installation time = 8hrs to install on machine For proper installation refer to media number = M0120820 Compatible with: CURRENT: JW2 / JC3 / SL4		\$1,903 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	599-9655	KIT, 20KPH TO 40KPH, UPGRADE 0 Additional Cost for software license (Jan 2021) approx. \$2,800 Kit provides the ability to upgrade from 20 to 40kph All necessary information to allow the dealer to locate and download the required Software and also the part numbers for the dealer to order the decals from parts department department is in this PAPER KIT. Requires purchase of software license from https://fps.cat.com (Use software option key part number = 523-8098) This feature is a software option key and is installed using Electronic Technician and a unique password. This cost to enable the feature via password is listed in the FPS system Estimated time to install: 30 min. For proper installation refer to media number = M0121089 Compatible with: CURRENT: JW2 / JC3 / SL4		\$29 NI
P	592-6213	KIT, QUICK COUPLER, IT 0 Kit provides an electro-hydraulic CAT IT Interface coupler system activated from the cab. Includes coupler fabrication, cylinders and hoses to the loader arm bulkhead bracket. Requires Coupler ready kit to be fitted, sold separately. Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121035 Compatible with: CURRENT: SL4 / B98 NON CURRENT: H26		\$2,467 NI
P	592-6215	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic ISO23727 Interface coupler system activated from the cab. Includes coupler fabrication, cylinders and hoses to the loader arm bulkhead bracket. Compatible with many competitive work tools, ISO23727 standard coupler interface is also used by Volvo. Check interface and dimensions of non-caterpillar attachments to ensure full compatibility. Requires Coupler ready kit to be fitted, sold separately. Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121035 Compatible with: CURRENT: JW2 / JC3 / SL4 / BF4 / B98 NON CURRENT: H22 / H24 / H26 / L22 / L24		\$2,467 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	592-6217	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic FUSION coupler system activated from the cab. Includes constant pressure coupler wedges CAT "Fusion" design Coupler. Requires Coupler Ready Machine kit fitted, that has constant pressure valve. Estimated Installation time = 4hrs to install on machine For proper installation refer to media number = M0121035 Compatible with: CURRENT: JC3 / SL4 / B98 NON CURRENT: H26		\$4,194 NI
P	595-3908	KIT, ELITE, NETWORK MANAGER 0 Kit includes components needed to upgrade from the standard cellular PL243 product link, to the Product Link Elite Lite system, by adding the Network Manager module, PL641. This will add more functionality. Estimated Installation time = 2hrs to install on machine For proper installation refer to media number = M0121241 Compatible with: CURRENT: JW2 / JC3 / SL4		\$564 NI
P	592-8427	KIT, LINES - 2V TO 3V 0 Kit provides the upgrade to a single standard flow aux line plus the joystick, hydraulic lines and components to convert a 2 valve (2V) to 3 valve (3V) on a Standard or High Lift mac IMPORTANT - This does not include the Valve Slice nor the full 3 bank implement valve. Dealer has the choice to buy the extra valve slice/tie rods to strip and rebuild. Or they can buy a full replacement 3 bank implement valve to install on the machine. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0121245 Compatible with: CURRENT: SL4		\$972 NI
P	593-0280	KIT, LINES - 3V TO 4V 0 Kit provides the upgrade from std flow to high flow aux line plus the joystick with twin aux rollers, hydraulic lines and components to convert a 3 valve (3V) to 4 valve (4V) on a Standard or High Lift machine. IMPORTANT - This does not include the Valve Slice nor the full 3 bank implement valve. Dealer has the choice to buy the extra valve slice/tie rods to strip and rebuild. Or they can buy a full replacement 4 bank implement valve to install on the machine. Estimated Installation time = 6hrs to install on machine For proper installation refer to media number = M0121245 Compatible with: CURRENT: SL4		\$2,361 NI

CATERPILLAR MACHINE PRICE LIST

920

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

KITS (Cont.)

P	377-4149	ADAPTER INTERFACE, FUSION-IT 499 KIT, Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler work tools/attachments, like snow plows, brooms etc Recommended for mixed fleet customers. NOTE: Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		\$2,746 NI
P	371-2400	HOOK, FLAT BACK, FUSION 330 KIT, Provides two loose brackets with Fusion hooks on the back and a short flat interface on the front allowing it to be welded to existing work tools / attachments with a flat rear interface, for example a Fork Carriage, MHA etc. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface		\$1,049 NI
W	317-5562	HOOK, BLANK 787 KIT, Provides two loose brackets with Fusion hooks on the back and an extended flat interface on the front allowing it to be welded to existing work tools / attachments. The extended flat interface allows for a profile to be cut to match bucket or attachment profile. Recommended for customers who want to re-hinge existing non-Fusion tools or competitive tools to a Fusion interface		\$2,046 NI

PACKING

	0G-3117	RORO W/RIMS W/TIRES 0 Mandatory selection for all non-European shipments.		\$325 NET
	0G-3281	PACK - BUCKET GROUP (WHL) 0		\$127 NET
	423-6175	TRANSPORT GROUP 0 Required to ship a machine not fitted with either a coupler or an installed pin-on bucket. ONLY FOR USE WITH: LOADER ARRANGEMENTS 462-7126,462-7441 523-4518 & 523-4521		NC
	0G-3273	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators for shipment by sea Please note: This selection is mandatory for some regions including USA & Canada.		\$114 NET
	0G-3280	PACK, MISCELLANEOUS MATERIAL 0		NC
	0G-3304	PACKING FOR FORK /HOOKS/TINES 0		NC