

CATERPILLAR MACHINE PRICE LIST

926M926M WHEEL LOADER
CLAYTON, NC, USAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Axle seal guards
Auto Idle shut down feature
Cat C7.1 ACERT engine
-Power modes (standard and performance)
-Power by range (high power in range 4)
-Tier 4 final/Stage V compliant
-Turbocharged and aftercooled
-Filtered crankcase breather
-Diesel particulate filter
-Selective catalyst reduction
Coolant protection to -34C (-29F)
Differential lock in front axle
Dry type air cleaner
Enclosed wet disc full hydraulic brakes
Fuel priming pump, automatic
Fuel water separator
Hydraulically driven demand cooling fan
Hydrostatic transmission with electronic control
-Operator modes (default, TC, hystat and ice)
-Directional shift aggressiveness (fast, medium, Slow)
-Rimpull control, adjust wheel torque
-Creeper control, adjust ground speed
Lubed for life driveshafts
Parking brake, electric
Single plane cooling package wide 6 fins per inch density
S-O-S port, engine, coolant, transmission oil

HYDRAULICS

Automatic lift and bucket kickouts, adjustable in-cab
Bucket and fork modes, adjustable in-cab
Cylinder damping at kickout and mechanical end stops
Fine mode control (fast, medium, slow) in Fork Mode
Hydraulic response setting (fast, medium, slow)
Hydraulic diagnostic connectors and S-O-S ports
Hydraulic sight gauge, visible
Load sensing hydraulics and steering
Seat mounted hydraulic joystick controls

ELECTRICAL

Alternator, 115-amp, heavy duty
12V power supply in cab (2)
Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
Back up alarm

Emergency shutdown switch
LED rear stop and turn lights
Heavy duty gear reduction starter
Product Link
Remote jump start post
Resettable main and critical function breakers
Roading lights front and rear

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt
Automatic temperature control
Cab, enclosed ROPS/FOPS pressurized and sound suppressed
Cup holders
External heated mirrors with lower parabolic
Ground level cab door release
Gauges
-Digital hour meter, odometer and tachometer
-Digital ground speedometer and direction indicator
-Engine coolant temperature gauge
-Fuel and diesel exhaust fluid level indicator
-Hydraulic oil temperature gauge
Hydraulic control lockout
Interior cab lighting, door and dome
Interior rearview mirrors (2)
Lunch box storage
Operator warning system indicators
Radio ready speakers
Rear window defrost, electric
Seat mounted electronic implement controls, adjustable
Sliding glass on the side windows
Column mounted multi function control -lights, wipers, turn signal
Suspension seat, fabric
Tilt and telescope steering wheel
Tinted front glass
Wet arm wiper/washer, 2-speed and intermittent, front
Wet arm wiper washer, rear

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with adjustable close/open force
Parallel lift loader linkage
Recovery hitch with pin
Remote mounted lubrication points
Vandalism protection-lockable compartments

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

593-8971 926M SWL DCA1B 0 \$205,160

LANE 1 - AVAILABLE FROM CLAYTON PDC
LANE 2 - AVAILABLE FROM CLAYTON FACTORY
LANE 3 - AVAILABLE FROM CLAYTON FACTORY
USE FBC OR CHECK LA TOOL FOR AVAILABILITY

INCLUDES:

- 541-2670 926M WHEEL LOADER
- 430-2945 PREP PACK, NORTH AMERICA
- 541-3073 HYDRAULICS, 3V, CPLR READY, SL
- 530-1623 LINES, AUX 3RD, STD LIFT
- 536-5281 HYDRAULICS, STANDARD, SL
- 536-5339 JUMPER LINES, NONE
- 430-2996 STEERING, STANDARD
- 333-6529 DIFFERENTIAL, OPEN REAR
- 536-5320 ENVIRONMENT, STANDARD
- 454-0609 WEATHER, STANDARD
- 549-0451 CAB, DELUXE
- 563-5967 SEAT, DELUXE
- 372-1868 RADIO, BLUETOOTH, AUX, MIC
- 366-8148 FENDERS, STANDARD
- 348-2579 COUNTERWEIGHT, STANDARD
- 430-2859 RIDE CONTROL
- 536-5313 QUICK COUPLER, FUSION
- 559-0841 LIGHTS, AUX HALOGEN
- 541-3066 LIGHTS, ROADING, HALOGEN, RH
- 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

593-8972 926M SWL DCA2B 0 LANE 1 - AVAILABLE FROM CLAYTON PDC LANE 2 - AVAILABLE FROM CLAYTON FACTORY LANE 3 - AVAILABLE FROM CLAYTON FACTORY USE FBC OR CHECK LA TOOL FOR AVAILABILITY		\$211,030
---	--	------------------

- INCLUDES:
- 541-2670 926M WHEEL LOADER
 - 430-2945 PREP PACK, NORTH AMERICA
 - 541-3073 HYDRAULICS, 3V, CPLR READY, SL
 - 530-1623 LINES, AUX 3RD, STD LIFT
 - 536-5281 HYDRAULICS, STANDARD, SL
 - 536-5339 JUMPER LINES, NONE
 - 430-2996 STEERING, STANDARD
 - 333-6527 DIFFERENTIAL,LIMITED SLIP REAR
 - 536-5320 ENVIRONMENT, STANDARD
 - 525-5964 WEATHER, COLD START 120V
 - 549-0451 CAB, DELUXE
 - 563-5967 SEAT, DELUXE
 - 372-1868 RADIO, BLUETOOTH, AUX, MIC
 - 366-8148 FENDERS, STANDARD
 - 348-2579 COUNTERWEIGHT, STANDARD
 - 430-2859 RIDE CONTROL
 - 536-5313 QUICK COUPLER, FUSION
 - 559-0841 LIGHTS, AUX HALOGEN
 - 541-3066 LIGHTS, ROADING, HALOGEN, RH
 - 491-7922 TOOLBOX, AUX

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

593-8973 926M SWL DCA3B 0 LANE 1 - AVAILABLE FROM CLAYTON PDC LANE 2 - AVAILABLE FROM CLAYTON FACTORY LANE 3 - AVAILABLE FROM CLAYTON FACTORY USE FBC OR CHECK LA TOOL FOR AVAILABILITY	0	\$221,510
--	---	------------------

- INCLUDES:
- 541-2670 926M WHEEL LOADER
 - 430-2945 PREP PACK, NORTH AMERICA
 - 541-3083 HYDRAULICS, 3V, CPLR READY, HL
 - 527-8860 LINES, AUX 3RD, HIGH LIFT
 - 536-5282 HYDRAULICS, STANDARD, HL
 - 536-5339 JUMPER LINES, NONE
 - 430-2996 STEERING, STANDARD
 - 333-6527 DIFFERENTIAL,LIMITED SLIP REAR
 - 536-5350 ENVIRONMENT, HIGH DEBRIS
 - 525-5964 WEATHER, COLD START 120V
 - 549-0451 CAB, DELUXE
 - 563-5967 SEAT, DELUXE
 - 372-1868 RADIO, BLUETOOTH, AUX, MIC
 - 366-8148 FENDERS, STANDARD
 - 348-2579 COUNTERWEIGHT, STANDARD
 - 430-2859 RIDE CONTROL
 - 536-5313 QUICK COUPLER, FUSION
 - 559-0841 LIGHTS, AUX HALOGEN
 - 541-3066 LIGHTS, ROADING, HALOGEN, RH
 - 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

541-2670 926M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM CLAYTON FACTORY LANE 3 - AVAILABLE FROM CLAYTON FACTORY	0	\$187,310
---	---	------------------

Serial Number Prefix W5L

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

579-7670	926M SWL AGGREGATE CFG1 0	\$187,310
-----------------	--	------------------

LANE 2 - AVAILABLE FROM CLAYTON FACTORY
 LANE 3 - AVAILABLE FROM CLAYTON FACTORY
 Serial Number Prefix W5L
 926M Aggregate Handler: Includes Aggregate Handler branding and
 limits selections to drive performance and comfort enhancing
 features,an expectation of the Cat Aggregate handler range.

INCLUDES:
 541-2670 926M WHEEL LOADER
 387-4097 FILM GP, AGGREGATE

REQUIRES:
 467-7988 COUNTERWEIGHT, AGGREGATE
 One of the following buckets in North America:
 345-2822 BUCKET-GP, 3.0 YD3, PO
 430-3300 BUCKET-S&G, 3.2 YD3, PO
 360-3322 BUCKET-GP, 3.0 YD3, FUS
 451-1403 BUCKET-S&G, 3.2 YD3, FUS

RECOMMEND:
 566-4597 CONTROL GP,PAYLOAD,DEMO 250 HR
 468-9772 BREATHER GROUP
 559-0843 LIGHTS, STD, LED
 333-1425 WARNING, BEACON, LED STROBE
 430-2859 RIDE CONTROL
 349-7940 Guard, Driveshaft
 349-8163 Guard, Crankcase
 349-8165 Guard, Powertrain, Lower
 536-5349 AUTOLUBE
 536-5340 ENVIRONMENT, MEDIUM DEBRIS
 333-6526 DIFFERENTIAL,LIMITED SLIP REAR
 366-6880 TIRES,20.5R25 MX XHA2 * L3

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

<p>579-7667</p> <p>926M SWL WASTE CFG2 0</p> <p>LANE 2 - AVAILABLE FROM CLAYTON FACTORY LANE 3 - AVAILABLE FROM CLAYTON FACTORY Serial Number Prefix W5L 926M Waste Handler: Includes Waste Handler branding and limits selections to drive performance and comfort enhancing features, an expectation of the Cat Waste Handler range.</p>	<p>0</p>	<p>\$187,370</p>
---	----------	-------------------------

INCLUDES:
 541-2670 926M WHEEL LOADER
 387-4096 FILM GP, WASTE HANDLER

REQUIRES:
 349-7940 GUARD, DRIVESHAFT
 349-8163 GUARD, CRANKCASE
 349-8165 GUARD, POWERTRAIN, LOWER
 425-1425 GUARD, POWERTRAIN, SIDE
 391-1990 GUARD, HITCH
 536-5340 ENVIRONMENT, MEDIUM DEBRIS or
 536-5350 ENVIRONMENT, HIGH DEBRIS

Recommend:
 342-0250 GUARD, WINDSHIELD or 562-5684 KIT, POLY FRONT WINDSHIELD
 377-1530 GUARD, FRONT LIGHTS
 377-1547 GUARD, REAR LIGHTS
 430-2916 GUARD, STEERING CYLINDER
 423-7157 PRECLEANER, CAB, RESPA
 430-2859 RIDE CONTROL
 419-8850 FENDERS, DEFLECTORS
 536-5349 AUTOLUBE
 333-6526 DIFFERENTIAL,LIMITED SLIP REAR
 One of the following puncture proof or puncture resistant tires.
 Puncture Proof:
 604-7273 TIRES,20.5R25 TL BRAWLER, SM or
 604-7278 TIRES,20.5R25 TL BRAWLER, TR
 Puncture Resistant:
 376-0817 TIRES,20.5R25TR TL538S+ *** L5 or
 376-0875 TIRES,20.5R25 MX XMINE D2** L5

<p>0P-3536</p> <p>926M MISC MATERIAL 0</p> <p>ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference when ordering miscellaneous kits located in the Alternate Sourced Attachments section.</p>	<p>0</p>	<p>NC</p>
--	----------	------------------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION.

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

ENGINE

L	527-0422	ENGINE Meets U.S. EPA Tier 4 Final and EU Stage V emission standards. ONLY FOR USE WITH: DCA1B, DCA2B & DCA3B	0	NC
---	----------	---	---	----

PRODUCT LINK

L	565-0908	PRODUCT LINK, CELLULAR PL641 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	--	---	----

TIRES

Due to industry-wide tire availability, tires may change based on availability. Tire changes are available on a limited basis through Lane 1 using OP-4218 and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.

P	366-6896	TIRES, 20.5R25 MX XTLA * L2 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops ONLY FOR USE WITH: DCA1B, DCA2B & DCA3B	0	\$13, 410
---	----------	---	---	-----------

OPERATION AND MAINTENANCE MANUAL

	OP-2491	KIT,SERIALIZED TECHNICAL MEDIA The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
--	---------	--	---	----

DECAL PACKAGES

P	430-2963	INSTRUCTIONS, ANSI, US This package includes picto decals as required for North America except for Canada.	0	NC
P	430-2964	INSTRUCTIONS, ISO, CANADA This package includes picto decals as required for Canada.	0	NC

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	\$213 NET
---------	---	------------------

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0	NC
---------	---	-----------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

SPECIAL ARRANGEMENTS - FINISH TO ORDER.

Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.
 NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.
 FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

OPTIONS

P	374-5842	KIT, GUARD, DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$632
P	374-5844	KIT, GUARD, POWERTRAIN, LOWER 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,450
P	374-5845	KIT, GUARD, CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$994
P	467-7992	KIT, COUNTERWEIGHT, AGGREGATE 0 Kit converts a heavy counterweight machine to a Aggregate Handler machine by adding an additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT compatible with high lift machines. CANNOT BE USED WITH: Brawler Tires		\$3,643
P	370-7008	KIT, WARNING,BEACON,LED STROBE 0 Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$289
P	576-9758	KIT, JUMPER LINES,3RD FUNCTION 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machine serial numbers after LTE06550		\$369

TIRES

	OP-4218	TIRE ARR, CHANGE 0 Charge to cover the costs of completing a tire arrangement change including hardware, oscillation stops, fender adjustments and time to complete the work. Tire changes are available on a limited basis and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.		\$550 NET
P	376-0786	TIRES, 20.5R25 YK RB31 * L3 0 Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops. REQUIRES: OP4218 TIRE ARR, CHANGE		\$15,380

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

WORK TOOLS

GENERAL PURPOSE BUCKETS

P	360-3321	BUCKET-GP, 2.7 YD3, FUS, BOCE 2,101 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		\$8,210
P	360-3323	BUCKET-GP, 3.0 YD3, FUS, BOCE 2,141 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm width (100") General Purpose Bucket		\$9,165
P	417-4925	BUCKET-GP, 3.2 YD3, FUS, BOCE 2,403 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		\$10,115
P	417-4355	BUCKET-GP, 3.2 YD3, FUS, BOCE 2,430 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$10,354 NI
P	345-2427	BUCKET-GP, 3.5 YD3, FUS, BOCE 2,519 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$10,864 NI
P	417-4929	BUCKET-GP, 3.8 YD3, FUS, BOCE 2,601 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$11,372 NI

LIGHT MATERIAL BUCKETS

P	417-4935	BUCKET-LM, 4.5 YD3, FUS, BOCE 2,873 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$10,896 NI
P	417-4342	BUCKET-LM, 5.5 YD3, FUS, BOCE 3,172 Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		\$12,594 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

WORK TOOLS (Cont.)

CARRIAGE & FORKS

P	572-5671	CARRIAGE,FUS, FORK 60", PALLET	640	\$4,954
		60" wide carriage with 54" Pallet tines		
P	572-5672	CARRIAGE, FUS, FORK, 60", CON	961	\$9,594
		96" wide carriage with 60" Construction tines		
P	572-5673	CARRIAGE, FUS, FORK, 72", CON	1,004	\$10,640
		96" wide carriage with 72" Construction tines		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	430-2943	PREP PACK, UNITED STATES	0	NC
		Includes ANSI Decals		

FEATURE PACKAGES

CONTROLS

L	430-2996	STEERING, STANDARD	0	NC
L	430-2997	STEERING, STANDARD, DUAL MODE	0	\$1,225
		Adds the ability to enable Dual Mode Steering (Quick Steer) to minimize operator efforts in repetitive cycles. REQUIRES: 536-5318 AUX ECM		
L	430-2998	STEERING, SECONDARY	0	\$3,170
		Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm		
L	430-2999	STEERING, SECONDARY, DUAL MODE	0	\$4,385
		Adds the ability to enable Dual Mode Steering (Quick Steer) and provides a secondary back-up steering system REQUIRES: 536-5318 AUX ECM		

REAR AXLE

L	333-6529	DIFFERENTIAL, OPEN REAR	0	NC
		Open rear differential (without a traction aid) in addition to the standard front axle diff-lock.		
L	333-6527	DIFFERENTIAL,LIMITED SLIP REAR	0	\$3,160
		Adds a rear limited slip traction aid in addition to the standard front axle diff-lock.		

SPECIAL ARRANGEMENTS

ENVIRONMENTAL PACKAGES

L	536-5320	ENVIRONMENT, STANDARD	0	NC
		Contains dustbowl precleaner, standard fan and standard 115 amp alternator.		
L	536-5340	ENVIRONMENT, MEDIUM DEBRIS	0	\$2,610
		Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

ENVIRONMENTAL PACKAGES (Cont.)

L	536-5350	ENVIRONMENT, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan and upgrades to a brushless, filtered 150 amp alternator.		\$4,020
---	----------	--	--	---------

COLD WEATHER PACKAGES

L	454-0609	WEATHER, STANDARD 0 Appropriate at temperatures above -10 Celsius (15 Fahrenheit) and altitude below 1500 meters (5000 feet)		NC
---	----------	---	--	----

L	525-5964	WEATHER, COLD START 120V 0 Adds ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) for better cold starting.		\$2,190
---	----------	---	--	---------

L	525-5966	WEATHER, THERMAL BYPASS 120V 0 FOR USE IN LANE 3 ONLY Adds the cold start package of ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) along with a thermal bypass valve that allows hydraulic oil to bypass the cooler and quickly warm up. Recommended for use in extreme cold climates for better cold starting and hydraulic performance. Recommend the following Heated Breather components to be dealer installed when working in environments colder than -25C (-13F) 359-2842 pipe breather 359-2843 pipe breather 359-2844 pipe breather 372-5865 filter as breather		\$2,610
---	----------	---	--	---------

ENGINE

L	527-0422	ENGINE 0 Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		NC
---	----------	--	--	----

HYDRAULICS

LINKAGE/HYDRAULICS/VALVES

L	541-3071	HYDRAULICS, 2V, PIN-ON, SL 0 Standard Lift, 2 function hydraulics, For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		NC
---	----------	---	--	----

L	541-3072	HYDRAULICS, 2V, CPLR READY, SL 0 Standard Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$565
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

LINKAGE/HYDRAULICS/VALVES (Cont.)

L	541-3073	HYDRAULICS, 3V, CPLR READY, SL 0 Standard Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$2,455
L	541-3074	HYDRAULICS, 4V, CPLR READY, SL 0 FOR USE IN LANE 3 ONLY Standard Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. Finland Only - Can order 4V linkage option via Lane 2. REQUIRES: Auxiliary 3rd function hydraulic lines for standard lift Auxiliary ECM for control of 4th function hydraulics		\$4,680
L	541-3081	HYDRAULICS, 2V, PIN-ON, HL 0 High Lift, 2 function hydraulics, for use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		\$6,660
L	541-3082	HYDRAULICS, 2V, CPLR READY, HL 0 High Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$7,210
L	541-3083	HYDRAULICS, 3V, CPLR READY, HL 0 High Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$9,440
L	541-3084	HYDRAULICS, 4V, CPLR READY, HL 0 FOR USE IN LANE 3 ONLY High Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. Finland Only - Can order 4V linkage option via Lane 2. REQUIRES: Auxiliary 3rd function hydraulic lines for high lift Auxiliary ECM for control of 4th function hydraulics		\$11,650

LOAD CHECK VALVES

L	536-5281	HYDRAULICS, STANDARD, SL 0 Hydraulic lines to lift and tilt cylinders that do NOT include load check valves for standard lift linkage.		NC
L	536-5282	HYDRAULICS, STANDARD, HL 0 Hydraulic lines to lift and tilt cylinders that do NOT include load check valves for high lift linkage.		NC
L	536-5285	HYDRAULICS, LCV, STANDARD LIFT 0 Hydraulic lines to lift and tilt cylinders that include load check valves for standard left linkage. REQUIRES: Ride Control CANNOT BE USED WITH: Tilt Cylinder Guard		\$7,800
L	536-5286	HYDRAULICS, LCV, HIGH LIFT 0 Hydraulic lines to lift and tilt cylinders that include load check valves for high lift linkage. REQUIRES: Ride Control CANNOT BE USED WITH: Tilt Cylinder Guard		\$7,800

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUX 3RD HYDRAULIC LINES

L	536-5329	LINES, AUX 3RD, NONE 0 Caps hydraulic 3rd function lines at a bulkhead at the top of the front frame. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm.		NC
L	530-1623	LINES, AUX 3RD, STD LIFT 0 Includes Auxiliary 3rd function hydraulic lines down the lift arm for a standard lift linkage. REQUIRES: Standard lift linkage ONLY FOR USE WITH: 3V & 4V Hydraulics		\$316
L	527-8860	LINES, AUX 3RD, HIGH LIFT 0 Includes Auxiliary 3rd function hydraulic lines down the lift arm for a high lift linkage. REQUIRES: High lift linkage ONLY FOR USE WITH: 3V & 4V Hydraulics		\$316

JUMPER LINES 3RD

L	536-5339	JUMPER LINES, NONE 0 Caps hydraulic 3rd function lines. Does NOT include hydraulic lines from the lift arm across to the coupler or Quick Disconnects.		NC
L	445-4725	JUMPER LINES, AUX 3RD, FUSION 0 Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: Fusion Coupler and Auxiliary Lines 3rd		\$605
L	561-6216	JUMPER LINES, AUX 3RD, ISO 0 Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: ISO Coupler and Auxiliary Lines 3rd		\$605

ELECTRICAL

WORK LIGHTS

L	488-1112	LIGHTS, STD HALOGEN 0 Standard machine light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights.		NC
L	559-0843	LIGHTS, STD, LED 0 Standard machine LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, and two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$302
L	559-0841	LIGHTS, AUX, HALOGEN 0 Auxiliary light package consisting of four (4) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service.		\$438

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

WORK LIGHTS (Cont.)

L	559-0842	LIGHTS, AUX, LED 0 Auxiliary LED/Halogen light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$985
L	559-0844	LIGHTS, AUX, LED, PREMIUM 0 Premium auxiliary LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$1,060

ROADING LIGHTS

L	541-3066	LIGHTS, ROADING, HALOGEN, RH 0 Includes (2) halogen roading lights for regions that drive on the right hand side of the road.		NC
L	541-3067	LIGHTS, ROADING, LED, RH 0 Includes (2) LED roading lights for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life.		\$905

OPERATOR ENVIRONMENT

CAB

L	549-0450	CAB, STANDARD 0 ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors, primary instrument display and storage. Tilt and telescoping steering wheel. Includes on/off functionality of soft touch panel functions, but does not allow real time adjustments. Rear view camera and separate WAVS display included CANNOT BE USED WITH: 593-8965 PREP PACK, EU 423-7157 PRECLEANER, CAB, RESPA		\$1,680
L	549-0451	CAB, DELUXE 0 ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt, telescopic steering wheel, windshield washing access steps and storage. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as integrated rear view camera display, rear view camera included		\$4,235

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT

L	563-5966	SEAT, STANDARD 0 Fully adjustable fabric covered mechanical suspension seat with mid backrest, headrest, armrests and 3 inch (75 mm) retractable high visibility orange seat belt.		NC
L	563-5967	SEAT, DELUXE 0 Fully adjustable fabric covered AIR suspension seat with mid backrest, headrest, mechanical lumbar support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt		\$1,105
L	563-5968	SEAT, PREMIUM 0 Fully adjustable LEATHER & Fabric AIR suspension set with HIGH backrest, headrest, AIR LUMBAR support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,495

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	342-0130	RADIO, READY 0 Provides installed speakers and wiring for easy radio installation.		NC
L	378-0951	RADIO READY, BLUETOOTH,MIC,AUX 0 Provides installed speakers and wiring for easy radio installation. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		\$565
L	372-1868	RADIO, BLUETOOTH, AUX, MIC 0 Provides a factory installed AM/FM radio with Bluetooth interface, microphone, and aux inputs for powering MP3 players, etc.		\$765
L	333-1369	RADIO, BLUETOOTH, AUX,MIC,USB 0 Provides a factory installed AM/FM radio with Bluetooth interface , microphone , and aux inputs for powering MP3 players and dual USB charging ports.		\$1,000

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	565-0908	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	454-0590	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	565-0909	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$378
L	520-1721	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$824

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

For any tire with a Use type of C, please check with factory before placing order to confirm tire availability.

TIRES AVAILABLE FROM ALLIANCE

C	376-0795	TIRES, 28L/26 AN 26PR LS-2 1 PC FOR USE IN LANE 3 ONLY Alliance;Forestry;28L-26;LS-2 High traction and robust lugs. Includes oscillation stops and fender extension brackets.	0	\$19,050
---	----------	--	---	----------

TIRES AVAILABLE FROM BRIDGESTONE

C	357-8902	TIRES, 20.5R25 BS VJT * L3 Bridgestone;Radial;VJT;L3 Non directional tread;Includes axle oscillation stops	0	\$18,530
---	----------	--	---	----------

TIRES AVAILABLE FROM MICHELIN

C	376-0875	TIRES, 20.5R25 MX XMINE D2** L5 FOR USE IN LANE 3 ONLY Michelin;Radial;XMINE D2;L5 Non directional tread;Includes axle oscillation stops CANNOT BE USED WITH 467-7988 COUNTERWEIGHT, AGGREGATE	0	\$33,770
P	376-0873	TIRES, 17.5R25 MX XMINE D2** L5 Michelin;Radial;XMINE D2;L5;3 PC	0	\$21,430
C	373-7313	TIRES, 750/65R26 MXMEGAXBIB* AG FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Includes axle oscillation stops REQUIRES: 366-8198 Fenders, Extended Cover to meet roading regulations in the EU	0	\$19,870
C	373-7310	TIRES, 620/75R26 MXMEGAXBIB* AG FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Directional tread;Includes axle oscillation stops	0	\$16,820
C	366-6892	TIRES, 20.5R25 MX XSNOPPLUS * L2 Michelin;Radial;XSNOPPLUS;L2 Snow Non directional tread;Includes axle oscillation stops	0	\$16,380

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN (Cont.)

C	366-6900	TIRES, 550/65R25 MX XLD * L3 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XLD;L3 Low profile;Includes axle oscillation stops		\$15,250
P	366-6880	TIRES, 20.5R25 MX XHA2 * L3 0 Michelin;Radial;XHA2;L3;3 pc rim Non directional tread;Includes axle oscillation stops		\$15,680
P	366-6896	TIRES, 20.5R25 MX XTLA * L2 0 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops		\$13,410
P	522-8582	TIRES, 17.5R25 MX XHA2 * L3 3PC 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XHA;L3;3 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall		\$13,250
P	522-8583	TIRES, 17.5R25 MX XHA2 * L3 1PC 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XHA;L3;1 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall		\$10,480

TIRES AVAILABLE FROM TITAN

P	376-0828	TIRES, 20.5R25 TI MXL * L3 0 Titan;Radial;MXL;L3;3 pc rim Aggressive non directional tread;Includes axle oscillation stops		\$10,410
---	----------	--	--	----------

TIRES AVAILABLE FROM TRELLEBORG

C	604-7273	TIRES, 20.5R25 TL BRAWLER, SM 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25 Press on Soft Ride Smooth Solid Tires Machine speed with solid tires will be limited to 12 mph (20 kph) out of factory. REQUIRES: 565-0906 Speed Limiter 12mph(20kph)(North America) or 472-6124 SPEED LIMITER, 12mph(20kph)(Europe) CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, AGGREGATE 580-5851 TIRE, PRESSURE MONITOR The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6120 CONVERSION, IRH, ROADING, STD		\$37,300
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM TRELLEBORG (Cont.)

C	604-7278	TIRES,20.5R25 TL BRAWLER, TR 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25 Press On Soft Ride Traction Solid Tires Machine speed with solid tires will be limited to 20 kph (12 mph) out of factory. REQUIRES: 565-0906 Speed Limiter 12mph(20kph)(North America) or 472-6124 SPEED LIMITER, 12mph(20kph)(Europe) CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, AGGREGATE 580-5851 TIRE, PRESSURE MONITOR The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$35,570
---	----------	---	--	----------

TIRES AVAILABLE FROM TRIANGLE

C	376-0817	TIRES,20.5R25TR TL538S+ *** L5 0 Triangle;Radial;TL538S+;***,L5		\$8,820
---	----------	---	--	---------

TIRES AVAILABLE FROM YOKOHAMA

P	376-0786	TIRES, 20.5R25 YK RB31 * L3 0 FOR USE IN LANE 3 ONLY Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops.		\$15,380
---	----------	---	--	----------

TIRES AVAILABLE FROM CAMSO

C	607-8139	TIRES, 20.5R25 CS PR20 0 FOR USE IN LANE 3 ONLY Camso LM L3 20.5-25 Bias Tire Non directional tread; Includes axle oscillation stops		\$7,630
---	----------	--	--	---------

RIMS ONLY

US & Canada - Shipping on Beam Trailer requests will be accepted on a limited basis due to restricted availability and significant increase in shipping costs. Requesting dealers will be charged the difference between shipping on Beam Trailers and Traditional Trailers. Increased costs will vary with Beam Trailers availability.

EAME DEALERS WHEN ORDERING WILL USE MAFI TRANSPORT (0P2489)

L	376-0834	RIMS, 20.5, 3 PC, NO TIRES 0 FOR USE IN LANE 3 ONLY Machine speed will be limited to 12 mph (20 kph) out of factory when ordered in combination with 348-2579 Counterweight, Standard to be utilized with dealer installed solid tires. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$1,020
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

RIMS ONLY (Cont.)

L	376-0832	RIMS, 17.5, 3 PC, NO TIRES 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$910
L	376-0831	RIMS, 17.5, 1 PC, NO TIRES 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$-990

NO TIRES / NO RIMS

US & Canada - Shipping on Beam Trailer requests will be accepted on a limited basis due to restricted availability and significant increase in shipping costs. Requesting dealers will be charged the difference between shipping on Beam Trailers and Traditional Trailers. Increased costs will vary with Beam Trailers availability.

EAME DEALERS WHEN ORDERING WILL USE MAFI TRANSPORT (0P2489)

	0P-2755	NO TIRES / NO RIMS 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$-2,005
--	---------	--	--	-----------------

OTHER ATTACHMENTS

FENDERS

L	366-8148	FENDERS, STANDARD 0 Provides black, non-metallic front fenders and partial coverage rear fenders. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT 430-2982 CONVERSION, UK ROADING		NC
L	366-8149	FENDERS, EXTENDED COVER 0 Provides yellow, non-metallic front fenders and extended coverage rear fenders. Recommended for applications that include roading or long load and carry.		\$2,215
L	430-2849	FENDERS, FULL COVER 0 Provides yellow, non-metallic front fenders and full coverage rear fenders along with mud flaps on the back side of both front and rear tires. Recommended for applications such as snow removal and extremely muddy conditions.		\$2,775

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

FENDERS (Cont.)

L	366-8198	FENDERS, EXTENDED COVER 0 Recommended for use with 750/65R26 agriculture tires to provide full width coverage. ONLY FOR USE WITH: 373-7312 Tires, 750/65R26 MX MEGAXBIB* AG 373-7313 Tires, 750/65R26 MX MEGAXBIB* AG		\$2,215
L	419-8850	FENDERS, DEFLECTORS 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$499

COUNTERWEIGHTS

L	348-2579	COUNTERWEIGHT, STANDARD 0 Standard Counterweight		NC
L	467-7988	COUNTERWEIGHT, AGGREGATE 0 Additional frame mounted counterweights NOT compatible with high lift linkage configurations. Recommended for use with machines configured for segment markets such as Log and Lumber, Aggregate Handling, and Auto Re-Handling. NOT compatible with High Lift machines. Not compatible with Brawler and other solid tire groups.		\$3,645

TOOLBOX

L	519-8081	TOOLBOX AUX, NONE 0 Provides cosmetic cover over optional tool box location but does not include a tool box.		NC
L	491-7922	TOOLBOX AUX 0 Provides lockable tool box that mounts under the left side of the cab.		\$525

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	0P-2491	KIT,SERIALIZED TECHNICAL MEDIA 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	---------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

HYDRAULICS

ELECTRONIC CONTROL MODULE

L	536-5318	AUX ECM. 0 Additional Electronic Control Module (ECM) to control 4th function hydraulics and/or dual mode steering. REQUIRES: 4 function hydraulics and/or dual mode steering	NC
---	----------	--	----

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

RIDE CONTROL

L	430-2859	RIDE CONTROL 0 Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 6 mph. System is programmable between 1.6 km/h (1 mph) and 14.5 km/h (9 mph). Includes system active indicator on dash.		\$4,185
---	----------	---	--	---------

CAB FILTRATION

L	423-7157	PRECLEANER, CAB, RESPA 0 FOR USE IN LANE 3 ONLY Powered cab air precleaner improves operator air quality and cab pressurization. Includes cab pressure sensor.		\$3,330
---	----------	---	--	---------

WASHING ACCESS STEPS

L	469-0647	WINDSHIELD ACCESS STEPS 0 Provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield. CANNOT BE USED WITH: CAB, DELUXE		\$660
---	----------	--	--	-------

INTEGRATED OBJECT DETECTION SYSTEM

For a list of countries that RF radar is approved for use in, visit <https://dealer.cat.com/detect>

L	377-5660	DETECTION, OBJECT (RADAR) 0 The Cat Integrated Object Detection System combines a camera, radar, and alarms to notify the operator when something is close to the rear of the machine. The system is configured with zones and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions. NOTE: Not available in all regions depending on radar approval. For a list of countries that the C6 radar is approved in please visit: https://dealer.cat.com/detect Object Detection - Approved Country Listing FOR USE WITH: 549-0451 CAB DELUXE		\$3,645
---	----------	--	--	---------

LIGHTS

L	333-1425	WARNING, BEACON, LED STROBE 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$275
---	----------	---	--	-------

MIRROR

L	482-5167	SIDE MIRROR, RH 0 Provides a look down mirror mounted to the top right hand side of the cab.		\$96
---	----------	--	--	------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CAT COMMAND - COMMAND FOR LOADING

In the USA, Cat M-series Small Wheel Loaders can be configured with Remote Control KITS for Non Line of Site operation. See COMMANDCI Price List for compatible Serial Numbers, KIT Part Numbers and Software Enabled Attachment Details.

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

Cat M-series Small Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer. Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual for system calibration, material and truck ID lists set-up and operation instructions.

L	566-4597	CONTROL GP,PAYLOAD,DEMO 250 HR 0		\$585
		Includes sensors and 250 hours of demonstration time for Cat Production Measurement (CPM). See note above for calibration instructions. The 250 hours of demonstration time can be activated via the secondary display and will remind the operator when time is close to expiring. A permanent software license for Cat Production Measurement (CPM) will be a separate charge. Purchase software license from https://fps.cat.com (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. REQUIRES: CAB, DELUXE and 565-0909 PRODUCT LINK, CELLULAR PLE641 or 520-1721 PRODUCT LINK, SATELLITE PLE631		
L	492-6471	CONTROL GP, PAYLOAD 0		\$5,100
		REQUIRES: CAB, DELUXE and 565-0909 PRODUCT LINK, CELLULAR PLE641 or 520-1721 PRODUCT LINK, SATELLITE PLE631 Includes sensors, software license for Cat Production Measurement(CPM) Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

L	494-7948	CONTROL GP, PRINTER 0		\$1,730
		Provides onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 CONTROL GP, PAYLOAD or 566-4597 CONTROL GP,PAYLOAD,DEMO READY		

TIRE PRESSURE MONITORING

L	580-5851	MONITOR, TIRE PRESSURE 0		\$1,685
		Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. REQUIRES: CAB, DELUXE CANNOT BE USED WITH: 604-7273 TIRES,20.5R25 TL BRAWLER, SM 604-7278 TIRES,20.5R25 TL BRAWLER, TR		

GUARDS

UPPER GUARDS

L	342-0250	GUARD, WINDSHIELD 0		\$3,330
		Provides protection to the front windshield from falling debris in waste, forestry, agriculture etc. while allowing excellent visibility to the ground and worktool.		
L	377-1530	GUARD, FRONT LIGHTS 0		\$390
		Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		
L	377-1547	GUARD, REAR LIGHTS 0		\$443
		Provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		
L	433-9758	GUARD, TILT CYLINDER,HIGH LIFT 0		\$900
		Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		
L	583-6220	GUARD, TILT CYLINDER, STD LIFT 0		\$795
		Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option. For use with serial numbers starting with W5L.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

LOWER GUARDS

L	349-8165	GUARD, POWERTRAIN, LOWER 0 Mounts underneath machine to provide protection for the transmission components		\$1,445
L	425-1425	GUARD, POWERTRAIN, SIDE 0 Mounts on side of machine to provide protection for the transmission components		\$565
L	349-8163	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$995
L	349-7940	GUARD, DRIVESHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$635
L	430-2916	GUARD, STEERING CYLINDER 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$770
L	391-1990	GUARD, HITCH 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$710

OTHER ATTACHMENTS

DECALS

L	387-4096	FILM GP, WASTE HANDLER 0 REQUIRES: 349-7940 Guard, Driveshaft 349-8163 Guard, Crankcase 349-8165 Guard, Powertrain, Lower 425-1425 GUARD, POWERTRAIN, SIDE 391-1990 GUARD, HITCH 536-5340 ENVIRONMENT, MEDIUM DEBRIS or 536-5350 ENVIRONMENT, HIGH DEBRIS		\$63
L	387-4097	FILM GP, AGGREGATE 0 REQUIRES: 467-7988 Counterweight, Aggregate One of the following buckets in North America: 345-2822 BUCKET-GP, 3.0 YD3, PO 430-3300 BUCKET-S&G, 3.2 YD3, PO 360-3322 BUCKET-GP, 3.0 YD3, FUS 451-1403 BUCKET-S&G, 3.2 YD3, FUS		NC

REMOTE AXLE AND GEARBOX BREATHER

L	468-9772	BREATHER GROUP 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$383
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

AUTOLUBE ARRANGEMENT

L	536-5349	AUTOLUBE 0 Provides Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. REQUIRES: CAB, DELUXE		\$6,820
---	----------	---	--	---------

SPEED LIMITER

P	565-0906	SPEED LIMITER, 20KPH 0 This selection activates a electronic speed limit on the machine to reduce max ground speed down to 12mph (20kph).The Speed Limit is programed at the time of build and control with a factory password. This Speed Limiter is required with Solid Tire Offerings. NOT COMPATIBLE with 472-6124 SPEED LIMITER, 12mph (20kph) 430-2976 CONVERSION, TUV ROADING 12mph (20kph)		NC
---	----------	---	--	----

QUICK COUPLERS

COUPLERS

L	536-5313	QUICK COUPLER, FUSION 0 Includes a cast coupler frame, and electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,350
L	536-5315	QUICK COUPLER, ISO 23727 0 Includes an electro-hydraulic cast coupler actuation system, activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,470
L	387-2859	TRANSPORT GROUP 0 Required when a machine is ordered without a coupler or Pin-On Bucket		\$565
L	492-1229	TRANSPORT GROUP 0 Required when a machine is ordered without a coupler and a Pin-On Bucket with a width of 108" or above (Not Installed)		\$565

WORK TOOLS

For European Dealers: For Lane 2 and Lane 3 orders no work tools can be ordered ex Factory (except for quick couplers). Please see WT-SWL price list for available work tools and order through Antares.

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORK CARRIAGE, FUSION COUPLER ONLY

P	532-8222	CARRIAGE, PAL C3/4, 62", FUS 324 1524mm width (60") Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		\$2,610
P	538-3866	CARRIAGE, CON, FORK, 60", FUS 961 Construction forks, carriage, and tines 2435mm width (96") Includes 1524mm tines (60") REQUIRES: Fusion Coupler		\$9,594
P	538-3867	CARRIAGE, CON, FORK, 72", FUS 1,004 Construction forks, carriage, and tines 2435mm width (96") Includes 1829mm tines (72") REQUIRES: Fusion Coupler		\$10,640

FORK TINES STRAIGHT

Price is for a quantity of one (1). Must order a quantity of two (2).

P	371-2348	FORK TINE, 2.25" X 6" X 48" 297 REQUIRES: CARRIAGE 532-8222		\$918
P	371-2354	FORK TINE, 2.25" X 6" X 54" 321 REQUIRES: CARRIAGE 532-8222		\$986
P	371-2360	FORK TINE, 2.25" X 6" X 60" 345 REQUIRES: CARRIAGE 532-8222		\$1,019

FORK TINES HIGH VISIBILITY (OFFSET)

(MUST ORDER BOTH RIGHT AND LEFT FORKS)

P	371-2374	FORK TINE, 2.25" X 6" X 48", RIGHT 301 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 532-8222 and 371-2375 FORK TINE, 2.25" X 6" X 48", LEFT		\$1,072
P	371-2375	FORK TINE, 2.25" X 6" X 48", LEFT 301 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 532-8222 and 371-2374 FORK TINE, 2.25" X 6" X 48", RIGHT		\$1,072
P	360-3354	FORK TINE, 2.25" X 6" X 54", LEFT 323 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 532-8222 and 360-3355 FORK TINE, 2.25" X 6" X 54", RIGHT		\$1,122
P	360-3355	FORK TINE, 2.25" X 6" X 54", RIGHT 323 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 532-8222 and 360-3354 FORK TINE, 2.25" X 6" X 54", LEFT		\$1,122
P	371-2377	FORK TINE, 2.25" X 6" X 60", RIGHT 348 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 532-8222 and 371-2376 FORK TINE, 2.25" X 6" X 60", LEFT		\$1,172

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORK TINES HIGH VISIBILITY (OFFSET) (Cont.)

P	371-2376	FORK TINE,2.25"X6"X60", LEFT	348	\$1,172
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 532-8222 and 371-2377 FORK TINE,2.25"X6"x60", RIGHT		

MATERIAL HANDLING ARM

P	510-5071	ARM, MATERIAL HANDLING, FUS	534	\$5,632 NI
		Four positions, one fixed, three manually adjustable.		
		REQUIRES: Fusion Coupler		

BUCKETS

ALL BUCKETS LISTED HERE ARE "PERFORMANCE SERIES" BUCKETS OFFERING IMPROVED PENETRATION AND INCREASED FILL FACTOR

EAME DEALERS, PLEASE SEE WT-SWL PRICE LIST.

BUCKETS, GENERAL PURPOSE (FUSION)

P	345-2418	BUCKET-GP, 2.5 YD3, FUS	1,705	\$6,783
		2550mm (100") width General Purpose Bucket Capacities: 1.8 m3 (2.4 yd3) w/bolt-on adapters 1.9 m3 (2.5 yd3) w/bolt-on adapters and segments 1.9 m3 (2.5 yd3) w/bolt-on cutting edge		
P	360-3320	BUCKET-GP, 2.7 YD3, FUS	1,819	\$7,421
		2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge		
P	360-3322	BUCKET-GP, 3.0 YD3, FUS	1,901	\$8,376
		2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, GENERAL PURPOSE (FUSION) (Cont.)

P	345-2424	BUCKET-GP, 3.2 YD3, FUS 2,119 2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$9,326
P	345-2784	BUCKET-GP, 3.2 YD3, FUS 2,121 2750mm (108") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$9,438 NI
P	345-2426	BUCKET-GP, 3.5 YD3, FUS 2,215 2750mm (108") width General Purpose Bucket Capacities: 2.6 m3 (3.4 yd3) w/bolt-on adapters 2.7 m3 (3.5 yd3) w/bolt-on adapters and segments 2.7 m3 (3.5 yd3) w/bolt-on cutting edge		\$9,947 NI
P	345-2428	BUCKET-GP, 3.8 YD3, FUS 2,292 2750mm (108") width General Purpose Bucket Capacities: 2.8 m3 (3.7 yd3) w/bolt-on adapters 2.9 m3 (3.8 yd3) w/bolt-on adapters and segments 2.9 m3 (3.8 yd3) w/bolt-on cutting edge		\$10,456 NI

BUCKETS, GENERAL PURPOSE (PIN-ON)

P	345-2818	BUCKET-GP, 2.5 YD3, PO 1,786 FOR USE IN LANE 3 ONLY 2550mm (100") width General Purpose Bucket Capacities: 1.8 m3 (2.4 yd3) w/bolt-on adapters 1.9 m3 (2.5 yd3) w/bolt-on adapters and segments 1.9 m3 (2.5 yd3) w/bolt-on cutting edge		\$6,783
P	345-2820	BUCKET-GP, 2.7 YD3, PO 1,883 2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge		\$7,421
P	345-2822	BUCKET-GP, 3.0 YD3, PO 1,965 2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge		\$8,376

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, GENERAL PURPOSE (PIN-ON) (Cont.)

P	345-2824	BUCKET-GP, 3.2 YD3, PO 2,154 FOR USE IN LANE 3 ONLY 2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$9,326
---	----------	---	--	----------------

BUCKETS, FLAT FLOOR (FUSION)

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	491-0515	BUCKET-FF, 3.0 YD3, FUS, BOCE 2,370 FOR USE IN LANE 3 ONLY Width 2550 mm (100"). Includes BOCE. Flat Floor Bucket Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$10,608
---	----------	--	--	-----------------

BUCKETS, FLAT FLOOR (PIN-ON)

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	490-3050	BUCKET-FF, 3.0 YD3, PO, BOCE 2,445 FOR USE IN LANE 3 ONLY Width 2550 mm (100"). Includes BOCE. Flat Floor Bucket Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		\$10,608
---	----------	---	--	-----------------

BUCKETS, SAND & GRAVEL (FUSION)

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	451-1403	BUCKET-S&G, 3.2 YD3, FUS 2,228 2750mm (108") width Aggregate Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$10,549 NI
P	469-0191	BUCKET-S&G, 3.8 YD3, FUS 0 2750mm (108") width Aggregate Bucket Capacities: 2.8 m3 (3.7 yd3) w/bolt-on adapters 2.9 m3 (3.8 yd3) w/bolt-on adapters and segments 2.9 m3 (3.8 yd3) w/bolt-on cutting edge		\$11,567 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, SAND & GRAVEL (PIN-ON)

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	430-3300	BUCKET-S&G, 3.2 YD3, PO	2,261	\$10,549 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.3 m3 (3.1 yd3) w/bolt-on adapters 2.4 m3 (3.2 yd3) w/bolt-on adapters and segments 2.4 m3 (3.2 yd3) w/bolt-on cutting edge		

BUCKETS, LIGHT MATERIAL (FUSION)

P	452-7417	BUCKET-LM, 4.0 YD3, FUS, BOCE	2,689	\$10,046 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3 m3 (4 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
P	417-4935	BUCKET-LM, 4.5 YD3, FUS, BOCE	2,873	\$10,896 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler Light Materials Bucket		
P	450-0252	BUCKET-LM, 5.0 YD3, FUS, BOCE	3,015	\$11,744 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.8 m3 (5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
P	417-4342	BUCKET-LM, 5.5 YD3, FUS, BOCE	3,172	\$12,594 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		
P	417-4950	BUCKET-LM, 6.5 YD3, FUS, BOCE	3,311	\$14,293 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100% FOR USE WITH: FUSION Quick Coupler		

BUCKETS, LIGHT MATERIAL (PIN-ON)

P	452-7416	BUCKET-LM, 4.0 YD3, PO, BOCE	2,730	\$10,046 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3 m3 (4 yd3) fill factor 100%		
P	417-4905	BUCKET-LM, 4.5 YD3, PO, BOCE	2,904	\$10,896 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.5 m3 (4.5 yd3) fill factor 100%		
P	450-0250	BUCKET-LM, 5.0 YD3, PO, BOCE	3,062	\$11,744 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 3.8 m3 (5 yd3) fill factor 100%		
P	417-4942	BUCKET-LM, 5.5 YD3, PO, BOCE	3,175	\$12,594 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 4.2 m3 (5.5 yd3) fill factor 100%		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, LIGHT MATERIAL (PIN-ON) (Cont.)

P	417-4350	BUCKET-LM, 6.5 YD3, PO, BOCE	3,300	\$14,293 NI
		Light Material Bucket, Width 2750 mm (108"). Includes 1pc BOCE Capacity: 5 m3 (6.5 yd3) fill factor 100%		

BUCKET ATTACHMENTS, 2550mm (100") BUCKET

General Purpose Buckets (2550 mm) require a selection of one.

P	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE)	365	\$789
P	8E-4568	SEGMENTS, BOLT ON	205	\$540
		REQUIRES: 589-6111 ADAPTERS, TIPS, BOLT-ON, A70		
P	251-5418	CUTTING EDGE GP, RUBBER, 100"	455	\$3,017
		FOR USE IN LANE 3 ONLY Provides a two-section rubber cutting edge.		

BUCKET ATTACHMENTS, 2750mm (108") BUCKET

General Purpose and Sand & Gravel Buckets (2750 mm) require a selection of one.

P	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE	319	\$917
P	7T-9326	SEGMENTS, BOLT ON, SET OF 7	205	\$676
		REQUIRES: 589-6111 ADAPTERS, TIPS, BOLT-ON, A70		
P	444-1522	CUTTING EDGE GP, RUBBER, 108"	493	\$3,167
		Provides a two-section rubber cutting edge.		

BUCKET ATTACHMENTS, ADAPTERS WITH TIPS

P	589-6111	ADAPTERS, TIPS, BOLT-ON, A70	0	\$2,222
		Provides CAT ADVANSYS 70 tips and adapters REQUIRED BY: 7T-9326 SEGMENTS, BOLT ON, SET OF 7 8E-4568 SEGMENTS, BOLT ON		

FLUIDS

	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$283 NET
		For use where there is a possibility ambient temperatures may fall below -37C (-34F) and down to a minimum of -52C (-62F)		
	430-2981	HYDRAULIC OIL, BIODEGRADABLE	0	\$2,415

ALTERNATE SOURCED ATTACHMENTS

Available through ANTARES Parts Ordering
NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
When ordering via CMOPS include top level reference numbers (OP3536) and OP number for packing.

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.

KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.

P	370-7008	KIT, WARNING,BEACON,LED STROBE 0 Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure. Estimated time to install: 15 minutes		\$247 NI
P	374-5868	KIT, LIGHTS, AUX, HALOGEN 0 Kit provides two (2) additional forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights. Estimated time to install: 60 minutes		\$261 NI
P	452-0853	KIT, LIGHTS, AUX, LED 0 Kit provides two (2) additional forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights. LED lighting provides brighter lighting and longer life.		\$865 NI
P	441-4005	KIT, QUICK DISCONNECTS 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. Recommended to adapt existing work tools to the new improved SWL quick disconnects. For use with machines before serial number LTE06550. Estimated time to install: 60 minutes		\$381 NI
P	582-1425	KIT, FORWARD FACING CAMERA 0 Includes a camera, display, harness, brackets and hardware to mount a forward facing camera system. The forward facing camera is mounted to an external breakaway bracket in the top left corner of cab. The display is mounted in the upper left corner of the cab and replaces an internal mirror. The forward camera may be required for local EU requirements. Consult Cat dealer for additional information. Refer to Product Bulletin, TEJB9977 at catpublications.com		\$2,568 NI
P	463-3793	KIT, REAR VIEW CAMERA 0 Kit provides rear view camera that mounts to rear door and harness. Requires secondary display.		\$1,300 NI
P	463-3794	KIT,MONITOR, SECONDARY DISPLAY 0 Kit provides a secondary display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included). For use with machines before serial number LTE03500		\$1,997 NI
P	494-7956	KIT,MONITOR, SECONDARY DISPLAY 0 Kit provides a secondary touch screen display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included)		\$1,931 NI
P	463-3795	KIT, LIGHTS, LED, ENGINE 0 Kit provides three (3) additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refueling the machine in dark conditions. For use with machines before serial number LTE06550.		\$265 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ALTERNATE SOURCED ATTACHMENTS (CONT.)				
P	463-3801	KIT, OBJECT DETECTION, RADAR 0 Kit provides a rear door mounted radar system to warn the operator visually and audibly of close-by objects to the rear of the machine. Requires secondary display and rear camera.		\$4,299 NI
P	441-3368	KIT, JUMPER LINES,3RD FUNCTION 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machines before serial number LTE06550. Estimated time to install: 60 minutes		\$699 NI
P	576-9758	KIT, JUMPER LINES,3RD FUNCTION 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machine serial numbers after LTE06550 & W5L00100		\$369 NI
P	376-5324	KIT, PRECLEANER, CAB AIR-RESPA 0 Provides a powered cab air pre cleaner, mounting brackets, and interior cab pressure sensor. Improves operator air quality and cab pressurization in the K & M Series SWL. Recommended for high debris environments.		\$2,286 NI
P	376-4390	KIT, PRECLEANER, TURBINE 0 Kit provides turbine precleaner for the engine that ejects particles before intake. Recommended for high debris environments.		\$610 NI
P	467-7992	KIT, COUNTERWEIGHT, AGGREGATE 0 Kit converts a heavy counterweight machine to a Aggregate Handler machine by adding an additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT compatible with high lift machines. CANNOT BE USED WITH: Brawler Tires		\$4,424 NI
P	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine For use with machines before serial number LTE06550.		\$915 NI
P	576-4833	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine For use with machine serial numbers after LTE06550 & W5L00100		\$657 NI
P	545-5498	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic Cast ISO Interface coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. For use with machines before serial number LTE06550.		\$6,376 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	566-5499	KIT,CAST QUICK CPLR, ISO 23727 0 Kit provides an electro-hydraulic Cast ISO Interface coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. For use with machines after serial number LTE06550 & W5L00100		\$6,376 NI
P	374-5790	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. For use with machines before serial number LTE06550.		\$5,078 NI
P	566-5497	KIT,CAST QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic Cast Fusion Interface coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. For use with machines after serial number LTE06550 & W5L00100		\$5,078 NI
P	589-6664	ADAPTER INTERFACE, FUSION-IT 0 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		\$2,746 NI
P	371-2400	HOOK, FLAT BACK, FUSION 330 Provides brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.Reference install procedures to Rework Loader Buckets for Use with Fusion Couplers (REHS3953).		\$1,049 NI
P	471-7009	KIT, FNR, COLUMN 0 Kit provides a FNR shifter lever, wiring harness, mounting bracket and templates to modify the existing bracket and covers to install the shifter on the left hand (LH) side of the steering column. The multi-function stalk switch is relocated to the right hand (RH) side of the column.		\$414 NI
P	374-5855	KIT, BLOCK HEATER, 120V 0 Kit provides 120V block heater to improve cold start performance. Estimated time to install: 2 Hours		\$307 NI
P	374-5856	KIT, BLOCK HEATER, 240V 0 Kit provides 240V block heater to improve cold start performance. Estimated time to install: 2 Hours		\$307 NI
P	374-5854	KIT, ETHER START 0 Kit provides ether starting aid to improve cold start performance. Estimated time to install: 2 Hours		\$468 NI
P	370-7007	KIT, START, HEAVY DUTY 0 Kit provides battery box for installation of 2 additional batteries (in place of standard tool box), along with cables and battery tie-downs (batteries not included). Estimated time to install: 2 Hours		\$1,404 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	387-4189	KIT, ALTERNATOR HEAVY DUTY 0 Estimated time to install: 3 Hours		\$1,647 NI
P	452-0855	KIT, RIDE CONTROL 0 Kit provides multi-accumulator system to absorb shock and reduce machine bounce when traveling. For use with machines before serial number LTE06550.		\$4,889 NI
P	577-0372	KIT, RIDE CONTROL 0 Kit provides multi-accumulator system to absorb shock and reduce machine bounce when traveling. For use with machine serial numbers after LTE06550 & W5L00100		\$4,899 NI
P	374-5859	KIT, STEERING, SECONDARY 0 Kit provides a combined electric motor / hydraulic pump along with required lines to add a secondary back-up steering system for increased safety. Required in some countries and some locations by OSHA/MSHA. Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm. Estimated time to install: 4 Hours		\$3,697 NI
P	374-5857	KIT, FENDERS, EXTENDED COVER 0 Kit provides yellow, non-metalic front fenders and extended coverage rear fenders. Kit converts standard fender group to extended cover. Recommended for applications that include long load and carry. Estimated time to install: 60 minutes		\$2,592 NI
P	562-5684	KIT, POLY FRONT WINDSHIELD 0 Kit provides optical grade, fretted anti-glare tinted and anti-scratch coated polycarbonate front upper windshield, lower left and right window panels. Each panel is individually serviceable and will provide improved impact resistance from falling debris in various applications such as waste, recycling, forestry and agriculture while allowing unobstructed visibility to the ground and work tool. The polycarbonate kit is compatible with KIT, GUARD, WINDSHIELD for additional protection.		\$2,094 NI
P	387-4190	KIT, GUARD, WINDSHIELD 0 Kit provides protection to the front windshield from falling debris in waste, forestry, agriculture, etc. while allowing excellent visibility to the ground and worktool.		\$3,886 NI
P	374-5861	KIT, GUARD, FRONT LIGHTS 0 Kit provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$456 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	374-5862	KIT, GUARD, REAR LIGHTS 0 CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING Kit provides two (2) rear light guards that mount over the tail lights. For use with machines before serial # break LTE02948. Not compatible with Heavy Duty Rear Guard.		\$518 NI
P	512-9616	KIT, GUARD, REAR LIGHTS 0 Kit provides two (2) rear light guards that mount over the tail lights. For use with machines after serial # break LTE02948. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$518 NI
P	374-5842	KIT, GUARD, DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$746 NI
P	452-0857	KIT, GUARD, POWERTRAIN, SIDE 0 Kit provides two (2) side transmission guards that mount to both sides of the rear frame.		\$654 NI
P	374-5844	KIT, GUARD, POWERTRAIN, LOWER 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,707 NI
P	374-5845	KIT, GUARD, CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$1,160 NI
P	437-8603	KIT, GUARD, FENDERS, WASTE 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$608 NI
P	377-1594	KIT, GUARD, STEERING CYLINDER 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$908 NI
P	433-2002	KIT, GUARD, HITCH 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$824 NI
P	437-1878	KIT, GUARD, TILT CYL, STD LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option. For use with serial numbers up to LTE.		\$931 NI
P	583-6242	KIT, GUARD, TILT CYL, STD LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option. For use with serial numbers starting with W5L.	0	\$1,061 \$931 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	437-1879	KIT, GUARD, TILT CYL,HIGH LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$1,044 NI
P	457-0939	KIT, 2V2L 0 Kit provides 2 valve single axis lift and tilt levers with console mounted FNR, diff lock and horn switches		\$1,510 NI
P	387-4021	KIT, 3RD VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines before serial number LTE03500		\$2,783 NI
P	527-8436	KIT, 3RD VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines after serial number LTE03500 and before LTE06550		\$2,783 NI
P	577-0374	KIT,3RD VALVE,STD OR HIGH LFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift or High Lift machine to 3 valve (3V). For use with machine serial numbers after LTE06550 & W5L00100		\$2,218 NI
P	420-4331	KIT, 3RD VALVE, HIGH LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2V High Lift machine to 3 Valve. For use with machines before serial number LTE06550.		\$3,086 NI
P	452-0862	KIT, 4TH VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick, ECM and hydraulic lines to convert a 3 valve (3V) STD Lift machine to 4 valve (4V) For use with machines before serial number LTE06550.		\$2,593 NI
P	576-9770	KIT, 4TH VALVE 0 Kit provides implement valve section, joystick, ECM and hydraulic lines to convert a 3 valve (3V) machine to 4 valve (4V) For machines with serial number after LTE06550 & W5L00100 599-4061 KIT, AUX ECM is also required.		\$2,597 NI
P	452-0858	KIT, REVERSING FAN 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Recommended for applications with a high content of airborne debris.		\$2,401 NI
P	452-0859	KIT, FULL COVER, MUD FLAPS 0 Kit provides mud flaps and extended coverage to front of rear tires. Kit converts extended cover fender group to full cover. Not for use with 366-8148 Fenders, Standard.		\$775 NI
P	372-1949	KIT, VISION MONITOR (WAVS) 0 Kit provides a dedicated rear vision monitor mounted high on the cab A post. Required in some EU countries where a rear view needs to be on permanent display. Can be used with any NTSC or PAL camera located elsewhere on the machine.		\$1,753 NI
P	370-7004	KIT, SECURITY SYSTEM, CAT MSS 0 Kit provides a programmable system to manage access to machine. Includes 2 special MSS keys.		\$1,211 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ALTERNATE SOURCED ATTACHMENTS (CONT.)				
P	416-1179	KIT, RADIO, CD, DELUXE 0 Provides a AM/FM radio with weatherband and CD player, includes Bluetooth, Aux & USB capability		\$1,167 NI
P	372-1871	KIT, RADIO AM/FM 0 Kit provides a AM/FM radio with Bluetooth, Aux & USB capability		\$643 NI
P	472-6125	KIT, CONV,20 KPH SPEED LIMITER 0 Kit provides 20 kph speed labels and electronically limits speed to 20 kph. CANNOT BE USED WITH: 472-6123 KIT, CONV, TUV ROADING 20 KPH		\$21 NI NET
P	374-5865	KIT, LICENSE PLATE 0 Kit provides illuminated license plate holder that mounts to the rear door.		\$261 NI
P	363-4245	KIT, DRAIN, ECO FUEL 0 Kit provides an ecology drain plug and tube for the fuel tank.		\$499 NI
P	416-1958	KIT, FILM, WASTE HANDLER 0		\$29 NI
P	416-1959	KIT, FILM, AGGREGATE 0		\$29 NI
P	416-1960	KIT, FILM, FOREST HANDLER 0		\$29 NI
P	452-0861	KIT, STARTING, HIGH ALTITUDE 0 Kit provides a hydraulic fan bypass valve to improve cold starting in cold weather high altitude conditions.		\$915 NI
P	387-4185	KIT, STEERING, DUAL MODE 0 Kit provides Dual Mode Hand Metering Unit (HMU) and required lines to convert a standard steering machine into Dual Mode. Adds the ability to enable Dual Mode Steering (Quick Steer) to minimize operator efforts in repetitive cycles. For machines with serial numbers after LTE06550 & W5L00100 The consist of 599-4061 AUX ECM is also required.		\$1,425 NI
P	419-7164	KIT, BREATHER GROUP 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$328 NI
P	522-0264	KIT, AUTOLUBE 0 Kit includes Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. Kit is compatible with both standard lift & high lift machine configurations. For use with machines after serial number LTE03500 & W5L00100		\$5,699 NI
P	450-0490	KIT, THERMAL BYPASS 0 Kit provides a cold oil cooler bypass valve for machines that continuously operate in ambient temperatures lower than -5 Deg C and enables oil to quickly warm up to 50 Deg C		\$618 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	599-4061	KIT, AUX ECM 0 KIT includes Additional Electronic Control Module (ECM) to control 4th function hydraulics and/or dual mode steering.		\$1,163 NI
P	445-2010	KIT, WINDSHIELD ACCESS STEPS 0 Kit provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield.		\$785 NI
P	502-4860	KIT, SERVICE TIE OFF 0 Kit provides service tie off on left rear corner of cab that is a weld on dealer attachment.		\$146 NI
P	418-4190	KIT, FUEL DOOR 0 Kit provides an elevated fuel fill location along with an access door for fueling the machine through the large right side service door without opening it.		\$775 NI
P	460-2752	KIT, RIM 17X25 3PC X4 0 Kit provides a set of 4 three piece rims for use with 20.5R25 tires. Enables easier switching between different types of tires in the field		\$4,825 NI
P	494-8000	KIT, ELITE, NETWORK MANAGER 0 Kit includes Network Manager for conversion of Product Link Pro to Product Link Elite. Required to field install Cat Production Measurement kit 494-7950		\$433 NI
P	494-7950	KIT, CONTROL GP, PAYLOAD 0 Kit includes sensors and hardware. Software license for Cat Production Measurement (CPM) will be a separate charge. Requires secondary display and Product Link Elite (Network Manager). 250 hours of demonstration time can be activated via the secondary display and will remind the operator when time is close to expiring. Requires purchase of software license from https://fps.cat.com (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than LTE03500 & W5L00100		\$590 NI
P	494-7947	KIT, MONITOR, TIRE PRESSURE 0 Kit includes four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure & temperature in each tire. Tire pressure & temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires secondary touch screen display. Requires SEA 518-3231 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than LTE03500 & W5L00100		\$1,969 NI
P	494-8001	KIT, CONTROL GP, PRINTER 0 Kit includes printer for onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 Control GP Payload or kit 494-7950		\$2,026 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)**FIRE SUPPRESSION SYSTEM**

System to protect engine installation, hydraulic pumps, and transmission from a thermal incident. Fully integrated system which includes an in cab monitor of machine enclosure temperatures and focused foam based suppression system. Activates automatically as well as manually, from the cab or from the outside of the machine.

For use when machine is in application or environments with potentially flammable air borne debris or waste materials.

CONTACT YOUR DEALER OR AFEX FOR PRICING AND TERMS

Steve Payne
spayne@afexsystems.com
(919)-781-6610 Tel
(919)-787-3915 Fax
www.afexsystems.com

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING				
	OG-8010	PACKING, PHYTO-SANITARY WOOD 0 All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material.		NC
	OP-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		\$213 NET
	398-6472	TRANSPORT PROTECTION 0 Provides protection against corrosion during transport and storage, with particular emphasis on plated fasteners, engine components, and hydraulic cylinders. Includes OP2266 PROTECTION,SHIP&STORE STANDARD		\$457
	OG-6022	CERTIFICATE OF ORIGIN, ENGLISH 0		NC
	OP-0210	PACK, DOMESTIC TRUCK 0		NC
	OP-2160	PACK, MISCELLANEOUS MATERIAL 0 Exfactory Kits, Freight Collect		NC
	OP-2161	PACKING, KIT (RUSH) 0 Exfactory Kits, Freight Collect, Expedite Shipment		\$143 NET

AM-NORTH INFORMATION

LINKAGE/HYDRAULICS/VALVES

L	536-5323	HYDRAULICS, 3V, CPLR READY, SL 0 Information Only - DO NOT ORDER		\$2,455
L	549-0413	HYDRAULICS, 3V, CPLR READY, HL 0 Information Only - DO NOT ORDER		\$9,440

REAR AXLE

L	333-6528	DIFFERENTIAL, OPEN REAR 0 Information Only - DO NOT ORDER		NC
L	333-6526	DIFFERENTIAL,LIMITED SLIP REAR 0 Information Only - DO NOT ORDER Adds a rear limited slip traction aid		\$3,160

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

CAB

L	536-5309	CAB, DELUXE 0 Information only DO NOT ORDER		\$3,125
---	----------	--	--	---------

ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt, telescopic steering wheel, windshield washing access steps and storage. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display when configured with optional rear camera.

CAMERA

L	377-5635	CAMERA, REAR VIEW 0 Information only DO NOT ORDER		\$1,105
---	----------	--	--	---------

Provides a wide angle (115 degree) rear view camera system. Requires the secondary display in the cab. Secondary display is included in Deluxe cab.
 ONLY FOR USE WITH: 536-5309 Cab, Deluxe
 CANNOT BE USED WITH: 430-2946 PREP PACK, EU