

## CATERPILLAR MACHINE PRICE LIST

**963****963 TRACK TYPE LOADER  
GRENOBLE, FRANCE**Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Modular cooling system for engine air intake, oil and water  
Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
Electro Hydrostatic Control (EHC) for transmission  
Engine idle shutdown  
Auto engine speed control  
Electric fuel pump  
Water separator  
Starting aid, glow plug  
Caterpillar extended life coolant

**UNDERCARRIAGE**

Caterpillar heavy duty undercarriage and tracks (38 sections), 1850mm (72.8") track gauge  
Track guiding guards, end section  
Track adjuster, hydraulic  
Sprocket rims, with replaceable bolt-on tough steel segments  
Guards, sprocket  
7 track rollers per side, with two upper carrier rollers, lifetime lubricated  
Idlers, conventional type, lifetime lubricated  
Oscillating track roller frames

**ELECTRICAL**

Alternator, 24 volt, heavy duty  
Alarm, backup  
Horn, electric  
2 heavy duty batteries, high output, maintenance free, 1120 CCA  
Switch, main disconnect  
Starter, electric (heavy duty, 24 volt)  
4 halogen lights : 2 facing forward, roof mounted, 2 facing rearward, integrated in the air conditioner unit

**OPERATOR ENVIRONMENT**

Pressurized, sound suppressed, ROPS/FOPS  
Cab with tinted glass and right side sliding window  
Air conditioning and heating  
Heater / defroster with automatic temperature control and automatic blower control  
Armrests, adjustable  
Electro Hydraulic, seat mounted control levers with faster processing  
Seat belt, retractable, with buckling

indicator on dash  
Mirror, rearview, inside, adjustable  
Radio ready. Includes radio ready for 24V radio, speakers, antenna, 12V power outlet and USB port 5V supply  
Coat hook  
Storage compartments under left armrest  
Document holder on right console  
Floor mat, rubber, heavy duty  
Windshield washers and wipers, multiple speed front and rear  
Durable metal roof  
Parking brake switch and "brake-on" indicator light  
Implement lock-out switch  
Durable metal fender  
Rearview HD camera (EU5/T4F only)  
10" colour touchscreen display with integrated rear camera display and machine slope indicator

**OTHER STANDARD EQUIPMENT**

Sound suppression, exterior  
Z-bar loader linkage  
Load sensing implement pump with variable displacement  
Implement cylinders with sensors  
Operator programmable lift and tilt kickouts  
Engine enclosure with lockable doors  
Radiator core 6.5fpi, debris resistant  
Hinged radiator guard and swing out fan  
Guards, full bottom  
Ecology drains on hydraulic oil tank  
Product Link ready  
Oil sampling valves  
Hoses, Caterpillar XT  
HYDO Advanced 10  
4 x 2 Easy tie-down points on chassis  
Implement oil return filter in hydraulic tank

CATERPILLAR MACHINE PRICE LIST

**963**

963 TRACK TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**LANE 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base  
 Order Management Program.**

561-4700	<b>963 TRACK LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	<b>NC</b>
----------	---	-----------

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)  
 AVAILABLE FOR: EU DEALERS  
                   AM-N DEALERS  
                   KOREAN DEALERS  
                   AUSTRALIA AND NEW ZEALAND DEALERS  
                   JAPANESE DEALERS

0P-7222	<b>963 MISC MATERIAL</b> ..... 0 AVAILABLE FROM GRENOBLE FACTORY	<b>NC</b>
---------	---	-----------

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0		NC
	Only for dealers enrolled in the Base Order Management (BOM) Program.			
OP-9003	LANE 3 ORDER . . . . .	0		NC

**REGIONAL PACKAGES**

L	575-0671	REGIONAL PACKAGE, AM-N . . . . .	0	NC
		Includes warning decals, ANSI.		

**FEATURE PACKAGES**

L	568-0996	CONSTRUCTION PKG 12A, CAT ABR . . . . .	0	\$364,980
		CATERPILLAR ABRASION PACKAGE Construction package designed for all types of general earthmoving tasks: cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. This construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, CAT ABR undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: CAT ABRASION TRACKS		
L	561-4704	CONSTRUCTION PACKAGE 12A, HD . . . . .	0	\$364,980
		Heavy Duty package designed for all types of general earthmoving tasks: cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. This construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, heavy duty undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: HEAVY DUTY TRACKS		

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	568-0997	<p><b>WASTE PACKAGE 12A, HD</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Built for waste handling applications, this package features:</p> <ul style="list-style-type: none"> <li>- Undercarriage, heavy duty</li> <li>- Guards for the final drives and idlers duo cone seal</li> <li>- Thicker front guard for the hydraulic tank</li> <li>- Sealing between front guard and frame around hydraulic lines</li> <li>- Latches on rear guard and fan door for easier cleaning</li> </ul> <p>RECOMMENDED OPTIONS: 337-3082 STRIKER BARS, REAR TRACKS WITH CENTER HOLES                      577-4087 AIR PRECLEANER, CAB                      276-0158 OR 276-0159 GUARD, FINAL DRIVE                      276-0160 GUARD, TILT CYLINDER</p> <p>REQUIRES: 3W-8578 GUARD, IDLER                      566-0323 PRECLEANER, TURBINE, W/SCREEN                      573-8266 FAN, DEMAND, REVERSING                      454-9489 SERVICE PACKAGE, EXTENDED                      261-4228 GUARD, LIFT CYLINDERS                      HEAVY DUTY TRACKS                      507-9474 WINDSHIELD PROTECTION</p>		\$375,420
L	568-0998	<p><b>WASTE ES / DEMOLITION PKG 12A</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The Waste Handler extreme service package provides needed attachments to work successfully in tough waste applications like transfer station and demolition.</p> <p>This package can be selected also to maximize the protection of the machine for a better durability.</p> <p>The modifications to the base machine include those from the Waste Handler Package plus the following:</p> <ul style="list-style-type: none"> <li>- Heavy duty bumper with hitch</li> <li>- Guard tilt cylinder</li> <li>- Guards (top and bottom) for final drives</li> <li>- Striker bars</li> </ul> <p>RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES BUCKETS, LANDFILL OR MULTIPURPOSE                      528-6546 GUARD FULL LENGTH, TRACK, HD                      276-0158 OR 276-0159 GUARD, FINAL DRIVE</p> <p>REQUIRES: 3W-8578 GUARD, IDLER                      566-0323 PRECLEANER, TURBINE, W/SCREEN                      573-8266 FAN, DEMAND, REVERSING                      574-7874 KIT VISIBILITY, SINGLE CAMERA                      454-9489 SERVICE PACKAGE, EXTENDED                      454-8991 NO BUMPER                      HEAVY DUTY TRACKS                      577-4087 AIR PRECLEANER, CAB</p> <p>CANNOT BE USED WITH: 337-3082 STRIKER BARS, REAR                      507-9474 WINDSHIELD PROTECTION                      261-4228 GUARD, LIFT CYLINDERS                      276-0160 GUARD, TILT CYLINDER                      GUARDS, FINAL DRIVE                      465-8893 HITCH, RIPPER                      COUNTERWEIGHT</p>		\$391,190

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	575-2941	<p><b>WASTE PKG,HD,ENHANCED CLEANING . . . . . 0</b></p> <p><b>FOR USE IN LANE 3 ONLY</b></p> <p>The package features the waste handling modifications, a wide gauge undercarriage and standard shoes enabling the waste to flow more easily between the chassis and the track roller frames which results in a huge cleaning time reduction.</p> <p>To take a full advantage of this package, one of the following track / bucket combinations must be considered:</p> <ul style="list-style-type: none"> <li>- any bucket combined with 450mm/17.7" track shoes with center hole. The clearance between track and chassis will be 215mm/8.5"</li> <li>- bucket with a minimum width of 2650mm/103.2" (wide or performance) combined with 550mm/21.6" track shoes with center hole. The clearance between track and chassis will be 165mm/6.5"</li> </ul> <p>Trash rack is only provided on landfill buckets. Please contact Cat Work Tools if other bucket needs.</p> <p><b>RECOMMENDED OPTIONS: STRIKER BARS AND / OR COUNTERWEIGHT</b></p> <ul style="list-style-type: none"> <li>276-0160 GUARD, TILT CYLINDER</li> <li>572-5847 GUARD, BOTTOM, FINAL DRIVE</li> <li>528-6546 GUARD FULL LENGTH, TRACK, HD TRACKS WITH CENTER HOLE</li> </ul> <p><b>REQUIRES: 566-0323 PRECLEANER, TURBINE, W/SCREEN</b></p> <ul style="list-style-type: none"> <li>3W-8578 GUARD, IDLER</li> <li>573-8266 FAN, DEMAND, REVERSING</li> <li>454-9489 SERVICE PACKAGE, EXTENDED</li> <li>577-4087 AIR PRECLEANER, CAB</li> <li>507-9474 WINDSHIELD PROTECTION</li> <li>261-4228 GUARD, LIFT CYLINDERS</li> <li>HEAVY DUTY TRACKS</li> </ul> <p><b>ONLY FOR USE WITH: 561-4700 963 TRACK LOADER</b></p> <p><b>CANNOT BE USED WITH: 276-0158 OR 276-0159 GUARD, FINAL DRIVE</b></p>	0	<b>\$402,520</b>
---	----------	--	---	------------------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	594-4871	<p><b>SHIPHOLD PACKAGE, HEAVY DUTY</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Built for ship unloading and more generally for port handling applications, this package features:</p> <ul style="list-style-type: none"> <li>- four lifting eyes on hybrid undercarriage and frame to lift the machine safely</li> <li>- thicker front guard to protect the hydraulic tank</li> <li>- sealing between front guard and frame around hydraulic lines</li> <li>- Latches on fan door and rear guard for easier cleaning</li> <li>- Guards lift cylinders</li> <li>- Guard tilt cylinder</li> <li>- Guard, lift lines and sensor</li> </ul> <p>NOTE: The heavy duty bumper is not proposed anymore.</p> <p>Shiphold package to improve the performance of the machine and its price positioning. If you need to sell this feature, please contact your sales representative.</p> <p>RECOMMENDED OPTIONS : FRONT LIGHTS OR WINDSHIELD PROTECTION GUARDS</p> <ul style="list-style-type: none"> <li>528-6546 GUARD FULL LENGTH, TRACK, HD</li> <li>577-4087 AIR PRECLEANER, CAB</li> <li>587-0518 LIGHTS, ADDITIONAL</li> </ul> <p>REQUIRES: 317-8187 GUARD, IDLER, SHIPHOLD</p> <ul style="list-style-type: none"> <li>566-0323 PRECLEANER, TURBINE, W/SCREEN</li> <li>573-8266 FAN, DEMAND, REVERSING</li> <li>574-5821 CAB, DELUXE</li> <li>454-9489 SERVICE PACKAGE, EXTENDED</li> <li>577-3459 BUMPER, STANDARD</li> </ul> <p>HEAVY DUTY TRACKS</p> <p>ONLY FOR USE WITH: 561-4700 963 TRACK LOADER</p> <p>CANNOT BE USED WITH: 261-4228 GUARD, LIFT CYLINDERS</p> <ul style="list-style-type: none"> <li>276-0160 GUARD, TILT CYLINDER</li> <li>469-6093 MAST, GRADE CONTROL</li> <li>337-3082 STRIKER BARS, REAR COUNTERWEIGHT</li> </ul>	0	\$379,630
---	----------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	598-7835	<p><b>STEEL MILL PKG, HD, PARTIAL</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY                      Built for dealers requiring a product base for the steel mill application.                      This package features:                      - Steel Mill undercarriage with high temperature seals for durability, guards for final drives duo-cone seals and equalizer bar pivots, welded side bars                      - Rear grill and fan door equipped with latches for easier and frequent cleaning of cooling area                      - Fire retardant oil Ecosafe                      - Guards for lift lines                      - HD front guard                      - Tilt Cylinder guards are included in the package.                      - Steel mill cab equipped with various thermal shields and silicone seals, sealed windows, double laminated front windshield protected by a hinged grill and a metallic screen, fire resistant floormat, additional metallic roof, metallic door handles and push button release, 8 heat resistant lights, A/C vents on both sides of operator.                      This package DOES NOT feature:                      All the other modifications required to allow the machine running on hot slag. Examples: steel fuel tank, heat insulated harnesses, hoses and tanks.                      A good reference for information is the content offered on 973D/K SMA, see specalog AEHQ6071.                      Note: Some dealers are able to provide the complement of modifications required to upgrade the machine from a partial to a full SMA. Please ask your Product &amp; Application Specialist.                      RECOMMENDED OPTION: 528-6546 GUARD FULL LENGTH, TRACK, HD                      REQUIRES: 561-6178 or 584-6324 SEALED TRACKS                      482-7750 HYDRAULIC OIL, SMA                      454-9489 SERVICE PACKAGE, EXTENDED                      3W-8578 GUARD, IDLER                      573-8266 FAN, DEMAND, REVERSING                      598-8657 CAB, STEEL MILL                      517-1713 NO PRODUCT LINK                      577-3459 BUMPER, STANDARD                      574-7872 KIT VISIBILITY, SINGLE CAMERA                      261-4228 GUARD, LIFT CYLINDERS                      ONLY FOR USE WITH: 561-4700 963 TRACK LOADER                      CANNOT BE USED WITH: QUICK COUPLER INSTALLATIONS                      577-4087 AIR PRECLEANER, CAB                      469-6093 MAST, GRADE CONTROL                      593-6767 TANK, FUEL, REFUELING PUMP                      276-0160 GUARD, TILT CYLINDER                      587-0518 LIGHTS, ADDITIONAL                      590-3290 / 590-3292 RADIO</p>	0	\$386,700
---	----------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	569-6171	<b>LGP PACKAGE 12A, HEAVY DUTY</b> . . . . . 0 FOR USE IN LANE 3 ONLY Built for applications requiring a lower ground pressure, this package features an Heavy Duty wide gauge undercarriage that enables the installation of wide tracks 31.5" (800MM). RECOMMENDED OPTIONS: 3W-8578 GUARD, IDLER RIPPER PACKAGE OR COUNTERWEIGHTS For a sufficient balance to the wide bucket. REQUIRES: 415-5693 TRACK 800MM DG, HD CANNOT BE USED WITH: GUARDS, FINAL DRIVE		\$397, 670
---	----------	---	--	------------

**POWERTRAIN**

**ENGINE**

L	566-7533	<b>ENGINE</b> . . . . . 0 Caterpillar C7.1 diesel engine, twin turbo charged with ATAAC and engine mounted aftertreatment. Achieves emission levels equivalent to Environmental Protection Agency (EPA) tier 4 final / EU stage 5 / Japan 2014 (tier 4 final) / Korea Tier 4 Final.		NC
---	----------	--	--	----

**RADIATOR FAN**

L	573-8265	<b>FAN, DEMAND, STANDARD</b> . . . . . 0 Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. CANNOT BE USED WITH: ALL WASTE PACKAGES		NC
L	573-8266	<b>FAN, DEMAND, REVERSING</b> . . . . . 0 Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. Programmable automatic and manual reverse air flow control. Recommended for applications with a risk of radiator plugging.		\$1, 930

**AIR INLET**

L	566-0322	<b>AIR INLET, STANDARD</b> . . . . . 0 CANNOT BE USED WITH: ALL WASTE PACKAGES		NC
L	566-0323	<b>PRECLEANER, TURBINE, W/SCREEN</b> . . . . . 0 For use in heavy debris applications May improve filter life. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into environment.		\$2, 150



CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE**

**IDLER GUARD**

L	3W-8578	GUARD, IDLER . . . . .	207	\$1,120
		Includes idler scraper.		
L	309-1535	NO GUARD IDLER . . . . .	15	NC
		FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: ALL WASTE PACKAGES		
L	317-8187	GUARD, IDLER, SHIPHOLD . . . . .	207	\$1,345
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: SHIPHOLD PACKAGES		

**TRACKS**

TRACKS, CAT ABRASION

L	596-1219	TRACK, 18", DG, CAT ABR . . . . .	0	\$5,800
		FOR USE IN LANE 3 ONLY Double Grouser Track Shoes, Cat Abrasion. ONLY FOR USE WITH: 568-0996 CONSTRUCTION PKG 12A, CAT ABR		
L	596-1217	TRACK, 22", DG, CAT ABR . . . . .	0	\$6,360
		Double Grouser Track Shoes, Cat Abrasion. ONLY FOR USE WITH: 568-0996 CONSTRUCTION PKG 12A, CAT ABR		

TRACKS, HEAVY DUTY

L	513-0453	TRACK 18" DG, HD . . . . .	0	\$-550
		Double Grouser Narrow Track Shoes, Heavy Duty ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY		
L	513-0454	TRACK 18" DG, HD, CTR-HOLE . . . . .	0	\$2,050
		FOR USE IN LANE 3 ONLY Double Grouser Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS ONLY FOR USE WITH: ALL WASTE PACKAGES, HD		
L	513-0452	TRACK 18",S&L,SG,HD,CTR-HOLE . . . . .	0	\$3,065
		FOR USE IN LANE 3 ONLY Single Grouser Extreme Service Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS Note: Single Grouser tracks are not recommended for hard ground condition due to possible rough ride ONLY FOR USE WITH: ALL WASTE PACKAGES, HD		

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS (Cont.)**

L	513-0455	<b>TRACK 22" DG, HD</b> ..... 0 Double Grouser Track Shoes, Heavy Duty ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY		NC
L	513-0456	<b>TRACK 22" DG, HD, CTR-HOLE</b> ..... 0 Double Grouser Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS ONLY FOR USE WITH: ALL WASTE PACKAGES, HD		\$4,330
L	513-0457	<b>TRACK, 22", ES SG, HD</b> ..... 0 Single Grouser Extreme Service Track Shoes. ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY		\$1,865
L	415-5693	<b>TRACK 31" DG, HD</b> ..... 8,629 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY		\$3,215
L	561-6178	<b>TRACK 17" TG, SEALED, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Heavy Duty and Sealed tracks (no lubrication). Triple Grouser shoes. ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGE, HD		\$1,320
L	584-6324	<b>TRACK 18" DG, SEALED, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Heavy Duty and Sealed tracks (no lubrication). Double Grouser shoes. ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGE, HD		\$1,320

**HYDRAULICS**

**HYDRAULIC OIL**

L	571-1185	<b>HYDRAULIC OIL, STANDARD</b> ..... 0 Standard hydraulic oil. Factory filled. For the implement and transmission hydraulic systems.		NC
L	258-9733	<b>HYDRAULIC OIL, BIODEGRADABLE</b> ..... 0 This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems.		\$3,995
L	482-7750	<b>HYDRAULIC OIL, ECOSAFE</b> ..... 0 FOR USE IN LANE 3 ONLY Fire resistant hydraulic oil - Ecosafe FR46. ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGES, HD		NC

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

**LINES IMPLEMENT**

L	574-4239	<b>LINES IMPLEMENT, STANDARD</b> ..... 0 Hydraulic lines for the implement		NC
L	575-1373	<b>LINES IMPLEMENT, MP, QC</b> ..... 0 Includes all high and medium pressure hydraulic lines for the implement and ready for the quick coupler function. For balance considerations, these lines for a quick coupler usage do require a heavy counterweight, such as a ripper, a waste package or counterweights .		\$3,425

**ELECTRICAL**

**LIGHTS**

L	587-0518	<b>LIGHTS, ADDITIONAL</b> ..... 0 Provides two additional guarded LED lights facing forward and mounted with horns at the bottom of the cabine. Also includes an underhood and access lights.		\$472
L	584-3836	<b>NO LIGHTS, ADDITIONAL</b> ..... 0		NC

**OPERATOR ENVIRONMENT**

**CAB**

L	561-9174	<b>CAB</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; two facing rearward integrated in A/C unit)		NC
L	574-5821	<b>CAB, DELUXE</b> ..... 0 Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - 8 LED lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit)		\$3,170
L	598-8657	<b>CAB, STEEL MILL</b> ..... 0 FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling applications where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) ONLY FOR USE WITH: STEEL MILL PKG, HD, PARTIAL		\$3,170

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT**

All seats are TLV2: Toggle Link Vertical 2d generation seats, with reinforced air suspension.

L	567-7500	SEAT, PREMIUM . . . . . 0 INCLUDES: - cloth & leather covered seat - removable headrest - 76mm/3" retractable, 2 point seat belt (4 points compatible) - heated pan and back rest - Lockable side-to-side isolator - Active cooling and heating functions - Air Adjustable lumbar and Bolsters		\$2,050
L	578-7640	SEAT, DELUXE . . . . . 0 INCLUDES: - Cloth covered seat - removable headrest - 76mm/3" retractable, 2 point seat belt (4 points compatible) - Adjustable shock control / Ride zone - Heated pan and Backrest		\$725

**RADIO**

L	590-3290	RADIO, AM/FM/AUX/USB/BLUETOOTH . . . . . 0 24V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$555
L	590-3307	RADIO, SIRIUS . . . . . 0 24V AM/FM Stereo with Bluetooth technology, USB connection and CYRIUS Satellite radio. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$585
L	594-9874	AM/FM RADIO READY INSTALLATION . . . . . 0 Includes AM/FM antenna and cable for 24V radio.		NC

**REAR CAMERA**

L	574-7872	KIT, VISIBILITY, SINGLE CAMERA . . . . . 0 CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A		NC
L	574-7874	KIT, VISIBILITY, SINGLE CAMERA . . . . . 0 ONLY FOR USE WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A		NC

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRANSMISSION**

L	576-3200	<b>TRANSMISSION CONTROL, V-LEVER</b> . . . . . 0 This package includes V-lever for speed and direction control and steering pedals.		NC
L	576-3199	<b>TRANSMISSION CONTROL, JOYSTICK</b> . . . . . 0 This package includes one joystick for speed, direction and steering control on the left hand console. The machine is controlled like a MTL/SSL.		NC

For machines equipped with a Transmission/Hystat Joystick, there are 2 steering patterns available.  
 The default S-Pattern is like a CAT Skid Steer.  
 The alternate C-Steer pattern is like a CAT tractor.  
 The machine can not be shipped from the factory with the alternate pattern activated. A CAT service tool (ET) is required to make the change. See your Service department for details.

**HYDRAULICS PACKAGE**

L	572-6398	<b>HYDRAULIC 2V,GP 2 LEVERS, PACK</b> . . . . . 0 This configuration includes 2 functions valves and electro bucket control two levers for GP bucket. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK MP BUCKETS		NC
L	572-6402	<b>HYDRAULIC 3V,GP 2 LEVERS, PACK</b> . . . . . 0 This configuration includes rear hydraulic lines and electro-hydraulic bucket control two levers for GP bucket and a ripper control lever. CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A MP BUCKETS		\$6,560
L	572-6399	<b>HYDRAULIC 2V,GP JOYSTICK, PACK</b> . . . . . 0 This configuration includes 2 functions valve and joystick control for GP buckets. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK MP BUCKETS		NC
L	572-6401	<b>HYDRAULIC 3V,GP JOYSTICK, PACK</b> . . . . . 0 This configuration includes rear hydraulic lines, a joystick control for GP bucket and a ripper control lever. CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A MP BUCKETS		\$6,560
L	572-6400	<b>HYDRAULIC 3V,MP JOYSTICK, PACK</b> . . . . . 0 This configuration includes front hydraulic lines and joystick control for MP bucket. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK		\$6,560

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**HYDRAULICS PACKAGE (Cont.)**

L	572-6403	HYDRAULIC 4V,MP JOYSTICK, PACK . . . . . 0 This configuration includes 4 functions valve, front and rear hydraulic lines, an electro-hydraulic bucket control with MP bucket proportional control slider, a ripper control lever. CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A		\$10,540
---	----------	---	--	----------

**SERVICE PACKAGE**

L	454-9487	SERVICE PACKAGE, STANDARD . . . . . 85 FOR USE IN LANE 3 ONLY This package features a locking bar that holds the cab at 30 degrees safely (a crane is required to tilt the cab) and front windshield. CANNOT BE USED WITH: ALL WASTE PACKAGES		NC
L	454-9489	SERVICE PACKAGE, EXTENDED . . . . . 107 This package features a manual hydraulic pump enabling the cab tilt cylinder installed under the cab.		\$1,835

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries.  
 Please contact your Cat marketing representative with questions.

L	575-0729	PRODUCT LINK, CELLULAR PLE643 . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
L	575-0731	PRODUCT LINK, DUAL PLE683 . . . . . 0 Product Link Elite series dual mode PLE683 (consisting of PL083 radio and PLE602 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,281
L	517-1713	NO PRODUCT LINK . . . . . 0 FOR USE IN LANE 3 ONLY		NC

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FUEL SYSTEMS**

**FUEL TANK**

L	386-2801	TANK, FUEL, STANDARD . . . . .	77	NC
L	386-2802	TANK, FUEL, FAST FILL . . . . . FOR USE IN LANE 3 ONLY Fuel tank with fast fill system.	99	\$3,375
L	593-6767	TANK, FUEL, REFILLING PUMP . . . . . Fuel tank with refilling fuel pump.	0	\$1,995

**OTHER ATTACHMENTS**

**REAR ATTACHMENT**

P	577-3459	BUMPER, STANDARD . . . . . Includes a hitch. CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A	0	NC
P	389-2742	RIPPER, MULTI-SHANK. . . . .  AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE AS A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. REQUIRES: 572-6402 HYDRAULIC 3V,GP 2 LEVERS, PACK 572-6401 HYDRAULIC 3V,GP JOYSTICK, PACK 572-6403 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A 337-3082 STRIKER BARS, REAR COUNTERWEIGHTS	1,770 0	\$18,070 \$16,660 NI
L	454-8991	NO BUMPER . . . . . FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A	0	NC

**BUCKETS**

**BUCKET LINKAGE**

L	569-6228	LINKAGE, STANDARD . . . . . Provides all necessary link, lever, cylinder and pins on the lift arm for bucket installation and operations.	0	NC
---	----------	---	---	----

**BUCKET PACKAGE**

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET PACKAGE (Cont.)**

P	468-1862	BUCKET-GP, 3.7 CYD, PERF .....	4,299 4,299	\$18,640 \$18,640 NI
		Performance series Bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.8CUM (3.7CYD) 110% Fill Factor: 3.1CUM (4.1CYD) Width: 2671mm (105.2") Recommended for loading and applications requiring better tracks coverage. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.		

**GENERAL PURPOSE SERIES BUCKETS (PIN-ON)**

P	357-9621	BUCKET-GP, 3.25 CYD, PACKAGE .....	4,167 4,167	\$16,400 \$16,400 NI
		General Purpose bucket Includes : Bolt-on cutting edges (set of 7) Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.5CUM (3.2CYD) Width: 2571mm (101.2")		
P	357-9622	BUCKET-GP, 3.25 CYD, HD PACK .....	4,226 4,226	\$16,830 \$16,830 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.5CUM (3.2CYD) Width: 2571mm (101.2") Recommended for heavy duty applications.		
P	455-1622	BUCKET-GP, 3.25 CYD, FULL EDGE .....	3,834 3,834	\$13,790 \$13,790 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Full cutting edge, bolt-on. Capacity: 2.5CUM (3.2CYD) Width: 2571mm (101.2") Best for granular materials (gravel, sand...), finish grading and final preparation.		



CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKET PACKAGE (Cont.)***

P	357-9623	BUCKET-GP, 3.0 CYD, FLUSH PACK .....	3,519 3,519	\$15,890 \$15,890 NI
		FOR USE IN LANE 3 ONLY Flat bottom Bucket Includes : Welded flush adapters, K90 General Duty tips (set of 8). Capacity: 2.45CUM (3.2CYD) Width: 2583mm (101.6") Recommended for fine grading application.		

**WASTE HANDLING BUCKET (PIN-ON)**

P	357-9625	BUCKET,4.1CYD LANDFILL,HD PACK .....	4,491 4,491	\$24,930 \$24,930 NI
		FOR USE IN LANE 3 ONLY Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 3.1CUM (4.1CYD) Width: 2576mm (101.4") Bucket equipped with a heavy duty trash shield. STRIKER BARS WITH COUNTERWEIGHTS, OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.		

**WIDE BUCKET (PIN-ON)**

P	500-4529	BUCKET-GP, 3.8 CYD, WIDE FLUSH .....	0 0	\$17,970 \$17,970 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Welded cutting edge Welded flush adapters, K90 General Duty tips (set of 8). Capacity : 2.8CUM (3.8 CYD) Width: 3000mm (118.1") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRED BY: 538-8417 LGP PACKAGE, HEAVY DUTY		

**MULTI PURPOSE SERIES BUCKETS (PIN-ON)**

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET PACKAGE (Cont.)**

P	357-9624	BUCKET-MP, 2.6 CYD, PACKAGE . . . . .	4,850 4,850	\$30,280 \$30,280 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 General Duty tips (set of 8). Capacity: 2.0CUM (2.6CYD) Width: 2575mm (101.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 572-6400 HYDRAULIC 3V,MP JOYSTICK, PACK 572-6403 HYDRAULIC 4V,MP JOYSTICK, PACK		
P	519-1786	BUCKET-MP, 2.6 CYD, HD PACKAGE . . . . .	0 0	\$33,990 \$33,990 NI
		FOR USE IN LANE 3 ONLY Extreme Service Multi-Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.0CUM (2.6CYD) Width: 2575mm (101.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 572-6400 HYDRAULIC 3V,MP JOYSTICK, PACK 572-6403 HYDRAULIC 4V,MP JOYSTICK, PACK		
P	519-1784	BUCKET-MP, 3.5CYD LANDFILL, HD . . . . .	0 0	\$36,980 \$36,980 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.7CUM (3.5CYD) Width: 2575mm (101.3") Bucket equipped with a HD trash rack for landfill applications. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 572-6400 HYDRAULIC 3V,MP JOYSTICK, PACK 572-6403 HYDRAULIC 4V,MP JOYSTICK, PACK		

**GENERAL PURPOSE SERIES BUCKETS (FUSION)**

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKET PACKAGE (Cont.)***

P	525-9576	BUCKET-GP, 3.0 CYD, FUSION . . . . .	0 0	\$16,430 \$16,430 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Bolt-on cutting edges (set of 7) Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.3CUM (3.0CYD) Width: 2571mm (101") COUNTERWEIGHTS OR RIPPER ARE REQUIRED FOR AN OVERALL MACHINE BALANCE. REQUIRES: 548-4304 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 575-1373 LINES IMPLEMENT, QUICK COUPLER		
P	547-5082	BUCKET-GP, 3.2 CYD, FUSION . . . . .	0 0	\$16,430 \$16,430 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Bolt-on cutting edges (set of 7) Bolt-on teeth, J350 General Duty tips (set of 8) Capacity: 2.2CUM (2.9CYD) Width: 2618mm (103") COUNTERWEIGHTS OR RIPPER ARE REQUIRED FOR AN OVERALL MACHINE BALANCE. REQUIRES: 548-4304 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 575-1373 LINES IMPLEMENT, QUICK COUPLER		
P	577-3404	BUCKET-GP, 3.5 CYD, FUSION . . . . .	0 0	\$23,870 \$23,870 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Bolt-on cutting edges (set of 7) Bolt-on teeth, J350 General Duty tips (set of 8) Capacity: 2.7CUM (3.5CYD) Width: 3046mm (120") COUNTERWEIGHTS OR RIPPER ARE REQUIRED FOR AN OVERALL MACHINE BALANCE. REQUIRES: 548-4304 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 575-1373 LINES IMPLEMENT, QUICK COUPLER		

**NO BUCKET**

L	357-9620	NO BUCKET . . . . .	0	NC
---	----------	---------------------	---	----

***ADDITIONAL GROUND ENGAGING TOOLS***

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***ADDITIONAL WORK TOOLS***

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool OP-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is OP-0210 for US Domestic orders or OP-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available. Please contact your Caterpillar Work Tools Account Coordinator at: Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or E-mail: Worktools@Cat.com

**PACKING**

***EXPORT PACKING***

<b>OG-9236</b>	<p><b>COMPLETE STORAGE PROTECTION . . . . . 0</b>                  Machines have been sprayed with Fluid Film TM.                  This product is added for corrosion protection while shipping and for extended storage periods.                  This product will need to be power washed with soapy water prior to shipment to the customer.                  Cilix AND foam protection on all cylinders are also included in this storage protection procedure.                  Recommended : Sea and all type or long distance shipment</p>	<b>\$246 NET</b>
----------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

L	589-6993	<b>COLD WEATHER, 120V</b> . . . . . 0 Recommended in cold ambient temperature environments. INCLUDES: - Heater, engine coolant, 120V - Ether starting aid		\$255
---	----------	---	--	-------

**ELECTRICAL**

L	593-4672	<b>BEACON, LED FLASHING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Rotating beacon with magnetic installation.		\$565
---	----------	--	--	-------

**OPERATOR ENVIRONMENT**

L	469-6095	<b>EASY ACCESS PACKAGE</b> . . . . . 0 This option provides additional grab irons and one step for an access to the rear-left side of the machine.		\$275
L	577-4087	<b>AIR PRECLEANER, CAB</b> . . . . . 0 Provides an external and extended precleaner installation to the cab to optimize its pressurization and filtration conditions. RECOMMENDED in high debris applications. REQUIRED BY: 568-0998 WASTE ES / DEMOLITION PKG 12A		\$2,280

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL OPTIONS**

L	469-6093	<b>MAST, GRADE CONTROL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes mast and brackets to equip your machine with grading assistance device.		\$750
---	----------	--	--	-------

**GUARDS**

**CAB GUARDS**

L	518-0006	<b>GUARD, FRONT LIGHTS</b> . . . . . 0 2 Additional guards for the cab front lights. CANNOT BE USED WITH: 507-9474 WINDSHIELD PROTECTION ALL WASTE PACKAGES		\$200
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**CAB GUARDS (Cont.)**

L	507-9474	WINDSHIELD PROTECTION . . . . . 0 FOR USE IN LANE 3 ONLY Hinged heavy duty with hand operated latches. Protects cab windshield and lower door window panes, while still allowing easy access for cleaning. CANNOT BE USED WITH: 518-0006 GUARD, FRONT LIGHTS INCLUDED IN: 568-0998 WASTE ES / DEMOLITION PKG 12A REQUIRED BY: 568-0997 WASTE PACKAGE 12A, HD		\$2,800
---	----------	---	--	---------

**HYDRAULIC IMPLEMENT GUARDS**

L	261-4228	GUARD, LIFT CYLINDERS . . . . . 97 Lift cylinder tube protection. INCLUDED IN: 568-0998 WASTE ES / DEMOLITION PKG 12A REQUIRED BY: 568-0997 WASTE PACKAGE 12A, HD		\$750
---	----------	--	--	-------

L	276-0160	GUARD, TILT CYLINDER . . . . . 99 Provides for tilt cylinder rod protection. RECOMMENDED WITH: 568-0997 WASTE PACKAGE 12A, HD INCLUDED IN: 568-0998 WASTE ES / DEMOLITION PKG 12A		\$2,580
---	----------	--	--	---------

**FINAL DRIVE GUARDS**

L	276-0158	GUARD, BOTTOM, FINAL DRIVE . . . . . 44 FOR USE IN LANE 3 ONLY Protects the bottom of the final drive housings in abrasive applications. RECOMMENDED WITH: 568-0997 WASTE PACKAGE 12A, HD CANNOT BE USED WITH: ANY OTHER GUARD, FINAL DRIVE 568-0998 WASTE ES / DEMOLITION PKG 12A 569-6171 LGP PACKAGE, HEAVY DUTY		\$2,815
---	----------	---	--	---------

L	276-0159	GUARD, TOP/BOTTOM, FINAL DRIVE . . . . . 141 FOR USE IN LANE 3 ONLY Protect the bottom and upper part of the final drive housings in abrasive applications. RECOMMENDED WITH: 568-0997 WASTE PACKAGE 12A, HD CANNOT BE USED WITH: ANY OTHER GUARD, FINAL DRIVE 538-8417 LGP PACKAGE, HEAVY DUTY INCLUDED IN: 568-0998 WASTE ES / DEMOLITION PKG 12A		\$3,605
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**FINAL DRIVE GUARDS (Cont.)**

L	572-5847	<b>GUARD, BOTTOM, FINAL DRIVE</b> ..... 0 FOR USE IN LANE 3 ONLY Protect the bottom part of the final drive housings. Expecially designed for wide gauge undercarriages to be used in abrasive applications. ONLY FOR USE AND RECOMMENDED WITH WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: ANY OTHER GUARD, FINAL DRIVE		\$2,815
---	----------	--	--	---------

**TRACK GUIDING GUARDS**

Full length track roller guards provide track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas.  
 RECOMMENDED IN WASTE APPLICATIONS

L	253-3701	<b>GUARD, FULL LEN, TRK, CAT ABR</b> ..... 375 ONLY FOR USE WITH: CAT ABRASION UNDERCARRIAGES AND TRACKS		\$4,115
L	528-6546	<b>GUARD FULL LENGTH, TRACK, HD</b> ..... 0 ONLY FOR USE WITH: HEAVY DUTY UNDERCARRIAGES AND TRACKS		\$4,115

**OTHER ATTACHMENTS**

**REAR ATTACHMENTS**

L	465-8893	<b>HITCH, RIPPER</b> ..... 126 Mandatory reference to install a hitch on a machine equiped with the ripper. Hitch is included in case of a bumper. REQUIRED BY: 389-2742 RIPPER, MULTI-SHANK		\$685
L	337-3082	<b>STRIKER BARS, REAR</b> ..... 280 FOR USE IN LANE 3 ONLY Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks and damaging the fenders. COUNTERWEIGHTS CAN BE ADDED RECOMMENDED WITH: 568-0997 WASTE PACKAGE 12A, HD CANNOT BE USED WITH: 389-2742 RIPPER, MULTI-SHANK INCLUDED IN: 568-0998 WASTE ES / DEMOLITION PKG 12A		\$3,065

CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**COUNTERWEIGHT**

P	473-1226	COUNTERWEIGHT, LIGHT, 716 LB . . . . .	0 0	\$3,565 \$3,565 NI
		AVAILABLE AS INSTALLED ONLY WITH A MACHINE ALSO AVAILABLE AS A MISCELLANEOUS ORDER RECOMMENDED WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY CANNOT BE USED WITH: 568-0998 WASTE ES / DEMOLITION PKG 12A 389-2742 RIPPER,MULTI-SHANK		
P	464-0229	COUNTERWEIGHT,ADDITIONAL,672LB . . . . .	0 0	\$2,355 \$2,355 NI
		AVAILABLE AS INSTALLED ONLY WITH A MACHINE ALSO AVAILABLE AS A MISCELLANEOUS ORDER, WITH COUNTERWEIGHT, LIGHT Additional plates, total : 305 kg/672 lb RECOMMENDED WITH: 569-6171 LGP PACKAGE 12A, HEAVY DUTY REQUIRES: 473-1226 COUNTERWEIGHT, LIGHT, 325 KG		

**MAINTENANCE AND RELATED ATTACHMENTS**

L	348-5135	OIL CHANGE SYSTEM, HIGH SPEED . . . . .	7	\$329
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to climb under the machine to access a gravity drain.		
L	593-6765	SEDIMENT PUMP, FUEL TANK . . . . .	0	\$685
		Extract all sediments from the fuel tank.		

**QUICK COUPLERS**

**QUICK COUPLER INSTALLATION**

P	548-4304	QUICK COUPLER, HYDRAULIC . . . . .	1,413	\$8,619
		Fusion quick coupler. Can be added to the hydraulic preparation, alone or with a fusion bucket for a complete offer from factory. REQUIRES: 575-1373 LINES IMPLEMENT, QUICK COUPLER ONLY FOR USE WITH: FUSION BUCKETS, or 357-9620 NO BUCKET		

**FLUIDS**

**ANTIFREEZE**

	0G-6009	ANTIFREEZE, -50C (-58F) . . . . .	117	\$260 NET
		Provides cooling system antifreeze protection down to -50C		



CATERPILLAR MACHINE PRICE LIST

**963**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING**

0G-3258	<b>PACK-N.I. BUCKET OR DISMOUNTED . . . . . 0</b> To be selected when a bucket is ordered as Not Installed attachment or as MISCellaneous order.	<b>\$109 NET</b>
0G-3257	<b>PACK-NOT INSTALLED RIPPER . . . . . 0</b> To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.	<b>\$270 NET</b>
0G-0319	<b>PACK-N.I. COUNTERWEIGHT. . . . . 0</b> To be selected when a counterweight is ordered as MISCellaneous order.	<b>\$109 NET</b>
0G-3554	<b>SPECIAL PROTECTION PACKAGE . . . . . 0</b> All easily stolen items are removed from the machine and protected for a safe transport.	<b>\$1,390 NET</b>