

CATERPILLAR MACHINE PRICE LIST

966M-BR

966M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
 Brake wear indicators
 Engine, Cat 9.3
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Economy mode (for fuel reduction)
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking brake, disk & caliper
 Switch, transmission neutralizer lockout
 Torque converter, locking clutch with free wheel stator
 Transmission, automatic planetary power shift (4F/4R)

Mirrors, rearview external with integrated spot mirrors
 Post mounted membrane 16 switch keypad
 2 receptacles, 12V
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable, 76mm (3") wide with indicator
 Steering, EH joystick, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts
 Computerized monitoring system
 With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -4 halogen work lights
 -2 halogen roading lights (w/ signals)
 -2 halogen rear facing lights (hood mounted)
 Rear view camera
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24V)

With following warning indicators:
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure
 Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -Transmission filter bypass
 Multi-function monitor:
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multifunction monitor)
 -180mm (7 in) color LCD touch-screen monitor)

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12V-10amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)

Core app software to monitor & display:
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multi-function monitor)
 Core App software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic app software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral

CATERPILLAR MACHINE PRICE LIST

966M-BR966M WHEEL LOADER
PIRACICABA, BRAZILShip Weight
lbsLIST PRICE
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

-Total operating hours with hydraulic
filter in bypass

FLUIDS

Extended life coolant with freeze
protection to -34C (-29F)

OTHER STANDARD EQUIPMENT

Auto idle shutdown
Vandalism protection caplocks
Couplings, Caterpillar O-ring face seal
Ecology drains for engine, transmission,
and hydraulics
Ether aid ready
Fenders, steel front with mud-flap/rear
with extension
Filters: fuel, engine air, engine oil,
hydraulic oil, transmission
Fuel cooler
Grease zerks
Grill, airborne debris
Hitch, drawbar with pin
Hood, non-metallic power tilting with
rear clamshell
Hoses, Caterpillar XT
Hydraulic oil cooler (swing out)
Hydraulic System, load sensing
Kickout, lift & tilt, automatic
(adjustable in cab)
Linkage, Z-Bar, cast crosstube/tilt lever
Oil sampling valves
Platform, window washing
Remote diagnostic pressure taps
Service Center (electrical & hydraulic)
Sight gauges: engine coolant, hydraulic
oil, and transmission oil level
Steering, load sensing
Toolbox
Vandalism protection caplocks
Couplings, Caterpillar O-ring face seal
Ecology drains for engine, transmission,
and hydraulics
Ether aid ready
Hoses, Caterpillar XT
Hydraulic oil cooler (swing out)
Hydraulic system, load sensing
Oil sampling valves
Platform, window washing
Remote diagnostic pressure taps
Steering, load sensing
Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

966M-BR

966M WHEEL LOADER
PIRACICABA, BRAZIL

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

CATERPILLAR MACHINE PRICE LIST

966M-BR

966M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

592-1076	966M WHEEL LOADER AM-N FTO1 0 LANE 1 - AVAILABLE FROM SAVANNAH DISTRIBUTION CENTER	\$473,330
-----------------	--	------------------

- INCLUDES:
- 361-1910 966M WHEEL LOADER
 - 324-8092 AIR INLET STANDARD, RAIN CAP
 - 367-2330 COUNTERWEIGHT, 1000KG
 - 367-9030 GUARD, POWERTRAIN
 - 371-7066 ANTIFREEZE, -34C (-29F)
 - 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
 - 372-1603 RADIO, CB (READY)
 - 372-6549 STEERING SYST, STANDARD
 - 372-7403 QUICK COUPLER READY
 - 390-7608 AXLES, MANUAL/OPEN, ED
 - 391-5800 HOOD, NON-METALLIC
 - 396-4672 HYDRAULIC OIL, STANDARD
 - 422-1636 SOUND SUPPRESSION, STANDARD
 - 434-0690 NETWORK MANAGER ONLY
 - 464-6677 FENDERS, BASIC +
 - 493-9621 WINDOWS, STANDARD
 - 495-7506 LUBRICATION, MANUAL
 - 500-2772 HYDRAULICS, 2V RC (3V READY)
 - 503-6486 LIGHTS, STANDARD, FTO
 - 505-1519 FILTRATION, STANDARD
 - 506-2533 LINKAGE, STANDARD LIFT
 - 506-4542 STANDARD PACKAGE
 - 506-4546 STARTING, COLD (120V)
 - 521-9360 COOLING CORES, 9 FPI
 - 524-0307 FAN, STANDARD
 - 538-2774 CAB TRIM, DELUXE (LHD)
 - 551-3397 SEAT BELT, 3"
 - 561-5560 REGIONAL PKG, AM-N

Note: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

966M-BR

966M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

592-1077	966M WHEEL LOADER AM-N FTO2 0 LANE 1 - AVAILABLE FROM SAVANNAH DISTRIBUTION CENTER	\$497,470
-----------------	--	------------------

- INCLUDES:
- 361-1910 966M WHEEL LOADER
 - 324-8092 AIR INLET STANDARD, RAIN CAP
 - 367-9030 GUARD, POWERTRAIN
 - 371-7066 ANTIFREEZE, -34C (-29F)
 - 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
 - 372-1603 RADIO, CB (READY)
 - 372-2140 COUNTERWEIGHT, AGGREGATE
 - 372-6549 STEERING SYST, STANDARD
 - 372-6558 AXLES, AUTO/AUTO, ED, AOC
 - 372-7403 QUICK COUPLER READY
 - 391-5800 HOOD, NON-METALLIC
 - 396-4672 HYDRAULIC OIL, STANDARD
 - 422-1636 SOUND SUPPRESSION, STANDARD
 - 434-0690 NETWORK MANAGER ONLY
 - 464-6678 FENDERS, ROADING
 - 493-9621 WINDOWS, STANDARD
 - 495-7506 LUBRICATION, MANUAL
 - 500-2772 HYDRAULICS, 2V RC (3V READY)
 - 503-6486 LIGHTS, STANDARD, FTO
 - 505-1519 FILTRATION, STANDARD
 - 506-2533 LINKAGE, STANDARD LIFT
 - 506-4370 WHEEL CHOCKS
 - 506-4542 STANDARD PACKAGE
 - 506-4546 STARTING, COLD (120V)
 - 521-9360 COOLING CORES, 9 FPI
 - 524-0307 FAN, STANDARD
 - 538-2774 CAB TRIM, DELUXE (LHD)
 - 551-3397 SEAT BELT, 3"
 - 561-5560 REGIONAL PKG, AM-N

Note: Please refer to the Lane 1 section to complete your order.

361-1910	966M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	\$461,330
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

OPERATOR ENVIRONMENT

L	571-3997	LEVERS 2V, STEERING JOYSTICK	0	NC
		INCLUDES: -2 single action levers for implement lift and tilt controls		
L	571-3998	LEVERS 3V, STEERING JOYSTICK	0	NC
		INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		
		REQUIRES: 562-0148 HYDRAULICS, 3V RC STD		
L	562-0141	JOYSTICK 2V, STEERING JOYSTICK	0	\$1,110
		INCLUDES: -Implement joystick for lift & tilt controls		
		-Horn & kickdown trigger switches integrated in implement joystick		
L	562-0142	JOYSTICK 3V, STEERING JOYSTICK	0	\$1,560
		INCLUDES: -Implement joystick for lift & tilt controls		
		-Horn & kickdown trigger switches integrated in implement joystick		
		-1 roller switch controlling the 3rd function integrated in the joystick		
		REQUIRES: 562-0148 HYDRAULICS, 3V RC STD		

TECHNOLOGY PRODUCTS

L	578-6376	PRODUCT LINK, CELLULAR PL641	0	NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	566-2099	PRODUCT LINK, SATELLITE PL631	0	\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

TIRES, RIMS, AND WHEELS

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3	0	\$-9,500
		Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

LIGHTS

L	522-4166	LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	522-4167	LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$890
L	522-4168	LIGHTS, LED 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2,630
L	522-4169	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,390

WORKTOOLS

P	516-1409	BKTA GP ST 127" 5.50YD3 PO 5,421 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		\$19,929
P	515-5842	BKTA GP ST 127" 5.50YD3 FUS 5,055 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) REQUIRES: 310-9390 QUICK COUPLER, FUSION		\$19,279
P	310-9390	QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler.		\$8,190
P	361-1437	OMISSION, WORKTOOL 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC

LINES CONNECTING

L	323-9292	JUMPER LINES FOR 3V QC 21 ONLY FOR USE WITH: HYDRAULICS 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,082
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

FLUIDS.

FUEL ANTIFREEZE

OP-3978	FUEL ANTIFREEZE, -25C (-13F)	0	NC
	Provides fuel (diesel) antifreeze protection down to -25C (-13F)		

INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC

CYLINDER PROTECTION

P	OP-3940	PROTECTION, CYLINDER ROD	0	NC
---	---------	------------------------------------	---	----

PACKING

STORAGE PROTECTION

OP-2918	STORAGE PROTECTION	0	NC
	This product is added for corrosion protection while shipping and for extended storage periods.		
	This product will need to be power washed with soapy water prior the shipment to the customer.		
	REQUIRED BY : ALL LANE CONFIGURATION		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

CPM & AUTODIG SOFTWARE.

P	453-3250	AUTODIG SOFTWARE 0 Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.		\$1,450
P	517-7123	CPM PAYLOAD SOFTWARE 0 Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. (Not available in all countries. Contact PL Admin for details.)		\$5,040

BEACON

P	566-2044	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$493
---	----------	--	--	-------

HYDRAULICS

P	562-0148	HYDRAULICS, 3V RC STD 0 REQUIRES: 571-3998 LEVERS 3V, STEERING JOYSTICK 562-0142 JOYSTICK 3V, STEERING JOYSTICK CANNOT BE USED WITH: 571-3997 LEVERS 2V, STEERING JOYSTICK 562-0141 JOYSTICK 2V, STEERING JOYSTICK		\$6,730
---	----------	--	--	---------

FLUIDS

P	0P-3506	ANTIFREEZE, -50C (-58F) 0 Premix Antifreeze, -50C or -58F		\$283 NET
---	---------	--	--	-----------

INSTRUCTIONS

FILMS

P	0P-3507	FILMS, ISO 0 REQUIRED BY: Quebec		NC
P	386-7389	FILM, CPM 0 REQUIRED BY : CANADIAN DEALER ORDER WITH CPM		NC

PACKING

	0P-6619	ROLL ON-ROLL OFF 0 Machine is in mobile condition and all attachments are installed unless specified.		\$267 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

..

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Order Management (BOM) Program.			
OP-9003	LANE 3 ORDER	0		NC
	Lane 3 is reserved for non-Base Orders Program.			

REGIONAL PACKAGES

L	561-5560	REGIONAL PKG, AM-N	0	NC
		INCLUDES: -ANSI Films Meets U.S. EPA Tier 4 Final emission standards		

SPECIAL ARRANGEMENTS

L	506-4542	STANDARD PACKAGE	0	\$233
		Provides machine features required in standard applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	477-1655	CORROSION PROTECTION PACKAGE 0		\$6,520
---	----------	---	--	----------------

FOR USE IN LANE 3 ONLY
 Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

INCLUDES:

- Platform;
- Electrical & Hydraulic installation;
- Cab air filter;
- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;

For a complete Corrosion Protection Package, please order the following RECOMMENDED attachments:
 - Cooling, Hood, Painting Group and Protection Lines.

REQUIRES:

- 365-0220 PRECLEANER, TURBINE
- 477-1658 WINDOW AR, CAB - CORROSION,
- 470-8894 WINDOW AR, RM - CORROSION

RECOMMENDED:

- 524-1400 COOLING GP (6FPI) - CORROSION,
- 524-1399 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 470-8899 HOOD AR - CORROSION
- 522-5230 PAINTING GROUP, CORROSION (EU) OR
- 517-2235 PAINTING GROUP, CORROSION (NACD)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal.
- 477-1656 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicon
- 524-0295 FAN, VPF, ISO,
- 524-0294 FAN, VPF, ANSI
- 495-7507 AUTOLUBE
- 505-1520 FILTRATION, STD, PRECLEANER
- ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER

L	506-7664	LOGGER PACKAGE 0		NC
---	----------	-----------------------------------	--	-----------

FOR USE IN LANE 3 ONLY
 Provides machine features required in forestry applications.

INCLUDES:

- Platform
- Electrical & Hydraulic installation
- Cab air filter
- Logging Transmission Arr.

REQUIRES: 506-2535 LINKAGE, LOGGER
 506-4545, 506-4546 or 506-4547 STARTING
 ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7659	INDUSTRIAL PACKAGE 0 FOR USE IN LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Reinforced platform -Electrical & Hydraulic installation -Carbon cab air filter -Guards: hitch, bottom cab (skirt), front frame -Lift cylinder baffles -Heavy duty ladder RECOMMENDED WITH: 540-4375 TIRES, 26.5X25 BR TRACTION or 540-4376 TIRES, 26.5X25 BR SMOOTH and 485-4387 GUARDS, LIGHT REQUIRES: 434-3950 or 372-7194 AXLES 507-6193 or 507-6194 STARTING 434-3950 AXLES, LOCK/OPEN, ED, SG or 372-7194 AXLES, AUTO DIFF F/R, ED, SG and 507-6193 STARTING, STANDARD, HD or 507-6194 STARTING, COLD (120V), HD and 478-8372 FENDERS, NARROW and 465-2776 SOUND SUPPRESSION, INDUSTRIAL (NACD) or 422-1634 SOUND SUPPRESSION, LOW (EUR) and 468-0170 FILM, SCRAP or 468-0171 FILM, WASTE and 380-0327 GUARD, HINGED, POWERTRAIN and 355-1403 or 430-4090 GRD, TILT CYLINDER ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$10,960
---	----------	---	---	----------

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2535	LINKAGE, LOGGER 0 FOR USE IN LANE 3 ONLY. ONLY FOR USE WITH: 506-7664 LOGGER PACKAGE 599-3608 LOGGER PACKAGE	0	\$7,510
L	506-2533	LINKAGE, STANDARD LIFT 0	0	NC
L	520-4475	LINKAGE, HIGH LIFT 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	0	\$7,770

COUNTERWEIGHT

L	495-1465	COUNTERWEIGHT, 2300KG 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT or 506-2535 LINKAGE, LOGGER	0	\$6,540
L	367-2330	COUNTERWEIGHT, 1000KG 0	0	NC

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

COUNTERWEIGHT (Cont.)

L	372-2140	COUNTERWEIGHT, AGGREGATE 0 Provides 1600 kg counterweight to use exclusively in aggregate rehandling applications. Requires to conform to the CAT Wheel Loader Payload Policy. NOTE: The Aggregate counterweight requires L3 and L4 tires, and buckets with Bolt on cutting edge only. It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.		\$4,620
L	391-8903	COUNTERWEIGHT, REAR GUARD 0 FOR USE IN LANE 3 ONLY Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 361-1910 966M WHEEL LOADER		\$13,670

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7608	AXLES, MANUAL/OPEN, ED 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain		\$590
L	372-6557	AXLES, AUTO/AUTO, ED 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain		\$9,240
L	372-6558	AXLES, AUTO/AUTO, ED, AOC 0 AXLES, AUTO DIFF F/R, ED, AOC INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE		\$16,650

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	369-2717	AXLES, MANUAL/OPEN, ED, AOC 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE		\$8,030
L	434-3950	AXLES, MANUAL/OPEN, ED, SG 0 FOR USE IN LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		\$2,340
L	372-7194	AXLES, AUTO/AUTO, ED, SG 0 FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards		\$10,990
L	369-2716	AXLES, MANUAL/OPEN, ED, ETS 0 FOR USE IN LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7659 INDUSTRIAL PACKAGE		\$1,650
L	434-3952	AXLES, AUTO/AUTO, ED, ETS 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		\$10,270

HYDRAULICS

L	500-2772	HYDRAULICS, 2V RC (3V READY) 0 Provides 2 valve hydraulics (3V ready) and ride control. This will have the auxiliary hose and frame hardware installed. This will provide dealers with the flexibility of buying 3V kits to convert the machine into a 3 valve hydraulic configuration.		\$545
L	500-2561	HYDRAULICS, 3V RC LOG 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2535 LINKAGE LOGGER		\$7,430
L	500-2562	HYDRAULICS, 4V RC LOG 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER 361-1910 966M WHEEL LOADER		\$9,520

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

L	500-2564	HYDRAULICS, 4V RC HL 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		\$9,240
L	500-2558	HYDRAULICS, 2V RC STD/HL 0 Provides 2 valve hydraulics and ride control.		NC
L	500-2559	HYDRAULICS, 3V RC STD/SL 0 Provides 3 valve hydraulics and ride control.		\$7,210
L	500-2560	HYDRAULICS, 4V RC STD/SL 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control.		\$9,240
L	500-2563	HYDRAULICS, 3V RC HL 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 361-1910 966M WHEEL LOADER		\$7,430

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	--	--	----

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	506-4545	STARTING, STANDARD 0 Includes 2 batteries. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER and 506-4542 STANDARD PACKAGE or 506-7664 LOGGER PACKAGE or 477-1655 CORROSION PROTECTION PACKAGE		NC
L	506-4546	STARTING, COLD (120V) 0 Provides 120V block heater and 4 batteries. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER and 506-4542 STANDARD PACKAGE or 506-7664 LOGGER PACKAGE or 477-1655 CORROSION PROTECTION PACKAGE		\$2,085
L	507-6193	STARTING, STANDARD, HD 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 batteries -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7659 INDUSTRIAL PACKAGE or 361-1910 966M WHEEL LOADER or 477-1655 CORROSION PROTECTION PACKAGE		\$730

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS (CONT.)

ENGINE STARTING PACKAGE (Cont.)

L	507-6194	STARTING, COLD (120V), HD 0		\$3,000
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		-120V block heater & 4 batteries on the machine for low temperatures		
		-reinforced LH platform		
		-heavy duty steps		
		-additional tire clearance		
		ONLY FOR USE WITH: 506-7659 INDUSTRIAL PACKAGE or		
		477-1655 CORROSION PROTECTION PACKAGE and		
		361-1910 966M WHEEL LOADER		

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

L	561-8777	LIGHTS, LED, PREMIUM 0		\$3,425
		INCLUDES:		
		-2 LED forward roading lights (low/high beam) with LED turn signals		
		-2 LED rear facing working lights in the hood		
		-2 LED position/stop/turn lights		
		-8 LED working lights on the cab		
L	561-8776	LIGHTS, LED 0		\$2,630
L	484-0364	LIGHTS, HALOGEN 0		NC
		Includes:		
		-2 halogen forward roading lights (low/high beam) with halogen turn signals		
		-2 halogen rear facing working lights in the hood		
		-2 LED position/stop/turn lights		
		-4 halogen working lights on the cab		
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0		\$895
		Includes:		
		-2 halogen forward roading lights (low/high beam) with halogen turn signals		
		-2 halogen rear facing working lights in the hood		
		-2 LED position/stop/turn lights		
		-8 halogen working lights on the cab		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

IMPLEMENT SINGLE AXIS LEVERS

NOTE: Compatibility is dependent on hydraulics (2V, 3V, 4V) & seat choice.

L	539-6030	LEVERS 2V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		NC
L	539-6031	LEVERS 2V, STEERING JOYSTICK 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD) or 545-7188 CAB, STANDARD or 545-7189 CAB, DELUXE		NC
L	539-6040	LEVERS 3V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6050	LEVERS 4V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6041	LEVERS 3V, STEERING JOYSTICK 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD)		NC
L	539-6051	LEVERS 4V, STEERING JOYSTICK 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD)		NC

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK

L	539-6035	JOYSTICK 2V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,215
L	539-6045	JOYSTICK 3V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,670
L	539-6053	JOYSTICK 4V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,670
L	539-6036	JOYSTICK 2V, STEERING JOYSTICK 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD)		\$1,100
L	539-6046	JOYSTICK 3V, STEERING JOYSTICK 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD)		\$1,545
L	539-6054	JOYSTICK 4V, STEERING JOYSTICK 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) or 538-2774 CAB TRIM, HEATED (LHD) or 538-2775 CAB TRIM, VENTED (LHD)		\$1,590

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	551-3397	SEAT BELT, 3" Seat belt w/ indicator.	0	\$106
---	----------	--	---	-------

STEERING

L	372-6549	STEERING SYST, STANDARD	0	NC
L	371-1455	STEERING SYST, SECONDARY	0	\$5,250

WINDOWS

L	477-1658	WINDOWS (CORROSION) FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE	0	NC
L	470-8894	WINDOWS RM (CORROSION) FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE	0	\$5,240
L	493-9622	WINDOWS, RUBBER MOUNTED FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals.	0	\$5,240
L	493-9621	WINDOWS, STANDARD	0	NC
L	493-9625	WINDOWS, STANDARD, FRONT GUARD FOR USE IN LANE 3 ONLY Provides a front window guard.	0	\$3,650
L	493-9623	WINDOWS, STANDARD, HD GUARD FOR USE IN LANE 3 ONLY Provides a front window heavy duty guard.	0	\$9,390
L	493-9624	WINDOWS, STANDARD, FULL GUARD FOR USE IN LANE 3 ONLY Provides a full window guard.	0	\$12,540
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard. ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE or 506-7659 INDUSTRIAL PACKAGE	0	\$8,870

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB FILTERS

L	505-1521	FILTRATION, STEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL CANNOT BE USED WITH: 477-1655 CORROSION PROTECTION PACKAGE		\$2,165
L	505-1519	FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
L	505-1520	FILTRATION, STD, PRECLEANER 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake		\$695
L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE or 506-7659 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 477-1655 CORROSION PROTECTION PACKAGE		\$3,535
L	505-1523	FILTRATION, STD, ACF PRECLNR 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR RESPA -RESPA PRECLEANER, HVAC CANNOT BE USED WITH: 477-1655 CORROSION PROTECTION PACKAGE		\$1,880

TRIM ARRANGEMENT

L	546-3449	CAB TRIM, DELUXE (EH) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,970
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT (Cont.)

L	546-3450	CAB TRIM, PREMIUM PLUS (EH) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$7,830
L	538-2773	CAB TRIM, COMFORT (LHD) 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$69
L	538-2774	CAB TRIM, DELUXE (LHD) 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,190
L	538-2775	CAB TRIM, PREMIUM PLUS (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,925

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	434-0693	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

COOLING

COOLING SYSTEM

L	540-0608	COOLING CORES, 6 FPI 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$343
L	521-9360	COOLING CORES, 9 FPI 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	524-1400	COOLING CORES 6 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$3,030
L	524-1399	COOLING CORES 9 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$2,675

COOLING FAN

L	524-0307	FAN, STANDARD 0 Provides a standard load sensing hydraulically driven fan.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING (CONT.)

COOLING FAN (Cont.)

L	524-0294	FAN, REVERSING, VPF, ANSI 0		\$5,630
		FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0		NC
		Premix antifreeze, -34C (-29F) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
L	423-2666	ANTIFREEZE, -50C (-58F) 0		\$283 NET
		Premix antifreeze, -50C (-58F) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM MICHELIN.

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 0		\$-4,070
---	----------	--	--	----------

TIRES AVAILABLE FOR BRIDGESTONE

P	475-6250	TIRES, 26.5R25 BS VJT * L3 0		\$-4,095
		FOR USE IN LANE 3 ONLY		
P	511-5379	TIRES, 775/65R29 BS VTS * L3 0		\$9,580
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,500
---	----------	---	--	----------

SOLID TIRES

P	540-4375	TIRES, 26.5X25 BR TRACTION 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$22,080
---	----------	--	--	----------

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$18,230
---	----------	---	--	----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 FOR USE IN LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 FOR USE IN LANE 3 ONLY		\$-24,050

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	AIR INLET PRECLEANER, TURBINE 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735
L	365-0221	AIR INLET PRECLEANER, TRASH 0 FOR USE IN LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$970

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BODY

FENDERS

L	464-6679	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: LOW-PROFILE (65-SERIES) TIRES		\$153
L	464-6677	FENDERS, BASIC +. 0 Provide non-metallic front and rear fenders with mud flaps. CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		NC
L	464-6678	FENDERS, ROADING 0 Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps. CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$2,955
L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: LOW-PROFILE (65-SERIES) TIRES		\$3,245
L	478-8372	FENDERS, NARROW 0 FOR USE IN LANE 3 ONLY Provides narrow steel front fenders, Steel rear fender extensions and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 484-1137 INDUSTRIAL PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$3,055
L	478-8375	FENDERS, REAR EGRESS. 0 FOR USE IN LANE 3 ONLY Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$11,920

HOOD

L	470-8899	HOOD - CORROSION 0 FOR USE IN LANE 3 ONLY Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
L	391-5800	HOOD, NON-METALLIC 0		NC

SOUND SUPPRESSION

L	422-1636	SOUND SUPPRESSION, STANDARD 0		NC
L	465-2776	SOUND SUPPRESSION, INDUSTRIAL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 510-6946 INDUSTRIAL PACKAGE		\$2,925

FLUIDS

LUBRICATION ARRANGEMENTS

L	495-7515	AUTOLUBE, LOG/SL 0 FOR USE IN LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		\$6,460
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

L	495-7506	LUBRICATION, MANUAL 0 ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT or 506-2535 LINKAGE, LOGGER CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	524-0305	LUBRICATION, MANUAL, HL, QCR 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	524-0301	AUTOLUBE, HL 0 FOR USE IN LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 361-1910 966M WHEEL LOADER CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,690
L	524-0303	AUTOLUBE, HL, QCR 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT 361-1910 966M WHEEL LOADER		\$6,690
L	495-7507	AUTOLUBE, STD 0 ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		\$6,460
L	524-0300	LUBRICATION, MANUAL, HL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		NC

FUEL ANTIFREEZE.

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	--	--	----

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

NOTE: Operation and maintenance Manual will be included in language requested below. REQUIRED BY: ALL LANE CONFIGURATION

	OP-3380	INSTRUCTIONS, ENGLISH 0		NC
--	---------	-----------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

L	486-9204	OBJECT DETECTION 0 Provides a C5 radar. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER CANNOT BE USED WITH: 391-8903 COUNTERWEIGHT, REAR GUARD	\$2,800
L	486-9205	OBJECT DETN & CB RADIO READY 0 INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER	\$3,740

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIOS.

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	RADIO, CB (READY) 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		\$970
P	600-3625	RADIO, AM/FM/BLUETOOTH 0 Provides AM/FM/MP3 radio.		\$600

VISIBILITY

P	380-5964	SECONDARY CAMERA DISPLAY 0 FOR USE IN LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		\$1,780
P	372-1604	SECURITY SYSTEM, MACHINE 0 FOR USE IN LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$710

LIGHTS

P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$493
P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes.		\$279
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: 551-3396 SEAT BELT, 2" (50MM) or 551-3397 SEAT BELT, 3" (76MM)		\$233

TECHNOLOGY PRODUCTS

REQUIRED BY: AM-S

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS (CONT.)*(Cont.)*

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

- Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:
- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
 - Allows on-the-go weighing of the bucket payload during the lift cycle
 - Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
 - Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
 - Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.
 NOT RECOMMENDED for hardbank or large rock loading.

P	517-7123	CPM PAYLOAD SOFTWARE 0	\$5,040
		Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. (Not available in all countries. Contact PL Admin for details.) REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY or 506-4542 STANDARD PACKAGE CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD	

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

P	453-3250	AUTODIG SOFTWARE 0		\$1,450
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		
P	370-3813	CPM PAYLOAD WEIGHING READY 0		\$233
		FOR USE IN LANE 3 ONLY Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software is required. See note 2 above for details. CANNOT BE USED WITH: 506-4542 STANDARD PACKAGE		

GUARDS

P	367-9030	GUARD, POWERTRAIN 0		\$1,610
		Protects bottom of transmission.		
C	380-0327	GUARD, HINGED, POWERTRAIN 0		\$3,100
		FOR USE IN LANE 3 ONLY Hinged heavy duty guard protecting bottom of transmission.		
C	430-4090	GUARD, TILT CYLINDER 0		\$1,615
		FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. REQUIRED BY: 510-6946 INDUSTRIAL PACKAGE OR 506-7659 INDUSTRIAL PACKAGE		
P	485-4387	GUARDS, LIGHT 0		\$1,615
		FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD 484-0364 LIGHTS, HALOGEN		
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0		\$1,045
		FOR USE IN LANE 3 ONLY Provides an electric actuator and switch to raise and lower the hinged heavy duty guard.		
L	426-1490	GUARD, TILT CYLINDER 0		\$1,615
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		

OTHER ATTACHMENTS

OIL CHANGE SYSTEM

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0		\$292
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MISCELLANEOUS ATTACHMENTS

P	506-4370	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$500
---	----------	---	--	-------

CORROSION RESISTANT OPTIONS

L	477-1656	PROTECTION PACKAGE, LINES 0 FOR USE IN LANE 3 ONLY Hoses treated with tube heat shrinkable and sealant silicone. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$4,815
L	517-2235	PAINTING GROUP, CORROSION 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$5,310

QUICK COUPLERS

P	372-7403	QUICK COUPLER READY 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.		\$4,075
P	388-7402	QUICK COUPLER READY, HL 0 FOR USE IN LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		\$4,075
P	310-9390	QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. REQUIRES: 372-7403 QUICK COUPLER READY or 388-7402 QUICK COUPLER READY, HIGH LIGHT		\$8,190

LINES CONNECTING

L	323-9292	JUMPER LINES FOR 3V QC 21 ONLY FOR USE WITH: HYDRAULICS 3V & 310-9390 QUICK COUPLER 361-1910 966M WHEEL LOADER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,082
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: HYDRAULICS 4V & 310-9390 QUICK COUPLER 361-1910 966M WHEEL LOADER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,285

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS

OMISSION WORK TOOL

P	361-1437	OMISSION, WORKTOOL 0 Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		NC
---	----------	--	--	----

BUCKETS

REQUIRED BY: AM-S

Buckets must be ordered Installed on a Machine Order.
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com
 If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1409	BKTA GP ST 127" 5.50YD3 PO 5,421 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		\$19,929
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (QUICK COUPLER)

P	515-5842	BKTA GP ST 127" 5.50YD3 FUS	5,055	\$19,279
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		

INSTRUCTIONS

CYLINDER PROTECTION

	0P-3940	PROTECTION, CYLINDER ROD	0	NC
		REQUIRED BY: ALL LANE CONFIGURATION		

FILMS

P	468-0173	FILM, FOREST	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: LINKAGE LOGGER		
C	468-0170	FILM, SCRAP	0	NC
		FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. ONLY FOR USE WITH: INDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: INDUSTRIAL PACKAGE		

PACKING

EXPORT PACKING

	0P-6619	ROLL ON-ROLL OFF	0	\$267 NET
		Machine is in mobile condition and all attachments are installed unless specified.		

ALLOWANCE FOR OMISSION

P	0P-4781	ALLOWANCE FOR OMISSION	0	\$483
		REQUIRED BY: 297-2514 RIMS ONLY, TIRES OMITTED		

STORAGE PROTECTION

	0P-2918	STORAGE PROTECTION	0	NC
		This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		

CATERPILLAR MACHINE PRICE LIST

966M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

SPECIAL INSTRUCTIONS

0P-2949	EXPOSITION INSTRUCTION 0 This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs	NC
----------------	--	-----------