

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
 Brake wear indicators
 Engine, Cat 9.3
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Economy mode (for fuel reduction)
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking brake, disk & caliper
 Switch, transmission neutralizer lockout
 Torque converter, locking clutch with free wheel stator
 Transmission, automatic planetary power shift (4F/4R)

Mirrors, rearview external with integrated spot mirrors
 Post mounted membrane 16 switch keypad
 2 receptacles, 12V
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable, 76mm (3") wide with indicator
 Steering, EH joystick, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts
 Computerized monitoring system
 With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -4 halogen work lights
 -2 halogen roading lights (w/ signals)
 -2 halogen rear facing lights (hood mounted)
 Rear view camera
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24V)

With following warning indicators:
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure
 Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -Transmission filter bypass
 Multi-function monitor :
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multifunction monitor)
 -180mm(7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multi-function monitor)
 Core app software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic app software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral
 -Total operating hours with hydraulic

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12V-10amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)

CATERPILLAR MACHINE PRICE LIST

972M-BR972M WHEEL LOADER
PIRACICABA, BRAZILShip Weight
lbsLIST PRICE
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

filter in bypass

FLUIDSExtended life coolant with freeze
protection to -34C (-29F)**OTHER STANDARD EQUIPMENT**

Auto idle shutdown
 Couplings, Caterpillar O-ring face seal
 Ecology drains for engine, transmission,
 and hydraulics
 Ether aid ready
 Fenders, steel front with mud-flap/rear
 with extension
 Filters: fuel, engine air, engine oil,
 hydraulic oil, transmission
 Fuel cooler
 Grease zerks
 Grill, airborne debris
 Hitch, drawbar with pin
 Hood, non-metallic power tilting with
 rear clamshell
 Hoses, Caterpillar XT
 Hydraulic oil cooler (swing out)
 Hydraulic System, load sensing
 Kickout, lift & tilt, automatic
 (adjustable in cab)
 Linkage, Z-Bar, cast crosstube/tilt lever
 Oil sampling valves
 Platform, window washing
 Remote diagnostic pressure taps
 Service center (electrical & hydraulic)
 Sight gauges: engine coolant, hydraulic
 oil, and transmission oil level
 Steering, load sensing
 Toolbox
 Vandalism protection caplocks
 Couplings, Caterpillar O-ring face seal
 Ecology drains for engine, transmission,
 and hydraulics
 Ether aid ready
 Hoses, Caterpillar XT
 Hydraulic oil cooler (swing out)
 Hydraulic System, load sensing
 Oil sampling valves
 Platform, window washing
 Remote diagnostic pressure taps
 Steering, load sensing
 Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER
PIRACICABA, BRAZIL

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

592-1078	972M WHEEL LOADER AM-N FTO1 0 LANE 1 - AVAILABLE FROM SAVANNAH DISTRIBUTION CENTER	\$495,330
-----------------	--	------------------

INCLUDES:

- 364-1300 972M WHEEL LOADER
- 324-8092 AIR INLET STANDARD, RAIN CAP
- 367-9030 GUARD, POWERTRAIN
- 371-7066 ANTIFREEZE, -34C (-29F)
- 372-6549 STEERING, STANDARD
- 391-5800 HOOD, NON-METALLIC
- 396-4672 HYDRAULIC OIL, STANDARD
- 422-1636 SOUND SUPPRESSION, STANDARD
- 434-0690 NETWORK MANAGER ONLY
- 500-2558 HYDRAULICS, 2V RC, STD/HL
- 506-2537 LINKAGE, STANDARD LIFT
- 506-4543 STANDARD PACKAGE
- 506-4546 STARTING, COLD (120V)
- 521-9360 COOLING CORES, 9 FPI
- 524-0307 FAN, STANDARD
- 561-7320 REGIONAL PACKAGE, AM-N
- 367-2333 COUNTERWEIGHT, 2300KG
- 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
- 372-1603 RADIO, CB (READY)
- 390-7610 AXLES, MANUAL/OPEN, ED
- 464-6677 FENDERS, BASIC +
- 551-3397 SEAT BELT, 3"
- 0G-0386 NO QUICK COUPLER READY
- 493-9621 WINDOWS, STANDARD
- 503-6486 LIGHTS, STANDARD, FTO
- 505-1519 FILTRATION, STANDARD
- 538-2774 CAB TRIM, DELUXE (LHD)
- 510-6390 LUBRICATION, MANUAL (AUTO RDY)

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

592-1079	972M WHEEL LOADER AM-N FTO2 0	\$519,990
	LANE 1 - AVAILABLE FROM SAVANNAH DISTRIBUTION CENTER	

- INCLUDES:
- 364-1300 972M WHEEL LOADER
 - 561-7320 REGIONAL PKG, AM-N
 - 324-8092 AIR INLET STANDARD, RAIN CAP
 - 367-9030 GUARD, POWERTRAIN
 - 371-7066 ANTIFREEZE, -34C (-29F)
 - 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
 - 372-1603 RADIO, CB (READY)
 - 372-2141 COUNTERWEIGHT, AGGREGATE
 - 372-6549 STEERING SYST, STANDARD
 - 372-6558 AXLES, AUTO/AUTO, ED, AOC
 - 391-5800 HOOD, NON-METALLIC
 - 396-4672 HYDRAULIC OIL, STANDARD
 - 434-0690 NETWORK MANAGER ONLY
 - 422-1636 SOUND SUPPRESSION, STANDARD
 - 464-6680 FENDERS, ROADING, LOW PROFILE
 - 493-9621 WINDOWS, STANDARD
 - 500-2558 HYDRAULICS, 2V RC STD/HL
 - 503-6486 LIGHTS, STANDARD, FTO
 - 505-1519 FILTRATION, STANDARD
 - 506-2537 LINKAGE, STANDARD LIFT
 - 506-4370 WHEEL CHOCKS
 - 506-4543 STANDARD PACKAGE
 - 506-4546 STARTING, COLD (120V)
 - 510-6390 LUBRICATION, MANUAL (AUTO RDY)
 - 521-9360 COOLING CORES, 9 FPI
 - 524-0307 FAN, STANDARD
 - 551-3397 SEAT BELT, 3"
 - 538-2774 CAB TRIM, DELUXE (LHD)
 - OG-0386 NO QUICK COUPLER READY

NOTE: Please refer to the Lane 1 section to complete your order.

364-1300	972M WHEEL LOADER 0	\$486,290
	LANE 2 - AVAILABLE FROM PIRACICABA FACTORY	
	LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION.

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

TECHNOLOGY PRODUCTS

L	578-6376	PRODUCT LINK, CELLULAR PL641 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	566-2099	PRODUCT LINK, SATELLITE PL631 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.	0	\$446

LIGHTS

L	522-4166	LIGHTS, HALOGEN Provides Rooding lights: -2 forward rooding lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood	0	NC
L	522-4167	LIGHTS, HALOGEN, PREMIUM Provides Rooding lights: -2 forward rooding lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood	0	\$890
L	522-4168	LIGHTS, LED Provides Rooding lights: -2 forward rooding lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood	0	\$2, 630
L	522-4169	LIGHTS, LED, PREMIUM INCLUDES: -2 LED forward rooding lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab	0	\$3, 390

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT

L	571-3997	LEVERS 2V, STEERING JOYSTICK 0		NC
		INCLUDES: -2 single action levers for implement lift and tilt controls		
L	562-0141	JOYSTICK 2V, STEERING JOYSTICK 0		\$1,110
		INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		

TIRES, RIMS, AND WHEELS

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 0		\$-9,500
		Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance. ONLY FOR USE WITH: 592-1078 972M WHEEL LOADER AM-N FTO1		
P	583-2577	TIRES, 775/65R29 MA ** MS302 L3 0		\$-2,140
		43mm Tread Depth, Maxam part number V031392 MACHINE OSCILLATION IS REDUCED ONLY FOR USE WITH: 592-1079 972M WHEEL LOADER AM-N FTO2		

WORKTOOLS

P	516-1400	BKTA GP ST 129" 6.25YD3 PO 5,710		\$22,200
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		
P	416-6340	BKTA GP AB 132" 7.00YD3 PO 6,241		\$25,646
		INCLUDES: bolt-on cutting edge CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) with GETs REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		
P	361-1437	OMISSION, WORKTOOL 0		NC
		This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		

FLUIDS.

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) 0		NC
		Provides fuel (diesel) antifreeze protection down to -25C (-13F)		

INSTRUCTIONS

	0P-3380	INSTRUCTIONS, ENGLISH 0		NC
	0P-3389	INSTRUCTIONS, FRENCH 0		NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

OP-6619	ROLL ON-ROLL OFF 0	\$267 NET
	Machine is in mobile condition and all attachments are installed unless specified.	

STORAGE PROTECTION

OP-2918	STORAGE PROTECTION 0	NC
	This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION	

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

P	OP-3506 ANTIFREEZE, -50C (-58F) 0	\$283 NET
	Premix Antifreeze, -50C or -58F	

AUTOLUBE

P	562-0151 AUTOLUBE 0	\$4,795
---	--------------------------------------	----------------

ELECTRICAL

P	566-2044 LIGHT, WARNING BEACON 0	\$493
	Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.	

AUTODIG & CPM

P	453-3250 AUTODIG SOFTWARE 0	\$1,450
	Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.	
P	517-7123 CPM PAYLOAD SOFTWARE 0	\$5,040
	Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.)	

INSTRUCTIONS

CYLINDER PROTECTION

P	OP-3940 PROTECTION, CYLINDER ROD 0	NC
---	---	-----------

FILMS

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

INSTRUCTIONS (Cont.)

P	0P-3507	FILMS, ISO 0 ONLY FOR USE WITH: CANADIAN DEALERS REQUIRED BY: Quebec	0	NC
P	386-7389	FILM, CPM 0 REQUIRED BY : CANADIAN DEALER.	0	NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

..

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	561-7320	REGIONAL PKG, AM-N	0	NC
		INCLUDES: -ANSI Films Meets U.S. EPA Tier 4 Final emission standards		

SPECIAL ARRANGEMENTS

L	506-4543	STANDARD PACKAGE	0	\$233
		Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Filter cab air -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	509-1559	CORROSION PROTECTION PACKAGE	0	\$6,520
		FOR USE IN LANE 3 ONLY Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.		

INCLUDES:

- Platform;
- Electrical & Hydraulic installation;
- Cab air filter;
- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;
- Turbine Pre-Cleaner.

For a complete Corrosion Protection Package, please order the following **RECOMMENDED** attachments:

- Cooling, Hood, Painting Group and Protection Lines.

REQUIRES:

- 365-0220 PRECLEANER, TURBINE
- 477-1658 WINDOW AR, CAB - CORROSION, OR
- 470-8894 WINDOW AR, RM - CORROSION

RECOMMENDED:

- 505-1520 FILTRATION, STD, PRECLEANER
- 524-1400 COOLING GP (6FPI) - CORROSION, OR
- 524-1399 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 470-8899 HOOD AR - CORROSION
- 522-5230 PAINTING GROUP, CORROSION (EUR)OR
- 517-2235 PAINTING GROUP, CORROSION (NACD)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal.
- 477-1656 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicone.
- 524-0295 FAN, VPF, ISO, OR
- 524-0294 FAN, VPF, ANSI
- 495-7518 AUTOLUBE STD

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7661	INDUSTRIAL PACKAGE 0 FOR USE IN LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications.		\$10,960
INCLUDES:				
-Reinforced platform -Electrical & hydraulic installation -Carbon cab air filter -Standard Radiator grill -Guards: hitch, bottom cab (skirt), front frame -Lift cylinder baffles -Heavy duty ladder				
RECOMMENDED:				
540-4375 TIRES, 26.5X25 BR TRACTION or 540-4376 TIRES, 26.5X25 BR SMOOTH and 485-4387 GUARDS, LIGHT				
REQUIRES: 434-3951 AXLES, LOCK/OPEN, ED, SG or 372-7194 AXLES, AUTO DIFF F/R, ED, SG and 507-6193 STARTING, STANDARD, HD or 507-6194 STARTING, COLD (120V), HD and 478-8372 FENDERS, NARROW and 465-2776 SOUND SUPPRESSION, INDUSTRIAL (NACD) or 422-1634 SOUND SUPPRESSION, LOW (EUR) and 468-0170 FILM, SCRAP or 468-0171 FILM WASTE and 380-0327 GUARD, HINGED, POWERTRAIN and 364-7246 or 426-1490 GRD, TILT CYLINDER				

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7669	STEEL MILL PACKAGE 0 FOR USE IN LANE 3 ONLY Provides additional machine features required in Steel Mill applications when handling industrial material or hot slag. INCLUDES: -Film, Steel Mill -Reinforced RH platform -Electrical & hydraulic installation -Cab air filter -Radiator grill -Guards: hitch, bottom cab (skirt), front frame, transmission cooler -Ground-level parking brake override & engine shutdown switches (at rear of machine). -Hydraulic hose & electric harness insulation for protect against high temperature.		\$18,040
---	----------	---	--	----------

RECOMMENDED:
 365-0220 AIR INLET PRECLEANER, TURBINE
 REQUIRES: 506-2540 LINKAGE STEEL MILL
 441-6896 AXLES SM MANUAL FRONT, OR
 441-6897 AXLES SM AUTODIFF FRONT
 507-6189 HYDRAULIC 2V - RC, SM
 444-7429 HYDRAULIC OIL, STEEL MILL ECOSAFE
 507-6193 STARTING, COLD STD. OR
 507-6194 STARTING, COLD 120V, OR
 507-6195 STARTING, COLD 240V
 561-8778 LIGHTS STEEL MILL
 444-7433 STEERING, STEEL MILL OR
 441-6886 STEERING, SECONDARY SM
 561-8838 CAB TRIM, DELUXE, SM (EH) or
 561-8839 CAB TRIM, COMFORT, SM, (LHD)
 569-0214 WINDOWS, STEEL MILL
 505-1521 FILTRATION, STEEL
 478-8372 FENDERS, NARROW, OR
 478-8375 FENDERS, REAR EGRESS
 485-6935 SOUND SUPPRESSION, STEEL MILL, HIGH SOUND , OR
 485-6934 SOUND SUPPRESSION, STEEL MILL, LOW CE SOUND
 495-7525 LUBRICATION, MANUAL, SM 972L, OR
 495-7526 AUTOLUBE, STANDARD LIFT SM
 367-9030 GUARD, POWERTRAIN
 426-1490 GRD, TILT CYLINDER
 CANNOT BE USED WITH: 464-2465 STARTING, COLD (240V)
 506-2528 VARIABLE PITCH FAN

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2540	LINKAGE, STEEL MILL 0 FOR USE IN LANE 3 ONLY Provides the linkage with insulated hoses and unique B-Pin bearing for high temperature application. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$1,835
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

LINKAGES (Cont.)

L	506-2537	LINKAGE, STANDARD LIFT	0	NC
L	506-2538	LINKAGE, SHORT LIFT	0	NC
		FOR USE IN LANE 3 ONLY		
L	520-4476	LINKAGE, HIGH LIFT	0	\$7,740
		FOR USE IN LANE 3 ONLY		
		Provides increased dump clearance of 13" (336mm) over standard lift arms.		

COUNTERWEIGHT

Required to conform to the CAT Wheel Loader Payload Policy.

L	367-2333	COUNTERWEIGHT, 2300KG	0	NC
L	372-2141	COUNTERWEIGHT, AGGREGATE	0	\$4,855
		Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications.		
		REQUIRES: 486-7797 STANDARD PACKAGE		
		386-0909 LINKAGE, STANDARD LIFT		
		L3 or L4 TIRES		
		BUCKETS with BOCE		

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	434-3952	AXLES, AUTO/AUTO, ED, ETS	0	\$10,270
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		-Automatic front and rear diff lock		
		-Ecology Drain		
		-Extreme Temp Seals		
		CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE		
		506-7669 STEEL MILL PACKAGE		
L	372-6555	AXLES, MANUAL/OPEN, ED, ETS	0	\$1,655
		FOR USE IN LANE 3 ONLY		
		INCLUDES:		
		-Manual front diff lock		
		-Open rear differential		
		-Ecology Drain		
		-Extreme Temp Seals		
		CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE		
		506-7669 STEEL MILL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	390-7610	AXLES, MANUAL/OPEN, ED INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$590
L	372-6556	AXLES, MANUAL/OPEN, ED, AOC INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$8,050
L	372-6557	AXLES, AUTO/AUTO, ED INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$9,240
L	372-6558	AXLES, AUTO/AUTO, ED, AOC INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$16,650
L	434-3951	AXLES, MANUAL/OPEN, ED, SG FOR USE IN LANE 3 ONLY	0	\$2,350
L	372-7194	AXLES, AUTO/AUTO, ED, SG FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE	0	\$10,990
L	441-6896	AXLES SM, MANUAL/OPEN, ED FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$640
L	441-6897	AXLES, AUTO/AUTO, ED, AOC FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$18,090

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

L	507-6189	HYDRAULICS, 2V RC SM 0 FOR USE IN LANE 3 ONLY Provides 2 valve hydraulics, ride control, and insulated hoses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		NC
L	500-2564	HYDRAULICS, 4V RC HL 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$9,240
L	500-2563	HYDRAULICS, 3V RC HL 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$7,430
L	500-2558	HYDRAULICS, 2V RC STD/HL 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT		NC
L	500-2559	HYDRAULICS, 3V RC STD/SL 0 FOR USE IN LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$7,210
L	500-2560	HYDRAULICS, 4V RC STD/SL 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2638 LINKAGE, SHORT LIFT		\$9,240
L	501-4663	HYDRAULICS, 3V RC STD 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$7,430
L	501-4664	HYDRAULICS, 4V RC STD 0 FOR USE IN LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$9,240

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
L	444-7429	HYDRAULIC OIL, ESCOSAFE SM 0 FOR USE IN LANE 3 ONLY EcoSafe lubricant (FR46 Hydraulic fluid) ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$1,730

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	507-6194	STARTING, COLD (120V), HD 0 FOR USE IN LANE 3 ONLY INCLUDES: -120V block heater & 4 batteries on the machine for low temperatures -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		\$3,000
---	----------	---	--	---------

NOTE: In this configuration, the toolbox compartment is unavailable.

L	507-6193	STARTING, STANDARD, HD 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 batteries -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		\$730
L	506-4545	STARTING, STANDARD 0 Provide 2 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		NC

L	506-4546	STARTING, COLD (120V) 0 Provides 120V block heater and 4 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		\$2,085
---	----------	---	--	---------

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

L	561-8777	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,425
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	561-8778	LIGHTS, LED, STEEL MILL 0 FOR USE IN LANE 3 ONLY INCLUDES: -4 LED forward facing work lights and 4 LED rear facing work lights, mounted on top of the cab. -2 halogen forward roading lights (low/high beam), 2 halogen rear facing work lights on the hood & 2 LED position/stop/turn lights -Multi-position roading light brackets -High temperature forward roading lights -Light guards -Insulated harness ONLY FOR USE WITH: STEEL MILL PACKAGE REQUIRED BY: STEEL MILL PACKAGE		\$2,170
L	561-8776	LIGHTS, LED 0		\$2,630
L	484-0364	LIGHTS, HALOGEN 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals. -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab.		NC
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$895

OPERATOR ENVIRONMENT

IMPLEMENT SINGLE AXIS LEVERS

NOTE: Compatibility is dependent on hydraulics (2V, 3V) & seat choice.

L	539-6030	LEVERS 2V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 515-3039 HYDRAULICS, 2V, (3V READY) and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED or 561-8838 CAB TRIM, STEEL MILL		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT SINGLE AXIS LEVERS (Cont.)

L	539-6040	LEVERS 3V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT or 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		NC
L	539-6050	LEVERS 4V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		NC
L	539-6031	LEVERS 2V, STEERING JOYSTICK 0 INCLUDES: -2 single action levers for implement lift & tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 500-2772 HYDRAULICS, 2V RC (3V READY) and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD) or 561-8839 CAB TRIM, COMFORT, SM (LHD)		NC
L	539-6041	LEVERS 3V, STEERING JOYSTICK 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		NC
L	539-6051	LEVERS 4V, STEERING JOYSTICK 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK

L	539-6035	JOYSTICK 2V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 515-3039 HYDRAULICS, 2V (3V READY) and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,215
L	539-6045	JOYSTICK 3V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,670
L	539-6053	JOYSTICK 4V, STEERING WHEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 546-3449 CAB TRIM, HEATED or 546-3450 CAB TRIM, VENTED		\$1,670
L	539-6036	JOYSTICK 2V, STEERING JOYSTICK 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL or 507-6189 HYDRAULICS, 2V RC, SM or 515-3039 HYDRAULICS, 2V (3V READY) and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD) or 561-8839 CAB TRIM, COMFORT, SM (LHD)		\$1,100

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK (Cont.)

L	539-6046	JOYSTICK 3V, STEERING JOYSTICK 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT or 501-4663 HYDRAULICS, 3V RC, STD or 500-2563 HYDRAULICS, 3V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		\$1,545
L	539-6054	JOYSTICK 4V, STEERING JOYSTICK 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT or 501-4664 HYDRAULICS, 4V RC, STD or 500-2564 HYDRAULICS, 4V RC, HIGH LIFT and 538-2773 CAB TRIM, COMFORT (LHD) or 538-2774 CAB TRIM, DELUXE (LHD) or 538-2775 CAB TRIM, PREMIUM PLUS (LHD)		\$1,590

SEAT BELT

L	551-3397	SEAT BELT, 3" 0 Seat belt w/ indicator.		\$106
---	----------	---	--	-------

STEERING

L	372-6549	STEERING SYST, STANDARD 0 CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		NC
L	371-1455	STEERING SYST, SECONDARY 0 CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		\$5,250
L	444-7433	STEERING SYST, STANDARD SM 0 FOR USE IN LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		NC
L	441-6886	STEERING SYST, SECONDARY SM 0 FOR USE IN LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$6,010

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT

L	538-2773	CAB TRIM, COMFORT (LHD) 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$69
L	538-2774	CAB TRIM, DELUXE (LHD) 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,190
L	546-3449	CAB TRIM, DELUXE (EH) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,970
L	538-2775	CAB TRIM, PREMIUM PLUS (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,925

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT (Cont.)

L	546-3450	CAB TRIM, PREMIUM PLUS (EH) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$7,830
L	561-8838	CAB TRIM, DELUXE, SM (EH) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$4,010
L	561-8839	CAB TRIM, COMFORT, SM, (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$68

WINDOWS

L	477-1658	WINDOWS (CORROSION) 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WINDOWS (Cont.)

L	470-8894	WINDOWS RM (CORROSION) 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$5,240
L	493-9621	WINDOWS, STANDARD 0		NC
L	493-9622	WINDOWS, RUBBER MOUNTED 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals.		\$5,240
L	569-0214	WINDOWS, STEEL MILL 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals. REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$5,340
L	493-9625	WINDOWS, STANDARD, FRONT GUARD 0 FOR USE IN LANE 3 ONLY Provides a front window guard.		\$3,650
L	493-9623	WINDOWS, STANDARD, HD GUARD 0 FOR USE IN LANE 3 ONLY Provides a front window heavy duty guard.		\$9,390
L	493-9624	WINDOWS, STANDARD, FULL GUARD 0 FOR USE IN LANE 3 ONLY Provides a full window guard.		\$12,540
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD 0 FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard.		\$8,870

FILTRATION

L	505-1519	FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
L	505-1520	FILTRATION, STD, PRECLEANER 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$695
L	505-1521	FILTRATION, STEEL 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		\$2,165

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

FILTRATION (Cont.)

L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		\$3,535
L	505-1523	FILTRATION, STD, ACF PRECLNR 0 FOR USE IN LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 509-1559 CORROSION RESISTANT PACKAGE		\$1,880

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. data.		NC
L	434-0693	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

COOLING

COOLING SYSTEM

L	540-0608	COOLING CORES, 6 FPI 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$343
L	521-9360	COOLING CORES, 9 FPI 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING (CONT.)

COOLING SYSTEM (Cont.)

L	524-1400	COOLING CORES 6 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$3,030
L	524-1399	COOLING CORES 9 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$2,675

COOLING FAN

L	524-0307	FAN, STANDARD 0 Provides a standard load sensing hydraulically driven fan.		NC
L	524-0294	FAN, REVERSING, VPF, ANSI 0 FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		\$5,630

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0 Premix antifreeze, -34C (-29F)		NC
L	423-2666	ANTIFREEZE, -50C (-58F) 0 Premix antifreeze, -50C (-58F)		\$283 NET

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM MICHELIN

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,070
P	395-0531	TIRES, 26.5 R25 MX XLDD2 * L5	0	\$19,380

TIRES AVAILABLE FROM BRIDGESTONE

L	511-5379	TIRES, 775/65R29 BS VTS * L3 FOR USE IN LANE 3 ONLY	0	\$9,580
---	----------	--	---	---------

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.	0	\$-9,500
---	----------	---	---	----------

SOLID TIRES

P	540-4375	TIRES, 26.5X25 BR TRACTION FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE	0	\$22,080
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SOLID TIRES (Cont.)

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$18,230
---	----------	---	--	----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 FOR USE IN LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 FOR USE IN LANE 3 ONLY		\$-24,050

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	AIR INLET PRECLEANER, TURBINE 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735
L	365-0221	AIR INLET PRECLEANER, TRASH 0 FOR USE IN LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$970

BODY

FENDERS

L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: LOW-PROFILE (65-SERIES) TIRES		\$3,245
L	464-6679	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: LOW-PROFILE (65-SERIES) TIRES		\$153
L	464-6677	FENDERS, BASIC + 0 Provide non-metallic front and rear fenders with mud flaps. CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		NC
L	464-6678	FENDERS, ROADING 0 CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$2,955

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BODY (CONT.)

FENDERS (Cont.)

L	478-8372	FENDERS, NARROW 0 FOR USE IN LANE 3 ONLY Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$3,055
L	478-8375	FENDERS, REAR EGRESS 0 FOR USE IN LANE 3 ONLY Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$11,920

HOOD

L	470-8899	HOOD - CORROSION 0 FOR USE IN LANE 3 ONLY Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		NC
L	391-5800	HOOD, NON-METALLIC 0		NC
L	477-4000	HOOD, STEEL 0 FOR USE IN LANE 3 ONLY Replaces non-metallic hood. Only for use in steel mill applications ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE		\$8,910

SOUND SUPPRESSION

L	422-1636	SOUND SUPPRESSION, STANDARD 0		NC
L	465-2776	SOUND SUPPRESSION, INDUSTRIAL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: INDUSTRIAL PACKAGE		\$2,925
L	485-6935	SOUND SUPPRESSION, STEEL MILL 0 FOR USE IN LANE 3 ONLY Provides insulated hoses for hydraulic sound resonator. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$3,010

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS

LUBRICATION ARRANGEMENTS

L	524-0303	AUTOLUBE, HL, QCR 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,690
L	524-0301	AUTOLUBE, HL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,690
L	495-7515	AUTOLUBE, LOG/SL 0 FOR USE IN LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$6,460
L	510-6390	LUBRICATION, MANUAL (AUTO RDY) 0		\$1,660
L	524-0305	LUBRICATION, MANUAL, HL, QCR 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	495-7517	LUBRICATION, MANUAL, STD 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		NC
L	495-7518	AUTOLUBE, STD 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$6,460
L	495-7525	LUBRICATION, MANUAL, SM 0 FOR USE IN LANE 3 ONLY Provides unique grease path G-Pin for extreme applications. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$3,195
L	495-7526	AUTOLUBE, SM 0 FOR USE IN LANE 3 ONLY INCLUDES: -Caterpillar autolube system for steel mill arrangement with cover for pump -Unique grease path B-Pin for extreme applications ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$9,650
L	524-0300	LUBRICATION, MANUAL, HL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		NC
L	495-7506	LUBRICATION, MANUAL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC

FUEL ANTIFREEZE.

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	---	--	----

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

NOTE: Operation and maintenance Manual will be included in language requested below. **REQUIRED BY: ALL LANE CONFIGURATION**

OP-3380	INSTRUCTIONS, ENGLISH 0	NC
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAT OBJECT DETECTION.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

L	486-9204	OBJECT DETECTION	0	\$2,800
		Provides a C5 radar. CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		
L	486-9205	OBJECT DETN & CB RADIO READY	0	\$3,740
		INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIOS

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	RADIO, CB (READY) 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		\$970
P	600-3625	RADIO, AM/FM/BLUETOOTH 0 Provides AM/FM/MP3 radio.		\$600

VISIBILITY

P	380-5964	SECONDARY CAMERA DISPLAY 0 FOR USE IN LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		\$1,780
---	----------	--	--	---------

LIGHTS

P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$493
P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes.		\$279
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: 551-3396 SEAT BELT, 2" (50MM) or 551-3397 SEAT BELT, 3" (76MM)		\$233

SECURITY SYSTEM

P	372-1604	SECURITY SYSTEM, MACHINE 0 FOR USE IN LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$710
---	----------	---	--	-------

TECHNOLOGY PRODUCTS

REQUIRED BY: AM-S

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS (CONT.)*. (Cont.)*

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	370-3813	CPM PAYLOAD WEIGHING READY 0 FOR USE IN LANE 3 ONLY Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software is required. See note 2 above for details. CANNOT BE USED WITH: 506-4543 STANDARD PACKAGE	\$233
---	-----------------	--	--------------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

P	453-3250	AUTODIG SOFTWARE 0 Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		\$1,450
P	517-7123	CPM PAYLOAD SOFTWARE 0 Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. (Not available in all countries. Contact PL Admin for details). REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY or 506-4543 STANDARD PACKAGE CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD		\$5,040

GUARDS

P	367-9030	GUARD, POWERTRAIN 0 Protects bottom of transmission. REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$1,610
C	380-0327	GUARD, HINGED, POWERTRAIN 0 FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Hinged heavy duty guard protecting bottom of transmission.		\$3,100
C	426-1490	GUARD, TILT CYLINDER 0 FOR USE IN LANE 3 ONLY REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE OR 510-6947 INDUSTRIAL PACKAGE OR 506-7669 STEEL MILL PACKAGE		\$1,615
P	485-4387	GUARDS, LIGHT 0 FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD 484-0364 LIGHTS, HALOGEN		\$1,615
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0 FOR USE IN LANE 3 ONLY Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		\$1,045

OTHER ATTACHMENTS

OIL CHANGE SYSTEM

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$292
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MISCELLANEOUS ATTACHMENTS

P	506-4370	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$500
---	----------	---	--	-------

CORROSION RESISTANT OTHER ATTACHMENTS

L	477-1656	PROTECTION PACKAGE, LINES 0 FOR USE IN LANE 3 ONLY Hoses treated with tube heat shrinkable and sealant silicone. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$4,815
L	517-2235	PAINTING GROUP, CORROSION 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion. ONLY FOR USE WITH: CORROSION RESISTANT PACKAGE		\$5,310

QUICK COUPLERS

P	372-7405	QUICK COUPLER READY, STD 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$4,090
P	388-7402	QUICK COUPLER READY, HL 0 FOR USE IN LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$4,075
L	310-9390	QUICK COUPLER, FUSION 1,133 FOR USE IN LANE 3 ONLY Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY		\$8,190
P	372-7403	QUICK COUPLER READY 0 FOR USE IN LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2538 LINKAGE SHORT LIFT		\$4,075

LINES CONNECTING

L	323-9292	JUMPER LINES FOR 3V QC 21 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER.		\$1,082
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,285

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS

OMISSION WORK TOOL

P	361-1437	OMISSION, WORKTOOL 0		NC
		Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		

BUCKETS

REQUIRED BY: AM-S

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com
If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1400	BKTA GP ST 129" 6.25YD3 PO 5,710		\$22,200
		PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS (CONT.)

AGGREGATE BUCKETS

P	416-6340	BKTA GP AB 132" 7.00YD3 PO	6,241 6,241	\$25,646 \$25,646 NI
		INCLUDES: bolt-on cutting edge CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) with GETs REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		

INSTRUCTIONS

CYLINDER PROTECTION

	OP-3940	PROTECTION, CYLINDER ROD	0	NC
		REQUIRED BY: ALL LANE CONFIGURATION.		

FILMS

P	468-0170	FILM, SCRAP	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 510-6947 INDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 510-6947 INDUSTRIAL PACKAGE		

PACKING

EXPORT PACKING

	OP-6619	ROLL ON-ROLL OFF	0	\$267 NET
		Machine is in mobile condition and all attachments are installed unless specified.		

STORAGE PROTECTION

	OP-2918	STORAGE PROTECTION	0	NC
		This product is added for corrosion protection while shipping and for extended storage periods This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		

ALLOWANCE FOR OMISSION

P	OP-4781	ALLOWANCE FOR OMISSION	0	\$483
		REQUIRED BY: 297-2514 RIMS ONLY, TIRES OMITTED		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

PACKING (CONT.)

SPECIAL INSTRUCTIONS

0P-2949	EXPOSITION INSTRUCTION 0 This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs	NC
----------------	--	-----------