

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
 LITTLE ROCK, AR, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with rimpull & retarding effect adjustment
 Brake wear indicators
 Engine, Cat 9.3
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking Brake, disk & caliper
 Throttle lock
 Power split continuously variable transmission

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -2 forward roading lights (low/high beam with turn signals)
 -2 rear facing working lights in hood
 -2 LED position/stop/turn lights
 -4 working lights on the cab
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24-volt)

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)
 Mirrors, rearview external with

integrated spot mirrors
 Post mounted membrane 16 switch keypad
 2 receptacles, 12-Volt
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable
 Steering, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts
COMPUTERIZED MONITORING SYSTEM
 With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator virtual
 -DEF (Diesel exhaust fluid) level
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level
 With following Warning Indicators:
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -DEF level
 -Transmission filter bypass
MULTI-FUNCTION MONITOR:
 -18cm (7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 -Max rimpull adjustment
 -Max travel speed adjustment
CAT CONNECT SOLUTIONS APPS (on-board, utilizing multi-function monitor)
 Core App software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic App software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral
 -Total operating hours with hydraulic filter in bypass

CATERPILLAR MACHINE PRICE LIST

972MXE-LR972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER**OTHER STANDARD EQUIPMENT**

Auto idle shutdown
 Couplings, Caterpillar O-ring face seal
 Ecology drains for engine, transmission,
 and hydraulics
 Ether aid ready
 Filters: fuel, engine air, engine oil,
 hydraulic oil, transmission
 Fuel cooler
 Grease zerks
 Hitch, drawbar with pin
 Hood, non-metallic power tilting
 Hoses, Caterpillar XT
 Hydraulic oil cooler (swing out)
 Hydraulic System, load sensing
 Kickout, lift & tilt, automatic
 (adjustable in cab)
 Linkage, Z-Bar, cast crosstube/tilt lever
 Oil sampling valves
 Platform, window washing
 Radiator grill, airborne debris
 Remote diagnostic pressure taps
 Ride control
 Service Center (electrical & hydraulic)
 Sight gauges: engine coolant, hydraulic
 oil, and transmission oil level
 Toolbox
 Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

379-5609	972M XE WHEEL LOADER 0	\$514,230
	LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY	
	LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY	

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	561-7333	REGIONAL PKG, AM-N	0	NC
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		

SPECIAL ARRANGEMENTS

L	510-4179	STANDARD PACKAGE	0	NC
		Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Cab air filter -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.		

L	506-7662	INDUSTRIAL PACKAGE	0	\$10,960
		FOR USE WITH LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Carbon cab air filter -Standard radiator grill -Guards: hitch, bottom cab (skirt), front frame, crankcase -Baffle (lift towers) RECOMMENDED WITH: 540-4376 TIRES, 26.5X25 BR SMOOTH or 540-4375 TIRES, 26.5X25 BR TRACTION and 485-4387 GUARDS, LIGHT REQUIRES: 434-3951 or 372-7194 AXLES 507-6193 STARTING, STANDARD or 507-6196 STARTING, COLD 478-8372 FENDERS, NARROW 489-3299 SOUND SUPPRESSION, LOW 380-0327 GUARD, HINGED, POWERTRAIN 426-1490 GUARD, TILT CYLINDER		

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2537	LINKAGE, STANDARD LIFT	0	NC
---	----------	----------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

LINKAGES (Cont.)

L	520-4476	LINKAGE, HIGH LIFT 0 FOR USE WITH LANE 3 ONLY Provides increased dump clearance of 13" (336mm) over standard lift arms.		\$7,740
L	506-2538	LINKAGE, SHORT LIFT 0 FOR USE WITH LANE 3 ONLY Provides a heavy duty short lift linkage for heavy lift. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		NC

COUNTERWEIGHT

L	367-2333	COUNTERWEIGHT, 2300KG 0		NC
L	372-2141	COUNTERWEIGHT, AGGREGATE 0 Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: 510-4179 STANDARD PACKAGE 506-2537 LINKAGE, STANDARD LIFT L3 or L4 TIRES		\$4,855

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7610	AXLES, MANUAL/OPEN, ED 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$590
L	372-6557	AXLES, AUTO/AUTO, ED 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$9,240
L	372-6555	AXLES, MANUAL/OPEN, ED, ETS 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$1,655

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	418-9891	AXLES, MANUAL/OPEN, ED, AOC 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$8,050
L	434-3951	AXLES, MANUAL/OPEN, ED, SG 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		\$2,350
L	434-3952	AXLES, AUTO/AUTO, ED, ETS 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$10,270
L	379-5615	AXLES, AUTO/AUTO, ED, AOC 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE		\$16,650
L	372-7194	AXLES, AUTO/AUTO, ED, SG 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards		\$10,990

HYDRAULICS

L	500-2558	HYDRAULICS, 2V RC STD/HL 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT		NC
L	501-4663	HYDRAULICS, 3V RC STD 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		\$7,430

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

L	500-2559	HYDRAULICS, 3V RC STD/SL 0 FOR USE WITH LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$7,210
L	500-2563	HYDRAULICS, 3V RC HL 0 FOR USE WITH LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$7,430
L	501-4664	HYDRAULICS, 4V RC STD 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		\$9,240
L	500-2560	HYDRAULICS, 4V RC STD/SL 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$9,240
L	500-2564	HYDRAULICS, 4V RC HL 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$9,240

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	--	--	----

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	506-4545	STARTING, STANDARD 0 Includes 2 batteries. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		NC
L	506-4548	STARTING, COLD 0 Includes ether starting aid and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		\$1,965
NOTE: In this configuration, the toolbox compartment is unavailable.				
L	507-6193	STARTING, STANDARD, HD 0 FOR USE WITH LANE 3 ONLY Includes 2 batteries and reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		\$730
L	507-6196	STARTING, COLD, HD 0 FOR USE WITH LANE 3 ONLY Includes ether starting aid, 4 batteries on the machine for low temperatures, and a reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		\$3,430

NOTE: In this configuration, the toolbox compartment is unavailable.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTS

L	484-0364	LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$895
L	561-8776	LIGHTS, LED 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2,630
L	561-8777	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,425

OPERATOR ENVIRONMENT

CAB WINDOWS AND GUARDS

L	493-9621	WINDOWS, STANDARD 0		NC
L	493-9625	WINDOWS, STANDARD, FRONT GUARD 0 FOR USE WITH LANE 3 ONLY Provides a front window guard.		\$3,650
L	493-9623	WINDOWS, STANDARD, HD GUARD 0 FOR USE WITH LANE 3 ONLY Provides a front window heavy duty guard.		\$9,390
L	493-9624	WINDOWS, STANDARD, FULL GUARD 0 FOR USE WITH LANE 3 ONLY Provides a full window guard.		\$12,540
L	493-9622	WINDOWS, RUBBER MOUNTED 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals.		\$5,240
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard.		\$8,870

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB TRIM

L	546-3451	CAB TRIM, COMFORT (LHD) 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$68
L	546-3452	CAB TRIM, DELUXE (LHD) 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,180
L	546-3453	CAB TRIM, PREMIUM PLUS (LHD) 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,895

IMPLEMENT CONTROLS

L	539-6032	LEVERS 2V, STEERING JOYSTICK 0 Includes 2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL		NC
L	539-6042	LEVERS 3V, STEERING JOYSTICK 0 Includes 3 single action levers for implement lift, tilt & 3rd function controls. ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		NC

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT CONTROLS (Cont.)

L	539-6052	LEVERS 4V, STEERING JOYSTICK 0 FOR USE WITH LANE 3 ONLY Includes: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2564 HYDRAULICS, 4V RC, HIGH LIFT		NC
L	539-6037	JOYSTICK 2V, STEERING JOYSTICK 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL		\$1,115
L	539-6047	JOYSTICK 3V, STEERING JOYSTICK 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		\$1,570
L	539-6055	JOYSTICK 4V, STEERING JOYSTICK 0 FOR USE WITH LANE 3 ONLY Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2564 HYDRAULICS, 4V RC, HIGH LIFT		\$1,570

SEAT BELT

L	551-3397	SEAT BELT, 3" 0		\$106
---	----------	---------------------------	--	-------

STEERING

L	372-6550	STEERING SYST, STANDARD 0		NC
L	371-1456	STEERING SYST, SECONDARY 0		\$5,090

CAB FILTRATION

L	505-1519	FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB FILTRATION (Cont.)

L	505-1520	FILTRATION, STD, PRECLEANER 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$695
L	505-1523	FILTRATION, STD, ACF PRECLNR 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$1,880
L	505-1521	FILTRATION, STEEL 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL		\$2,165
L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$3,535

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	467-4622	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	467-4623	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING

COOLING SYSTEM

L	521-9360	COOLING CORES, 9 FPI 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	540-0608	COOLING CORES, 6 FPI 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$343

COOLING FAN

L	524-0310	FAN, STANDARD 0 Provides a standard load sensing hydraulically driven fan.		NC
L	524-0311	FAN, REVERSING, VPF, ANSI 0 FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 561-7333 REGIONAL PACKAGE, AM-N		\$5,700

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0 Premix antifreeze, -34C (-29F)		NC
L	423-2666	ANTIFREEZE, -50C (-58F) 0 Premix antifreeze, -50C (-58F)		\$283 NET

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM BRIDGESTONE

P	511-5379	TIRES, 775/65R29 BS VTS * L3 0 Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		\$9,580
P	475-6250	TIRES, 26.5R25 BS VJT * L3 0 Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-4,095
P	395-0534	TIRES, 26.5R25 BS VSDL * L5 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=95.5mm (120/32"); Rim=22"x25" Suitable for severe rock environments where maximum damage protection is needed. Machine oscillation is reduced. CANNOT BE USED WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$12,920

TIRES AVAILABLE FROM MICHELIN

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 0 Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		\$-4,070
P	541-5045	TIRES, 775/65R29 MX XHA2 * L3 0 FOR USE WITH LANE 3 ONLY Michelin Radial; Tread Depth=44mm (55/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		\$2,835

TIRES AVAILABLE FROM BRAWLER

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 FOR USE WITH LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$18,230
P	540-4375	TIRES, 26.5X25 BR TRACTION 0 FOR USE WITH LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$22,080

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 ** L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,500
---	----------	---	--	----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 FOR USE WITH LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 FOR USE WITH LANE 3 ONLY		\$-24,050

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	AIR INLET PRECLEANER, TURBINE 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735
L	365-0221	AIR INLET PRECLEANER, TRASH 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$970

BODY

FENDERS

L	464-6677	FENDERS, BASIC +. 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		NC
L	464-6678	FENDERS, ROADING 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$2,955
L	464-6679	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE LOW-PROFILE (65-SERIES) TIRES		\$153
L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE LOW-PROFILE (65-SERIES) TIRES		\$3,245

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BODY (CONT.)

FENDERS (Cont.)

L	478-8372	FENDERS, NARROW 0 FOR USE WITH LANE 3 ONLY Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps.		\$3,055
---	----------	--	--	---------

HOOD

L	391-5800	HOOD, NON-METALLIC 0		NC
---	----------	--------------------------------	--	----

SOUND SUPPRESSION

L	489-3300	SOUND SUPPRESSION, STANDARD 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		NC
L	489-3299	SOUND SUPPRESSION, LOW 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		\$2,925

QUICK COUPLERS

QUICK COUPLER READY

P	0G-0386	NO QUICK COUPLER READY 0		NC
P	372-7405	QUICK COUPLER READY, STD 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		\$4,090
P	372-7403	QUICK COUPLER READY 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$4,075
P	388-7402	QUICK COUPLER READY, HL 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$4,075

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	495-7517	LUBRICATION, MANUAL, STD 0 ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

L	495-7506	LUBRICATION, MANUAL 0 ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	524-0304	LUBRICATION, MANUAL, HL 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	524-0305	LUBRICATION, MANUAL, HL, QCR 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	510-6390	LUBRICATION, MANUAL (AUTO RDY) 0 FOR USE WITH LANE 3 ONLY		\$1,660
L	495-7518	AUTOLUBE, STD 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT		\$6,460
L	524-0301	AUTOLUBE, HL 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 0G-0386 NO QUICK COUPLER READY		\$6,690
L	524-0303	AUTOLUBE, HL, QCR 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,690
L	495-7515	AUTOLUBE, LOG/SL 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$6,460

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

CUSTOM PRODUCTS

Please contact Dealer Order Communication Solution (DOCS) for inquiries, availability and assistance. Special attachments may affect availability.

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION	0	\$2,800
L	486-9205	OBJECT DETN & CB RADIO READY	0	\$3,740
		INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY)		

RADIOS.

P	372-1603	RADIO, CB (READY)	0	\$970
		Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		
		INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH	0	\$600
		Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth. REQUIRED BY: LANE 2 ORDERS		

VISIBILITY.

P	380-5964	SECONDARY CAMERA DISPLAY	0	\$1,780
		FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SECURITY SYSTEM.

P	372-1604	SECURITY SYSTEM, MACHINE 0 FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$710
---	----------	--	--	-------

LIGHTS.

P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes.		\$279
P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$493
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure.		\$233

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE 0	\$5,040
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE	

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE 0	\$1,450
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE	

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

GUARDS

L	390-4967	GUARD, POWERTRAIN 0 Protects bottom of transmission. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		\$1,610
L	485-4387	GUARDS, LIGHT 0 FOR USE WITH LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD		\$1,615
L	380-0327	GUARD, HINGED, POWERTRAIN 0 FOR USE WITH LANE 3 ONLY Hinged heavy duty guard protecting bottom of transmission. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE		\$3,100
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0 FOR USE WITH LANE 3 ONLY Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		\$1,045
P	426-1490	GUARD, TILT CYLINDER 0 FOR USE WITH LANE 3 ONLY REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE		\$1,615

OTHER ATTACHMENTS

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$292
P	506-4370	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$500

HEATER

P	367-7379	HEATER, 120V 0 For operation below 0F (or below 14F above 1750YD). ONLY FOR USE WITH: 506-4548 STARTING, COLD 507-6196 STARTING, COLD, HD		\$675
P	501-1065	HEATER ACCUMULATOR. 0 Required for machines that will use OW-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F).		\$1,475

QUICK COUPLERS

FUSION QUICK COUPLER

L	310-9390	QUICK COUPLER, FUSION 1,133 FOR USE WITH LANE 3 ONLY Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY		\$8,190
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

LINES CONNECTING

L	323-9292	JUMPER LINES FOR 3V QC 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,082
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,285

BUCKETS

Buckets must be ordered Installed on a Machine Order.
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1400	BKTA GP ST 126" 6.25 YD3 PO 5,710 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$22,200
---	----------	---	--	----------

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)

P	416-6339	BKTA GP AB 132" 6.75 YD3 PO 6,149 FOR USE WITH LANE 3 ONLY PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$25,276
P	416-6340	BKTA GP AB 132" 7.0 YD3 PO 6,241 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE		\$25,646

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

INSTRUCTIONS

FILMS

P	468-0171	FILM, WASTE 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		NC
P	468-0170	FILM, SCRAP 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE		NC

PACKING

WORKTOOL OMISSION

P	361-1437	OMISSION, WORKTOOL 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC
---	----------	---	--	----

PACKING

	0P-0309	PACK, DOMESTIC TRUCK 0 Complete machine loaded on truck.		NC
	0P-0311	PACK, DOMESTIC TRUCK LESS TIRE 0 FOR USE WITH LANE 3 ONLY Machine loaded on truck with tires removed.		\$238 NET