

**CATERPILLAR MACHINE PRICE LIST**

**973K**

**973K TRACK TYPE LOADER  
 GRENOBLE, FRANCE**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Modular cooling system for engine air intake, oil and water  
 Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Electronic Hydrostatic Control (EHC) for transmission  
 Fuel cooler  
 Water separator  
 Air cleaner dry-type, with integral precleaner and dust ejection system, electronic filter condition indicator  
 Caterpillar extended life coolant

- Fuel level  
 - DEF level (Tier-4 only)  
 Mirror, rearview, inside, adjustable  
 Radio ready. Includes 24V to 12V converter, speakers, antenna and two 12 volt power outlets  
 Coat Hook  
 Storage compartments under left armrest  
 Document holder on right console  
 Floor mat, rubber, heavy duty  
 Windshield washers and wipers, multiple speed front and rear  
 Durable metal roof  
 Parking brake switch and "brake-on" indicator light

**UNDERCARRIAGE**

Caterpillar heavy duty tracks  
 Track guiding guards, end section  
 Track adjuster, hydraulic  
 Sprocket rims, with replaceable bolt-on tough steel segments  
 Guards, sprocket  
 7 track rollers with 2 carrier rollers per track, lifetime lubricated  
 Idlers, conventional type, lifetime lubricated  
 Oscillating track roller frames  
 Track master link

**OTHER STANDARD EQUIPMENT**

Sound suppression, exterior  
 Z-bar loader linkage  
 Load sensing variable displacement implement pump  
 Implement cylinders with position sensors  
 Operator programmable lift and tilt kickouts  
 Engine enclosure with lockable doors  
 Radiator core 6.5 fpi, debris resistant  
 Hinged radiator guard and swing-out fan  
 Guards, full bottom  
 Guards, lift cylinders  
 Guard, oil gauge  
 Product Link ready  
 Oil sampling valves  
 Hoses, Caterpillar XT  
 HYDO Advanced 10 with friction additive

**ELECTRICAL**

Alternator, 24 volt, heavy duty, brushless type  
 Alarm, backup  
 Horn, electric  
 2 heavy duty batteries, high output, maintenance free, 1400 CCA  
 Switch, main disconnect  
 Starter, electric (heavy duty, 24 volt)

**OPERATOR ENVIRONMENT**

Pressurized, sound suppressed, ROPS/FOPS cab with sealed front windshield, tinted glass and right side sliding window  
 Air conditioning and heating  
 Heater / defroster with automatic temperature control  
 Electro Hydraulic Seat mounted control levers  
 Seat belt, retractable, with buckling indicator  
 Electronic Monitoring System with gauges for:  
 - Engine coolant temperature  
 - Hydraulic oil temperature

CATERPILLAR MACHINE PRICE LIST

**973K**

973K TRACK TYPE LOADER  
 GRENOBLE, FRANCE

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**LANE 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base  
 Order Management Program.**

**499-1536      973K HRC TRACK LOADER . . . . . 0      \$543,610**  
 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY  
 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)  
 INCLUDES:

Caterpillar C9.3A ACERT engine and after treatment, turbo charged with  
 ATAAC, The right engine reference must be selected from this price  
 list to meet either EU Stage V (European regulations), or EPA Tier 4  
 final certification (all other regions).

AVAILABLE FOR: NORTHERN AMERICAN DEALERS  
 EU DEALERS  
 KOREAN DEALERS  
 AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS.

**0G-0702      973K MISC MATERIAL GRENOBLE . . . . . 0      NC**  
 AVAILABLE FROM GRENOBLE FACTORY

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

0P-9002	LANE 2 ORDER . . . . .	0		NC
	Only for dealers enrolled in the Base Order Management (BOM) Program.			
0P-9003	LANE 3 ORDER . . . . .	0		NC

**REGIONAL PACKAGES**

ALL 973K LRC TRACK LOADERS INCLUDE EVERY LEGAL INSTRUCTIONS REQUIRED FOR THEIR MARKETS. THE BELOW SELECTION IS ABOUT REGULATORY DECALS AND CERTIFICATES REQUIRED FOR HRC MARKETS AND MACHINES ONLY.

L	506-5170	REGIONAL PACKAGE ADSD-N . . . . .	0	NC
		Includes warning decals, ANSI.		

**FEATURE PACKAGES**

L	499-1529	CONSTRUCTION PACKAGE, HD . . . . .	0	NC
		Construction package is designed for all types of general earthmoving tasks : cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. The construction package includes standard items like engine hood with standard radiator grill, heavy-duty undercarriage. ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER		
L	571-8025	CONSTRUCTION ES PACKAGE, HD . . . . .	0	\$13, 630
		FOR USE IN LANE 3 ONLY This Extreme Service version is made of the construction package HD, and an heavy duty bumper with hitch. This package can be selected to maximize the rear protection of the machine. REQUIRES: 542-1598 NO BUMPER 542-1627 REAR STEP, STANDARD ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER CANNOT BE USED WITH: 3V,GP and 4V HYDRAULIC PACKAGES 283-7915 RIPPER, MULTI-SHANK 542-1623 STRIKER BARS, REAR 506-0490 COUNTERWEIGHT, PRIMARY, 1670KG		

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	499-1532	<p><b>WASTE PACKAGE, HEAVY DUTY</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Provides minimum attachments required by waste applications.                      The modifications to the base machine include:</p> <ul style="list-style-type: none"> <li>- Guard duo cone seal for the final drive</li> <li>- Guard idler and idler seal</li> </ul> <p>INCLUDES: 305-7385 GUARD, BOTTOM, FINAL DRIVE                      RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES                      497-9954 AIR PRECLEANER, CAB                      291-9379 GUARD, TILT CYLINDER                      305-7380 GUARD, TOP, FINAL DRIVE                      542-1623 STRIKER BARS, REAR</p> <p>REQUIRES: 504-3634 or 562-7159 ENGINE, THERMO SHIELD                      483-9387 REVERSING FAN                      484-4474 PRECLEANER, W/SCREEN                      HEAVY DUTY TRACKS                      540-4600 KIT VISIBILITY, DOUBLE CAMERA                      505-6305 SERVICE PACKAGE, EXTENDED                      507-9474 WINDSHIELD PROTECTION</p> <p>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER</p>	0	\$35,650
L	502-1935	<p><b>WASTE ES PACKAGE, HEAVY DUTY</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The Waste Handler extreme service package provides needed attachments to work successfully in tough waste applications like transfer station and demolition.                      This package can be selected also to maximize the protection of the machine for a better durability.                      The modifications to the base machine include those from the Waste Handler Package plus a heavy duty bumper with hitch.</p> <p>INCLUDES: 507-9474 WINDSHIELD PROTECTION                      291-9379 GUARD, TILT CYLINDER                      305-7380 GUARD, TOP, FINAL DRIVE                      305-7385 GUARD, BOTTOM, FINAL DRIVE                      542-1623 STRIKER BARS, REAR</p> <p>RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES                      BUCKETS, LANDFILL OR MULTIPURPOSE                      383-3387 GUARD, TRACK ROLLER</p> <p>REQUIRES: 504-3634 or 562-7159 ENGINE, THERMO SHIELD                      483-9387 REVERSING FAN                      484-4474 PRECLEANER, W/SCREEN                      HEAVY DUTY TRACKS                      540-4600 KIT VISIBILITY, DOUBLE CAMERA                      505-6305 SERVICE PACKAGE, EXTENDED                      542-1598 NO BUMPER                      497-9954 AIR PRECLEANER, CAB                      287-6742 REAR STEP, RIPPER</p> <p>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER                      CANNOT BE USED WITH: 3V,GP and 4V HYDRAULIC PACKAGES                      283-7915 RIPPER, MULTI-SHANK                      506-0490 COUNTERWEIGHT, PRIMARY, 1670KG</p>	0	\$49,200

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	527-6697	<p><b>WASTE PKG,HD,ENHANCED CLEANING . . . . . 0</b></p> <p>FOR USE IN LANE 3 ONLY</p> <p>The package features the waste handling modifications, a wide gauge undercarriage and standard shoes enabling the waste to flow more easily between the chassis and the track roller frames which results in a huge cleaning time reduction.</p> <p>To take a full advantage of this package, one following track / bucket combination must be considered:</p> <ul style="list-style-type: none"> <li>- any bucket combined with 500mm/19.7" track shoes with center hole,</li> <li>- bucket with a minimum width of 2985mm/117.5" (wide or performance) combined with 675mm/26.6" track shoes with center hole.</li> </ul> <p>Trash rack is only provided on landfill buckets. Please contact Cat Work Tools if an other bucket is needed.</p> <p>Includes specific bottom guards for final drives.</p> <p><b>RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLE</b></p> <ul style="list-style-type: none"> <li>291-9379 GUARD, TILT CYLINDER</li> <li>577-2755 GUARD, TOP, FINAL DRIVE</li> <li>383-3387 GUARD, TRACK ROLLER</li> <li>542-1623 STRIKER BARS or</li> <li>506-0490 COUNTERWEIGHT, PRIMARY, 1670KG</li> </ul> <p><b>REQUIRES: 504-3634 or 562-7159 ENGINE, THERMO SHIELD</b></p> <ul style="list-style-type: none"> <li>483-9387 REVERSING FAN</li> <li>484-4474 PRECLEANER, W/SCREEN</li> <li>HEAVY DUTY TRACKS</li> <li>540-4600 KIT VISIBILITY, DOUBLE CAMERA</li> <li>505-6305 SERVICE PACKAGE, EXTENDED</li> <li>497-9954 AIR PRECLEANER, CAB</li> <li>507-9474 WINDSHIELD PROTECTION</li> </ul> <p><b>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER</b></p>		<b>\$81,900</b>
L	499-1531	<p><b>LGP PACKAGE, HEAVY DUTY . . . . . 0</b></p> <p>FOR USE IN LANE 3 ONLY</p> <p>This application package increases the ability of the machine to work in soft underfoot conditions.</p> <p>The track gauge is widened by 155mm (6.1") which allows the installation of track shoes up to 830mm (33").</p> <p>The machine mass is better balanced with counterweights or a ripper to decrease the ground pressure underneath the front idlers when bucket loaded.</p> <p>The modifications to the base machine include:</p> <ul style="list-style-type: none"> <li>- Spacers for final drives and pivot shafts</li> <li>- Longer e-bar</li> <li>- Specific guard, bottom, final drive</li> </ul> <p><b>REQUIRES: 415-5710 TRACK, 830 MM DG, HD</b></p> <ul style="list-style-type: none"> <li>283-7915 RIPPER, or 506-0490 COUNTERWEIGHT, PRIMARY, 1670KG</li> <li>524-7342 BUCKET-GP, 4.2 CUM, PERF WIDE, or NO BUCKET</li> </ul> <p><b>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER</b></p>		<b>\$41,510</b>

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	575-8824	<p><b>SHIPHOLD PACKAGE, HEAVY DUTY</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The package supplies a set of lifting eyes to lift and move the machine into a vessel, safely. Equipped with a trimming blade or two-way dozer, the machine pull the remaining bulk material (typically iron ore, coal or limestone) to the center of the hold quickly. The machine mass when equipped with the 564-7103 Trim blade , 500mm DG track shoes and all the recommended options below is estimated to 29.3 tons.</p> <p>RECOMMENDED OPTIONS: 459-8277 TRACK, 500 MM DG CTR HOLE, HD 546-0888 SEAT, DELUXE (4-point seat belt ready)                      497-9954 AIR PRECLEANER, CAB                      507-9474 WINDSHIELD PROTECTION                      291-9379 GUARD, TILT CYLINDER                      305-7380 GUARD, TOP, FINAL DRIVE                      564-7103 TRIM BLADE or                      2-WAY DOZER (to be ordered from CAT Worktools)</p> <p>REQUIRES: 483-9387 FAN, REVERSING                      484-4474 PRECLEANER, TURBINE, W/SCREEN                      499-9402 CAB, DELUXE (for a better jobsite lighting)                      540-4600 KIT VISIBILITY, DOUBLE CAMERA                      505-6305 SERVICE PACKAGE, EXTENDED                      493-6496 BUMPER, STANDARD                      347-3978 NO BUCKET, or 524-7340 or 524-7341 BUCKET                      305-7385 GUARD, BOTTOM, FINAL DRIVE                      287-6742 REAR STEP, RIPPER</p> <p>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER                      CANNOT BE USED WITH: ENGINE, THERMO SHIELD                      SINGLE GROUSER TRACKS                      3V or 4V HYDRAULIC PACKAGES                      283-7915 RIPPER, MULTI-SHANK                      469-6093 MAST, GRADE CONTROL                      309-8021 HITCH, RIPPER                      542-1623 STRIKER BARS, REAR                      506-0490 COUNTERWEIGHT, PRIMARY, 1670KG                      542-1627 REAR STEP, STANDARD</p>	0	\$27,700
---	----------	---	---	----------

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	499-1530	<p><b>STEEL MILL PACKAGE . . . . . 0</b></p> <p>FOR USE IN LANE 3 ONLY</p> <p>Include major modifications that allow the machine to work in slag handling applications. Please contact Caterpillar for operation recommendations in this severe application. The modifications to the base machine include:</p> <ul style="list-style-type: none"> <li>- Heavy duty front guard and bottom guards</li> <li>- Heavy duty windshield glass laminated</li> <li>- Side bars welded on the track roller frame</li> <li>- Metallic rings on low and high linkage</li> <li>- Floating solid pin on lower bucket linkages</li> <li>- High temperature seals in the equalizer bar, idlers, track rollers and final drives</li> <li>- High temperature braiding on wiring harnesses</li> <li>- Silicone material used on windshield, side windows and cab doors seals, front baffles, front and rear wiper blades and door stoppers</li> <li>- Thermal insulation of front guard, equalizer bar rubber pads, air cleaner hose, bottom guards, enclosure doors, fenders, lift cylinders heads, hydraulic tilt lines, hydraulic lift lines, hydrostatic lines, cab sound insulation, DEF lines, lift rotary sensor and lift linkage sensor</li> <li>- Fire resistant floormat, fuel spark arrester and pressure relief</li> <li>- Cab door windows protected at bottom</li> <li>- Additional metallic roof on top of cab</li> <li>- Metallic door handles and push button release</li> <li>- Manual brake release system located in the cab</li> <li>- 8 heat resistant lights</li> </ul> <p>INCLUDES: 540-4600 KIT VISIBILITY, DOUBLE CAMERA                      507-9474 WINDSHIELD PROTECTION                      291-9379 GUARD, TILT CYLINDER                      305-7385 GUARD, BOTTOM, FINAL DRIVE</p> <p>RECOMMENDED OPTIONS: 383-3387 GUARD, TRACK ROLLER                      305-7380 GUARD, TOP, FINAL DRIVE</p> <p>REQUIRES: 509-5148 FAN REVERSING, STEEL MILL                      555-1355 PRECLEANER, TURBINE, SMA                      TRACKS, SEALED &amp; NON-LUBRICATED FOR STEEL MILL                      541-4353 HYDRAULIC OIL, ECOSAFE                      499-9403 CAB, STEEL MILL                      517-1713 NO PRODUCT LINK                      542-1598 NO BUMPER                      BUCKET SLAG or NO BUCKET                      506-0491 COUNTERWEIGHT, ADDITIONAL, 400KG</p> <p>ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER                      CANNOT BE USED WITH: ENGINE, THERMO SHIELD                      3V, GP and 4V HYDRAULIC PACKAGES                      283-7915 RIPPER, MULTI-SHANK                      505-6304 nor 505-6305 SERVICE PACKAGES                      389-2415 BEACON, ROTATING                      497-9954 AIR PRECLEANER, CAB                      469-6093 MAST, GRADE CONTROL                      309-8021 HITCH, RIPPER                      542-1623 STRIKER BARS, REAR                      505-6252 FUEL PUMP, REFILLING</p>	0	\$73,910
---	----------	---	---	----------

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN**

**ENGINE**

ALL 973K LRC TRACK LOADERS INCLUDE AN EPA TIER 3 ENGINE. THE BELOW SELECTION IS ABOUT ENGINE FOR 973K HRC MACHINES ONLY

L	476-5771	ENGINE . . . . . 0 Standard EPA Tier 4 final engine. ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER CANNOT BE USED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD,ENHANCED CLEANING		NC
L	504-3634	ENGINE, THERMO SHIELD . . . . . 0 FOR USE IN LANE 3 ONLY EPA Tier 4 final engine. Provides a heat resistant covering for the machine exhaust system, Clean Emissions Module and turbo. This protection insulates the hot parts of the engine from the debris around, and reduces risks of fire starts. It is not adapted to steel mill environments, but highly recommended in high debris applications. ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER CANNOT BE USED WITH: 575-8824 SHIPHOLD PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD,ENHANCED CLEANING		\$11,090

**RADIATOR FAN**

All fans do have an electronically controlled hydraulic drive that automatically adapts cooling to engine heat load.

L	557-6156	FAN, BASIC . . . . . 0 Includes an hydraulic valve that can reduce the fan speed and improves cold weather performances. ONLY FOR USE WITH: CONSTRUCTION AND LGP PACKAGES		NC
L	483-9387	FAN, REVERSING . . . . . 0 FOR USE IN LANE 3 ONLY Programmable automatic and manual reverse air flow control. Recommended for applications with a risk of radiator plugging. Also includes an hydraulic valve that can reduce the fan speed and improves cold weather performances. CANNOT BE USED WITH: STEEL MILL PACKAGES REQUIRED BY: ALL WASTE PACKAGES SHIPHOLD PACKAGES		\$2,215
L	509-5148	FAN, REVERSING, STEEL MILL . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: STEEL MILL PACKAGES		\$1,930



CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AIR INLET**

L	482-3643	<b>PRECLEANER, STANDARD</b> . . . . . 0 Air precleaner for HRC MACHINES ONLY FOR USE WITH: 499-1529 CONSTRUCTION PACKAGE, HD 571-8025 CONSTRUCTION ES PACKAGE, HD 499-1531 LGP PACKAGE, HEAVY DUTY		NC
L	484-4474	<b>PRECLEANER, W/SCREEN</b> . . . . . 0 Air precleaner for HRC MACHINES For use in heavy debris applications May improve filter life. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into environment. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 575-8824 SHIPHOLD PACKAGE, HEAVY DUTY		\$2,150
L	555-1355	<b>PRECLEANER, TURBINE, SMA</b> . . . . . 0 FOR USE IN LANE 3 ONLY Air precleaner for HRC MACHINES Air inlet with a steel precleaner for steel mill applications. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$2,150

**UNDERCARRIAGE**

**TRACKS**

**TRACKS, HEAVY DUTY, SEALED & LUBRICATED**

L	459-8275	<b>TRACK, 21.6" DG, HD</b> . . . . . 0 CANNOT BE USED WITH: LGP AND STEEL MILL PACKAGES		NC
L	459-8276	<b>TRACK, 26.5" DG, HD</b> . . . . . 1,111 FOR USE IN LANE 3 ONLY Double grouser, moderate service track shoes. CANNOT BE USED WITH: LGP AND STEEL MILL PACKAGES		\$2,290
L	459-8277	<b>TRACK, 19.7" DG CTR HOLE, HD</b> . . . . . -831 FOR USE IN LANE 3 ONLY Double grouser shoes with center holes. The center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: ALL WASTE PACKAGES SHIPHOLD PACKAGES CANNOT BE USED WITH: LGP AND STEEL MILL PACKAGES		\$5,470

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS (Cont.)**

L	459-8278	<b>TRACK, 26.6" DG CTR HOLE, HD</b> ..... 723 FOR USE IN LANE 3 ONLY Double grouser, moderate service track shoes with center holes. The center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: ALL WASTE PACKAGES CANNOT BE USED WITH: LGP AND STEEL MILL PACKAGES		\$5,790
L	459-8279	<b>TRACK, 20" ES SG CTR HOLE, HD</b> ..... -1,116 FOR USE IN LANE 3 ONLY Single grouser, extreme service track shoes with trapezoidal center holes. The trapezoidal center hole of the track shoes provides an easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: ALL WASTE PACKAGES Note: Single Grouser tracks are not recommended for hard ground condition due to possible rough ride CANNOT BE USED WITH: LGP, SHIPHOLD AND STEEL MILL PACKAGES		\$7,560
L	459-8280	<b>TRACK, 26.6" SG CTR HOLE, HD</b> ..... 218 FOR USE IN LANE 3 ONLY Single grouser shoes with trapezoidal center holes. The trapezoidal center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: ALL WASTE PACKAGES Note: Single Grouser tracks are not recommended for hard ground condition due to possible rough ride CANNOT BE USED WITH: LGP, SHIPHOLD AND STEEL MILL PACKAGES		\$11,670

**TRACKS, HEAVY DUTY, SEALED & LUBRICATED FOR WIDE GAUGE APPLICATION**

L	415-5710	<b>TRACK, 32.7" DG, HD</b> ..... 8,653 FOR USE IN LANE 3 ONLY Double grouser, extreme service HD track shoes. ONLY FOR USE WITH: LGP PACKAGES		\$4,295
---	----------	--	--	---------

**TRACKS, HEAVY DUTY, SEALED & NON-LUBRICATED FOR STEEL MILL APPLICATION**

L	596-4535	<b>TRACK, 19.7" DG, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Double grouser, extreme service track shoes. ONLY FOR USE WITH: STEEL MILL PACKAGES		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS (Cont.)**

L	596-4534	<b>TRACK, 19.7", FLAT, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Track without grouser, 54mm/2"thick. ONLY FOR USE WITH: STEEL MILL PACKAGES		\$17,700
L	596-4532	<b>TRACK, 19.7" TG, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Triple grouser track shoes. ONLY FOR USE WITH: STEEL MILL PACKAGES		\$1,595
L	596-4531	<b>TRACK, 19.7" ALTER. FLAT, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Alternate flat and double grouser shoes. ONLY FOR USE WITH: STEEL MILL PACKAGES		\$8,710

**HYDRAULICS**

**HYDRAULIC OIL**

L	571-1186	<b>HYDRAULIC OIL, STANDARD</b> ..... 0 Standard hydraulic oil. Factory filled. For the implement and transmission hydraulic systems. CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
L	541-4354	<b>HYDRAULIC OIL, BIO</b> ..... 0 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems. ONLY FOR USE WITH: 499-1536 973K HRC TRACK LOADER CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$3,515
L	541-4353	<b>HYDRAULIC OIL, ECOSAFE</b> ..... 0 FOR USE IN LANE 3 ONLY Fire resistant hydraulic oil - Ecosafe FR46 ONLY FOR USE WITH: STEEL MILL PACKAGES		NC

**OPERATOR ENVIRONMENT**

**CAB**

L	499-9401	<b>CAB</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; two facing rearward integrated in A/C unit) CANNOT BE USED WITH: SHIPHOLD PACKAGES STEEL MILL PACKAGES		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB (Cont.)**

L	499-9402	<b>CAB, DELUXE</b> ..... 0 Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - pre-installed microphone for the Bluetooth radio - 8 LED lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) CANNOT BE USED WITH: STEEL MILL PACKAGES REQUIRED BY: SHIPHOLD PACKAGES		\$3,170
L	499-9403	<b>CAB, STEEL MILL</b> ..... 0 FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling applications where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit). ONLY FOR USE WITH: STEEL MILL PACKAGES		\$3,170

**REAR CAMERA**

L	540-4598	<b>KIT VISIBILITY, SINGLE CAMERA</b> ..... 0 ONLY FOR USE WITH: 482-3643 PRECLEANER, STANDARD CANNOT BE USED WITH: STEEL MILL PACKAGES		NC
L	540-4600	<b>KIT VISIBILITY, DOUBLE CAMERA</b> ..... 0 Provides improved rear visibility, especially when the machine is equipped with the engine air cleaner with turbine. CANNOT BE USED WITH: STEEL MILL PACKAGES		\$540

**SEAT**

All seats are TLV2: Toggle Link Vertical 2d generation seats, with reinforced air suspension.

L	508-4901	<b>SEAT, BASIC</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT (Cont.)**

L	508-4902	SEAT, COMFORT . . . . . 0 INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt - lockable side-to-side isolator - heated seat pan and back rest		\$725
L	546-0888	SEAT, DELUXE . . . . . 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth and leather-covered seat - removable headrest - 76mm / 3" retractable, 2 point (4 point compatible) seat belt - lockable side-to-side isolator - heated and ventilated seat pan and back rest - high back rest		\$2,050

**TRANSMISSION**

L	508-4758	TRANSMISSION CONTROL V-LEVER . . . . . 0 This package includes V-lever for speed and direction control and steering pedals.		NC
L	508-4756	TRANSMISSION CONTROL, JOYSTICK . . . . . 0 This package includes one joystick for speed, direction and steering control on the left hand console. The machine is controlled like a MTL/SSL.		NC

For machines equipped with a Transmission/Hystat Joystick, there are 2 steering patterns available.  
 The default S-Pattern is like a CAT Skid Steer.  
 The alternate C-Steer pattern is like a CAT tractor.  
 The machine can not be shipped from the factory with the alternate pattern activated. A CAT service tool (ET) is required to make the change. See your Service department for details.

**HYDRAULIC PACKAGE**

L	505-1156	HYDRAULIC 2V,GP 2 LEVERS, PACK . . . . . 0 This configuration includes 2 functions valves and electro bucket control two levers for GP bucket. CANNOT BE USED WITH: MP BUCKETS 283-7915 RIPPER, MULTI-SHANK		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**HYDRAULIC PACKAGE (Cont.)**

L	505-1161	<b>HYDRAULIC 3V,GP 2 LEVERS, PACK</b> ..... 0 FOR USE IN LANE 3 ONLY This configuration includes rear hydraulic lines and electro-hydraulic bucket control two levers for GP bucket and a ripper control lever. CANNOT BE USED WITH: MP BUCKETS 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES		\$8,330
L	505-1157	<b>HYDRAULIC 2V,GP JOYSTICK, PACK</b> ..... 0 FOR USE IN LANE 3 ONLY This configuration includes 2 functions valve and joystick control for GP buckets. CANNOT BE USED WITH: MP BUCKETS 283-7915 RIPPER, MULTI-SHANK		NC
L	505-1159	<b>HYDRAULIC 3V,GP JOYSTICK, PACK</b> ..... 0 This configuration includes rear hydraulic lines, a joystick control for GP bucket and a ripper control lever. CANNOT BE USED WITH: MP BUCKETS 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES		\$8,330
L	505-1158	<b>HYDRAULIC 3V,MP JOYSTICK, PACK</b> ..... 0 FOR USE IN LANE 3 ONLY This configuration includes front hydraulic lines and joystick control for MP bucket. CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK SHIPHOLD PACKAGES		\$8,330
L	505-1160	<b>HYDRAULIC 4V,MP JOYSTICK, PACK</b> ..... 0 FOR USE IN LANE 3 ONLY This configuration includes 4 functions valve, front and rear hydraulic lines, an electro-hydraulic bucket control with MP bucket proportional control slider, a ripper control lever. CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES		\$12,880

**SERVICE PACKAGE**

L	505-6304	<b>SERVICE PACKAGE, STANDARD</b> ..... 0 FOR USE IN LANE 3 ONLY This package features a locking bar that holds the cab at 30 degrees safely (a crane is required to tilt the cab) and front windshield. CANNOT BE USED WITH: ALL SHIPHOLD, WASTE AND STEEL MILL PACKAGES		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SERVICE PACKAGE (Cont.)**

L	505-6305	<b>SERVICE PACKAGE, EXTENDED</b> . . . . . 0 This package features a manual hydraulic pump enabling the cab tilt cylinder installed under the cab. CANNOT BE USED WITH: STEEL MILL PACKAGES		<b>\$1,835</b>
---	----------	---	--	----------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries.  
 Please contact your Cat marketing representative with questions.

L	517-1714	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0 Product Link Pro series PL631V2 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. CANNOT BE USED WITH: STEEL MILL PACKAGE		<b>\$446</b>
L	577-0394	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Pro series PL641V2 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. CANNOT BE USED WITH: STEEL MILL PACKAGE		<b>NC</b>
L	517-1713	<b>NO PRODUCT LINK</b> . . . . . 0 FOR USE IN LANE 3 ONLY REQUIRED BY: STEEL MILL PACKAGES		<b>NC</b>

**OTHER ATTACHMENTS**

**REAR ATTACHMENT**

P	493-6496	<b>BUMPER, STANDARD</b> . . . . . 0 Includes a hitch. CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES STEEL MILL PACKAGES REQUIRED BY: SHIPHOLD PACKAGES		<b>NC</b>
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENT (Cont.)**

P	283-7915	RIPPER, MULTI-SHANK . . . . .	564 2,674	\$26,760 \$26,760 NI
		AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE AS A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. REQUIRES: 505-1161 HYDRAULIC 3V,GP 2 LEVERS, PACK 505-1159 HYDRAULIC 3V,GP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES 337-3082 STRIKER BARS, REAR 506-0490 nor 506-0491 COUNTERWEIGHTS		
L	542-1598	NO BUMPER . . . . .	0	NC
		FOR USE IN LANE 3 ONLY REQUIRED BY: 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES STEEL MILL PACKAGES		

**BUCKETS**

**BUCKET PACKAGE**

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

These Performance Series Buckets provide maximum material retention and full length Back Grading Edge.

For an overall machine balance, it is recommended to order an heavy counterweight or a ripper with a machine equipped with a performance bucket.

P	524-7340	BUCKET-GP, 5.5 CYD, PERF . . . . .	0 0	\$28,570 \$28,570 NI
		Performance series Bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 3.8CUM (5.0CYD) 110% Fill Factor: 4.2CUM (5.5CYD) Width: 2982mm (117")		



CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET PACKAGE (Cont.)**

P	524-7341	BUCKET-GP, 5.2 CYD, PERF FLUSH . . . . .	0 0	\$27,620 \$27,620 NI
		Performance series Bucket FOR USE IN LANE 3 ONLY Flat bottom Bucket Includes: Welded flush adapters, K90 Extra Duty tips (set of 8). Capacity: 3.6CUM (4.7CYD) 110% Fill Factor: 4.0CUM (5.2CYD) Width: 2990mm (118") Recommended for fine grading application.		
P	524-7342	BUCKET-GP, 5.5 CYD, PERF WIDE . . . . .	0	\$34,740 NI
		Performance series Bucket Flat bottom Bucket Includes: Welded flush adapters, K90 Extra Duty tips (set of 8). Capacity: 3.8CUM (5.0CYD) 110% Fill Factor: 4.2CUM (5.5CYD) Width: 3192mm (126") Bucket for Low Ground Pressure applications. AVAILABLE NOT INSTALLED ONLY (exceeds normal transportation width if installed on the machine). REQUIRES: 0G-3258 PACK NI OR DISMOUNTED BUCKET REQUIRED BY: LGP PACKAGES		

**GENERAL PURPOSE SERIES BUCKETS (PIN-ON)**

P	347-3970	BUCKET-GP, 4.2 CYD . . . . .	4,564 4,564	\$21,820 \$21,820 NI
		General Purpose bucket Includes: Bolt-on segments (set of 7), Bolt-on teeth, K90 General duty tips (set of 8). Capacity: 3.2CUM (4.2CYD) Width: 2974mm (117")		
P	455-1623	BUCKET-GP, 4.2 CYD, HD . . . . .	5,154 5,154	\$27,900 \$27,900 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket. Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty tips (set of 10). Capacity: 3.2CUM (4.2CYD) Width: 2974mm (117") Recommended for heavy duty applications. Heavy-Duty bucket with reinforced wear bottom and sides plates and double adapters on bucket ends.		

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET PACKAGE (Cont.)**

P	455-1628	BUCKET-GP, 4.2CYD, HD FUL EDGE . . . . .	4,354 4,354	\$18,010 \$18,010 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Full cutting edge, bolt-on. Capacity: 3.2CUM (4.2CYD) Width: 2976mm (117") Best for granular materials (gravel, sand...), finish grading and final preparation.		
P	347-3971	BUCKET GP, 4.0 CYD, FLUSH ADAP . . . . .	3,794 3,794	\$21,240 \$21,240 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket with flush adaptors. Flat bottom Bucket. Includes: Welded flush adaptors, K90 Extra Duty tips (set of 8) Capacity: 3.2CUM (4.0CYD) Width: 2990mm (118") Recommended for fine grading application		

**WASTE HANDLING BUCKETS (PIN-ON)**

P	455-1626	BUCKET-GP, 6.4 CYD LANDFILL HD . . . . .	5,126 5,126	\$31,490 \$31,490 NI
		FOR USE IN LANE 3 ONLY General Purpose, Landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty (set of 8). Capacity: 4.9CUM (6.4CYD) Width: 2974mm (117") Bucket equipped with a heavy duty trash grid.		
P	455-1627	BUCKET-MP, 6.0 CYD LANDFILL HD . . . . .	7,978 7,978	\$48,930 \$48,930 NI
		FOR USE IN LANE 3 ONLY Multi Purpose, landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty tips (set of 8). Capacity: 4.6CUM (6.0CYD) Width: 2946mm (116") Bucket equipped with a heavy duty trash grid. Heavy counterweight or ripper are recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKET PACKAGE (Cont.)***

**MULTI PURPOSE SERIES BUCKETS (PIN-ON)**

P	347-3975	BUCKET MP, 4.0 CYD .....	7,657 7,657	\$40,860 \$40,860 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8). Capacity: 3.0CUM (4.0CYD) Width: 2946mm (116") Heavy counterweight or ripper are recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

P	455-1625	BUCKET-MP, 4.0 CYD, HD .....	7,923 7,923	\$46,640 \$46,640 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket heavy duty. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8). Capacity: 3.0CUM (4.0CYD) Width: 2946mm (116") Bucket for heavy duty applications. Heavy counterweight or ripper is recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

**STEEL MILL BUCKET (PIN-ON)**

P	524-7343	BUCKET SLAG, 4.0 CYD .....	0 0	\$45,690 \$45,690 NI
		FOR USE IN LANE 3 ONLY Includes: Welded half arrow segments (set of 4), Welded teeth adaptors, J550, and J550 HD Penetration tips (set of 5) Capacity: 3.0CUM (3.9CYD) Width: 2960MM (116") Bucket designed for extended wear resistance in high temperature applications. REQUIRED BY: STEEL MILL PACKAGES		

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKET PACKAGE (Cont.)***

P	571-7307	BUCKET SLAG, 3.7 CYD, NARROW . . . . .	0	\$43,850
			0	\$43,850 NI
		FOR USE IN LANE 3 ONLY Includes: Welded half arrow segments (set of 4), Welded teeth adaptors, J550, and J550 HD Penetration tips (set of 5) Capacity: 2.8CUM (3.7CYD) Width: 2714MM (107") Bucket designed for extended wear resistance in high temperature applications. REQUIRED BY: STEEL MILL PACKAGES		

**NO BUCKET**

L	347-3978	NO BUCKET . . . . .	0	NC
---	----------	---------------------	---	----

***ADDITIONAL GROUND ENGAGING TOOLS***

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

***ADDITIONAL WORK TOOLS***

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool OP-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is OP-0210 for US Domestic orders or OP-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available. Please contact your Caterpillar Work Tools Account Coordinator at: Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or E-mail: Worktools@Cat.com

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**PACKING**

***EXPORT PACKING***

<b>0G-9236</b>	<b>COMPLETE STORAGE PROTECTION . . . . . 0</b>	<b>\$246 NET</b>
	<p>Machines have been sprayed with Fluid Film TM.  This product is added for corrosion protection while shipping  and for extended storage periods.  This product will need to be power washed with soapy water prior  to shipment to the customer.  Cilix AND foam protection on all cylinders are also included in  this storage protection procedure.  Recommended : Sea and all type or long distance shipment</p>	

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

L	513-3384	<b>HEATER, ENGINE COOLANT, 120V</b> . . . . . 0 FOR USE IN LANE 3 ONLY Recommended for operation on low ambient climates (-25C to -40C). This consists of a heated filter canister and insulated hoses, 120V compatible.		<b>\$259</b>
---	----------	---	--	--------------

**ELECTRICAL**

L	389-2415	<b>BEACON, ROTATING</b> . . . . . 2 FOR USE IN LANE 3 ONLY Rotating beacon with magnetic installation. CANNOT BE USED WITH: STEEL MILL PACKAGES		<b>\$560</b>
---	----------	--	--	--------------

**OPERATOR ENVIRONMENT**

	452-6580	<b>RADIO, AM/FM/AUX/USB/BLUETOOTH</b> . . . . . 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		<b>\$550</b>
L	497-9954	<b>AIR PRECLEANER, CAB.</b> . . . . . 0 Provides an external and extended precleaner installation to the cab to optimize its pressurization and filtration conditions. RECOMMENDED WITH: WASTE PACKAGES SHIPHOLD PACKAGES CANNOT BE USED WITH: STEEL MILL PACKAGES REQUIRED BY: WASTE ES PACKAGES 527-6697 WASTE PKG HD, ENHANCED CLEANING		<b>\$2,270</b>

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL OPTIONS**

L	469-6093	<b>MAST, GRADE CONTROL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes mast and brackets to equip your machine with grading assistance device. CANNOT BE USED WITH: SHIPHOLD PACKAGES STEEL MILL PACKAGES		<b>\$750</b>
---	----------	---	--	--------------

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS**

**CAB GUARDS**

L	518-0006	<b>GUARD, FRONT LIGHTS . . . . .</b> 0 2 Additional guards for the cab front lights. CANNOT BE USED WITH: ALL WASTE PACKAGES STEEL MILL PACKAGES 505-7467 WINDSHIELD PROTECTION		\$200
L	507-9474	<b>WINDSHIELD PROTECTION . . . . .</b> 0 FOR USE IN LANE 3 ONLY Hinged heavy duty with hand operated latches. Protects cab windshield and lower door window panes, while still allowing easy access for cleaning. RECOMMENDED WITH: SHIPHOLD PACKAGES CANNOT BE USED WITH: 518-0006 GUARD, FRONT LIGHTS INCLUDED IN: STEEL MILL PACKAGES WASTE ES PACKAGES REQUIRED BY: WASTE PACKAGES 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$2,800

**HYDRAULIC IMPLEMENT GUARDS**

L	291-9379	<b>GUARD, TILT CYLINDER . . . . .</b> 245 FOR USE IN LANE 3 ONLY Provides for tilt cylinder rod protection. RECOMMENDED WITH: WASTE PACKAGES 527-6697 WASTE PKG HD, ENHANCED CLEANING SHIPHOLD PACKAGES INCLUDED IN: WASTE ES PACKAGES STEEL MILL PACKAGES		\$3,705
---	----------	---	--	---------

**FINAL DRIVE GUARDS**

L	305-7380	<b>GUARD, TOP, FINAL DRIVE . . . . .</b> 273 FOR USE IN LANE 3 ONLY Protects the top of the final drive housings in abrasive applications. RECOMMENDED WITH: WASTE PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES CANNOT BE USED WITH: 527-6697 WASTE PKG HD, ENHANCED CLEANING INCLUDED IN: WASTE ES PACKAGES		\$2,815
L	577-2755	<b>GUARD, TOP, FINAL DRIVE . . . . .</b> 0 FOR USE IN LANE 3 ONLY Protects the top of the final drive housings in abrasive applications. ONLY FOR USE WITH: 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$2,815

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

***FINAL DRIVE GUARDS (Cont.)***

L	305-7385	<b>GUARD, BOTTOM, FINAL DRIVE</b> ..... 0 FOR USE IN LANE 3 ONLY Protect the bottom part of the final drive housings in abrasive applications. INCLUDED IN: ALL WASTE PACKAGES LGP PACKAGES STEEL MILL PACKAGES REQUIRED BY: SHIPHOLD PACKAGES		\$3,920
---	----------	--	--	---------

***TRACK GUIDING GUARDS***

L	383-3387	<b>GUARD, TRACK ROLLER</b> ..... 450 Full length track roller guards provide track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas. RECOMMENDED WITH: WASTE ES PACKAGES 527-6697 WASTE PKG HD, ENHANCED CLEANING STEEL MILL PACKAGES		\$4,565
---	----------	---	--	---------

**OTHER ATTACHMENTS**

***REAR ATTACHMENTS***

L	309-8021	<b>HITCH, RIPPER</b> ..... 0 Mandatory attachment to be used when the machine is equipped with a ripper. Bumpers have their own included hitch. CANNOT BE USED WITH: 493-6496 BUMPER, STANDARD 571-8025 CONSTRUCTION ES PACKAGE, HD WASTE ES PACKAGES SHIPHOLD PACKAGES STEEL MILL PACKAGES REQUIRED BY: 283-7915 RIPPER, MULTI-SHANK		NC
---	----------	--	--	----

L	542-1623	<b>STRIKER BARS, REAR</b> ..... 0 FOR USE IN LANE 3 ONLY Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks and damaging the fenders. RECOMMENDED WITH: WASTE PACKAGES 527-6697 WASTE PKG HD, ENHANCED CLEANING INCLUDED IN: WASTE ES PACKAGES CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD SHIPHOLD PACKAGES STEEL MILL PACKAGES 283-7915 RIPPER, MULTI-SHANK 506-0490 COUNTERWEIGHT, PRIMARY, 1670KG		\$3,845
---	----------	---	--	---------



CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**COUNTERWEIGHT**

P	506-0490	COUNTERWEIGHT, PRIMARY, 1670KG . . . . .	0	\$13,910
			0	\$13,910 NI

AVAILABLE AS INSTALLED ONLY WITH A MACHINE  
 ALSO AVAILABLE AS A MISCELLANEOUS ORDER  
 RECOMMENDED WITH 527-6697 WASTE PKG HD.ENHANCED CLEANING  
 CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK  
 542-1623 STRIKER BARS, REAR  
 571-8025 CONSTRUCTION ES PACKAGE, HD  
 WASTE ES PACKAGES  
 SHIPHOLD PACKAGES  
 STEEL MILL PACKAGES  
 REQUIRED BY: LGP PACKAGES (IF NO RIPPER)

L	506-0491	COUNTERWEIGHT, ADDITIONAL, 400KG . . . . .	0	\$13,910
---	----------	--	---	----------

FOR USE IN LANE 3 ONLY  
 Specific counterweight for steel mill configuration  
 Also adapted to the waste ES configuration.  
 ONLY FOR USE WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD  
 WASTE ES PACKAGES  
 STEEL MILL PACKAGES  
 REQUIRED BY: STEEL MILL PACKAGES

**REAR STEP**

L	542-1627	REAR STEP, STANDARD . . . . .	0	NC
---	----------	-------------------------------	---	----

CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK  
 542-1623 STRIKER BARS, REAR  
 506-0490 COUNTERWEIGHT, PRIMARY, 1670KG  
 WASTE ES PACKAGES  
 LGP PACKAGES  
 SHIPHOLD PACKAGES  
 REQUIRED BY: 571-8025 CONSTRUCTION ES PACKAGE, HD

L	287-6742	REAR STEP, RIPPER. . . . .	0	\$394
---	----------	----------------------------	---	-------

CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD  
 REQUIRED BY: 283-7915 RIPPER, MULTI-SHANK  
 542-1623 STRIKER BARS, REAR  
 506-0490 COUNTERWEIGHT, PRIMARY, 1670KG  
 WASTE ES PACKAGES  
 LGP PACKAGES  
 SHIPHOLD PACKAGES

**MAINTENANCE AND RELATED ATTACHMENTS**

L	505-7261	MAINTENANCE PACKAGE, DELUXE . . . . .	0	\$1,105
---	----------	---------------------------------------	---	---------

This package includes the oil change-high speed system and the sediment pump.

CATERPILLAR MACHINE PRICE LIST

**973K**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MAINTENANCE AND RELATED ATTACHMENTS (Cont.)**

L	505-6252	FUEL PUMP, REFILLING . . . . .	0	\$1,415
		CANNOT BE USED WITH: STEEL MILL PACKAGES		

**FLUIDS**

**ANTIFREEZE**

	0G-6009	ANTIFREEZE, -50C (-58F) . . . . .	117	\$260 NET
		Provides cooling system antifreeze protection down to -50C		

**PACKING**

	0G-3258	PACK-N.I. BUCKET OR DISMOUNTED . . . . .	0	\$109 NET
		To be selected when a bucket is ordered as Not Installed attachment or as MISCellaneous order.		
	0G-3257	PACK-NOT INSTALLED RIPPER . . . . .	0	\$270 NET
		To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.		
	0G-0319	PACK-N.I. COUNTERWEIGHT. . . . .	0	\$109 NET
		To be selected when a counterweight is ordered as MISCellaneous order.		
	0G-3554	SPECIAL PROTECTION PACKAGE. . . . .	0	\$1,390 NET
		FOR USE IN LANE 3 ONLY All easily stolen items are removed from the machine and protected for a safe transport.		