

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

980M WHEEL LOADER  
 LITTLE ROCK, AR, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)  
 Brake wear indicators  
 Engine, Cat C13  
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump  
 Fast fuel system ready  
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Economy Mode (for fuel reduction)  
 Fuel priming pump (electric)  
 Fuel/Water separator  
 Precleaner, engine air intake  
 Parking Brake, disk & caliper  
 Switch, transmission neutralizer lockout  
 Torque converter, locking clutch with free wheel stator  
 Transmission, automatic planetary power shift (4F/4R)

Horn, electric  
 Light, two dome (cab)  
 Mirrors, rearview external with integrated spot mirrors  
 Post mounted membrane 16 switch keypad  
 3 receptacles, 12-Volt  
 Seat, Cat Comfort (cloth) air suspension  
 Seat belt, retractable  
 Steering, speed sensing with force feedback  
 Sun visor, front  
 Wet-Arm wipers/washers front & rear, intermittent front wiper  
 Window, sliding (left and right sides)  
 Viscous mounts

**ELECTRICAL**

Alarm, back-up  
 Alternator, 145-amp brushed  
 Batteries (2), maintenance free 1400CCA  
 Ignition key; start/stop switch  
 Lighting system:  
 -2 forward roading lights (low/high beam with turn signals)  
 -2 rear facing working lights in hood  
 -2 LED position/stop/turn lights  
 -4 working lights on the cab  
 Main disconnect switch  
 Receptacle start (cables not included)  
 Starter, electric, heavy duty  
 Starting and charging system (24-volt)

**COMPUTERIZED MONITORING SYSTEM**

With following gauges:  
 -Speedometer/Tachometer  
 -Digital gear range indicator  
 -DEF (Diesel exhaust fluid) level  
 -Temperature: engine coolant, hydraulic oil, transmission oil  
 -Fuel level  
 With following Warning Indicators:  
 -Regeneration  
 -Temperature: axle oil, engine intake manifold  
 -Pressure: engine oil, fuel Pressure  
 Hi/Low, primary steering oil, service brake oil  
 -Battery voltage Hi/Low  
 -Engine air filter restriction  
 -Hydraulic oil filter restriction  
 -Hydraulic oil Low  
 -Parking brake  
 -DEF low level  
 -Transmission filter bypass

**OPERATOR ENVIRONMENT**

Air conditioner, heater, and defroster (auto temp & fan)  
 Beverage holders (2) with storage compartment for cell phone/MP3 player  
 Bucket/Work tool function lockout  
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)  
 Coat hook (2)  
 EH Controls, lift and tilt function  
 EH Parking Brake  
 Ergonomic cab access ladders & handrails

**MULTI-FUNCTION MONITOR:**

-18cm (7 in) color LCD touch-screen display  
 -Rear-view camera image display (reverse travel activated)  
 -Machine settings & health parameters  
 CAT CONNECT (on-board, utilizing multi-function monitor)  
 Core App software to monitor & display:  
 -Total fuel consumption  
 -Average fuel burn rate  
 -Engine fuel consumption  
 -Total idle time  
 -Total operating hours  
 -Travel distance (odometer)  
 Basic App software to monitor & display:  
 -Total idle fuel

## CATERPILLAR MACHINE PRICE LIST

**980M-LR**980M WHEEL LOADER  
LITTLE ROCK, AR, USA (SAP)Ship Weight  
lbsLIST PRICE  
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

- Total operating hours, neutral
- Total operating hours with hydraulic filter in bypass

**OTHER STANDARD EQUIPMENT**

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Hitch, drawbar with pin
- Hood, non-metallic power tilting
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Radiator grill, airborne debris
- Remote diagnostic pressure taps
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Toolbox
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

980M WHEEL LOADER  
LITTLE ROCK, AR, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Order Management program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management program.**

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

980M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>592-1080</b>	<b>980M WHEEL LOADER AM-N FTO1</b> ..... 0 LANE 1 - AVAILABLE FROM NORTH LITTLE ROCK PDC	<b>\$610,220</b>
-----------------	---	------------------

- INCLUDES:
- 364-7580 980M WHEEL LOADER
  - 561-4441 REGIONAL PKG, AM-N
  - 509-6646 STANDARD PACKAGE
  - 498-5643 LINKAGE, STANDARD LIFT
  - 468-7445 COUNTERWEIGHT, AGGREGATE
  - 388-6208 AXLES, OPEN/OPEN, ED, AOC RDY
  - 365-2329 TRANSMISSION, STANDARD
  - 373-3941 HYDRAULICS, 2V RC
  - 415-5594 HYDRAULIC OIL, STANDARD
  - 498-0181 STARTING, COLD (120V)
  - 493-9627 WINDOWS, STANDARD
  - 538-2774 CAB TRIM, DELUXE (LHD)
  - 505-1519 FILTRATION, STANDARD
  - 551-3397 SEAT BELT, 3"
  - 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
  - 372-1603 RADIO, CB (READY)
  - 549-6425 LIGHTS, ROADING W/TURN SIGNAL
  - 434-0690 NETWORK MANAGER ONLY
  - 388-6250 STEERING SYST, STANDARD
  - 436-2381 FUEL TANK, FAST FILL READY
  - 521-9362 COOLING CORES, 9 FPI
  - 497-3534 FAN, STANDARD
  - 371-7068 ANTIFREEZE, -34C (-29F)
  - 374-0720 GUARD, POWERTRAIN
  - 507-8991 LUBRICATION, MANUAL (AUTO RDY)
  - 0G-0386 NO QUICK COUPLER READY
  - 324-8092 AIR INLET STANDARD, RAIN CAP
  - 379-9400 HOOD, NON-METALLIC
  - 464-6683 FENDERS, ROADING
  - 465-6591 SOUND SUPPRESSION, STANDARD
  - 365-0313 OIL CHANGE SYSTEM, HIGH SPEED
  - 506-4371 WHEEL CHOCKS

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

980M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>592-1081</b>	<b>980M WHEEL LOADER AM-N FTO2</b> ..... 0 LANE 1 - AVAILABLE FROM NORTH LITTLE ROCK PDC	<b>\$618,160</b>
-----------------	---	------------------

- INCLUDES:
- 364-7580 980M WHEEL LOADER
  - 561-4441 REGIONAL PKG, AM-N
  - 509-6646 STANDARD PACKAGE
  - 498-5643 LINKAGE, STANDARD LIFT
  - 468-7445 COUNTERWEIGHT, AGGREGATE
  - 388-6211 AXLES, OPEN/OPEN, ED, AOC
  - 365-2329 TRANSMISSION, STANDARD
  - 373-3941 HYDRAULICS, 2V RC
  - 415-5594 HYDRAULIC OIL, STANDARD
  - 498-0181 STARTING, COLD (120V)
  - 493-9627 WINDOWS, STANDARD
  - 538-2774 CAB TRIM, DELUXE (LHD)
  - 505-1519 FILTRATION, STANDARD
  - 551-3397 SEAT BELT, 3"
  - 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH
  - 372-1603 RADIO, CB (READY)
  - 549-6425 LIGHTS, ROADING W/TURN SIGNAL
  - 434-0690 NETWORK MANAGER ONLY
  - 388-6250 STEERING SYST, STANDARD
  - 436-2381 FUEL TANK, FAST FILL READY
  - 521-9362 COOLING CORES, 9 FPI
  - 497-3534 FAN, STANDARD
  - 371-7068 ANTIFREEZE, -34C (-29F)
  - 374-0720 GUARD, POWERTRAIN
  - 374-0722 GUARD - CRANKCASE
  - 507-8991 LUBRICATION, MANUAL (AUTO RDY)
  - 0G-0386 NO QUICK COUPLER READY
  - 324-8092 AIR INLET STANDARD, RAIN CAP
  - 379-9400 HOOD, NON-METALLIC
  - 464-6683 FENDERS, ROADING
  - 465-6591 SOUND SUPPRESSION, STANDARD
  - 365-0313 OIL CHANGE SYSTEM, HIGH SPEED
  - 506-4371 WHEEL CHOCKS

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

980M WHEEL LOADER  
LITTLE ROCK, AR, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**364-7580**

**980M WHEEL LOADER** ..... 0  
LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY FOR US ONLY  
LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY FOR US ONLY

**\$590,870**

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Select this option when ordering from the PDC.		

**TIRES AVAILABLE FROM BRIDGESTONE**

P	371-0325	TIRES,29.5R25 BS VSNT * L4 5PC . . . . .	0	\$3,780
		Bridgestone Radial; Tread Depth=60mm (76/32"); Rim=25"x25" 5 piece Provides damage resistance and traction in moderate rock environments.		

**TECHNOLOGY PRODUCTS**

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	578-6376	PRODUCT LINK, CELLULAR PL641 . . . . .	0	NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	566-2099	PRODUCT LINK, SATELLITE PL631 . . . . .	0	\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

**CAB LIGHTS**

L	522-4166	LIGHTS, HALOGEN . . . . .	0	NC
		Provides Rooding lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood		

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***CAB LIGHTS (Cont.)***

L	522-4167	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0 Provides Rooding lights: -2 forward rooding lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood		\$890
L	522-4168	<b>LIGHTS, LED</b> . . . . . 0 Provides Rooding lights: -2 forward rooding lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood		\$2,630
L	522-4169	<b>LIGHTS, LED, PREMIUM</b> . . . . . 0 INCLUDES: -2 LED forward rooding lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,390

***IMPLEMENT CONTROLS***

L	571-3997	<b>LEVERS 2V, STEERING JOYSTICK</b> . . . . . 0 INCLUDES: -2 single action levers for implement lift and tilt controls		NC
L	562-0141	<b>JOYSTICK 2V, STEERING JOYSTICK</b> . . . . . 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		\$1,110

***WORKTOOLS***

P	446-0366	<b>TRANSPORT GROUP, NO WORKTOOL</b> . . . . . 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC
P	516-1378	<b>BKTA GP ST 137" 7.50YD3 PO</b> . . . . . 7,147 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$27,843
P	515-5841	<b>BKTA GP ST 137" 7.75YD3 PO</b> . . . . . 7,242 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS		\$28,571



## CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.		Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS****LIGHTS**

P	566-2044	<b>LIGHT, WARNING BEACON</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		<b>\$493</b>
---	----------	--	--	--------------

**AUTODIG**

P	453-3250	<b>AUTODIG SOFTWARE</b> . . . . . 0 Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.		<b>\$1,450</b>
---	----------	--	--	----------------

**AUTOLUBE**

P	571-3827	<b>AUTOLUBE</b> . . . . . 0		<b>\$5,260</b>
---	----------	-----------------------------	--	----------------

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

P	517-7123	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0 Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.)		<b>\$5,040</b>
---	----------	--	--	----------------

**INSTRUCTIONS****FILMS**

P	0P-3507	<b>FILMS, ISO</b> . . . . . 0 REQUIRED BY: Quebec		<b>NC</b>
---	---------	--	--	-----------

P	386-7389	<b>FILM, CPM</b> . . . . . 0 REQUIRED BY: Canada		<b>NC</b>
---	----------	---	--	-----------

**ANTIFREEZE**

P	0P-3506	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 0 Premix Antifreeze, -50C or -58F		<b>\$283 NET</b>
---	---------	---	--	------------------

**PACKING (Must Select One)**

P	0P-0309	<b>PACK, DOMESTIC TRUCK</b> . . . . . 0 Complete machine loaded on truck.		<b>NC</b>
---	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9002	LANE 2 ORDER . . . . .	0	NC
		Only for dealers enrolled in the Base Orders Management (BOM) program.		
	OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	561-4441	REGIONAL PKG, AM-N . . . . .	0	NC
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		

**SPECIAL ARRANGEMENTS**

L	509-6646	STANDARD PACKAGE . . . . .	0	\$230
		Provides machine features required in standard application. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and CPM demo software for up to 250 hours. See the Optional Technology section for software options.		
L	506-7665	LOGGER PACKAGE . . . . .	0	\$9,840
		FOR USE IN LANE 3 ONLY Provides machine features required in logger application. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter		
L	506-7663	INDUSTRIAL PACKAGE . . . . .	0	\$25,640
		FOR USE IN LANE 3 ONLY Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Reinforced platforms with additional tire clearance -Electrical & Hydraulic installation -Carbon cab air filter -Guards: crankcase, hitch, cab bottom (skirt), front frame, tilt cylinders -Steel implement valve cover -Heavy duty ladder RECOMMENDED WITH: 485-4387 GUARDS, LIGHT REQUIRES: 478-8373 FENDERS, NARROW 483-5890 SOUND SUPPRESSION, IND & SM 394-0863 GUARD, HINGED, POWERTRAIN		

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	506-7670	<b>STEEL MILL PACKAGE</b> ..... 0 FOR USE IN LANE 3 ONLY Provides additional machine features required in Steel Mill applications when handling industrial material or hot slag. INCLUDES: -Film, steel mill -Heavy duty steps -Reinforced platforms with additional tire clearance -Electrical & hydraulic installation -Cab air filter -Guards: crankcase, hitch, cab bottom (skirt), front frame, tilt cylinders, lights (rear stop & turn/cab work lights). -Ground-level parking brake override & engine shutdown switches (at rear of machine) -Hydraulic hose & electric harness insulation to protect against high temperature. -Steel implement valve cover		\$25,950
---	----------	--	--	----------

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	498-5643	<b>LINKAGE, STANDARD LIFT</b> ..... 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		NC
L	498-5644	<b>LINKAGE, HIGH LIFT</b> ..... 0 FOR USE IN LANE 3 ONLY Provides increased dump clearance of 9" (220mm) over standard lift arms. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		\$11,270
L	498-5645	<b>LINKAGE, LOGGER</b> ..... 0 FOR USE IN LANE 3 ONLY Provides linkage for logger applications. INCLUDES: -Heavy duty lift arm -Larger tilt cylinder ONLY FOR USE WITH: 506-7665 LOGGER PACKAGE		\$3,385
L	498-5647	<b>LINKAGE, STEEL MILL</b> ..... 0 FOR USE IN LANE 3 ONLY Provides the linkage with insulated hoses and unique B-Pin bearing for high temperature application. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$1,815

**COUNTERWEIGHT**

L	367-2346	<b>COUNTERWEIGHT, STD/HL/SM</b> ..... 0 ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5644 LINKAGE, HIGH LIFT 498-5647 LINKAGE, STEEL MILL		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**COUNTERWEIGHT (Cont.)**

L	468-7445	COUNTERWEIGHT, AGGREGATE . . . . . 0 REQUIRES: L3 or L4 TIRES ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE - AND - 498-5643 LINKAGE, STANDARD LIFT		\$5,900
NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.				
L	367-2349	COUNTERWEIGHT, LOGGER . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		\$5,900
L	423-1454	COUNTERWEIGHT, REAR GUARD . . . . . 0 FOR USE WITH LANE 3 ONLY Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5644 LINKAGE, HIGH LIFT		\$19,100

**POWERTRAIN**

**AXLE PACKAGES**

Axle packages include a combination of Limited Slip Differentials (LSD), Ecology Drains (ED), Extreme Temperature Seals (ETS), Axle Oil Ready (AOCR), and Axle Oil Cooler (AOC).

L	388-6205	AXLES, OPEN/OPEN, ED . . . . . 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$580
L	388-6208	AXLES, OPEN/OPEN, ED, AOC RDY . . . . . 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,460

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	388-6211	<b>AXLES, OPEN/OPEN, ED, AOC</b> ..... 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$8,380
L	388-6207	<b>AXLES, LSD/LSD, ED</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$8,500
L	388-6210	<b>AXLES, LSD/LSD, ED, AOC RDY</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$9,380
L	388-6213	<b>AXLES, LSD/LSD, ED, AOC</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$16,320
L	388-6214	<b>AXLES, OPEN/OPEN, ED, ETS</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Open rear differential -Ecology drains -Extreme temperature seals CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,805

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	388-6215	AXLES, LSD/LSD, ED, ETS . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Extreme temperature seals CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$9,740
L	458-2297	AXLES, OPEN/OPEN, ED . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Open rear differential -Ecology drains -Insulated hoses & harness ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$600
L	458-2298	AXLES, OPEN/LSD, ED, AOC . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Limited slip rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$13,650

**TRANSMISSION**

L	365-2329	TRANSMISSION, STANDARD . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7663 INDUSTRIAL PACKAGE		NC
L	377-6108	TRANSMISSION, HEAVY DUTY . . . . . 0		\$8,680

**HYDRAULICS**

**HYDRAULICS**

L	373-3941	HYDRAULICS, 2V RC . . . . . 0 Provides 2 valve hydraulics and ride control. CANNOT BE USED WITH: 498-5647 LINKAGE, STEEL MILL		NC
L	373-3942	HYDRAULICS, 3V RC STD/LOG . . . . . 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5645 LINKAGE, LOGGER		\$5,680
L	458-2296	HYDRAULICS, 2V RC SM . . . . . 0 FOR USE WITH LANE 3 ONLY Provides 2 valve hydraulics and ride control. Also provides insulated hoses. ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		NC

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

*HYDRAULICS (Cont.)*

L	373-3946	HYDRAULICS, 3V RC HL . . . . . 0 FOR USE WITH LANE 3 ONLY Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$5,680
---	----------	---	--	---------

**HYDRAULIC OIL**

L	415-5594	HYDRAULIC OIL, STANDARD . . . . . 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	458-2284	HYDRAULIC OIL, ESCOSAFE SM . . . . . 0 FOR USE WITH LANE 3 ONLY EcoSafe lubricant (FR46 Hydraulic fluid) ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$1,880

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGES**

L	498-0180	STARTING, STANDARD . . . . . 0 Provides 2 batteries.		NC
L	498-0181	STARTING, COLD (120V) . . . . . 0 Provides 120V block heater and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE		\$1,715
L	506-0792	STARTING, COLD (120V), HD . . . . . 0 FOR USE WITH LANE 3 ONLY Provides: -120V block heater & 4 batteries on the machine for low temperatures -Cold start battery wiring for HD boxes ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$1,715

**ELECTRICAL**

**LIGHTS**

L	498-0173	LIGHTS, HALOGEN . . . . . 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHTS (Cont.)**

L	498-0174	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$880
L	561-9356	<b>LIGHTS, LED, PREMIUM</b> . . . . . 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$3,375
L	561-9355	<b>LIGHTS, LED</b> . . . . . 0 Provides Roading lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$2,540
L	561-9358	<b>LIGHTS, LED, STEEL MILL</b> . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -4 LED forward facing work lights and 4 LED rear facing work lights, mounted on top of the cab. -2 halogen forward roading lights (low/high beam) -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -Multi-position roading light brackets -High temperature forward roading lights -Light guards -Insulated harness ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$2,140

**OPERATOR ENVIRONMENT**

**CAB WINDOWS AND GUARDS**

L	493-9627	<b>WINDOWS, STANDARD</b> . . . . . 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	493-9631	<b>WINDOWS, STANDARD, FRONT GUARD</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides front window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$3,595
L	493-9629	<b>WINDOWS, STANDARD, HD GUARD</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides a front window heavy duty guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$9,250



CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB WINDOWS AND GUARDS (Cont.)***

L	493-9630	<b>WINDOWS, STANDARD, FULL GUARD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides a full window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$12,350
L	503-2428	<b>WINDOWS, RUBBER MTD, FRONT GD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$8,740
L	569-0215	<b>WINDOWS, RUBBER MOUNTED</b> ..... 0 FOR USE WITH LANE 3 ONLY Rubber mounted flat glass with heavy duty cab mounts. REQUIRED BY: 506-7670 STEEL MILL PACKAGE		\$5,260

***CAB TRIM***

L	538-2773	<b>CAB TRIM, COMFORT (LHD)</b> ..... 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$69
L	538-2774	<b>CAB TRIM, DELUXE (LHD)</b> ..... 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,190

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB TRIM (Cont.)**

L	538-2775	<b>CAB TRIM, PREMIUM PLUS (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$3,925
L	546-3449	<b>CAB TRIM, DELUXE (EH)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$4,970
L	546-3450	<b>CAB TRIM, PREMIUM PLUS (EH)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE	0	\$7,830

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB TRIM (Cont.)**

L	561-8839	<b>CAB TRIM, COMFORT, SM, (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE	0	\$68
L	561-8838	<b>CAB TRIM, DELUXE, SM (EH)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE	0	\$4,010

**IMPLEMENT CONTROLS**

L	539-6031	<b>LEVERS 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD) 561-8839 CAB TRIM, STEEL MILL (LHD)	0	NC
L	539-6041	<b>LEVERS 3V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)	0	NC
L	539-6036	<b>JOYSTICK 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD) 561-8839 CAB TRIM, STEEL MILL (LHD)	0	\$1,100

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS (Cont.)**

L	539-6046	<b>JOYSTICK 3V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		\$1,545
L	539-6030	<b>LEVERS 2V, STEERING WHEEL</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		NC
L	539-6040	<b>LEVERS 3V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6035	<b>JOYSTICK 2V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		\$1,215
L	539-6045	<b>JOYSTICK 3V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,670

**STEERING**

L	388-6250	<b>STEERING SYST, STANDARD</b> ..... 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	373-3944	<b>STEERING SYST, SECONDARY</b> ..... 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$5,860
L	458-2301	<b>STEERING SYST, STANDARD SM</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		NC

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**STEERING (Cont.)**

L	458-2302	STEERING SYST, SECONDARY SM . . . . . 0 FOR USE WITH LANE 3 ONLY Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$6,390
---	----------	--	--	---------

**CAB FILTRATION**

L	505-1519	FILTRATION, STANDARD . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		NC
L	505-1520	FILTRATION, STD, PRECLEANER . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake. CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$695
L	505-1523	FILTRATION, STD, ACF PRECLNR . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$1,880
L	505-1521	FILTRATION, STEEL . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL ONLY FOR USE WITH: 506-7670 STEEL MILL PACKAGE		\$2,165
L	505-1522	FILTRATION, STEEL, ACF PRECLNR . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE		\$3,535

**SEAT BELT**

L	551-3397	SEAT BELT, 3" . . . . . 0		\$106
---	----------	---------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	434-0691	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0		NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: LANE 2 AND LANE 3		
L	434-0693	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0		\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: LANE 2 AND LANE 3		

**FUEL SYSTEMS**

**FUEL TANK**

L	436-2381	<b>FUEL TANK, FAST FILL READY</b> . . . . . 0		NC
L	436-2391	<b>FUEL TANK, FAST FILL (ANSI)</b> . . . . . 0		\$1,185
		ONLY FOR USE WITH: 561-4441 REGIONAL PACKAGE, AM-N		

**COOLING**

**COOLING SYSTEM**

L	521-9362	<b>COOLING CORES, 9 FPI</b> . . . . . 0		NC
		Provides cooling capability up to 47C (117F) ambient. Recommended for low & medium debris applications.		
L	540-0609	<b>COOLING CORES, 6 FPI</b> . . . . . 0		\$338
		Provides cooling capability up to 43C (109F) ambient. Recommended for medium & high debris applications.		

**COOLING FAN**

L	497-3534	<b>FAN, STANDARD</b> . . . . . 0		NC
		Standard load sensing hydraulically driven fan.		

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING FAN (Cont.)**

L	493-7704	FAN, VPF, ANSI . . . . . 0		\$6,760
		FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. NOT RECOMMENDED FOR STEEL MILL APPLICATIONS ONLY FOR USE WITH: 561-4441 REGIONAL PACKAGE, AM-N		

**COOLANT**

L	371-7068	ANTIFREEZE, -34C (-29F) . . . . . 0		NC
		Premix antifreeze, -34C (-29F)		
L	415-5595	ANTIFREEZE, -50C (-58F) . . . . . 0		\$283 NET
		Premix antifreeze, -50C (-58F)		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM BRIDGESTONE**

P	380-7711	TIRES, 29.5R25 BS VJT * L3 5PC . . . . . 0		\$-5,030
		Bridgestone Radial; Tread Depth=42mm (53/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions. ONLY FOR USE WITH: LANE 2 AND LANE 3		
P	371-0325	TIRES,29.5R25 BS VSNT * L4 5PC . . . . . 0		\$3,780
		Bridgestone Radial; Tread Depth=60mm (76/32"); Rim=25"x25" 5 piece Provides damage resistance and traction in moderate rock environments.		

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM BRIDGESTONE (Cont.)**

P	371-0326	TIRES, 29.5R25 BS VSDL * L5 5PC ..... 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=104mm (131/32"); Rim=25"x25" 5 piece Suitable for severe rock environments where maximum damage protection is needed. CANNOT BE USED WITH: 468-7445 COUNTERWEIGHT, AGGREGATE		\$12,890
P	475-6254	TIRES, 875/65R29 BS VTS * L3 ..... 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=47.5mm (60/32"); Rim=27"x29" 5 piece Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation. Recommended for sand and forestry applications.		\$3,755

**TIRES AVAILABLE FROM MICHELIN**

P	371-0320	TIRES, 29.5R25 MX XHA2 **L3 5PC ..... 0 Michelin Radial; Tread Depth=43mm (54/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions. ONLY FOR USE WITH: LANE 2 AND LANE 3		\$-9,010
P	371-0307	TIRES, 875/65R29 MX XHA2 * L3 ..... 0 FOR USE WITH LANE 3 ONLY Michelin Radial; Tread Depth=48mm (60/32"); Rim=27"x29" 5 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation. Recommended for sand and forestry application.		\$-1,260
P	497-7890	TIRES, 29.5R25 MX XTXL *** L4 ..... 0 Michelin Radial XTXL; Tread Depth=59mm (74/33"); Rim=25.5"x25.5" 5 pc Provides damage resistance and traction in moderate rock environments. ONLY FOR USE WITH: LANE 2 AND LANE 3		\$3,780

**TIRES AVAILABLE FROM MAXAM**

P	541-8792	TIRES, 29.5R25 MA MS302 **E3/L3 ..... 0 MAXAM RADIAL; TREAD DEPTH=42.3mm; Rim=25"x25" 5 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. ONLY FOR USE WITH: LANE 2 AND LANE 3		\$-16,820
---	----------	--	--	-----------

**TIRES/RIMS, ALLOWANCE FOR OMISSION**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	371-0297	RIMS ONLY (5PC), TIRES OMITTED ..... 0 FOR USE IN LANE 3 ONLY		\$-29,460
P	0P-3649	OMISSION, TIRES AND RIMS ..... 0 FOR USE IN LANE 3 ONLY		\$-35,770



CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**ENGINE PRECLEANERS**

L	324-8092	<b>AIR INLET STANDARD, RAIN CAP</b> . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	<b>AIR INLET PRECLEANER, TURBINE</b> . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735
L	365-0221	<b>AIR INLET PRECLEANER, TRASH</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$970

**BODY**

**FENDERS**

L	464-6682	<b>FENDERS, BASIC +</b> . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		NC
L	464-6683	<b>FENDERS, ROADING</b> . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: LOW-PROFILE (65-SERIES) TIRES		\$2,910
L	464-6684	<b>FENDERS, BASIC +, LOW PROFILE</b> . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE LOW-PROFILE (65-SERIES) TIRES		\$151
L	464-6685	<b>FENDERS, ROADING, LOW PROFILE</b> . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE LOW-PROFILE (65-SERIES) TIRES		\$3,195
L	478-8373	<b>FENDERS, NARROW</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides narrow steel front fenders, Steel rear fender extensions and Heavy duty hanging steel cable steps.		\$3,540
L	478-8376	<b>FENDERS, REAR EGRESS</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$12,990

**HOOD**

L	379-9400	<b>HOOD, NON-METALLIC</b> . . . . . 0		NC
---	----------	---------------------------------------	--	----

**SOUND SUPPRESSION**

L	465-6591	<b>SOUND SUPPRESSION, STANDARD</b> . . . . . 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**SOUND SUPPRESSION (Cont.)**

L	483-5890	SOUND SUPPRESSION, IND/SM . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$6,070
---	----------	--	--	---------

**QUICK COUPLERS**

P	0G-0386	NO QUICK COUPLER READY . . . . . 0		NC
P	498-5649	QUICK COUPLER READY, STD . . . . . 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5645 LINKAGE, LOGGER		\$4,405
P	498-5650	QUICK COUPLER READY, HL . . . . . 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$4,405

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE READY - Linkage and frame hardware installed. This will provide dealers with the flexibility of buying Autolube kits to convert the machine into an Autolube configuration.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	506-0416	LUBRICATION, MANUAL, STD/HL . . . . . 0 ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT 498-5644 LINKAGE, HIGH LIFT		NC
L	507-8991	LUBRICATION, MANUAL (AUTO RDY) . . . . . 0 ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT		\$1,635
L	495-7529	AUTOLUBE, STD . . . . . 0 Provides Caterpillar autolube system. Recommended use autolube with counterweight aggregate. ONLY FOR USE WITH: 498-5643 LINKAGE, STANDARD LIFT		\$6,880
L	507-6191	LUBRICATION, MANUAL, LOG . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		NC
L	507-6192	LUBRICATION, MANUAL, SM . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		\$3,150

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**LUBRICATION ARRANGEMENTS (Cont.)**

L	495-7531	<b>AUTOLUBE, HL</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 498-5644 LINKAGE, HIGH LIFT		\$7,180
L	498-5641	<b>AUTOLUBE, LOG</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides Caterpillar autolube system. ONLY FOR USE WITH: 498-5645 LINKAGE, LOGGER		\$7,180
L	495-7532	<b>AUTOLUBE, SM</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides: -Caterpillar autolube system for steel mill arrangement with cover for pump. -Unique grease path B-Pin for extreme applications ONLY FOR USE WITH: 498-5647 LINKAGE, STEEL MILL		\$11,060

NOTE: Excludes autolube grease lines to the bucket pins.

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**INTEGRATED OBJECT DETECTION SYSTEM.**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit:  
<https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION . . . . . 0 CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 423-1454 COUNTERWEIGHT, REAR GUARD		\$2,800
L	486-9205	OBJECT DETN & CB RADIO READY . . . . . 0 INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 423-1454 COUNTERWEIGHT, REAR GUARD		\$3,740

**RADIOS**

P	372-1603	RADIO, CB (READY) . . . . . 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		\$970
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH . . . . . 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth. REQUIRES: LANE 2 ORDERS		\$600

**VISIBILITY**

P	380-5964	SECONDARY CAMERA DISPLAY . . . . . 0 FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		\$1,780
---	----------	---	--	---------

**SECURITY SYSTEM**

P	372-1604	SECURITY SYSTEM, MACHINE . . . . . 0 FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$710
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS**

P	513-2458	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 Provides 2 reversing white strobes. ONLY FOR USE WITH: LANE 2 AND LANE 3 CANNOT BE USED WITH: 423-1454 COUNTERWEIGHT, REAR GUARD		\$279
P	491-7467	<b>LIGHT, WARNING BEACON</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure. ONLY FOR USE WITH: LANE 2 AND LANE 3		\$493
P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> . . . . . 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: LANE 2 AND LANE 3		\$233

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE . . . . . 0	\$5,040
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE	

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.  
 NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE . . . . . 0	\$1,450
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE	

CATERPILLAR MACHINE PRICE LIST

# 980M-LR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

P	374-0722	<b>GUARD, CRANKCASE</b> ..... 0 ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE REQUIRED BY: 388-6211 AXLES, OPEN/OPEN, ED, AOC 388-6213 AXLES, LSD/LSD, ED, AOC		\$1,020
P	374-0720	<b>GUARD, POWERTRAIN</b> ..... 0 Protects bottom of transmission. ONLY FOR USE WITH: 509-6646 STANDARD PACKAGE 506-7665 LOGGER PACKAGE CANNOT BE USED WITH: 394-0863 HINGED, POWERTRAIN GUARD		\$1,850
P	394-0863	<b>GUARD, HINGED, POWERTRAIN</b> ..... 0 Protects bottom of transmission. CANNOT BE USED WITH: 374-0720 GUARD, POWERTRAIN REQUIRED BY: 506-7663 INDUSTRIAL PACKAGE 506-7670 STEEL MILL PACKAGE		\$3,570
P	485-4387	<b>GUARDS, LIGHT</b> ..... 0 FOR USE WITH LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 506-7670 STEEL MILL PACKAGE 561-9358 LIGHTS, STEEL MILL 493-9629 WINDOWS, STANDARD, HD GUARD		\$1,615
P	397-8231	<b>ACTUATOR, HINGED BELLY GUARD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE and 394-0863 GUARD, HINGED, POWERTRAIN		\$1,245

**OTHER ATTACHMENTS**

P	365-0313	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> ..... 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$288
P	506-4371	<b>WHEEL CHOCKS</b> ..... 0 Provides wheel chocks that mount to the frame.		\$493

CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com)

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	516-1378	BKTA GP ST 137" 7.50YD3 PO . . . . . 7,147 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 LINKAGE, STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$27,843
P	515-5841	BKTA GP ST 137" 7.75YD3 PO . . . . . 7,242 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$28,571
P	564-2624	BKTA GP ST 137" 8.25YD3 PO . . . . . 7,302 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$30,204

**INSTRUCTIONS**

**FILMS**

P	468-0173	FILM, FOREST . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7665 LOGGER PACKAGE		NC
P	468-0170	FILM, SCRAP . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE		NC
P	468-0171	FILM, WASTE . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 506-7663 INDUSTRIAL PACKAGE		NC



CATERPILLAR MACHINE PRICE LIST

**980M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING**

***WORKTOOL OMISSION***

P	446-0366	TRANSPORT GROUP, NO WORKTOOL . . . . . 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC
---	----------	---	--	----

***PACKING (Must Select One)***

	0P-0309	PACK, DOMESTIC TRUCK . . . . . 0 Complete machine loaded on truck.		NC
	0P-0311	PACK, DOMESTIC TRUCK LESS TIRE . . . . . 0 FOR USE WITH LANE 3 ONLY Machine loaded on truck with tires removed.		\$238 NET