

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

982M WHEEL LOADER  
 LITTLE ROCK, AR, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)  
 Brake wear indicators  
 Engine, Cat C13  
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump  
 Fast fuel system ready  
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Economy Mode (for fuel reduction)  
 Fuel priming pump (electric)  
 Fuel/Water separator  
 Precleaner, engine air intake  
 Parking Brake, disk & caliper  
 Switch, transmission neutralizer lockout  
 Torque converter, locking clutch with free wheel stator  
 Transmission, automatic planetary power shift (4F/4R)

Horn, electric  
 Light, two dome (cab)  
 Mirrors, rearview external with integrated spot mirrors  
 Post mounted membrane 16 switch keypad  
 3 receptacles, 12-Volt  
 Seat, Cat Comfort (cloth) air suspension  
 Seat belt, retractable  
 Steering, speed sensing with force feedback  
 Sun visor, front  
 Wet-Arm wipers/washers front & rear, intermittent front wiper  
 Window, sliding (left and right sides)  
 Viscous mounts

**ELECTRICAL**

Alarm, back-up  
 Alternator, 145-amp brushed  
 Batteries (2), maintenance free 1400CCA  
 Ignition key; start/stop switch  
 Lighting system:  
 -2 forward roading lights (low/high beam with turn signals)  
 -2 rear facing working lights in hood  
 -2 LED position/stop/turn lights  
 -4 working lights on the cab  
 Main disconnect switch  
 Receptacle start (cables not included)  
 Starter, electric, heavy duty  
 Starting and charging system (24-volt)

**COMPUTERIZED MONITORING SYSTEM**

With following gauges:  
 -Speedometer/Tachometer  
 -Digital gear range indicator  
 -DEF (Diesel exhaust fluid) level  
 -Temperature: engine coolant, hydraulic oil, transmission oil  
 -Fuel level  
 With following Warning Indicators:  
 -Regeneration  
 -Temperature: axle oil, engine intake manifold  
 -Pressure: engine oil, fuel Pressure  
 Hi/Low, primary steering oil, service brake oil  
 -Battery voltage Hi/Low  
 -Engine air filter restriction  
 -Hydraulic oil filter restriction  
 -Hydraulic oil Low  
 -Parking brake  
 -DEF low level  
 -Transmission filter bypass

**OPERATOR ENVIRONMENT**

Air conditioner, heater, and defroster (auto temp & fan)  
 Beverage holders (2) with storage compartment for cell phone/MP3 player  
 Bucket/Work tool function lockout  
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)  
 Coat hook (2)  
 EH Controls, lift and tilt function  
 EH Parking Brake  
 Ergonomic cab access ladders & handrails

**MULTI-FUNCTION MONITOR:**

-18cm (7 in) color LCD touch-screen display  
 -Rear-view camera image display (reverse travel activated)  
 -Machine settings & health parameters  
 CAT CONNECT (on-board, utilizing multi-function monitor)  
 Core App software to monitor & display:  
 -Total fuel consumption  
 -Average fuel burn rate  
 -Engine fuel consumption  
 -Total idle time  
 -Total operating hours  
 -Travel distance (odometer)  
 Basic App software to monitor & display:  
 -Total idle fuel

## CATERPILLAR MACHINE PRICE LIST

**982M-LR**982M WHEEL LOADER  
LITTLE ROCK, AR, USA (SAP)Ship Weight  
lbsLIST PRICE  
AT DEALER**OPERATOR ENVIRONMENT (CONT.)**

- Total operating hours, neutral
- Total operating hours with hydraulic filter in bypass

**OTHER STANDARD EQUIPMENT**

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Hitch, drawbar with pin
- Hood, non-metallic power tilting
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Radiator grill, airborne debris
- Remote diagnostic pressure taps
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Toolbox
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

982M WHEEL LOADER  
LITTLE ROCK, AR, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

982M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>364-7590</b>	<b>982M WHEEL LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY FOR US ONLY LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY FOR US ONLY	<b>\$648,740</b>
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	561-4442	REGIONAL PKG, AM-N . . . . .	0	NC
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		

**SPECIAL ARRANGEMENTS**

L	509-6647	STANDARD PACKAGE . . . . .	0	\$230
		Provides machine features required in standard application. INCLUDES: -Platform -Electrical & hydraulic installation -Cab air filter -Radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and CPM demo software for up to 250 hours. See the Optional Technology section for software options.		
L	551-2468	LOGGER PACKAGE . . . . .	0	\$9,750
		FOR USE IN LANE 3 ONLY Provides machine features required in logger application. PACKAGE INCLUDES: -Electrical & Hydraulic installation -Heavy duty filter cab air -Radiator grill -Heavy duty frame REQUIRES: 553-5946 LINKAGE, LOGGER 492-6399 COUNTERWEIGHT, LOGGER 553-3086 TIRES,875/65R29 GY *** GP4D L4		

**BOOMS, STICKS, AND LINKAGES**

L	498-5648	LINKAGE, STANDARD LIFT . . . . .	0	NC
L	519-9897	LINKAGE, HIGH LIFT . . . . .	0	\$13,750
		FOR USE WITH LANE 3 ONLY		
L	553-5946	LINKAGE, LOGGER . . . . .	0	\$3,590
		FOR USE WITH LANE 3 ONLY Provides linkage for logger applications. ONLY FOR USE WITH: 551-2468 LOGGER PACKAGE		

**COUNTERWEIGHT**

L	367-2351	COUNTERWEIGHT, STANDARD . . . . .	0	NC
		ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIFT		

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**COUNTERWEIGHT (Cont.)**

L	468-7446	COUNTERWEIGHT, AGGREGATE . . . . . 0 REQUIRES: L3 or L4 TIRES ONLY FOR USE WITH: 509-6647 STANDARD PACKAGE -AND- 498-5648 LINKAGE, STANDARD LIFT		\$6,680
NOTE: It is recommended to use Caterpillar production measure application with Aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.				
L	492-6399	COUNTERWEIGHT, LOGGER . . . . . 0 FOR USE WITHLANE 3 ONLY ONLY FOR USE WITH: 553-5946 LINKAGE, LOGGER		\$9,750
L	367-2353	COUNTERWEIGHT, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 519-9897 LINKAGE, HIGH LIFT		\$4,025

**POWERTRAIN**

**AXLE PACKAGES**

Axle packages include a combination of Limited Slip Differentials (LSD), Ecology Drains (ED), Extreme Temperature Seals (ETS), Axle Oil Ready (AOCR), and Axle Oil Cooler (AOC).

L	388-6225	AXLES, OPEN/OPEN, ED . . . . . 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains		\$575
L	388-6228	AXLES, OPEN/OPEN, ED, AOC RDY . . . . . 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler.		\$1,445
L	388-6231	AXLES, OPEN/OPEN, ED, AOC . . . . . 0 INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE		\$8,300
L	388-6227	AXLES, LSD/LSD, ED . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains		\$9,460

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	388-6230	<b>AXLES, LSD/LSD, ED, AOC RDY</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler.		\$10,330
L	388-6233	<b>AXLES, LSD/LSD, ED, AOC</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE		\$17,200
L	388-6234	<b>AXLES, OPEN/OPEN, ED, ETS</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Open front differential -Open rear differential -Ecology drains -Extreme temperature seals		\$1,950
L	388-6235	<b>AXLES, LSD/LSD, ED, ETS</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Limited slip front differential -Limited slip rear differential -Ecology drains -Extreme temperature seals		\$10,840

**HYDRAULICS**

**HYDRAULICS**

L	373-3941	<b>HYDRAULICS, 2V RC</b> ..... 0 Provides 2 valve hydraulics and ride control.		NC
L	373-3943	<b>HYDRAULICS, 3V RC STD</b> ..... 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIFT 553-5946 LINKAGE, LOGGER		\$5,620
L	521-5673	<b>HYDRAULICS, 3V RC HL</b> ..... 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 519-9897 LINKAGE, HIGH LIFT		\$5,620

**HYDRAULIC OIL**

L	415-5594	<b>HYDRAULIC OIL, STANDARD</b> ..... 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	498-0180	<b>STARTING, STANDARD</b> ..... 0 Provides 2 batteries.		NC
L	498-0181	<b>STARTING, COLD (120V)</b> ..... 0 Provides 120V block heater and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 509-6647 STANDARD PACKAGE		\$1,715

**ELECTRICAL**

**LIGHTS**

L	498-0173	<b>LIGHTS, HALOGEN</b> ..... 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	498-0174	<b>LIGHTS, HALOGEN, PREMIUM</b> ..... 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$880
L	561-9356	<b>LIGHTS, LED, PREMIUM</b> ..... 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3,375
L	561-9355	<b>LIGHTS, LED</b> ..... 0 Provides Rooding lights: -2 forward roading lights halogen(low/high beam) with Halogen turn signal. -2 rear LED position stop turn lights Provides Halogen Work lights: -2 forward facing standard lights on the top of the cab -2 rear facing standard lights on the top of the cab -2 rear facing standard lights on the Hood		\$2,540

**OPERATOR ENVIRONMENT**

**CAB WINDOWS AND GUARDS.**

L	493-9627	<b>WINDOWS, STANDARD</b> ..... 0		NC
L	493-9631	<b>WINDOWS, STANDARD, FRONT GUARD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front window guard.		\$3,595
L	493-9629	<b>WINDOWS, STANDARD, HD GUARD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front window heavy duty guard.		\$9,250



CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB WINDOWS AND GUARDS. (Cont.)***

L	493-9630	<b>WINDOWS, STANDARD, FULL GUARD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides full window guard.		\$12,350
L	493-9628	<b>WINDOWS, RUBBER MOUNTED</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals.		\$5,160
L	503-2428	<b>WINDOWS, RUBBER MTD, FRONT GD</b> ..... 0 FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals and front window guard.		\$8,740

***CAB TRIM***

L	538-2773	<b>CAB TRIM, COMFORT (LHD)</b> ..... 0 INCLUDES: -SEAT, COMFORT, LHD Provides steering joystick on left hand armrest and comfort seat. with ride stiffness adjustment and manual lumbar adjustment. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$69
L	538-2774	<b>CAB TRIM, DELUXE (LHD)</b> ..... 0 INCLUDES: -SEAT, DELUXE, LHD Provides steering joystick on left hand armrest and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$1,190
L	538-2775	<b>CAB TRIM, PREMIUM PLUS (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, LHD Provides steering joystick on left hand armrest and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$3,925

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB TRIM (Cont.)**

L	546-3449	<b>CAB TRIM, DELUXE (EH)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, DELUXE, EH WHEEL Provides steering wheel and deluxe seat containing resistance heating, manual lumbar and 2-way thigh adjustment, ride stiffness adjustment, dynamic end dampening, and suede accents. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,970
L	546-3450	<b>CAB TRIM, PREMIUM PLUS (EH)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, PREMIUM PLUS, EH WHEEL Provides steering wheel and premium plus seat containing forced air heating and cooling, 2-way thigh adjustment, power lumbar and back bolster adjustment, ride stiffness adjustment, dynamic end dampening, and leather finish. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$7,830

**IMPLEMENT CONTROLS**

L	539-6031	<b>LEVERS 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 373-3941 HYDRAULICS, 2V RC -AND- 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		NC
L	539-6041	<b>LEVERS 3V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls ONLY FOR USE WITH: 373-3943 HYDRAULICS, 3V RC,STD 521-5673 HYDRAULICS, 3V RC, HIGH LIFT -AND- 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		NC

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS (Cont.)**

L	539-6036	<b>JOYSTICK 2V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 373-3941 HYDRAULICS, 2V RC -AND- 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		\$1,100
L	539-6046	<b>JOYSTICK 3V, STEERING JOYSTICK</b> ..... 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 373-3943 HYDRAULICS, 3V RC, STD 521-5673 HYDRAULICS, 3V RC, HIGH LIFT -AND- 538-2773 CAB TRIM, STANDARD (LHD) 538-2774 CAB TRIM, HEATED (LHD) 538-2775 CAB TRIM, VENTED (LHD)		\$1,545
L	539-6030	<b>LEVERS 2V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 373-3941 HYDRAULICS, 2V RC -AND- 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6040	<b>LEVERS 3V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 373-3943 HYDRAULICS, 3V RC, STD 521-5673 HYDRAULICS, 3V RC, HIGH LIFT -AND- 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6035	<b>JOYSTICK 2V, STEERING WHEEL</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 373-3941 HYDRAULICS, 2V RC -AND- 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		\$1,215

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT CONTROLS (Cont.)**

L	539-6045	JOYSTICK 3V, STEERING WHEEL ..... 0		\$1,670
		FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 373-3943 HYDRAULICS, 3V RC, STD 521-5673 HYDRAULICS, 3V RC, HIGH LIFT -AND- 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		

**STEERING**

L	388-6250	STEERING SYST, STANDARD ..... 0		NC
L	373-3944	STEERING SYST, SECONDARY ..... 0		\$5,860

**CAB FILTRATION**

L	505-1519	FILTRATION, STANDARD ..... 0		NC
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		
L	505-1520	FILTRATION, STD, PRECLEANER ..... 0		\$695
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		
L	505-1523	FILTRATION, STD, ACF PRECLNR ..... 0		\$1,880
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		
L	505-1521	FILTRATION, STEEL ..... 0		\$2,165
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL		
L	505-1522	FILTRATION, STEEL, ACF PRECLNR ..... 0		\$3,535
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		

**SEAT BELT**

L	551-3397	SEAT BELT, 3" ..... 0		\$106
---	----------	-----------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	434-0691	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0		NC
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	434-0693	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0		\$446
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

**FUEL SYSTEMS**

***FUEL TANK***

L	436-2381	<b>FUEL TANK, FAST FILL READY</b> . . . . . 0		NC
L	436-2391	<b>FUEL TANK, FAST FILL (ANSI)</b> . . . . . 0		\$1,185
		ONLY FOR USE WITH: 561-4442 REGIONAL PACKAGE, AM-N		

**COOLING**

***COOLING SYSTEM***

L	521-9362	<b>COOLING CORES, 9 FPI</b> . . . . . 0		NC
		Provides cooling capability up to 47C (117F) ambient. Recommended for low & medium debris applications.		
L	540-0609	<b>COOLING CORES, 6 FPI</b> . . . . . 0		\$338
		Provides cooling capability up to 43C (109F) ambient. Recommended for medium & high debris applications.		

***COOLING FAN***

L	497-3534	<b>FAN, STANDARD</b> . . . . . 0		NC
		Standard load sensing hydraulically driven fan.		

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING FAN (Cont.)**

L	493-7704	FAN, VPF, ANSI . . . . . 0		\$6,760
		FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 561-4442 REGIONAL PACKAGE, AM-N		

**COOLANT**

L	371-7068	ANTIFREEZE, -34C (-29F) . . . . . 0		NC
		Premix antifreeze, -34C (-29F)		
L	415-5595	ANTIFREEZE, -50C (-58F) . . . . . 0		\$283 NET
		Premix antifreeze, -50C (-58F)		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM BRIDGESTONE**

P	475-6256	TIRES, 875/65R29 BS VTS * L3 . . . . . 0		\$3,755
		Bridgestone Radial; Tread Depth=47.5mm (60/32"); Rim=27"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation.		
P	397-8756	TIRES, 875/65R29 BS VLTS * L4 . . . . . 0		\$13,190
		Bridgestone Radial; Tread Depth=60mm (76/32"); Rim=27"x29" Provides damage resistance, mobility, and traction in moderate rock environments. Low-profile tire provides increased floatation.		

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM BRIDGESTONE (Cont.)**

P	452-6056	TIRES, 29.5R29 BS VSDL ** L5 . . . . . 0 FOR USE WITH LANE 3 ONLY Bridgestone Radial; Tread Depth=104.5mm (132/32"); Rim=25"x29" Suitable for severe rock environments where maximum damage protection is needed. CANNOT BE USED WITH: 468-7446 COUNTERWEIGHT, AGGEGATE		\$40,800
---	----------	---	--	----------

**TIRES AVAILABLE FROM MICHELIN**

P	373-4049	TIRES, 875/65R29 MX XHA2 * L3 . . . . . 0 Michelin Radial; Tread Depth=48mm (60/32"); Rim=27"x29" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. Low-profile tire provides increased floatation.		\$500
---	----------	--	--	-------

**TIRES AVAILABLE FROM MAXAM**

P	574-4941	TIRES, 875/65R29 MA **MS405DXL4 . . . . . 0 FOR USE WITH LANE 3 ONLY Maxam Radial; Tread Depth=60mm (76/32"); Rim=27"x29" 5 piece Provides damage resistance, mobility, and traction in moderate rock environments. Low-profile tire provides increased flotation		\$-6,910
---	----------	--	--	----------

**TIRES AVAILABLE FROM GOODYEAR**

P	553-3086	TIRES,875/65R29 GY *** GP4D L4 . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 551-2468 LOGGER PACKAGE		\$45,940
---	----------	--	--	----------

**TIRES/RIMS, ALLOWANCE FOR OMISSION**

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	369-7022	RIMS ONLY (5PC), TIRES OMITTED . . . . . 0 FOR USE WITH LANE 3 ONLY CANNOT BE USED WITH: 468-7446 COUNTERWEIGHT, AGGREGATE		\$-29,460
P	0P-3649	OMISSION, TIRES AND RIMS . . . . . 0 FOR USE WITH LANE 3 ONLY CANNOT BE USED WITH: 468-7446 COUNTERWEIGHT, AGGREGATE		\$-35,770

**OTHER ATTACHMENTS**

**ENGINE PRECLEANERS**

L	324-8092	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	AIR INLET PRECLEANER, TURBINE . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$735

CATERPILLAR MACHINE PRICE LIST

# 982M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**ENGINE PRECLEANERS (Cont.)**

L	365-0221	AIR INLET PRECLEANER, TRASH . . . . . 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$970
---	----------	--	--	-------

**BODY**

**FENDERS**

L	464-6687	FENDERS, BASIC +. . . . . 0		NC
L	464-6688	FENDERS, ROADING . . . . . 0		\$2,910

**HOOD**

L	379-9400	HOOD, NON-METALLIC . . . . . 0		NC
---	----------	--------------------------------	--	----

**SOUND SUPPRESSION**

L	465-6591	SOUND SUPPRESSION, STANDARD . . . . . 0		NC
---	----------	---	--	----

**QUICK COUPLERS**

**QUICK COUPLER READY**

P	0G-0386	NO QUICK COUPLER READY . . . . . 0		NC
P	498-5651	QUICK COUPLER READY, STD . . . . . 0 FOR USE WITH LANE 3 ONLY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIF 553-5946 LINKAGE, LOGGER		\$4,405
P	521-5672	QUICK COUPLER READY, HL . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 519-9897 LINKAGE, HIGH LIFT		\$4,405



CATERPILLAR MACHINE PRICE LIST

# 982M-LR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE READY - Linkage and frame hardware installed. This will provide dealers with the flexibility of buying Autolube kits to convert the machine into an Autolube configuration.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	<b>506-0417</b>	<b>LUBRICATION, MANUAL</b> . . . . . 0	<b>NC</b>
		ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIFT	
		553-5946 LINKAGE, LOGGER	
L	<b>509-6648</b>	<b>LUBRICATION, MANUAL (AUTO RDY)</b> . . . . . 0	<b>\$1,635</b>
		ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIFT	
		553-5946 LINKAGE, LOGGER	
L	<b>498-5642</b>	<b>AUTOLUBE</b> . . . . . 0	<b>\$6,880</b>
		ONLY FOR USE WITH: 498-5648 LINKAGE, STANDARD LIFT	
		553-5946 LINKAGE, LOGGER	
L	<b>519-9898</b>	<b>LUBRICATION, MANUAL, HL</b> . . . . . 0	<b>NC</b>
		FOR USE WITH LANE 3 ONLY	
		ONLY FOR USE WITH: 519-9897 LINKAGE, HIGH LIFT	
L	<b>520-5533</b>	<b>AUTOLUBE, HL</b> . . . . . 0	<b>\$6,880</b>
		FOR USE WITH LANE 3 ONLY	
		ONLY FOR USE WITH: 519-9897 LINKAGE, HIGH LIFT	

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**INTEGRATED OBJECT DETECTION SYSTEM.**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit:  
<https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION . . . . .	0	\$2,800
L	486-9205	OBJECT DETN & CB RADIO READY . . . . . INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY)	0	\$3,740

**RADIOS**

P	372-1603	RADIO, CB (READY) . . . . . Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.	0	\$970
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH . . . . . Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth. REQUIRED BY: LANE 2 ORDERS	0	\$600

**VISIBILITY**

P	380-5964	SECONDARY CAMERA DISPLAY . . . . . FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.	0	\$1,780
---	----------	---	---	---------

**SECURITY SYSTEM**

P	372-1604	SECURITY SYSTEM, MACHINE . . . . . FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.	0	\$710
---	----------	--	---	-------

**LIGHTS**

P	513-2458	LIGHTS, REVERSING STROBE . . . . . Provides 2 reversing white strobes.	0	\$279
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

*LIGHTS (Cont.)*

P	491-7467	<b>LIGHT, WARNING BEACON</b> ..... 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		<b>\$493</b>
P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> ..... 0 Provides a seat belt warning light mounted to the rear of the cab structure.		<b>\$233</b>

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	<b>517-7123</b>	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0	<b>\$5,040</b>
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 509-6647 STANDARD PACKAGE	

**AUTODIG**

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	<b>453-3250</b>	<b>AUTODIG SOFTWARE</b> . . . . . 0	<b>\$1,450</b>
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 509-6647 STANDARD PACKAGE	

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

P	374-0720	<b>GUARD, POWERTRAIN</b> . . . . . 0 Protects bottom of transmission. ONLY FOR USE WITH: 509-6647 STANDARD PACKAGE		\$1,850
P	374-0722	<b>GUARD, CRANKCASE</b> . . . . . 0 INCLUDED IN: INDUSTRIAL PACKAGE REQUIRED BY: 388-6231 AXLES, OPEN/OPEN, ED, AOC 388-6233 AXLES, LSD/LSD, ED, AOC		\$1,020
P	394-0863	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Protects bottom of transmission. CANNOT BE USED WITH: 374-0720 GUARD, POWERTRAIN		\$3,570

**OTHER ATTACHMENTS**

P	365-0313	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$288
P	506-4371	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		\$493

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com)

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

CATERPILLAR MACHINE PRICE LIST

**982M-LR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS**

Provides an excellent balance between machine performance and moderate abrasion resistance. The bucket is constructed of AR400 abrasion resistant material for more abrasive applications.

P	518-6135	<b>BKTA GP AB 142" 9.25 YD3 PO</b> . . . . . 9,147 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) WITH ABRASION RESISTANCE MATERIAL (ARM) ONLY FOR USE WITH: 468-7446 COUNTERWEIGHT, AGGREGATE		<b>\$44,242</b>
---	----------	--	--	-----------------

**GENERAL PURPOSE-HEAVY DUTY PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	518-6127	<b>BKTA GP HD 143" 9.25 YD3 PO</b> . . . . . 10,897 FOR USE WITH LANE 3 ONLY PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, & SIDEBAR PROTECTORS		<b>\$43,744</b>
---	----------	--	--	-----------------

**INSTRUCTIONS**

**FILMS**

P	468-0173	<b>FILM, FOREST</b> . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 553-5946 LINKAGE, LOGGER		<b>NC</b>
---	----------	--	--	-----------

**PACKING**

**WORKTOOL OMISSION**

P	446-0366	<b>TRANSPORT GROUP, NO WORKTOOL</b> . . . . . 0 This is required when ordering a machine without an installed bucket to protect the links.		<b>NC</b>
---	----------	---	--	-----------

**PACKING (Must select one)**

	0P-0309	<b>PACK, DOMESTIC TRUCK</b> . . . . . 0 Complete machine loaded on truck.		<b>NC</b>
	0P-0311	<b>PACK, DOMESTIC TRUCK LESS TIRE</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Machine loaded on truck with tires removed.		<b>\$238 NET</b>