

CATERPILLAR MACHINE PRICE LIST

AP300F

AP300F ASPHALT PAVER
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C3.3B, turbo diesel engine
74 HP (55 kW) at 2200 RPM
certified with aftertreatment
Air cleaner, dry-type dual element with
integral precleaner
Fuel filter / water separator
Electric fuel priming pump
Propel system - direct hydrostatic,
dual path drive, electronic control
Dual braking system (service and
parking)
Dual propel pump and motor system
Single speed planetary, 2-speed motor
Front wheel (4), solid rubber on bogie
axle
Propel modes, pave/travel/maneuver
Speed control system
Two rear drive wheels 365/80 R20
filled with calcium chloride (working
temp -25C)

ELECTRICAL

Alarm, back-up
Alternator, 75-amp
Battery, 12-volt, maintenance free
1400 CCA
Horn, forward warning
Starting and charging system, 12-volt
Four 12-volt halogen floodlamps. Two
front and two rear facing
Beacon ready

OPERATOR ENVIRONMENT

Two pivoting operator seats
Sliding control console
Propel lever with speed control dial
Steering wheel
Seats, vinyl, suspension
armrests, flip-up
Cupholder
12-volt aux power port
Hour meter
Lockable vandalism guards
Platform handrails / guardrails
Power assist steering
LCD touchscreen
Hopper wing control, independent
Throttle control, high/low idle

APPLICATION SPECIFIC COMPONENTS**MATERIAL FEEDERS**

Adjustable height augers, hydraulic,
cast ni-hard steel, split segment,
260 mm diameter

Electronic auger/feeder control system
-independent left and right control
-manual override
-reversible
Heavy-duty feeder flight bars, forged
steel pinned to two strands of bushed
roller chain
High-hardness, abrasion resistant drag
pans, replaceable
Hopper, 3.8 cu.m. capacity
Outboard feeder drives
Remote mounted bearing lube points

OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking
Fuel tank with sediment drain, 111L
Grouped lube points
Filters, hydraulic, grouped
Pressure test ports, hydraulic,
quick-connect
Screed counter balance
Sight gauges (engine coolant, air
filter restriction indicator)
S.O.S. sampling ports
Steering guide
Vandalism protection caplocks
Extended life coolant with protection
to -34C(-29F)
Product Link ready

CATERPILLAR MACHINE PRICE LIST

AP300F

AP300F ASPHALT PAVER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Orders Management Program.**

567-1757	AP300F ASPHALT PAVER 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$149,940
----------	---	------------------

AVAILABLE FOR: AM-N, Europe, Israel, Palestine and Puerto Rico

0G-0525	AP300F MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
---------	--	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	569-0276	ENGINE, CAT C3.3B	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards. ONLY FOR USE WITH: 567-1757 AP300F ASPHALT PAVER		

INSTALLATION

L	472-7900	ENGINE, INSTALLATION AR	0	NC
		REQUIRES: 569-0276 ENGINE, CAT C3.3B		

UNDERCARRIAGE

FRONT SUSPENSION

L	444-5431	BOGIE SYSTEM, STANDARD	0	NC
		Front steering wheels mounted on oscillating bogies. No front wheel drive.		
L	444-5432	FRONT WHEEL ASSIST	0	\$9,940
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides hydrostatic drive of two rear bogie wheels only. NOTE: Recommended for loose, soft-base applications.		

ELECTRICAL

POWER DISTRIBUTION

L	450-4701	PANEL, POWER SUPPLY, 110V	0	\$312
		Provides power of ex-factory installed lighting and customer work tools. Includes 110V receptacle, circuit breaker and wiring.		
L	491-7144	COVER.	0	NC

AUGER/FEEDER CONTROL SENSORS

P	444-5427	CONTROL, FEEDER, PADDLE	0	\$1,275
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, contacting paddle sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed.	0	\$1,255 NI
P	478-3977	SENSOR, FEEDER, SONIC	0	\$3,015
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, non-contacting sonic sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed. Mounted on screed endgates.	0	\$2,975 NI

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

AUGER/FEDER CONTROL SENSORS (Cont.)

P	444-5428	SENSOR, FEEDER, PADDLE (4)	0	\$2,500
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Four, proportional, contacting paddle sensors that automatically actuate the feeders to maintain a preset amount of material	0	\$2,460 NI
P	444-5429	SENSOR, AUG SONIC, CONV PADDLE	0	\$4,945
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, non-contacting auger sonic sensors and two proportional conveyor paddle sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed. Sonic sensors mounted on screed endgate.	0	\$4,870 NI

OPERATOR ENVIRONMENT

OPERATOR ENVIRONMENT

L	444-5443	PLATFORM, OPEN	0	NC
		Includes a mast for mounting a rotating beacon.		
L	444-5441	CANOPY, HARD TOP (MAN)	0	\$7,870
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hard top canopy to provide paver operator sun and rain protection. Raises or lowers by sliding manually. Includes mounting on canopy for two rotating beacons.	0	\$7,750 NI
L	444-5442	HARD TOP CANOPY (PWR)	0	\$9,490
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hard top canopy to provide paver operator sun and rain protection. Hydraulically raises or lowers. Includes mounting on canopy for two rotating beacons.	0	\$9,360 NI

DECEL PEDAL

P	449-0366	COVER, NO DECEL PEDAL	0	NC
P	449-0353	PEDAL, DECELERATOR	0	\$660
		One decelerator pedal provides dynamic machine breaking without having to decrease the propel speed setting.		

INDICATOR

P	482-3219	COVER GP	0	NC
P	482-3220	INDICATOR, TOW POINT	0	\$550
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Pair of tow point height gauges mounted on top of paver deck.	0	\$550 NI

VENTILATION SYSTEM

L	502-0936	VENTILATION SYSTEM	0	\$5,470
		Asphalt fumes extraction with hydraulically driven fan. Required for North America		

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	449-0384	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	449-0385	PRODUCT LINK, CELLULAR PL641 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

OTHER ATTACHMENTS

HOPPER FLASHING

P	458-9100	FLASHING, RUBBER 0 Rubber belting to reduce material spilling from front of hopper.		NC
P	478-3976	FLASHING, PLASTIC 0 Heavy-duty black Tivar flashing to reduce material spillage from front of hopper.		\$143

COMMISSIONING SUPPORT

NOTE: It is recommended that startup and commissioning of machine be included as part of the machine sale. The net charges covers a three day commissioning event. Trained personnel cover proper machine setup, basic maintenance, operation and application on a customer's jobsite. To request and schedule a machine commissioning event, dealers will need to contact the Caterpillar Paving Technical Training group by filling out the online request form.
 URL: <https://dealer.cat.com/PavingOnDemand>

P	0P-2643	COMMISSIONING, NEEDED 0 Commissioning Needed, trained personnel are required to properly commission the machine.		\$3,260 NET
	0P-2587	COMMISSIONING, NOT NEEDED 0 Commissioning training not needed - Special Case, only to be used by qualified dealers who meet GCI's standard requirements to self-commission machines with customers. For questions, please consult your local GCI Paving Territory Manager		NC

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

APPLICATION SPECIFIC COMPONENTS

SCREEDS

L	444-5430	SCREED, SE34V 0 Double extending vibratory screed. Provides paving widths from 5'7" to 11'1.8" (1.7 m to 3.4 m). Includes electric heating elements with automatic regulators on all screed plates. Hydraulic extensions with manual adjustment for extender height and slope. REQUIRES: 499-1593 COVER, NO TAMPER		\$37,710
L	444-5440	SCREED, SE34VT 0 Double extending screed with tamper bar and vibrate. Provides paving widths from 5'7" to 11'1.8" (1.7 m to 3.4 m). Includes electric heating elements with automatic regulators on all screed plates. Hydraulic extensions with manual adjustment for extender height and slope. REQUIRES: 449-0355 ADAPTER, TAMP/VIBE SCREED		\$51,220

SCREED INTERFACE PACKAGES

L	449-0355	ADAPTER, TAMP/VIBE SCREED 0 Provides hydraulic pump, valve and hoses for tamper system.		\$2,285
L	499-1593	COVER, NO TAMPER 0		NC

CROWN CONTROL

L	449-0388	CONTROL, CROWN, MANUAL 0 Mechanical screed crown adjustment.		NC
L	472-7888	CONTROL, CROWN, POWER 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides powered adjustment of screed crown.		\$1,455 \$1,455 NI

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAM FILMS (TRACTOR)

L	444-5434	INSTRUCTIONS, NORTH AMERICAN 0		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS - PICTOGRAM FILMS (SCREED)

L	479-4986	INSTRUCTIONS, NORTH AMERICAN 0		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

HYDRAULICS

L	598-4209	HYDRAULIC OIL, BIODEGRADABLE	0	\$1,660
---	----------	--	---	---------

ELECTRICAL

GRADE AND SLOPE CONTROLS

P	449-0381	CONTROL, GRADE, MECHANICAL ALSO AVAILABLE ON A MISCELLANEOUS ORDER Mechanically traces the ground or stringline. Includes one contacting type tracker with wand and one riding shoe attachment, electrical control, cable, and mounting hardware. FOR GRADE/GRADE OPERATION ORDER QTY 2	0	\$5,230 NI
---	----------	--	---	------------

P	449-0382	CONTROL, SLOPE, DIGITAL ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes one slope sensor located on transverse beam at front of screed, electrical control, cable and mounting hardware. FOR GRADE/SLOPE OPERATION MUST HAVE ONE SLOPE SENSOR AND ONE GRADE SENSOR ONLY ONE SLOPE SENSOR PER MACHINE ORDER ALLOWED	0	\$8,610 NI
---	----------	---	---	------------

P	449-0383	CONTROL, GRADE, SONIC ALSO AVAILABLE ON A MISCELLANEOUS ORDER Contract-free tracing of ground or stringline. Includes one sonic sensor, electrical control cable, and mounting hardware. FOR GRADE/GRADE OPERATION ORDER QTY 2	0	\$6,470 NI
---	----------	---	---	------------

OTHER ATTACHMENTS

WASH DOWN SYSTEMS

P	449-0371	TANK, WASHDOWN ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides tank and pump mounted off of rear handrail. Intended for use with ecological cleaning fluids.	0	\$1,415 NI
---	----------	---	---	------------

P	449-0372	HOSE, REEL WITH WAND ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 449-0371 TANK, WASHDOWN	0	\$690 NI
---	----------	--	---	----------

SE34V SCREED - EXTENSION PACKAGES

P	444-5436	PACKAGE, PAVING WIDTH 4M (V) ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 323 mm mainframe extensions, two 310 mm heated mechanical screed extensions, two 305 mm prestrikeoffs, and mounting hardware.	0	\$8,740 NI
---	----------	--	---	------------

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

SE34VT SCREED - EXTENSION PACKAGES

P	444-5438	PACKAGE, PAVING WIDTH 4M (VT) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 323 mm mainframe extensions, two 310 mm heated mechanical screed extensions with tamper bars, two 305 mm prestrikeoffs, and mounting hardware.		\$10,980 NI
---	----------	--	--	-------------

OTHERS

L	449-0360	SCREED ENDGATES, HEATED 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes heating elements on the wear skis.		\$1,030 \$1,015 NI
P	498-7771	PAVING WIDTH REDUCTION (0.7M) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Reduces the minimum paving width to 0.7 m. The cut-off shoes are mounted to the endgate and allow for paving widths less than 1.7 m.		\$1,215 NI
P	479-2099	UMBRELLA, CAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER One umbrella to provide paver operator sun and rain protection. Includes support shaft, mounting bracket and mounting hardware. REQUIRES: 444-5443 PLATFORM, OPEN		\$575 NI
P	485-4030	SHOE, DEEP 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Consisting of two endgate shoes that can be used to replace shoe for deep paving depths. Provides endgate travel from flush to negative 150mm.		\$1,215 NI
P	462-2770	GUIDE, STEERING 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Second, adjustable position steering guide with indicator chain.		\$213 NI
P	479-4962	LIGHTS, HID, CANOPY 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Four HID lights mounted to the hard top canopy. REQUIRES: 444-5441 CANOPY, HARD TOP (MAN) or 444-5442 HARD TOP CANOPY (PWR)		\$970 \$970 NI

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN 0	\$90 NET
---------	-----------------------------------	----------

PACKING

OG-0044	ROLL ON-ROLL OFF 0	NC
---------	------------------------------	----

CATERPILLAR MACHINE PRICE LIST

AP300F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

PACKING (CONT.)

OG-0068	PACK, MISCELLANEOUS MATERIAL 0	NC
---------	--	----