

CATERPILLAR MACHINE PRICE LIST

AP355F

AP355F ASPHALT PAVER
 MINERBIO, ITALY

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- CAT C3.3B, Turbo diesel engine
- 74 HP (55 kW) at 2200 RPM
- Air cleaner, dry-type dual element with integral precleaner
- Fuel filter / water separator
- Electric fuel priming pump
- Propel system - direct hydrostatic, dual path drive, electronic control
- Dual braking system (service and parking)
- Dual propel pump and motor system
- Propel modes, pave/travel/maneuver
- Speed control system

ELECTRICAL

- Alarm, back-up
- Alternator, 75-amp
- Battery, 12-volt, maintenance free 1400 CCA
- Horn, forward warning
- Starting and charging system, 12-volt
- Four 12-volt halogen floodlamps. Two front and two rear facing
- Beacon ready

OPERATOR ENVIRONMENT

- Two pivoting operator seats
- Sliding control console
- Propel lever with speed control dial
- Steering wheel
- Seats, vinyl, suspension armrests, flip-up
- Cupholder
- 12-volt aux power port
- Hour meter
- Lockable vandalism guards
- Platform handrails / guardrails
- Power assist steering
- LCD touchscreen
- Hopper wing control, independent
- Throttle control, high/low idle

APPLICATION SPECIFIC COMPONENTS

MATERIAL FEEDERS

- Adjustable height augers, hydraulic, cast ni-hard steel, split segment, 300 mm diameter
- Electronic auger/feeder control system
- independent left and right control
- manual override
- reversible
- Heavy-duty feeder flight bars, forged steel pinned to two strands of bushed roller chain

- High-hardness, abrasion resistant drag pans, replaceable
- Hopper, 3.8 m3 capacity
- Outboard feeder drives
- Remote mounted bearing lube points

OTHER STANDARD EQUIPMENT

- Doors, service access, hinged, locking
- Fuel tank with sediment drain, 111L
- Grouped lube points
- Filters, hydraulic, grouped
- Pressure test ports, hydraulic, quick-connect
- Screed counter balance
- Sight gauges (engine coolant, air filter restriction indicator)
- S.O.S. sampling ports
- Steering guide
- Vandalism protection caplocks
- Extended life coolant with protection to -34C (-29F)
- Product Link ready

CATERPILLAR MACHINE PRICE LIST

AP355F

AP355F ASPHALT PAVER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Orders Management Program.**

567-1758	AP355F ASPHALT PAVER 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$174,760
----------	---	------------------

AVAILABLE FOR: AM-N, Europe, Israel, Palestine and Puerto Rico

OG-0526	AP355F MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
---------	--	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	569-0276 ENGINE, CAT C3.3B	0	NC
	Meets U.S. EPA Tier 4 Final and EU Stage V emission standards. ONLY FOR USE WITH: 567-1758 AP355F ASPHALT PAVER		

INSTALLATION

L	478-3970 ENGINE, INSTALLATION AR	0	NC
	REQUIRES: 569-0276 ENGINE, CAT C3.3B		

ELECTRICAL

POWER DISTRIBUTION

L	450-4701 PANEL, POWER SUPPLY, 110V	0	\$312
	Provides power of ex-factory installed lighting and customer work tools. Includes 110V receptacle, circuit breaker and wiring.		
L	491-7144 COVER.	0	NC

AUGER/FEEDER CONTROL SENSORS

P	444-5427 CONTROL, FEEDER, PADDLE	0	\$1,275
		0	\$1,255 NI
	ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, contacting paddle sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed.		
P	478-3977 SENSOR, FEEDER, SONIC	0	\$3,015
		0	\$2,975 NI
	ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, non-contacting sonic sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed. Mounted on screed endgates.		
P	444-5428 SENSOR, FEEDER, PADDLE (4)	0	\$2,500
		0	\$2,460 NI
	ALSO AVAILABLE ON A MISCELLANEOUS ORDER Four, proportional, contacting paddle sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed.		
P	444-5429 SENSOR, AUG SONIC, CONV PADDLE	0	\$4,945
		0	\$4,870 NI
	ALSO AVAILABLE ON A MISCELLANEOUS ORDER Two, proportional, non-contacting auger sonic sensors and two proportional conveyor paddle sensors that automatically actuate the feeders to maintain a preset amount of material ahead of the screed. Sonic sensors mounted on screed endgate.		

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

OPERATOR ENVIRONMENT

L	444-5443	PLATFORM, OPEN	0	NC
		Includes a mast for mounting a rotating beacon.		
L	444-5441	CANOPY, HARD TOP (MAN)	0	\$7,870
			0	\$7,750 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Hard top canopy to provide paver operator sun and rain protection. Raises or lowers by sliding manually. Includes mounting on canopy for two rotating beacons.		
L	444-5442	HARD TOP CANOPY (PWR)	0	\$9,490
			0	\$9,360 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Hard top canopy to provide paver operator sun and rain protection. Hydraulically raises or lowers. Includes mounting on canopy for two rotating beacons.		

STEERING CONTROL

L	478-3974	STEERING, SPRING RETURN	0	NC
		Conventional type, spring return controlled steering wheels.		
L	478-3975	STEERING, FRICTION	0	\$2,525
		Operator adjustable steering wheel brake holds the steering wheel in the desired position to maintain the selected turning radius.		

DECEL PEDAL

P	449-0366	COVER, NO DECEL PEDAL	0	NC
P	449-0353	PEDAL, DECELERATOR	0	\$660
		Two decelerator pedals provides dynamic machine breaking without having to decrease the propel speed setting.		

INDICATOR

P	482-3219	COVER GP	0	NC
P	482-3220	INDICATOR, TOW POINT	0	\$550
		Pair of tow point height gauges mounted on top of paver deck.		

VENTILATION SYSTEM

L	477-1811	VENTILATION SYSTEM	0	\$5,470
		Asphalt fumes extraction with hydraulically driven fan. Required for North America		

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	449-0384	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	449-0385	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Productt Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

OTHER ATTACHMENTS

HOPPER FLASHING

P	458-9100	FLASHING, RUBBER 0 Rubber belting to reduce material spilling from front of hopper.		NC
P	478-3976	FLASHING, PLASTIC 0 Heavy-duty black Tivar flashing to reduce material spillage from front of hopper.		\$143

COMMISSIONING SUPPORT

NOTE: It is recommended that startup amd commissioning of machine be included as part of the machine sale. The net charges covers a three day commissioning event. Trained personnel cover proper machine setup, basic maintenance, operation and application on a customer's jobsite. To request and schedule a machine commissioning event, dealers will need to contact the Caterpillar Paving Technical Training group by filling out the online request form.

URL: <https://dealer.cat.com/PavingOnDemand>

P	0P-2643	COMMISSIONING, NEEDED 0 Commissioning Needed, trained personnel are required to properly commission the machine.		\$3,260 NET
	0P-2587	COMMISSIONING, NOT NEEDED 0 Commissioning training not needed - Special Case, only to be used by qualified dealers who meet GCI's standard requirements to self-commission machines with customers. For questions, please consult your local GCI Paving Territory Manager		NC

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

APPLICATION SPECIFIC COMPONENTS

SCREEDS

L	444-5430	SCREED, SE34V 0 Double extending vibratory screed. Provides paving widths from 5'7" to 11'1.8" (1.7 m to 3.4 m). Includes electric heating elements with automatic regulators on all screed plates. Hydraulic extensions with manual adjustment for extender height and slope. REQUIRES: 477-1813 COVER, NO TAMPER		\$37,710
L	444-5440	SCREED, SE34VT 0 Double extending screed with tamper bar and vibe. Provides paving widths from 5'7" to 11'1.8" (1.7 m to 3.4 m). Includes electric heating elements with automatic regulators on all screed plates. Hydraulic extensions with manual adjustment for extender height and slope. REQUIRES: 477-1814 ADAPTER, TAMP/VIBE SCREED		\$51,220

SCREED INTERFACE PACKAGES

L	477-1814	ADAPTER, TAMP/VIBE SCREED 0 Provides hydraulic pump, valve and hoses for tamper system.		\$2,285
L	477-1813	COVER, NO TAMPER 0		NC

CROWN CONTROL

L	449-0388	CONTROL, CROWN, MANUAL 0 Mechanical screed crown adjustment.		NC
L	472-7888	CONTROL, CROWN, POWER 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides powered adjustment of screed crown.		\$1,455 \$1,455 NI

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAM FILMS (TRACTOR)

L	478-3981	INSTRUCTIONS, NORTH AMERICAN 0		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS - PICTOGRAM FILMS (SCREED)

L	479-4986	INSTRUCTIONS, NORTH AMERICAN 0		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS - MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		NC
--	----------	---	--	----

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

L	598-4209	HYDRAULIC OIL, BIODEGRADABLE	0	\$1,660
---	----------	--	---	---------

ELECTRICAL

GRADE AND SLOPE CONTROL

P	449-0381	CONTROL, GRADE, MECHANICAL ALSO AVAILABLE ON A MISCELLANEOUS ORDER Mechanically traces the ground or stringline. Includes one contacting type tracker with wand and one riding shoe attachment, electrical control, cable, and mounting hardware. FOR GRADE/GRADE OPERATION ORDER QTY 2	0	\$5,230 NI
P	449-0382	CONTROL, SLOPE, DIGITAL ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes one slope sensor located on transverse beam at front of screed, electrical control, cable and mounting hardware. FOR GRADE/SLOPE OPERATION MUST HAVE ONE SLOPE SENSOR AND ONE GRADE SENSOR ONLY ONE SLOPE SENSOR PER MACHINE ORDER ALLOWED	0	\$8,610 NI
P	449-0383	CONTROL, GRADE, SONIC ALSO AVAILABLE ON A MISCELLANEOUS ORDER Contract-free tracing of ground or stringline. Includes one sonic sensor, electrical control cable, and mounting hardware. FOR GRADE/GRADE OPERATION ORDER QTY 2	0	\$6,470 NI

OTHER ATTACHMENTS

WASH DOWN SYSTEMS

P	449-0371	TANK, WASHDOWN ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides tank and pump mounted off of rear handrail. Intended for use with ecological cleaning fluids.	0	\$1,415 NI
P	449-0372	HOSE, REEL WITH WAND ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 449-0371 TANK, WASHDOWN	0	\$690 NI

SE34V SCREED - EXTENSION PACKAGES

P	488-7353	PACKAGE, PAVING WIDTH 4M (V) ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 323 mm mainframe extensions, two 310 mm heated mechanical screed extensions, two 305 mm prestrikeoffs, and mounting hardware.	0	\$8,560 NI
P	444-5437	PACKAGE, PAVING WIDTH 4.6M (V) ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 600 mm mainframe extensions, two 600 mm heated mechanical screed extensions, two 585 mm prestrikeoffs, and mounting hardware.	0	\$10,170 NI

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

SE34VT SCREED - EXTENSION PACKAGES

P	488-7354	PACKAGE, PAVING WIDTH 4M (VT) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 323 mm mainframe extensions, two 310 mm heated mechanical screed extensions, two 305 mm prestrikeoffs, and mounting hardware.		\$10,780 NI
P	444-5439	PACKAGE, PAVING WIDTH 4.6M(VT) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes left hand and right hand auger extensions, two 600 mm mainframe extensions, two 600 mm heated mechanical screed extensions, two 585 mm prestrikeoffs, and mounting hardware.		\$15,730 NI

OTHERS

L	449-0360	SCREED ENDGATES, HEATED 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes heating elements on the wear skis.		\$1,015 NI
P	485-4030	SHOE, DEEP 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Consisting of two endgate shoes that can be used to replace shoe for deep paving depths. Provides endgate travel from flush to negative 150mm.		\$1,215 NI
P	498-7771	PAVING WIDTH REDUCTION (0.7M) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Reduces the minimum paving width to 0.7 m. The cut-off shoes are mounted to the endgate and allow for paving widths less than 1.7 m.		\$1,215 NI
P	478-4039	PLOW, TRACK 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Ground scraper mounted in front of tracks that can be secured in raised position. Provides smoother operation and longer track life.		\$1,210 NI
P	479-2099	UMBRELLA, CAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER One umbrella to provide paver operator sun and rain protection. Includes support shaft, mounting bracket and mounting hardware. REQUIRES: 449-0353 PLATFORM, OPEN		\$575 NI
P	462-2770	GUIDE, STEERING 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Second, adjustable position steering guide with indicator chain.		\$213 NI
P	479-4962	LIGHTS, HID, CANOPY 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Four HID lights mounted to the hard top canopy. REQUIRES: 444-5441 CANOPY, HARD TOP (MAN) or 444-5442 HARD TOP CANOPY (PWR)		\$970 NI

CATERPILLAR MACHINE PRICE LIST

AP355F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

DOCUMENTATION

CERTIFICATES

0F-5109	CERTIFICATE OF ORIGIN	0	\$90 NET
---------	---------------------------------	---	----------

PACKING

0G-0044	ROLL ON-ROLL OFF	0	NC
0G-0068	PACK, MISCELLANEOUS MATERIAL	0	NC