

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

**W36M Commercial Walk Behind Mower with Hydraulic Transaxle**  
Equipment for Base Machine

ENGINE:  
14.5 HP\* (10.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Recoil Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Integrated Hydro-Gear ZT2800 Transaxles  
0-6.5 mph (10.5 km/h) Forward  
0-3 mph (4.8 km/h) Reverse  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers  
Spring loaded neutral locks

Handle Activated Internal Park Brake  
MOWER DECK:  
36 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x6.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Electric PTO Clutch

Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2600TC		W36M Commercial Walk Behind Mower with Hydraulic Transaxle <i>Not available in California</i>	5,579.00
--------	--	--	----------

**DESTINATION**

001A		United States / Canada <i>Not Available in California.</i>	In Base Price
------	--	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

Miscellaneous		
AM108146	Spark Arrester Screen for Muffler	36.65
LP70220	Utility Bags (12 pack)	15.99
Miscellaneous		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	448.95
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
Mulch Kits		
BUC10042	36 in. (914.4 mm) Mulch Kit	225.77
Weights		
BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

**W48M Commercial Walk Behind Mower with Hydraulic Transaxle**  
Equipment for Base Machine

ENGINE:  
14.5 HP\* (10.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Recoil Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Integrated Hydro-Gear ZT2800 Transaxles  
0-6.5 mph (10.5 km/h) Forward  
0-3 mph (4.8 km/h) Reverse  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers  
Spring loaded neutral locks

Handle Activated Internal Park Brake  
MOWER DECK:  
48 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Electric PTO Clutch

Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2610TC		W48M Commercial Walk Behind Mower with Hydraulic Transaxle <i>Not available in California</i>	5,879.00
--------	--	--	----------

**DESTINATION**

001A		United States / Canada <i>Not Available in California.</i>	In Base Price
------	--	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

Miscellaneous		
AM108146	Spark Arrester Screen for Muffler	36.65
LP70220	Utility Bags (12 pack)	15.99
Miscellaneous		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	448.95
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
Mulch Kits		
BUC10043	48 in. (1219.2 mm) Mulch Kit	270.71
Weights		
BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS****COMMERCIAL WALK-BEHIND MOWERS****W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Equipment for Base Machine

ENGINE:  
14.5 HP\* (10.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc  
Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
36 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x6.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2620TC		W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	6,899.00
--------	--	---	----------

**DESTINATION**

001A		United States / Canada <i>Not Available in California.</i>	In Base Price
------	--	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
AM108146	Spark Arrester Screen for Muffler		36.65
LP70220	Utility Bags (12 pack)		15.99
	<b>Miscellaneous</b>		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>		448.95
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>		175.49
	<b>Mulch Kits</b>		
BUC10042	36 in. (914.4 mm) Mulch Kit		225.77
	<b>Weights</b>		
BUC10052	Weight Kit		125.19

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

---

**W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

**W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Equipment for Base Machine

ENGINE:  
18.5 HP\* (13.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc  
Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
48 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2630TC	W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	7,699.00
--------	---	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
AM108146	Spark Arrester Screen for Muffler	36.65
LP70220	Utility Bags (12 pack)	15.99
<b>Miscellaneous</b>		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	448.95
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
<b>Mulch Kits</b>		
BUC10043	48 in. (1219.2 mm) Mulch Kit	270.71
<b>Weights</b>		
BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

---

**W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Equipment for Base Machine

ENGINE:  
18.5 HP\* (13.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc  
Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
52 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2640TC		W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	8,119.00
--------	--	---	----------

**DESTINATION**

001A		United States / Canada <i>Not Available in California.</i>	In Base Price
------	--	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

Miscellaneous		
AM108146	Spark Arrester Screen for Muffler	36.65
LP70220	Utility Bags (12 pack)	15.99
Miscellaneous		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	448.95
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
Mulch Kits		
BUC10044	52 in. (1320.8 mm) Mulch Kit	344.54
Weights		
BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS**

**COMMERCIAL WALK-BEHIND MOWERS**

---

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Continued



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## COMMERCIAL WALK-BEHIND MOWERS

### W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Equipment for Base Machine

<b>ENGINE:</b> 25 HP* (18.6 kW) Displacement (747cc, 45.6 cu. in) Vertical-Shaft, V-twin Air Cooled Closed Loop Electronic Fuel Injection Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Heavy Duty Canister Air Cleaner w/ Precleaner <b>DRIVE SYSTEM:</b> Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) <b>CONTROLS:</b> Ergonomic Pistol Style Steering Controls	(2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake <b>MOWER DECK:</b> 61 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades <b>FUEL SYSTEM:</b> 5.4 U.S. Gallon (20.4 L) Fuel Capacity <b>TIRES:</b> 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires <b>ELECTRICAL:</b>	Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
---	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

2650TC	W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	9,639.00
--------	---	----------

#### DESTINATION

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
AM108146	Spark Arrester Screen for Muffler	36.65
LP70220	Utility Bags (12 pack)	15.99
Miscellaneous		
BUC10677	Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i>	209.71
Mulch Kits		
BUC10045	61 in. (1549.4 mm) Mulch Kit	354.17
Weights		
BUC10052	Weight Kit	125.19