

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z915E ZTrak Equipment for Base Machine

25 HP\*  
Vertical-Shaft Air Cooled Engine (44.2 Cu. In.) 725cc, 17.8 kW  
Full Pressure Lubrication System with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element  
12 Volt with 15 AMP Regulated Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt  
48 In. 7-Iron II Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment  
Single-Turn Deck Transport Lock

System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments  
Dual Lever Direction/Speed Control  
Wide Control Lever Bends for Increased Operator Comfort  
Quick-Service Removable Foot Platform  
10.0 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x9.5-12 In. Square Shoulder 4PR Turf Drive Tires (48 In.)  
24x12-12 In. Square Shoulder 4PR Turf Drive Tires (54 In. & 60 In.)  
13x5-6 Pneumatic Front Caster Tires  
Right Hand Control Console Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter  
\*@ 3600 RPM engine manufacturer

certified  
gross power tested in accordance with SAE J1940, 725cc.  
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.  
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2501TC		Z915E ZTrak	9,099.00
--------	--	-------------	----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations. Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1500		48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502		54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1036.</i>	270.00
1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron II</i>	540.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z915E ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1036.</i>			
<hr/>			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
<hr/>			
<b>DRIVE WHEELS AND TIRES</b>			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<hr/>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Anti-scalp Wheels</b>			
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For all Z900 B and E Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B and E-Series only.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For all Z900 B and E Series with 60" 7-Iron II side discharge decks.</i>	181.90
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2)	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
TCU31258		Cast Iron Bumper	465.80
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z915E ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

## JOHN DEERE TURF & UTILITY PRODUCTS

### COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

#### Z920M ZTrak Equipment for Base Machine

23.5 HP\*  
Vertical-Shaft Air Cooled Engine  
(44.3 Cu. In.)  
726cc, 17.5 kW Full Pressure  
Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner;  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
48 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and  
Foot Spring Assisted Height of

Cut Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x9.5-12 In. Square Shoulder  
4PR Turf Drive Tires (48 In.)  
24x12-12 In. Square Shoulder 4PR  
Turf Drive Tires (54 In. & 60  
In.)  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper Right Hand Control  
Console  
Cluster Cup Holder  
Fuel Gauge Electric PTO Clutch  
Digital Hourmeter

\*@ 3600 RPM engine manufacturer  
certified gross power  
tested in accordance with SAE  
J1995, 726cc.  
The engine horsepower and torque  
information  
is provided by the engine  
manufacturer  
to be used for comparison  
purposes only.  
Actual operating horsepower and  
torque  
will be less. Refer to the  
engine manufacturer's web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2145TC	Z920M ZTrak	10,449.00
--------	-------------	-----------

#### DESTINATION

001A	<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195	Mexico <i>Requires Operator's Manual - 0443</i> <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

#### MOWER DECKS

1500	48 In. Side Discharge Mower Deck 48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 54 In. 7-Iron PRO	270.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z920M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	540.00
1501		48 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1035.</i> <i>48 In. 7-Iron PRO</i>	870.00
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<b>DRIVE WHEELS AND TIRES</b>			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z920M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
BUC10894		Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M ZTrak Equipment for Base Machine

25.5 HP\*  
Vertical-Shaft Air Cooled Engine  
(52.0 Cu. In.) 852cc,19.0 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner;  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame Operator  
Presence System  
Folding Two Post ROPS  
(Roll-Over Protective  
Structure) and Seat Belt  
60 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and  
Foot Spring Assisted Height of

Cut Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends  
for Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR  
Turf Drive Tires (60" & 72")  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter

\*@ 3600 RPM engine manufacturer  
certified gross power  
tested in accordance with SAE  
J1995, 852cc.  
The engine horsepower and  
torque information is provided  
by the engine manufacturer  
to be used for comparison  
purposes only.  
Actual operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2167TC		Z930M ZTrak	11,399.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i> <i>Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1502		54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	-270.00
1504		60 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	In Base Price
1503		54 In. Mulch On Demand Mower Deck	600.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z930M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038. 54 In. 7-Iron PRO</i>			
1505		60 In. Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038. 60 In. 7-Iron PRO</i>	870.00
<hr/>			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<hr/>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z930M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
BUC10894		Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only.</i> <i>Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z945M EFI ZTrak Equipment for Base Machine

27 HP\*  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
824cc, 20.1 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
60 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring  
Assisted Height of Cut  
Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter

\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1995, 824cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2510TC		Z945M EFI ZTrak	12,199.00
--------	--	-----------------	-----------

#### DESTINATION

		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i> <i>Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1504		60 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	In Base Price
1505		60 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	870.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z945M EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Lighting</b>	
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
		<b>Miscellaneous</b>	
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z945M EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
BUC10894		Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z955M EFI ZTrak Equipment for Base Machine

29 HP\*  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
824cc, 21.6 kW  
Full Pressure Lubrication  
System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground  
Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
60 In. 7-Iron PRO Side  
Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower

Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Foot Spring  
Assisted Height of Cut  
Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge

Electric PTO Clutch  
Digital Hourmeter  
\* @ 3600 RPM engine  
manufacturer certified  
gross power tested in  
accordance with SAE  
J1995, 824cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2520TC	Z955M EFI ZTrak	12,619.00
--------	-----------------	-----------

#### DESTINATION

001A	<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i> <i>Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z955M EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>60 In. 7-Iron PRO</i>			
1506		72 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1037 or 1039.</i> 72 In. 7-Iron PRO	540.00
<hr/>			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<hr/>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z955M EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BUC10584	Jack Kit	219.36
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		<b>Rear Hitch</b>	
	BUC10300	Hitch Kit	36.39
		<b>Seat</b>	
	BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit	788.59
	BUC10894	Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
	AM115838	Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

## JOHN DEERE TURF & UTILITY PRODUCTS

### COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

#### Z950M ZTrak Equipment for Base Machine

27.0 HP\*  
Vertical-Shaft Air Cooled Engine  
(52.0 Cu. In.) 852cc, 20.1 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner;  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS  
(Roll-Over Protective  
Structure) and Seat Belt  
60 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and  
Foot Spring Assisted Height of

Cut Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR  
Turf Drive Tires (60" & 72")  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter  
\*@ 3600 RPM engine manufacturer

certified gross power  
tested in accordance with SAE  
J1995, 852cc.  
The engine horsepower and torque  
information  
is provided by the engine  
manufacturer  
to be used for comparison  
purposes only.  
Actual operating horsepower and  
torque will be less.  
Refer to the engine  
manufacturer's web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0692TC		Z950M ZTrak	11,829.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Requires Operator's Manual - 0443</i> <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

#### MOWER DECKS

1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. Side Discharge Mower Deck	540.00



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z950M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z950M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
BUC10894		Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z960M ZTrak Equipment for Base Machine

31.0 HP\*  
Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 23.1 kW  
Full Pressure Lubrication System with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element  
12 Volt with 20 AMP Regulated Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt  
60 In. 7-Iron PRO Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and

Foot Spring Assisted Height of Cut Adjustment  
Single-Turn Deck Transport Lock System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments  
Dual Lever Direction/Speed Control  
Wide Control Lever Bends for Increased Operator Comfort  
Quick-Service Removable Foot Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72")  
13x6.5-6 Semi-Pneumatic Front Caster Tires  
Rear Bumper Right Hand Control Console Cluster  
Cup Holder Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter

\*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.  
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.  
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2231TC		Z960M ZTrak	12,569.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i> <i>Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1504		60 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	In Base Price
1505		60 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	870.00
1506		72 In. Side Discharge Mower Deck	540.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z960M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1037 or 1039. 72 In. 7-Iron PRO</i>			
<b>SEAT</b>			
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
BUC10864		Foot peg kit	21.40
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z960M ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
BUC10894		Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	797.56
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930R ZTrak Equipment for Base Machine

25.5 HP\*  
Vertical-Shaft Air Cooled Engine  
(52.0 Cu. In.) 852cc, 19.0 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner;  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
With Cross Porting  
Foot Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS  
(Roll- Over Protective  
Structure) and Seat Belt  
54 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Power Height  
of Cut Adjustment

Ergonomic Operator Contoured  
Soft Touch Grips  
and Integrated Handle Controls  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
12 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR  
Turf Drive Tires 13x6.5-6  
Semi-Pneumatic Front Caster  
Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch

Digital Hourmeter and Diagnostic  
Pkg.  
\*@ 3600 RPM engine manufacturer  
certified gross power  
tested in accordance with SAE  
J1995, 852cc.  
The engine horsepower and torque  
information  
is provided by the engine  
manufacturer  
to be used for comparison  
purposes only.  
Actual operating horsepower and  
torque will be less.  
Refer to the engine  
manufacturer's web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2182TC		Z930R ZTrak	13,699.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.                      Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1502		54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO                      7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp                      Wheels.                      Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO                      7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp                      Wheels.                      Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z930R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
1503		54 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038. 54 In. 7-Iron PRO</i>	870.00
<b>SEAT</b>			
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
<b>Mulch Kits</b>			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
<b>Rear Hitch</b>			
BUC10300		Hitch Kit	36.39
<b>Seat</b>			

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z930R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89



## JOHN DEERE TURF & UTILITY PRODUCTS

### COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

#### Z950R ZTrak Equipment for Base Machine

27.0 HP\*  
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW  
Full Pressure Lubrication System with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element  
12 Volt with 20 AMP Regulated Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive With Cross Porting  
Foot Actuated Parking Brake  
Steel Channel Frame Operator Presence System  
Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt  
60 In. 7-Iron PRO Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Power Height of Cut Adjustment

Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls  
Single-Turn Deck Transport Lock System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments  
Dual Lever Direction/Speed Control  
Wide Control Lever Bends for Increased Operator Comfort  
Quick-Service Removable Foot Platform  
12 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front Caster Tires  
Rear Bumper Right Hand Control Console Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter and Diagnostic

Pkg.  
\*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.  
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.  
Actual operating horsepower and torque will be less.  
Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2192TC		Z950R ZTrak	14,399.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations. Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z950R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
1506		72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.	540.00
<b>SEAT</b>			
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	In Base Price
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP40112		Beacon Light Kit	251.00
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z950R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Mulch Kits</b>			
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
<b>Rear Hitch</b>			
BUC10300		Hitch Kit	36.39
<b>Seat</b>			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
<b>Spark Arrester</b>			
AM115838		Spark Arrester Screen	35.32
<b>Striping Kits</b>			
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z955R EFI ZTrak Equipment for Base Machine

29 HP\*  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
824cc, 21.6 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
60 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck

8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Foot Spring  
Assisted Height of Cut  
Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster

Cup Holder, Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter  
\* @ 3600 RPM engine manufacturer  
certified gross power tested in  
accordance with SAE  
J1995, 824cc. The engine  
horsepower and torque  
information is provided by the  
engine  
manufacturer to be used for  
comparison purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine manufacturer's web  
site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2590TC	Z955R EFI ZTrak	15,089.00
--------	-----------------	-----------

#### DESTINATION

001A	<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i> <i>Requires Operator's Manual - 0443</i>	No Added Cost

#### MOWER DECKS

1504	60 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	In Base Price
------	--	---------------

#### SEAT

2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	-300.00
------	---	---------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z955R EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2093		<b>SEAT Continued...</b> Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price

**DRIVE WHEELS AND TIRES**

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Lighting</b>	
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
		<b>Miscellaneous</b>	
LP40112		Beacon Light Kit	251.00
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		<b>Rear Hitch</b>	
BUC10300		Hitch Kit	36.39
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z955R EFI ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

## JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z970R ZTrak Equipment for Base Machine

35.0 HP\*  
Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 26.1 kW)  
Full Pressure Lubrication System with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element  
12 Volt with 20 AMP Regulated Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive With Cross Porting  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt  
72 In. 7-Iron PRO Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Power Height of Cut Adjustment  
Ergonomic Operator Contoured

Soft Touch Grips  
and Integrated Handle Controls  
Single-Turn Deck Transport Lock System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments  
Dual Lever Direction/Speed Control  
Wide Control Lever Bends for Increased Operator Comfort  
Quick-Service Removable Foot Platform  
12 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6  
Semi-Pneumatic Front Caster Tires  
Rear Bumper Right Hand Control Console Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter and Diagnostic Pkg.

\*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 999cc.  
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2212TC		Z970R ZTrak	16,329.00
--------	--	-------------	-----------

#### DESTINATION

001A		<b>North America</b> United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195		Mexico <i>Requires Operator's Manual - 0443</i> <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

#### MOWER DECKS

1504		60 In. Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i> 60 In. 7-Iron PRO	-540.00
1505		60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	300.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z970R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1506		<b>MOWER DECKS Continued...</b> 72 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039. 72 In. 7-Iron PRO	In Base Price
<b>SEAT</b>			
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	949.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Lighting</b>	
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
		<b>Miscellaneous</b>	
LP40112		Beacon Light Kit	251.00
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79



JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z970R ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Mulch Kits</b>			
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
<b>Rear Hitch</b>			
BUC10300		Hitch Kit	36.39
<b>Seat</b>			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit	788.59
<b>Spark Arrester</b>			
AM115838		Spark Arrester Screen	35.32
<b>Striping Kits</b>			
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

**JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks  
Equipment for Base Machine**

24x12N12 Tire Size for 54 In.  
and 60 In. decks  
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

9982TC		24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a> . NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. This TWEEL base code is compatible with Z900 B/E/M/R gas models only.	1,199.00
--------	--	---	----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks**  
Equipment for Base Machine

24x12N12 Tire Size for 72 In.  
decks  
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

9983TC		24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a> . NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. This TWEEL base code is compatible with Z900 B/E/M/R gas models only.	1,199.00
--------	--	--	----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

## JOHN DEERE TURF & UTILITY PRODUCTS ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel 3-Bag MCS Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0788TC	14 Bushel 3-Bag MCS <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks                  When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required.                  Not Compatible with Model Year 2012 and Prior ZTrak Mowers.                  Not Compatible with Michelin X Tweel Turf Tires                  WEIGHTS NOT INCLUDED.                  Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,119.00
--------	---	----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	No Added Cost
0195	Mexico	No Added Cost

#### ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks.                  DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks.                  DFS MCS for Z900 M &amp; R Series only.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	134.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	134.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag MCS**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHING PARTS Continued...</b>			
<i>For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>			
1010		Less Attaching Parts	-1,163.00
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-808.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Anti-scalp Wheels</b>			
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 60" 7-Iron II side discharge decks.</i>	181.90
<b>Attaching Parts</b>			
BTC10221		Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 48" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only.</i>	1,288.29
BTC10363		Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only</i>	1,288.29
BTC10368		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 60" side discharge decks. DFS MCS for Z900 E, M &amp; R Series only.</i>	1,261.53
BTC10370		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks. For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365		Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks. For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks. For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag MCS**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

## JOHN DEERE TURF & UTILITY PRODUCTS ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel 3-Bag MCS Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0784TC		14 Bushel 3-Bag MCS <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers.                  Not Compatible with Z-Trak Estate Mowers.                  WEIGHTS NOT INCLUDED.                  Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to                  determine the quantity of weights needed based on vehicle sizing and configuration specs.                  For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks</i>	3,029.00
--------	--	---	----------

#### ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.                  For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	134.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	134.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010		Less Attaching Parts	-1,163.00

#### BLOWER

2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-808.00

#### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag MCS**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91



## JOHN DEERE TURF & UTILITY PRODUCTS ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel Dump From Seat MCS Equipment for Base Machine

High Density Polypropylene Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Mechanical Dump From Operator Seat	Weight Bracket	
Horizontal 7-Iron Blower Configuration	The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.	
Steel Blower Housing	Pricing and Specifications are Recommended only and are Subject	
5 Blade Commercial Impeller		
35.56 cm (14 In.) Impeller Diameter		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0787TC		14 Bushel Dump From Seat MCS <i>For 48 In./54 In./60 In./72 In. Z900 E/M/R Series Mowers including Mulch-On-Demand Decks</i> <i>Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.</i> <i>When installing Dump From Seat MCS on Z900B or Z900E Models, Rear Anti-Scalp Wheel Kit is required.</i> <i>No Compatible with Michelin X Tweel Turf tires</i> <b>WEIGHTS NOT INCLUDED.</b> <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,489.00
--------	--	---	----------

#### DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	No Added Cost

#### ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	134.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	134.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat MCS**  
Continued

<b>Code</b>	<b>Attachment Identifier</b>	<b>Description</b>	<b>List Price Suggested USD (\$)</b>
1010		<b>ATTACHING PARTS Continued...</b> Less Attaching Parts	-1,163.00
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-808.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Attaching Parts</b>	
BTC10221		Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 48" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only.</i>	1,288.29
BTC10363		Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only</i>	1,288.29
BTC10368		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks. DFS MCS for Z900 E, M, &amp; R Series only. For all Z900 B/E/M/R Series with 60" side discharge decks. DFS MCS for Z900 E, M &amp; R Series only.</i>	1,261.53
BTC10370		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks. For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365		Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks. For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks. For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

## JOHN DEERE TURF & UTILITY PRODUCTS ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel Dump From Seat MCS Equipment for Base Machine

High Density Polypropylene Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Mechanical Dump From Operator Seat	Weight Bracket	
Horizontal 7-Iron Blower Configuration	The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.	
Steel Blower Housing	Pricing and Specifications are Recommended only and are Subject	
5 Blade Commercial Impeller		
35.56 cm (14 In.) Impeller Diameter		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0785TC		14 Bushel Dump From Seat MCS <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks</i>	3,409.00
--------	--	---	----------

#### ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	134.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	134.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010		Less Attaching Parts	-1,163.00

#### BLOWER

2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-808.00

#### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel Dump From Seat MCS**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
		<b>Weights</b>	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

## JOHN DEERE TURF & UTILITY PRODUCTS ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 12 Bushel 3-Bag MCS Equipment for Base Machine

3-Bag Collection Hopper 12  
Bushel Capacity  
Steel Hopper Frame  
Plastic enclosure Hopper with  
mesh screen and 3 removable mesh  
bags for clippings  
PTO-X Drive - patented  
engine-powered drive system  
Mid-mount, engine-driven power  
system  
Cast Aluminum Housing  
4 Blade Commercial Steel  
Impeller  
29.85 cm (11.75 In.) Impeller

Diameter  
Easy-To-Empty Bags  
Fully and Evenly Filled Bags  
22.86 cm (9 In.) Diameter Chute  
Between Deck and Blower  
15.24 cm (6 In.) Diameter Chute  
from Blower to Hopper  
Tool-less access to chutes for  
easy clog removal  
Quick Detach Blower Weight  
Bracket  
The Above Specifications are  
Indicative of the Base Feature  
Machine only and may Differ if

Alternative Options/Attachments  
are Ordered.  
Pricing and Specifications are  
Recommended only and are Subject  
to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0789TC		12 Bushel 3-Bag MCS <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin X Tweel Turf Tires WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,249.00
--------	--	--	----------

#### DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	No Added Cost

#### ATTACHING PARTS

3542		Boot Kit 48 In. (121cm) & 54 In. (137cm) Side Discharge <i>For all Z900 B/E/M/R Series with 48" &amp; 54" side discharge decks.</i>	In Base Price
3543		Boot Kit 60 In. (152 cm) & 72 In. (182 cm) Side Discharge <i>For all Z900 B/E/M/R Series with 60" &amp; 72" side discharge decks.</i>	No Added Cost
3544		Boot Kit Mulch on Demand Decks (48 In., 54 In., 60 In.) <i>For all Z900 M/R Series with 48", 54", &amp; 60" Mulch-on-Demand decks.</i>	1,084.00
3541		Less Boot Kit Adapting Parts	-354.00

#### BLOWER

2900		Blower, Weight Bracket, and Mounting Frame Kit	In Base Price
2010		Less Blower, Weight Bracket, and Mounting Frame	-2,197.00

#### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**12 Bushel 3-Bag MCS**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Anti-scalp Wheels</b>	
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 60" 7-Iron II side discharge decks.</i>	181.90
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**  
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Lighting</b>	
TCB11281		Front Light (2) Kit	256.80
		<b>Material Collection System</b>	
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 48" side discharge decks.</i>	926.61
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A &amp; Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,191.99
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	508.26
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 54" side discharge decks.</i>	926.61
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	524.30
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	926.61
TCB11234		Chute	167.99
		<b>Miscellaneous</b>	
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	176.80
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	111.29
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	895.59
		<b>Mower Deck and Mower Deck Attachments</b>	
TCB10801		Cloth Grass Catcher (3.5 Bushel)	456.89
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	179.76
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	466.51
TCB11229		Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	466.51
		<b>Mulch Kits</b>	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Striping Kits</b>	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Z720. For Model Year '11 and Later (Serial # 060000-).</i>	466.51
		<b>Weights</b>	
	TCB10900	(1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i>	142.31
		<b>Weights</b>	
	TCB11099	Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	162.64



**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK  
Equipment for Base Machine**

Z997R Commercial L. C. Diesel  
Max-Frame Z-Trak with 60 In.  
Side Discharge 7-Iron  
Equipment for Base Machine  
37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Diesel Engine 100.2 cu. in.  
(1.64 L) Three Cylinder  
Liquid-Cooled  
Up to B20 Compliant  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy-Duty Canister Air  
Cleaner; Dual Element, Dry-Type  
with Safety Element and Air  
Service Indicator  
1.5 x 3.0 In. Steel Tubular  
Frame - 7 Gauge  
12 Volt with 75 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
Tuff Torq Dual Unitized Pump  
Dual Wheel Parking Brake

Operator Presence System  
Folding Two Post ROPS  
(Roll-Over Protective  
Structure) and Seat Belt  
60 In. 7-Iron PRO Commercial  
Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower  
Deck  
8 In. ductile cast iron spindle  
housing  
One-Touch Dial and Electric  
Deck Lift Height of Cut  
Adjustment  
Full Floating Suspension Deck  
1.5 - 5.0 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Quick-Service Hinged Foot  
Platform  
Fully Enclosed Engine  
Compartment  
Ergonomic Operator Contoured  
Soft Touch Grips and Integrated  
Handle Controls

11.5 MPH Mowing Speed  
12 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
26x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
15x6-6 Flat Free Front Caster  
Tires  
Right Hand Control Console  
Cluster  
Cup and Tool Holder  
Hydraulic PTO Clutch  
Digital Multi-function Display  
Deluxe Comfort Seat with  
Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

091FTC		Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK	25,349.00
--------	--	--	-----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**DRIVE WHEELS AND TIRES**

1150		26x12x12 Pneumatic Turf Tires <i>For use with all 60" and 72" decks (including rear discharge).</i>	In Base Price
1151		26x12N12 Michelin X Tweel Turfs <i>For use with all 60" and 72" decks (including rear discharge). NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11281		<b>Lighting</b> Front Light (2) Kit	256.80
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
BUC10589		Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91
BTC10674		Rear Bumper Kit	261.09
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		<b>Seat</b>	
TCA18513		Deluxe Comfort Seat with Armrest	927.00
		<b>Striping Kits</b>	
TCB11230		Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK  
Equipment for Base Machine**

Z997R Commercial L. C. Diesel  
Max-Frame Z-Trak with 72 In.  
Side Discharge 7-Iron  
Equipment for Base Machine  
37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Diesel Engine 100.2 cu. in.  
(1.64 L)  
Three Cylinder Liquid-Cooled  
Up to B20 Compliant  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy-Duty Canister Air  
Cleaner; Dual Element, Dry-Type  
with Safety Element and Air  
Service Indicator  
1.5 x 3.0 In. Steel Tubular  
Frame - 7 Gauge  
12 Volt with 75 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
Tuff Torq Dual Unitized Pump  
Dual Wheel Parking Brake

Operator Presence System  
Folding Two Post ROPS  
(Roll-Over Protective  
Structure) and Seat Belt  
72 In. 7-Iron PRO Commercial  
Side Discharge Mower Deck  
7-Gauge Stamped Steel Mower  
Deck  
8 In. ductile cast iron spindle  
housing  
One-Touch Dial and Electric  
Deck Lift Height of Cut  
Adjustment  
Full Floating Suspension Deck  
1.5 - 5.0 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Quick-Service Hinged Foot  
Platform  
Fully Enclosed Engine  
Compartment  
Ergonomic Operator Contoured  
Soft Touch Grips and Integrated  
Handle Controls

11.5 MPH Mowing Speed  
12 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
26x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
15x6-6 Flat Free Front Caster  
Tires  
Right Hand Control Console  
Cluster  
Cup and Tool Holder  
Hydraulic PTO Clutch  
Digital Multi-function Display  
Deluxe Comfort Seat with  
Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

091ETC		Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK	25,889.00
--------	--	--	-----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**DRIVE WHEELS AND TIRES**

1150		26x12x12 Pneumatic Turf Tires <i>For use with all 60" and 72" decks (including rear discharge).</i>	In Base Price
------	--	--	---------------

1151		26x12N12 Michelin X Tweel Turfs <i>For use with all 60" and 72" decks (including rear discharge). NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00
------	--	---	--------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11281		<b>Lighting</b> Front Light (2) Kit	256.80
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous</b>	
BUC10589		Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91
BTC10674		Rear Bumper Kit	261.09
		<b>Mulch Kits</b>	
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		<b>Seat</b>	
TCA18513		Deluxe Comfort Seat with Armrest	927.00
		<b>Striping Kits</b>	
TCB11231		Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-). Roller Length is 60 In.</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK  
Equipment for Base Machine**

Z997R Commercial L. C. Diesel  
Max-Frame Z-Trak with 60 In.  
Rear Discharge 7- Iron  
Equipment for Base Machine  
37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Diesel Engine 100.2 cu. in.  
(1.64 L) Three Cylinder  
Liquid-Cooled  
Up to B20 Compliant  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy-Duty Canister Air  
Cleaner; Dual Element, Dry-Type  
with Safety Element and Air  
Service Indicator  
1.5 x 3.0 In. Steel Tubular  
Frame - 7 Gauge  
12 Volt with 75 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake  
Operator Presence System  
Folding Two Post ROPS  
(Roll-Over Protective Structure)  
and Seat Belt  
60 In. Commercial Rear  
Discharge Mower Deck  
7-Gauge Steel Mower Deck  
8 In. ductile cast iron spindle  
housing  
One-Touch Dial and Electric  
Deck Lift Height of Cut  
Adjustment  
Full Floating Suspension Deck  
1.5 - 5.0 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Quick-Service Hinged Foot  
Platform  
Fully Enclosed Engine  
Compartment  
Ergonomic Operator Contoured  
Soft Touch Grips and Integrated

Handle Controls  
11.5 MPH Mowing Speed  
12 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
26x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
15x6-6 Flat Free Front Caster  
Tires  
Right Hand Control Console  
Cluster  
Cup and Tool Holder  
Hydraulic PTO Clutch  
Digital Multi-function Display  
Deluxe Comfort Seat with  
Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

091GTC		Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK	25,979.00
--------	--	--	-----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**DRIVE WHEELS AND TIRES**

1150		26x12x12 Pneumatic Turf Tires <i>For use with all 60" and 72" decks (including rear discharge).</i>	In Base Price
1151		26x12N12 Michelin X Tweel Turfs <i>For use with all 60" and 72" decks (including rear discharge). NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11281		<b>Lighting</b> Front Light (2) Kit	256.80
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous</b>	
	BUC10589	Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91
	BTC10674	Rear Bumper Kit	261.09
		<b>Seat</b>	
	TCA18513	Deluxe Comfort Seat with Armrest	927.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R DIESEL W 60 In. MULCH ON DEMAND DECK  
Equipment for Base Machine**

Z997R Commercial L. C. Diesel  
Max-Frame Z-Trak with 60 In.  
Mulch on Demand 7- Iron Pro Deck  
Equipment for Base Machine  
37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Diesel Engine 100.2 cu. in.  
(1.64 L) Three Cylinder  
Liquid-Cooled  
Up to B20 Compliant  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy-Duty Canister Air  
Cleaner; Dual Element, Dry-Type  
with Safety Element and Air  
Service Indicator  
1.5 x 3.0 In. Steel Tubular  
Frame - 7 Gauge  
12 Volt with 75 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake  
Operator Presence System  
Folding Two Post ROPS  
(Roll-Over Protective Structure)  
and Seat Belt  
60 In. Commercial Rear  
Discharge Mower Deck  
7-Gauge Steel Mower Deck  
8 In. ductile cast iron spindle  
housing  
One-Touch Dial and Electric  
Deck Lift Height of Cut  
Adjustment  
Full Floating Suspension Deck  
1.5 - 5.0 In. Cutting Heights in  
0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Quick-Service Hinged Foot  
Platform  
Fully Enclosed Engine  
Compartment  
Ergonomic Operator Contoured  
Soft Touch Grips and Integrated

Handle Controls  
11.5 MPH Mowing Speed  
12 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
26x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
15x6-6 Flat Free Front Caster  
Tires  
Right Hand Control Console  
Cluster  
Cup and Tool Holder  
Hydraulic PTO Clutch  
Digital Multi-function Display  
Deluxe Comfort Seat with  
Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

091LTC		Z997R DIESEL W 60 In. MULCH ON DEMAND DECK	26,219.00
--------	--	--	-----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**DRIVE WHEELS AND TIRES**

1150		26x12x12 Pneumatic Turf Tires <i>For use with all 60" and 72" decks (including rear discharge).</i>	In Base Price
------	--	--	---------------

1151		26x12N12 Michelin X Tweel Turfs <i>For use with all 60" and 72" decks (including rear discharge).</i> <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00
------	--	---	--------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11281		<b>Lighting</b> Front Light (2) Kit	256.80
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z997R DIESEL W 60 In. MULCH ON DEMAND DECK**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous</b>	
	BUC10589	Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91
	BTC10674	Rear Bumper Kit	261.09
		<b>Seat</b>	
	TCA18513	Deluxe Comfort Seat with Armrest	927.00
		<b>Striping Kits</b>	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z994R Diesel Commercial ZTrak**  
Equipment for Base Machine

**ENGINE:**  
Engine HP (kW), gross SAE J1995:  
24.7 HP (18.4 kW)  
Rated engine speed, rpm: 3200  
rpm  
Displacement, cc (in ):  
1267cc(77.3 in )  
Horizontal-Shaft Three Cylinder  
Liquid Cooled Diesel Engine  
@2000 rpm (47.2 lb-ft) 64 Nm  
torque  
Indirect fuel injection  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air Cleaner;  
Dry Replaceable Filter Element  
with Secondary Safety Element  
Air restriction indicator  
standard  
Charging system: 12 Volt with 75  
amp  
Travel Speed: 11.4 MPH (18.3  
KMPH)  
Fuel Capacity: 11.5 gallons  
(43.5 liters)  
B20 Compliant  
Fuel Filter with replaceable  
element

Cross-Porting for improved  
cooling  
Foot Actuated Parking Brake  
Electric PTO Clutch

**STEERING:**  
Dual Lever Direction/Speed  
Control

**DECK:**  
54 Inch 7-Iron PRO Side  
Discharge Mower Deck  
Optional decks: 60 Inch 7-Iron  
PRO Side Discharge Mower Deck  
and 60 Inch Mulch On Demand  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Foot Spring  
Assisted Height of Cut  
Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck 25  
140 mm (1.0 - 5.5 In.) Cutting  
Heights in 6 mm (0.25 In)  
Increments

24x12-12 In. Square Shoulder 4PR  
Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Optional: 24x12N12 Michelin  
Tweels

**OPERATOR ENVIRONMENT:**  
Operator Presence System Folding  
Two Post ROPS (Roll-Over  
Protective Structure) and Seat  
Belt  
Right Hand Control Console  
Cluster  
Cup Holder  
Digital Hour meter  
Fuel Gauge  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform

**HYDRAULIC/TRANSMISSION/PTO:**  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive

**FRAME/STYLING/TIRES:**  
Steel Channel Frame  
Rear Bumper

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2540TC		Z994R Diesel Commercial ZTrak	18,129.00
--------	--	-------------------------------	-----------

**DESTINATION**

**North America**  
United States and Canada  
*Requires Operator's Manual - 0443*

001A			In Base Price
------	--	--	---------------

**MOWER DECKS**

1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck	1,140.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z994R Diesel Commercial ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>			
1506		72 In. Side Discharge Mower Deck	810.00
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	979.00
<b>SEAT</b>			
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Lighting</b>			
BUC10603		LED Beacon Light Kit	288.90
BUC10506		LED front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
<b>Miscellaneous</b>			
LP1400		Floor Mat	32.99
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
BUC10628		Trash Receptacle Kit	142.31
<b>Mulch Kits</b>			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
<b>Rear Hitch</b>			
BUC10300		Hitch Kit	36.39

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z994R Diesel Commercial ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Seat</b>	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit	269.64
BUC10467		Suspension Seat Kit <i>Compatible with Model Year 2019 only</i>	788.59
		<b>Spark Arrester</b>	
AM115838		Spark Arrester Screen	35.32
		<b>Striping Kits</b>	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System**  
Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2550TC		14 Bushel 3-Bag Material Collection System <i>For 54 In./60 In. Z994R Series Mowers including Mulch-On-Demand Decks                  Not Compatible with Michelin X Tweel Turf Tires                  WEIGHTS NOT INCLUDED.                  Refer to Sales Manual for Proper Ballast Requirements</i>	3,309.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHING PARTS**

3404		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z994R Series with 54" side discharge decks.</i>	In Base Price
3405		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z994R Series with 60" side discharge decks.</i>	No Added Cost
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z994R Series with 60" Mulch-on-Demand decks.</i>	134.00
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z994R Series with 72" side discharge decks.</i>	134.00
3490		Less Attaching Parts	-1,163.00

**BLOWER**

3500		Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Attaching Parts</b> Attaching Parts for 1371-mm (54-in.) 7-Iron PRO Decks <i>For all Z994R series with 54" Side Discharge Deck</i>	1,288.29
--	--	---	----------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BTC10903		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z994R series with 60" Side Discharge Deck</i>	1,288.29
BTC10904		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z994R series with 72" Side Discharge Deck</i>	1,487.30
BTC10905		Attaching Parts for 60 in. 7-Iron PRO Mulch on Demand Decks <i>For all Z994R series with 60" Mulch on Demand Deck</i>	1,437.01
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System  
Equipment for Base Machine**

High Density Polypropylene Hopper 14 Bushel Capacity Mechanical Dump From Operator Seat Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket	to Change without Notice.
	The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2560TC		14 Bushel Dump From Seat Material Collection System <i>For 54 In./60 In. Z994R Series Mowers including Mulch-On-Demand Decks Not Compatible with Michelin X Tweel Turf tires WEIGHTS NOT INCLUDED. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,569.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHING PARTS**

3404		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z994R Series with 54" side discharge decks.</i>	In Base Price
3405		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z994R Series with 60" side discharge decks.</i>	No Added Cost
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z994R Series with 60" Mulch-on-Demand decks.</i>	134.00
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z994R Series with 72" side discharge decks.</i>	134.00
3490		Less Attaching Parts	-1,163.00

**BLOWER**

3500		Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00

**ATTACHMENTS FOR FIELD CONVERSION**

BTC10902		<b>Attaching Parts</b> Attaching Parts for 1371-mm (54-in.) 7-Iron PRO Decks <i>For all Z994R series with 54" Side Discharge Deck</i>	1,288.29
----------	--	---	----------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BTC10903		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z994R series with 60" Side Discharge Deck</i>	1,288.29
BTC10904		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z994R series with 72" Side Discharge Deck</i>	1,487.30
BTC10905		Attaching Parts for 60 in. 7-Iron PRO Mulch on Demand Decks <i>For all Z994R series with 60" Mulch on Demand Deck</i>	1,437.01
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Mulch-On-Demand Deck  
Equipment for Base Machine**

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Mulch On Demand System	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Quick Release Belt Shields	Steel
(2) Rear Adjustable	Splined Shaft Drive
Gauge Wheel	Baffling System
Front and Rear Anti-Scalp Wheels	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

035DTC	60 In. 7-Iron PRO Mulch-On-Demand Deck <i>For 997R and 997 Diesel ZTrak</i>	3,740.00
--------	--	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11230	<b>Striping Kits</b> Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51
----------	---	--------



**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Side Discharge Deck**  
Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

033BTC	60 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	2,870.00
--------	--	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mulch Kits</b>	
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
	<b>Striping Kits</b>	
TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Rear Discharge Deck**  
Equipment for Base Machine

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Cast Iron Spindle Housing
Fabricated Deck	Rear Discharge Chute
1.5-5 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Vehicle Enclosure Kit	Steel
Quick Release Belt Shields	Splined Shaft Drive
Front Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

051ATC		60 In. 7-Iron PRO Rear Discharge Deck <i>For Z997R and 997 Diesel Ztrak</i>	3,500.00
--------	--	--	----------

**DESTINATION**

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**72 In. 7-Iron PRO Side Discharge Deck  
Equipment for Base Machine**

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

034ATC	72 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	3,410.00
--------	--	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mulch Kits</b>	
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
	<b>Striping Kits</b>	
TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-). The actual roller length for the 72-in. (183 cm) deck is 60 in. (152 cm)</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat MCS (Z997)**  
Equipment for Base Machine

High Density Polyethylene Hopper  
Tubular Steel Frame With  
Polypropylene Fabric Door  
13 Bushel Capacity  
Mechanical Dump From  
Operator Seat  
Attaching Framework  
7-Iron Blower  
Steel Blower Housing  
Upper Weight Bracket  
35.56 cm (14 In.) Impeller

Diameter  
20.32 cm (8 In.) Diameter Chute  
Quick Detach Blower  
Weight Bracket

Recommended only and are Subject  
to Change without Notice.

The Above Specifications are  
Indicative of the Base Feature  
Machine only and may Differ if  
Alternative Options/Attachments  
are Ordered.  
Pricing and Specifications are

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0775TC		13 Bushel Dump From Seat MCS (Z997) <i>For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only.</i> <b>WEIGHTS NOT INCLUDED.</b> <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>Not compatible with MY16 and later Z997R</i>	3,769.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
001B		Europe	No Added Cost
001D		Other	No Added Cost

**ATTACHING PARTS**

3405		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	14.00
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	208.00
3490		Less Attaching Parts	-315.00

**BLOWER**

3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**13 Bushel Dump From Seat MCS (Z997)**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Attaching Parts</b>	
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks. For all 997 with 72" side discharge decks.</i>	364.87
BTC10265		Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks. For all 997 with 60" Mulch-On-Demand decks.</i>	578.87
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks. For all 997 with 60" side discharge decks.</i>	349.89
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware. Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	361.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat MCS (Z997R)  
Equipment for Base Machine**

Low Density Polyethylene Hopper	Steel Blower Housing
Tubular Steel Frame With Low	Tilt for Service Feature
Density Polyethylene Door	14 In. Impeller Diameter
14 Bushel Capacity	6 In. Diameter Chute
Electrical Power Dump From	Quick Detach Blower
Operator Seat	Weight Bracket
Attaching Framework	
7-Iron Blower	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0776TC	14 Bushel Dump From Seat MCS (Z997R) <i>WEIGHTS NOT INCLUDED.</i> <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only.</i>	4,619.00
--------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHING PARTS**

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	14.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	208.00
3490	Less Attaching Parts	-315.00

**BLOWER**

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-808.00

**ATTACHMENTS FOR FIELD CONVERSION**

BTC10264	<b>Attaching Parts</b> Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i> <i>For all 997 with 72" side discharge decks.</i>	364.87
BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i> <i>For all 997 with 60" Mulch-On-Demand decks.</i>	578.87

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat MCS (Z997R)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks. For all 997 with 60" side discharge decks.</i>	349.89
		<b>Miscellaneous</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		<b>Weights</b>	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware. Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	361.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652E 22HP\* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck  
Equipment for Base Machine**

22HP\* (16.4-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
12cc Hydro-Gear Transmission  
Pumps  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Fixed, Side Discharge  
7 Ga. Fabricated Steel Deck  
Cast Iron Spindle Housing  
1.25 - 5 In. Cutting Heights

in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward / 5.5 MPH  
Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
20 x 10-8 In.  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1995, 726cc. The engine  
horsepower and

torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2391TC		652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck <i>F.O.B. Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	9,149.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
<b>Order Zone</b>			
LP68164		3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	31.90



**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**636M 18.5HP\* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

18.5HP\* (13.8-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 603cc (36.8 cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
10cc Hydro-Gear Transmission  
Pumps  
12 cu. In / Rev Hydro-Gear Wheel  
Motors  
Hydraulic Oil Cooler  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
36 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Deck  
Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
8.2 MPH Forward / 3.5 MPH  
Reverse  
5.5 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
18 x 8.5 - 10 In.  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1995, 726cc. The engine  
horsepower and

torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2361TC		636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	8,659.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
BUC10061		36 In. (914 mm) Mulch Kit	218.29
	<b>Order Zone</b>		
LP68164		3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
	<b>Spark Arrester</b>		
AM108146		Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648M 22.0HP\* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

22.0HP\* (16.4-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
10cc Hydro-Gear Transmission  
Pumps  
12 cu. In / Rev Hydro-Gear Wheel  
Motors  
Hydraulic Oil Cooler  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
48 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Deck  
Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
8.2 MPH Forward / 3.5 MPH  
Reverse  
5.5 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
18 X 10.50 - 10  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1995, 726cc. The engine

horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2341TC		648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	9,389.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
BUC10059		48 In. (1219 mm) Mulch Kit	261.09
<b>Order Zone</b>			
LP68164		3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

22.0HP\* (16.4-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
10cc Hydro-Gear Transmission  
Pumps  
12 cu. In / Rev Hydro-Gear Wheel  
Motors  
Hydraulic Oil Cooler  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Deck  
Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
8.2 MPH Forward / 3.5 MPH  
Reverse  
5.5 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
18 X 10.50 - 10  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1995, 726cc. The engine

horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2331TC		652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	9,709.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
BUC10058	52 In. (1321 mm) Mulch Kit	332.77
<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648R 22HP\* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

22HP\* (16.4-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
48 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower  
Deck  
Cast Iron Spindle Housing

Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
13x6.5-6 Semi Pneumatic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE

J1995, 726cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2321TC		648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	9,799.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**DRIVE WHEELS AND TIRES**

1142		(2) 20x10-8 Pneumatic Turf Tire for 648R	In Base Price
1144		(2) 18x8.5N10 X Tweel Turf Airless Tires for 648R	799.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
BUC10059	48 In. (1219 mm) Mulch Kit		261.09
	<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>		430.00
	<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler		31.90

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R 23.5HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

23.5HP\* (17.5-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower  
Deck  
Cast Iron Spindle Housing

Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
13x6.5-6 Semi Pneumatic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE

J1995, 726cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2314TC	652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>Not Available in California</i> <i>F.O.B Fuquay Varina, North Carolina</i>	10,219.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**DRIVE WHEELS AND TIRES**

1141	(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143	(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
BUC10058	52 In. (1321 mm) Mulch Kit	332.77
BUC10057	52 In. (1321 mm) Mulch On Demand Kit	769.33
<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R EFI 25.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

25.0 HP\* (18.3-kW)  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
747cc, 18.3 kW  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower

Deck  
Cast Iron Spindle Housing  
Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
13x6.5-6 Semi Pneumatic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance

with SAE  
J1995, 747cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
2315TC		652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina Not Available in California</i>	10,749.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>DRIVE WHEELS AND TIRES</b>			
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous</b>			
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
BUC10057		52 In. (1321 mm) Mulch On Demand Kit	769.33
<b>Order Zone</b>			
LP68164		3.5 bu. Grass Catcher <i>Fits units SN &gt;45001</i>	430.00
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R 23.5HP\* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

23.5HP\* (17.5-kW)  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu. in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
61 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower  
Deck  
Cast Iron Spindle Housing

Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
13x6.5-6 Semi Pnuematic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE

J1995, 726cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2302TC		661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>Not Available in California F.O.B. Fuquay Varina, North Carolina</i>	10,849.00
--------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**DRIVE WHEELS AND TIRES**

1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
BUC10060		61 In. (1549 mm) Mulch Kit	342.40
	<b>Spark Arrester</b>		
AM108146		Spark Arrester Screen for Muffler	31.90

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R EFI 25.0HP\* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck  
Equipment for Base Machine**

25.0 HP\* (18.3-kW)  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
747cc, 18.3 kW  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
61 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower

Deck  
Cast Iron Spindle Housing  
Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Deck Mounted Striping Rubber  
Flap  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
13x6.5-6 Semi Pnuematic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance

with SAE  
J1995, 747cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
2303TC		661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i> <i>Not Available in California</i>	11,379.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>DRIVE WHEELS AND TIRES</b>			
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Miscellaneous</b>	
BUC10060		61 In. (1549 mm) Mulch Kit	342.40
		<b>Spark Arrester</b>	
AM108146		Spark Arrester Screen for Muffler	31.90