

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1550 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

24.2 HP (17.8 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 77 cu. in. (1.27 L) Three Cylinder Liquid-Cooled Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 75 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Hydrostatic Front Wheel Drive Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column	mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Internal Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System	Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Folding Two Post ROPS (Roll- Over Protective Structure) and Retractable Seat Belt Cast Iron Rear Bumper Operator Training Video
--	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2400TC		1550 TerrainCut Commercial Front Mower (Less Mower Deck)	19,899.00
--------	--	--	-----------

DESTINATION

001A	North America United States and Canada		In Base Price
------	--	--	---------------

DRIVE SYSTEM

1190	Two Wheel Drive		In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>		2,913.00

DRIVE WHEELS AND TIRES

1019	23x10.50-12 4PR Turf Drive Tires		In Base Price
1020	23x8.50-12 4PR Turf Drive Tires		-35.00
1149	Less Drive Wheels and Tires		-332.00

SEAT

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>		In Base Price
2011	Comfort Adjust Suspension Seat with Armrests		390.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued... Air Ride Suspension Seat with Armrests	680.00
ATTACHMENTS FOR FIELD CONVERSION			
		Auxiliary Hydraulics	
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	340.26
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	622.74
		Cold Start Packages	
AR87167		Engine Coolant Heater (110 V) <i>1550 requires Engine Block Heater Adapter (AM882530) to complete installation.</i>	82.67
		Drive Wheels And Tires	
TCB10013		Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires <i>Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.</i>	310.30
		Engine	
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	254.09
		Hydraulics	
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	344.54
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	329.56
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	220.41
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	233.26
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	64.20
TCU38442		Bracket, Right-Hand Front Tie Down	66.78
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	851.71
TCB10608		Electronic Cruise Control Kit	310.30
BTC10673		Reverse Alarm Kit (Back-up alarm)	135.89
BTC10685		Slow Moving Vehicle (SMV) Kit	89.89
BTC10784		Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	410.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10413	Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	394.83
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	938.17
		Roll Over Protection System (Rops)	
	BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.</i>	1,768.71
		Tire Chains	
	TY15956	Tire chains (pair) for 23x10.50-12 tires	95.68
	TY15841	Tire chains (pair) for 23x8.50-12 tires	80.41
		Weights	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		Windshield	
	TCB10620	Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers).</i>	511.46

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxillary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock

Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf (std)
Drive Tires
18x8.50-8 In. 4PR Turf
Steering Tires (2WD) or
18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvrien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2430TC		1570 TerrainCut Commercial Front Mower (Less Mower Deck)	27,949.00
--------	--	--	-----------

DESTINATION

001A		North America United States and Canada	In Base Price
------	--	--	---------------

DRIVE SYSTEM

1190		Two Wheel Drive	In Base Price
1191		Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

DRIVE WHEELS AND TIRES

1019		23x10.50-12 4PR Turf Drive Tires	In Base Price
1020		23x8.50-12 4PR Turf Drive Tires	-35.00
1149		Less Drive Wheels and Tires	-332.00

SEAT

2010		Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued... Air Ride Suspension Seat with Armrests	680.00
ATTACHMENTS FOR FIELD CONVERSION			
		Auxiliary Hydraulics	
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	340.26
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	622.74
		Cold Start Packages	
AR87167		Engine Coolant Heater (110 V)	82.67
		Drive Wheels And Tires	
TCB10013		Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires <i>Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.</i>	310.30
		Hydraulics	
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	344.54
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	329.56
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	220.41
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	233.26
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	64.20
TCU38442		Bracket, Right-Hand Front Tie Down	66.78
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	851.71
TCB10608		Electronic Cruise Control Kit	310.30
BTC10673		Reverse Alarm Kit (Back-up alarm)	135.89
BTC10685		Slow Moving Vehicle (SMV) Kit	89.89
BTC10784		Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	410.89
TCB10413		Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	394.83
TCA23365		Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	938.17

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Roll Over Protection System (Rops)	
BTC10334		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.</i>	1,768.71
		Tire Chains	
TY15956		Tire chains (pair) for 23x10.50-12 tires	95.68
TY15841		Tire chains (pair) for 23x8.50-12 tires	80.41
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
		Windshield	
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers).</i>	511.46

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxillary Power Outlet
95 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Four Wheel Drive
Full Time 4WD / On-Demand
Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf
Drive Tires

18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements
Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Cast Iron Rear Bumper
Operator Training Video

Factory Installed ComfortCab
Air Conditioning and Heater
Six Multi-Directional Air Vents
Fabric Air Ride Suspension Seat

with Adjustable Armrests,
Lumbar, and Seat Back
Dual Forward Work Lights
Two Speed Front Windshield
Wiper
Rearview Mirror (inside)
Sun Visor
Interior Light
Two Front/Two Rear Roof Mounted
Warning Lights and Turn Signals
Double Spool Auxillary
Hydraulic Valve
with Forward-mounted Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2443TC		1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	41,599.00
--------	--	--	-----------

DESTINATION

001A		North America United States and Canada	In Base Price
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	340.26
AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67
BTC10562	Hydraulics Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxillary Hydraulic Kit to complete installation.</i>	344.54
LVB24852	Lighting Beacon Light Kit (Cab Only)	251.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights, cab is pre-wired.</i>	156.20
	LVB24844	Mirrors External Mirror Kit (Cab Only)	196.90
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	64.20
	TCU38442	Bracket, Right-Hand Front Tie Down	66.78
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10677	Radio Mount Kit (Cab Only)	126.26
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	BTC10784	Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	410.89
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	938.17
	RE321109	Radio Radio Kit <i>Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.</i>	942.70
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Requires radio mounting kit to complete installation.</i>	246.05
	TY15956	Tire Chains Tire chains (pair) for 23x10.50-12 tires	95.68
	BM17972	Weights 50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1580 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand

Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
26x12.00-12 In. Square
Shoulder 6PR Turf Drive Tires
20x10.00-10 In. 6PR Round
Shoulder Steering Tires
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2451TC		1580 TerrainCut Commercial Front Mower (Less Mower Deck)	33,649.00
--------	--	--	-----------

DESTINATION

001A	North America United States and Canada		In Base Price
------	--	--	---------------

SEAT

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>		In Base Price
2011	Comfort Adjust Suspension Seat with Armrests		390.00
2012	Air Ride Suspension Seat with Armrests		680.00

ATTACHMENTS FOR FIELD CONVERSION

BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>		340.26
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>		622.74
AR87167	Cold Start Packages Engine Coolant Heater (110 V)		82.67

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulics	
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	344.54
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	329.56
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	220.41
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	233.26
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	64.20
TCU38442		Bracket, Right-Hand Front Tie Down	66.78
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	851.71
TCB10608		Electronic Cruise Control Kit	310.30
BTC10673		Reverse Alarm Kit (Back-up alarm)	135.89
BTC10685		Slow Moving Vehicle (SMV) Kit	89.89
TCB10556		Two Wheels with 26x12-12 in., 6PR Turf Drive Tires	578.87
TCA23365		Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	938.17
		Roll Over Protection System (Rops)	
BTC10334		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut Front Mowers.</i>	1,768.71
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63
	TCB10620	Windshield Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers).</i>	511.46

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, P
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxillary Power Outlet
95 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand
Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
26x12.00-12 In. Square

Shoulder 6PR Turf Drive Tires
20x10.00-10 In. 6PR Round
Shoulder Steering Tires
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements
Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Cast Iron Rear Bumper
Operator Training Video

Factory Installed ComfortCab
Air Conditioning and Heater
Six Multi-Directional Air Vents

Fabric Air Ride Suspension Seat
with Adjustable Armrests,
Lumbar, and Seat Back
Dual Forward Work Lights
Two Speed Front Windshield
Wiper
Rearview Mirror (inside)
Sun Visor
Interior Light
Two Front/Two Rear Roof Mounted
Warning Lights
Double Spool Auxiliary
Hydraulic Valve
with Forward-mounted Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2463TC		1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	44,149.00
--------	--	--	-----------

DESTINATION

001A		North America United States and Canada	In Base Price
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

BTC10531	Auxiliary Hydraulics Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	340.26
AR87167	Cold Start Packages Engine Coolant Heater (110 V)	82.67
BTC10562	Hydraulics Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	344.54
LVB24852	Lighting Beacon Light Kit (Cab Only)	251.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights, cab is pre-wired.</i>	156.20
	LVB24844	Mirrors External Mirror Kit (Cab Only)	196.90
	TCU38441	Miscellaneous Bracket, Left-Hand Front Tie Down	64.20
	TCU38442	Bracket, Right-Hand Front Tie Down	66.78
	TCB10608	Electronic Cruise Control Kit	310.30
	BTC10677	Radio Mount Kit (Cab Only)	126.26
	BTC10673	Reverse Alarm Kit (Back-up alarm)	135.89
	BTC10685	Slow Moving Vehicle (SMV) Kit	89.89
	TCB10556	Two Wheels with 26x12-12 in., 6PR Turf Drive Tires	578.87
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	938.17
	RE321109	Radio Radio Kit <i>Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.</i>	942.70
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Requires radio mounting kit to complete installation.</i>	246.05
	TY15958	Tire Chains Tire chains (pair) for 26x12-12 tires	115.26
	BM17972	Weights 50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Commercial Side Discharge Deck
Equipment for Base Machine**

60 In. (152.4 cm) Cutting Width	Quick Release Belt Shields
(3) Spindles, Blade	(4) Double Captured Adjustable
(3) 0.25 In. (6.35 mm) High Lift	Anti-scalp Wheel Locations
Blades	(1) Left Rear Anti-scalp Wheel
7-Gauge (.177 In.) One Piece	Hinged Side Discharge Chute
Stamped Deck Shell	Greaseable Spindles and Caster
1-6 In. (2.54-15.24 cm) Height	Wheels
of Cut	1 In. (2.54 cm) Splined Shaft
5.5 In. (13.97 cm) Deep Deck	Drive
Design	Rotate for Service with Safety
(2) Semi-Pneumatic Caster Wheels	Latches

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0338TC	60 In. 7-Iron PRO Commercial Side Discharge Deck <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. (For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II)</i>	4,389.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
TCA22953	Heavy-Duty Spindle	152.11
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	17.76
Mulch Kits		
BTC10669	Mulch Kit (1524-mm (60-in.) 7-Iron PRO)	339.19
Weights		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit. For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**62 In. Fastback Commercial Rear Discharge Deck
Equipment for Base Machine**

62 In. (157.48 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Quick Release Belt Shields
(3) 0.31 In. (7.87 mm) Medium Lift Blades	(3) Double Captured Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) Fabricated Deck	Greaseable Spindles and Caster Wheels
1-6 In. (2.54-15.24 cm) Height of Cut	1 In. (2.54 cm) Splined Shaft Drive
Vehicle Enclosure Kit	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0352TC	62 In. Fastback Commercial Rear Discharge Deck <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. (For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers)</i>	4,559.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

BTC10545	1574.8-mm (62-in.) Rear Discharge Mulching Kit <i>Will Retrofit MY13 157.48 cm (62 In.) Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 157.48 cm (62 In.) Rear Discharge Decks. Will Retrofit MY13 62-In. Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 62-In. Rear Discharge Decks.</i>	245.03
TCB10523	1574.8-mm (62-in.) Rear-Discharge Mower Deck Deflector Kit	272.86
TCA22953	Heavy-Duty Spindle	152.11
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	17.76
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	938.17
UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit. For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck
Equipment for Base Machine**

72 In. (182.88 cm) Cutting Width	(4) Double Captured Adjustable
(3) Spindles, Blades	Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) One Piece	(2) Rear Anti-scalp Adjustable Wheels
Stamped Deck Shell	Hinged Side Discharge Chute
1-6 In. (2.54-15.24 cm) Height of Cut	Greaseable Spindles
Deep Deck Design	1 In. (2.54 cm) Splined Shaft Drive
(2) Semi-Pneumatic Caster Wheels	Rotate for Service
Quick Release Belt Shields	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0347TC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	5,159.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	Miscellaneous		
TCA22953	Heavy-Duty Spindle		152.11
BTC10670	Mulch Kit 1828.8 mm (72 in.) (7-Iron PRO)		344.54
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>		17.76
	Weights		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i> <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>		59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>		116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. Fastback Commercial Rear Discharge Deck
Equipment for Base Machine**

72 In. (182.88 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Belt Shields
7-Gauge 0.177 In. (4.49 mm)	(2) Rear Anti-Scalp Wheels
Fabricated Deck	Front Anti-Scalp Rollers
1-6 In. (2.54-15.24 cm) Height of Cut	Offset Spindles
Deep Deck Design	Greaseable Spindles
Vehicle Enclosure Kit	1 In. (2.54 cm) Splined Shaft
Rear Deck Deflector Kit	Drive
	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0553TC	72 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	5,179.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
DMB210223	1828.8-mm (72-in.) Rear Discharge Anti-Scalp Wheel (Front Pair) Kit <i>For use with all 182.88 cm (72 In.) Rear Discharge Decks for NA and Export.</i>	187.26
DMB210099	1828.8-mm (72-in.) Rear Discharge Mulching Kit <i>For use with 72" Rear Discharge Decks for NA.</i>	449.40
TCA22953	Heavy-Duty Spindle	152.11
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	17.76
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	938.17
Miscellaneous		
DMA210906	Deflector Kit for 72" 1.83 m FAST BACK Deck <i>each 1 flap right and left in front of the traction wheels</i>	217.64
Weights		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i> <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck
Equipment for Base Machine**

72 In. (1,829 mm) Cutting Width	Deep Deck Design
Three HD Spindles Blades	Four Front Pneumatic Caster Wheels
Three - One Piece Stamped Decks	20 Degrees of Wing Deck
7-Gauge 0.177 In. (4.5 mm) Steel	Articulation
1-5 In. (25-127 mm) Height of Cut	Hinged Side Discharge Chute
with Standard Rear Wheel Kit	Greasable Spindles
1-4 In. (25-102 mm) Height of Cut	Splined Shaft Drive
with Optional Rear Roller Kit	45 Degrees Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0050TC		72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck <i>Hydraulic Weight Transfer Kit is Required for use with 72-In. (182.88 cm) V-Flex Mower Deck on 1400/1500 Series II Front Mowers. (2) Lift Cylinders are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001. Not Compatible with the MCS 600L Hydraulic High-Dump Material Collection System. Ballast Required. Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit, see Ballast Chart in Sales Manual. Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. (For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)</i>	8,619.00
--------	--	---	----------

REAR ROLLERS AND WHEELS

1000		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	In Base Price
1001		Rear Roller Kit <i>Includes (3) 26 In. (660 mm) Smooth Solid Rollers.</i>	1,219.00

ATTACHMENTS FOR FIELD CONVERSION

		Auxiliary Hydraulics Hydraulic Weight Transfer Kit <i>For Series II and Non-Series II Front Mowers.</i>	325.29
		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	340.26
		Hydraulic Wing Lift Kit <i>*Requires Single Spool Auxiliary Hydraulic Kit (BTC10530) for 1500 TerrainCut Front Mowers **Requires Single Spool Auxiliary Hydraulic Kit (TCB11474) for 1400/1500 Series II Front Mowers Order TCB10771 For Region II Only. Requires Single Spool Auxiliary Hydraulic Kit (TCB11474).</i>	789.66
		Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	589.57

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	622.74
		Miscellaneous	
TCB10581		Mulch Kit (1828.8-mm (72-in.) V-Flex)	674.10
TCB10614		Rear Roller Kit <i>Includes (3) 660mm (26 In.) Smooth Solid Rollers.</i>	1,797.60
TCB10578		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	537.14
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	17.76
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit. For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Hydraulic Angling Front Blade
Equipment for Base Machine**

60 In. Clearing Width "Straight"	Heavy-Duty, 7-Gauge Steel
52 In. Clearing Width "Fully Angled"	Reinforced Angle Bar on Back of Blade
0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle	Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes
Hydraulic Angling	Less Lift Arms
Replaceable Cutting Edge	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0390TC		60 In. Heavy-Duty Hydraulic Angling Front Blade For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.	1,859.00
--------	--	---	----------

LIFT ARMS

1000		Lift Arms and Hardware <i>For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.</i>	233.00
1001		Lift Arms and Hardware <i>For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.</i>	233.00
1010		Less Lift Arms	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Auxiliary Hydraulics		
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>		589.57
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>		622.74
	Miscellaneous		
M142885	Heavy Duty Skid Shoe (1)		56.11
AM119321	Heavy-duty skid shoe (1) <i>For Front Blade. Two required.</i>		69.94

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. Heavy-Duty Hydraulic Angling Front Blade
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10449		Lift Arm Kit <i>(For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II)</i>	258.94
BTC10608		Lift Arm Kit <i>(For 1580/1585 TerrainCut Front Mowers and 1500 Series II and non Series II)</i>	258.94
		Tire Chains	
TY15956		Tire chains (pair) for 23x10.50-12 tires	95.68
TY15841		Tire chains (pair) for 23x8.50-12 tires	80.41
TY15958		Tire chains (pair) for 26x12-12 tires	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine**

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Davenport, Iowa
This note was created to enable step forward 8/20/18. LG50678. Please delete.*

0228TC		Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) <i>(Not Compatible with 1500 TerrainCut Models) Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	3,055.00
--------	--	---	----------

MISCELLANEOUS

9000		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	495.00
9001		Single Speed Front Windshield Wiper	374.00
9002		(1) Exterior Mirror Kit	226.00
9004		Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867</i>	987.00
9005		Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</i>	2,530.00
9006		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,711.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	233.26
		Miscellaneous	
BTC10293		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023. Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,768.71
TCB10538		Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required. Hard or Soft Cab with 4-Post ROPS Required.</i>	356.31
TCB10821		Cab Integrated Heater and Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867 For 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867 For 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867</i>	1,020.79

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10822	<p>Cab Integrated Heater and Defroster and Air Conditioner For 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</p> <p>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</p> <p>For 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</p>	2,615.09
	BTC10377	<p>Compressor Bracket Kit Required for 1445/1545 AC Installation. Required for 1445/1545 AC Installation.</p>	197.96
	BTC10378	Compressor Bracket Kit	221.49

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10326	<p>Floor-Mounted Heater and Defroster Kit For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785 1435; M139144 1445/1545; M138867 1565; M138288 For Series II and Non Series II 1400/1500 Mowers. Can Not be Upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564 and M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For Series II and Non-Series II 1400/1500 Mowers. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; M138867 1565; M138288 For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564 and M805702 1435; M139144, M805564, M805702 1445/1545; M138867, TCU19226, M805565, M805834, M805835 1565; M138288, M138867, M805565, M805834, M805835</p>	834.60
	TCB11095	<p>Front Worklight (2) Kit Requires 4-Post ROPS Conversion Kit with Canopy. Requires 4-Post ROPS Conversion Kit with Canopy.</p>	189.39
	TCB10662	<p>Rear Worklight (2) Kit Hard or Soft Cab with 4-Post ROPS Required. Hard or Soft Cab with 4-Post ROPS Required.</p>	253.59
	TCB10981	<p>Single-Speed Front Windshield Wiper</p>	386.27
	TCB10620	<p>Windshield Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers) Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</p>	511.46

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine**

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Davenport, Iowa
This note was created to enable step forward 8/20/18. LG50678. Please delete.*

0227TC		Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) <i>(Not Compatible with 1500 TerrainCut Models) Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	2,180.00
--------	--	---	----------

MISCELLANEOUS

9000		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	495.00
9001		Single Speed Front Windshield Wiper	374.00
9002		(1) Exterior Mirror Kit	226.00
9006		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,711.00
9003		Floor Mounted Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835</i>	807.00

ATTACHMENTS FOR FIELD CONVERSION

TCB10325		Mirrors (1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	233.26
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous	
	BTC10293	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i> <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,768.71
	TCB10538	Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i> <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	356.31
	BTC10377	Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i> <i>Required for 1445/1545 AC Installation.</i>	197.96
	BTC10378	Compressor Bracket Kit	221.49

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10326	<p>Floor-Mounted Heater and Defroster Kit For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785 1435; M139144 1445/1545; M138867 1565; M138288 For Series II and Non Series II 1400/1500 Mowers. Can Not be Upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564 and M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For Series II and Non-Series II 1400/1500 Mowers. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835 For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; M138867 1565; M138288 For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564 and M805702 1435; M139144, M805564, M805702 1445/1545; M138867, TCU19226, M805565, M805834, M805835 1565; M138288, M138867, M805565, M805834, M805835</p>	834.60
	TCB11095	<p>Front Worklight (2) Kit Requires 4-Post ROPS Conversion Kit with Canopy. Requires 4-Post ROPS Conversion Kit with Canopy.</p>	189.39
	TCB10662	<p>Rear Worklight (2) Kit Hard or Soft Cab with 4-Post ROPS Required. Hard or Soft Cab with 4-Post ROPS Required.</p>	253.59
	TCB10981	<p>Single-Speed Front Windshield Wiper</p>	386.27
	TCB10620	<p>Windshield Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers) Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</p>	511.46

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Material Collection System (For F725, F735 Front Mowers)
Equipment for Base Machine**

9 Bushel Capacity
Polyethylene Hopper
Less Power Flow Blower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1341M		Material Collection System (For F725, F735 Front Mowers)	2,091.00
-------	--	--	----------

BLOWER

1001		Power Flow Blower for 54 In. Mower	494.00
1002		Less Power Flow Blower	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Mcs Power Flow Blowers	
BM19090		Blower Assembly for 54-in. (137-cm) Mower	555.33

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and
Non-Series II Front Mowers)
Equipment for Base Machine**

57 In. (145 cm) Clearing Width
Straight
50 In. (127 cm) Clearing Width
Fully Angled
0 Degrees Straight, 15-30
Degrees
Left or Right Brush Angle
26 In. (66 cm) Diameter
Polypropylene Brush
Heavy Duty Center Drive Gearbox
Storage Stand

Less Lift Arms and Drive Shaft
Chain and Sprocket Final Drive
(2) Caster Wheels
Steel Hood

Recommended only and are Subject
to Change without Notice.

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

This note was created to enable step forward 8/20/18. LG50678. Please delete.

0500TC		60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. *Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	3,499.00
--------	--	---	----------

LIFT ARMS AND DRIVE SHAFT

1000		Lift Arms, Cylinders, Drive Shaft and Hardware	1,741.00
1010		Less Lift Arms, Cylinders, Drive Shaft and Hardware	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

TCB11474	Auxiliary Hydraulics Single-Spool Auxiliary Hydraulic Kit <i>For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	589.57
BTC10530	Single-Spool Auxiliary Hydraulic Kit	622.74
TCB10391	Miscellaneous 60 Rotary Broom Lift Arms, Angle Cylinder, Drive Shaft and Hardware Kit	1,928.14
TCB10392	Debris Deflector	434.41
BM20706	Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	370.21
AM128682	Wafers, polypropylene bristle (pack of 16)	338.40
AM128683	Wafers, steel bristle (pack of 16)	544.10

Weights

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and
Non-Series II Front Mowers)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**47 In. Heavy-Duty Two-Stage Snow Blower
Equipment for Base Machine**

Two-Stage Design	Reversible, Replaceable Scraper
Hydraulic Lift	Blade
47 In. Clearing Width	Hydraulic Discharge Chute
15.5 In. Diameter Impeller	Rotation 90 Degrees Right and
16 In. Diameter Auger	Left (180 Degrees Total)
(4) Spare Shear Bolts Mounted to Shell	HD Auger Bevel Gearbox Drive
Adjustable Spout Cap Deflector	Less Lift Arms and Drive Shaft
Large, Adjustable Skid Shoes	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0370TC		47 In. Heavy-Duty Two-Stage Snow Blower <i>For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual. Compatibility with F900/F1145 Front Mowers requires additional parts. See Sales Manual for 47 In. Heavy-Duty Snow Blower and Supplemental/Compatibility Information.</i>	4,509.00
--------	--	---	----------

LIFT ARMS AND DRIVE SHAFT

1000		Lift Arms, Drive Shaft and Hardware	478.00
1010		Less Lift Arms <i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

TCB11474	Auxiliary Hydraulics Single-Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers). Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers. For Series II and Non-Series II Front Mowers. (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>	589.57
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000). (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000). For 1500 TerrainCut Front Mowers. (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	622.74

Miscellaneous

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

47 In. Heavy-Duty Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M88984		Drift blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts. For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts. Must also Order: 03H1729-Bolt, 12H302-Lock Washer, 14H786-Hex Nut.</i>	32.10
TCB10448		Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	529.66
		Tire Chains	
TY15956		Tire chains (pair) for 23x10.50-12 tires	95.68
TY15841		Tire chains (pair) for 23x8.50-12 tires	80.41
TY15958		Tire chains (pair) for 26x12-12 tires	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>For 23x8.50 and 23x10.50 Tires.</i>	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Two-Stage Snow Blower
Equipment for Base Machine**

Two-Stage Design
Hydraulic Lift
59 In. Clearing Width
60 In. Overall Width
16 In. Diameter Auger
Adjustable Spout Cap Deflector
Large, Adjustable Skid Shoes
Reversible, Replaceable Scraper

Blade
Hydraulic Discharge Chute
Rotation 90 Degrees Right and
Left (180 Degrees Total)
HD Auger Gearbox Drive
Less Lift Arms and Drive Shaft

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0380TC		60 In. Heavy-Duty Two-Stage Snow Blower <i>For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	5,009.00
--------	--	--	----------

LIFT ARMS AND DRIVE SHAFT

1000		Lift Arms, Drive Shaft and Hardware	478.00
1010		Less Lift Arms <i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

TCB11474		Auxiliary Hydraulics Single-Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers). Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers. For Series II and Non-Series II Front Mowers. (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>	589.57
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000). (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000). For 1500 TerrainCut Front Mowers. (For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	622.74

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. Heavy-Duty Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous	
M88984		Drift blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts. For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts. Must also Order: 03H1729-Bolt, 12H302-Lock Washer, 14H786-Hex Nut.</i>	32.10
TCB10448		Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	529.66
		Tire Chains	
TY15956		Tire chains (pair) for 23x10.50-12 tires	95.68
TY15841		Tire chains (pair) for 23x8.50-12 tires	80.41
TY15958		Tire chains (pair) for 26x12-12 tires	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>For 23x8.50 and 23x10.50 Tires.</i>	136.96
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	31.03
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	116.63

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Front Mowers and Equipment
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Auxiliary Hydraulics	
TCB10566		Hydraulic Weight Transfer Kit	325.29
TCB11474		Single-Spool Auxiliary Hydraulic Kit	589.57
		Miscellaneous	
BM18123		2000 RPM Front PTO (F900's)	1,290.41
BM17714		Auxiliary Hydraulic Kit For F900 Series and F1145	278.20
TCA12058		Slow Moving Vehicle (SMV) Kit	64.91
		Miscellaneous	
TCB11475		Double-Spool Auxiliary Hydraulic Kit	796.09
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	337.06
		Mower Deck and Mower Deck Attachments	
BM17436		72 In. Commercial Side Discharge Mower Deck (For F1145)	5,106.04
		Mulch Kits	
BM19918		Mulch Kit, 48-in (122-cm)	242.89