

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Equipment for Base Machine

25 HP (18.4 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 77 cu. in. (1.27 L)
 Three Cylinder Liquid-Cooled
 Dual Element Air Cleaner
 Air Restriction Indicator
 12V Electric Start
 12V Auxiliary Power Outlet
 75 AMP Automotive Alternator
 16 U.S. Gallon Fuel Capacity
 Two Pedal Hydrostatic Foot Control
 Hydrostatic Transmission
 Hydrostatic Front Wheel Drive
 Hydrostatic Power Steering
 Differential Front Wheel Lock
 Front Lights (steering column

mounted)
 23x10.50-12 In. 4PR Turf (std) Drive Tires
 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD)
 Transmission Oil Cooler
 Individual Turn Assist Brakes
 Internal Wet Disk Brakes
 Master Stop Brake
 Dual Hydraulic Implement Lift Cylinders
 Less Mower Deck
 Hourmeter
 Fuel Gauge
 Tilt Steering Wheel
 PTO Driven Implements
 Operator Presence System

Low Oil Pressure Warning Light
 Hydraulic Oil Temp. Light and Alarm PTO Shutdown
 Folding Two Post ROPS (Roll-Over Protective Structure) and Retractable Seat Belt
 Cast Iron Rear Bumper
 Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2405TC		1550 TerrainCut Commercial Front Mower (Less Mower Deck)	20,399.00
--------	--	--	-----------

DESTINATION

001A		North America United States and Canada	In Base Price
------	--	---	---------------

DRIVE SYSTEM

1190		Two Wheel Drive	In Base Price
1191		Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

DRIVE WHEELS AND TIRES

1019		23x10.50-12 4PR Turf Drive Tires	In Base Price
1020		23x8.50-12 4PR Turf Drive Tires	-35.00
1149		Less Drive Wheels and Tires	-332.00

SEAT

2010		Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued... Air Ride Suspension Seat with Armrests	680.00
ATTACHMENTS FOR FIELD CONVERSION			
		Drive Wheels and Tires	
BUC10893		Drive Tire Fender Kit <i>On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.</i>	179.76
TCB10013		Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires <i>Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.</i>	321.00
BTC10784		Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	424.79
TCB10413		Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	408.74
		Engine	
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	294.99
AR87167		Engine Coolant Heater (110 V) <i>1550 requires Engine Block Heater Adapter (AM882530) to complete installation.</i>	82.67
		Hydraulics	
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	881.69
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	644.14
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	341.33
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	227.91
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	241.81
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	75.92
TCU38442		Bracket, Right-Hand Front Tie Down	78.98
TCB10608		Electronic Cruise Control Kit	321.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10673	Reverse Alarm Kit (Back-up alarm)	140.17
	BTC10685	Slow Moving Vehicle (SMV) Kit	93.09
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29
		Quik-Tatch™ Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
		Roll Over Protection System (ROPS)	
	BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.</i>	1,830.77
		Tire Chains	
	TY15956	Tire chains (pair) for 23x10.50-12 tires	104.95
	TY15841	Tire chains (pair) for 23x8.50-12 tires	88.19
		Weights	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91
		Windshield	
	TCB10620	Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).</i>	529.66

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****1570 TerrainCut Commercial Front Mower (Less Mower Deck)**

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L)
 Three Cylinder Liquid-Cooled
 Up to B20 Compliant
 Dual Element Air Cleaner
 Air Restriction Indicator
 12V Electric Start
 12V Auxilary Power Outlet
 75 AMP Automotive Alternator
 16 U.S. Gallon Fuel Capacity
 Two Pedal Hydrostatic Foot
 Control
 Hydrostatic Transmission
 Hydrostatic Front Wheel Drive
 Hydrostatic Power Steering
 Differential Front Wheel Lock

Front Lights (steering column
 mounted)
 23x10.50-12 In. 4PR Turf (std)
 Drive Tires
 18x8.50-8 In. 4PR Turf
 Steering Tires (2WD) or
 18x8.50-10 In. 6PR Turf
 Steering Tires (4WD)
 Transmission Oil Cooler
 Individual Turn Assist Brakes
 Wet Disk Brakes
 Master Stop Brake
 Dual Hydraulic Implement Lift
 Cylinders
 Less Mower Deck
 Hourmeter
 Fuel Gauge
 Tilt Steering Wheel
 PTO Drvien Implements

Operator Presence System
 Low Oil Pressure Warning Light
 Hydraulic Oil Temp. Light and
 Alarm PTO Shutdown
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Retractable Seat Belt
 Cast Iron Rear Bumper
 Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Raleigh, North Carolina</i>			
2433TC		1570 TerrainCut Commercial Front Mower (Less Mower Deck)	28,649.00
DESTINATION			
001A		North America United States and Canada	In Base Price
DRIVE SYSTEM			
1191		Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00
DRIVE WHEELS AND TIRES			
1019		23x10.50-12 4PR Turf Drive Tires	In Base Price
1020		23x8.50-12 4PR Turf Drive Tires	-35.00
1149		Less Drive Wheels and Tires	-332.00
SEAT			
2010		Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests	390.00
2012		Air Ride Suspension Seat with Armrests	680.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Drive Wheels and Tires	
BUC10893		Drive Tire Fender Kit <i>On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.</i>	179.76
TCB10013		Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires <i>Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.</i>	321.00
BTC10784		Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	424.79
TCB10413		Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	408.74
		Engine	
AR87167		Engine Coolant Heater (110 V)	82.67
		Hydraulics	
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	881.69
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	644.14
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	341.33
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	227.91
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	241.81
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	75.92
TCU38442		Bracket, Right-Hand Front Tie Down	78.98
TCB10608		Electronic Cruise Control Kit	321.00
BTC10673		Reverse Alarm Kit (Back-up alarm)	140.17
BTC10685		Slow Moving Vehicle (SMV) Kit	93.09
TCA23365		Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Quik-Tatch™ Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
		Roll Over Protection System (ROPS)	
BTC10334		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.</i>	1,830.77
		Tire Chains	
TY15956		Tire chains (pair) for 23x10.50-12 tires	104.95
TY15841		Tire chains (pair) for 23x8.50-12 tires	88.19
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91
		Windshield	
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).</i>	529.66

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock

Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf (std)
Drive Tires
18x8.50-8 In. 4PR Turf
Steering Tires (2WD) or
18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement Lift
Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2430TC		1570 TerrainCut Commercial Front Mower (Less Mower Deck)	28,649.00
--------	--	--	-----------

DESTINATION

001A	North America United States and Canada		In Base Price
------	--	--	---------------

DRIVE SYSTEM

1190	Two Wheel Drive		In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>		2,913.00

DRIVE WHEELS AND TIRES

1019	23x10.50-12 4PR Turf Drive Tires		In Base Price
1020	23x8.50-12 4PR Turf Drive Tires		-35.00
1149	Less Drive Wheels and Tires		-332.00

SEAT

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>		In Base Price
2011	Comfort Adjust Suspension Seat with Armrests		390.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2012		SEAT Continued... Air Ride Suspension Seat with Armrests	680.00
ATTACHMENTS FOR FIELD CONVERSION			
		Drive Wheels and Tires	
BUC10893		Drive Tire Fender Kit <i>On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.</i>	179.76
TCB10013		Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires <i>Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.</i>	321.00
BTC10784		Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	424.79
TCB10413		Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	408.74
		Engine	
AR87167		Engine Coolant Heater (110 V)	82.67
		Hydraulics	
BTC10529		Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	881.69
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	644.14
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	341.33
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	227.91
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	241.81
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	75.92
TCU38442		Bracket, Right-Hand Front Tie Down	78.98
TCB10608		Electronic Cruise Control Kit	321.00
BTC10673		Reverse Alarm Kit (Back-up alarm)	140.17
BTC10685		Slow Moving Vehicle (SMV) Kit	93.09

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29
		Quik-Tatch™ Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
		Roll Over Protection System (ROPS)	
	BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.</i>	1,830.77
		Tire Chains	
	TY15956	Tire chains (pair) for 23x10.50-12 tires	104.95
	TY15841	Tire chains (pair) for 23x8.50-12 tires	88.19
		Weights	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
		Weights	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91
		Windshield	
	TCB10620	Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).</i>	529.66

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfrotCab Commercial Front Mower (Less Mower Deck)

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in. (1.64
L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
95 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Four Wheel Drive
Full Time 4WD / On-Demand
Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf

Drive Tires
18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement Lift
Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements
Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Cast Iron Rear Bumper
Operator Training Video

Factory Installed ComfrotCab
Air Conditioning and Heater

Six Multi-Directional Air Vents
Fabric Air Ride Suspension Seat
with Adjustable Armrests,
Lumbar, and Seat Back
Dual Forward Work Lights
Two Speed Front Windshield Wiper
Rearview Mirror (inside)
Sun Visor
Interior Light
Two Front/Two Rear Roof Mounted
Warning Lights and Turn Signals
Double Spool Auxiliary Hydraulic
Valve
with Forward-mounted Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2445TC		1575 TerrainCut with ComfrotCab Commercial Front Mower (Less Mower Deck)	42,639.00
--------	--	--	-----------

DESTINATION

001A	North America United States and Canada		In Base Price
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

BUC10893	Drive Wheels and Tires Drive Tire Fender Kit <i>On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.</i>	179.76
BTC10784	Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	424.79
AR87167	Engine Engine Coolant Heater (110 V)	82.67
BTC10531	Hydraulics Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfrotCab Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Lighting			
LVB24852		Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights, cab is pre-wired.</i>	161.70
Mirrors			
LVB24844		External Mirror Kit (Cab Only)	203.50
Miscellaneous			
TCU38441		Bracket, Left-Hand Front Tie Down	75.92
TCU38442		Bracket, Right-Hand Front Tie Down	78.98
TCB10608		Electronic Cruise Control Kit	321.00
BTC10673		Reverse Alarm Kit (Back-up alarm)	140.17
BTC10685		Slow Moving Vehicle (SMV) Kit	93.09
TCA23365		Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29
Quik-Tatch™ Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
Radio			
RE321109		Radio Kit <i>Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.</i>	975.70
BTC10677		Radio Mount Kit (Cab Only)	130.54
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Requires radio mounting kit to complete installation.</i>	263.09
Tire Chains			
TY15956		Tire chains (pair) for 23x10.50-12 tires	104.95
Weights			
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****1580 TerrainCut Commercial Front Mower (Less Mower Deck)**
Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in. (1.64
L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand

Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
26x12.00-12 In. Square
Shoulder 6PR Turf Drive Tires
20x10.00-10 In. 6PR Round
Shoulder Steering Tires
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement Lift
Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2453TC		1580 TerrainCut Commercial Front Mower (Less Mower Deck)	34,489.00
--------	--	--	-----------

DESTINATION

001A	North America United States and Canada		In Base Price
------	--	--	---------------

SEAT

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>		In Base Price
2011	Comfort Adjust Suspension Seat with Armrests		390.00
2012	Air Ride Suspension Seat with Armrests		680.00

ATTACHMENTS FOR FIELD CONVERSION

BUC10893	Drive Wheels and Tires Drive Tire Fender Kit		179.76
AR87167	Engine Engine Coolant Heater (110 V)		82.67
BTC10529	Hydraulics Double-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>		881.69

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31
BTC10530		Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	644.14
		Lighting	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.</i>	341.33
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. Not Compatible with Cab Models.</i>	227.91
		Mirrors	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	241.81
		Miscellaneous	
TCU38441		Bracket, Left-Hand Front Tie Down	75.92
TCU38442		Bracket, Right-Hand Front Tie Down	78.98
TCB10608		Electronic Cruise Control Kit	321.00
BTC10673		Reverse Alarm Kit (Back-up alarm)	140.17
BTC10685		Slow Moving Vehicle (SMV) Kit	93.09
TCA23365		Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29
		Quik-Tatch™ Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
		Roll Over Protection System (ROPS)	
BTC10334		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.</i>	1,830.77
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91
	TCB10620	Windshield Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).</i>	529.66

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE
 J1995, P
 Rated at 3000 rpm
 Displacement 100.2 cu. in. (1.64 L)
 Three Cylinder Liquid-Cooled
 Up to B20 Compliant
 Dual Element Air Cleaner
 Air Restriction Indicator
 12V Electric Start
 12V Auxilary Power Outlet
 95 AMP Automotive Alternator
 16 U.S. Gallon Fuel Capacity
 Two Pedal Hydrostatic Foot Control
 Hydrostatic Transmission
 Two-Speed Transaxle
 Four Wheel Drive
 Full Time 4WD / On-Demand
 Hydrostatic Power Steering
 Differential Front Wheel Lock
 Front Lights (steering column mounted)
 26x12.00-12 In. Square

Shoulder 6PR Turf Drive Tires
 20x10.00-10 In. 6PR Round
 Shoulder Steering Tires
 Transmission Oil Cooler
 Individual Turn Assist Brakes
 Wet Disk Brakes
 Master Stop Brake
 Dual Hydraulic Implement Lift Cylinders
 Less Mower Deck
 Hourmeter
 Fuel Gauge
 Tilt Steering Wheel
 PTO Drvien Implements
 Operator Presence System
 Low Oil Pressure Warning Light
 Hydraulic Oil Temp. Light and Alarm
 PTO Shutdown
 Cast Iron Rear Bumper
 Operator Training Video
 Factory Installed ComfortCab
 Air Conditioning and Heater
 Six Multi-Directional Air Vents

Fabric Air Ride Suspension Seat with Adjustable Armrests, Lumbar, and Seat Back
 Dual Forward Work Lights
 Two Speed Front Windshield Wiper
 Rearview Mirror (inside)
 Sun Visor
 Interior Light
 Two Front/Two Rear Roof Mounted Warning Lights
 Double Spool Auxiliary Hydraulic Valve
 with Forward-mounted Couplers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2465TC	1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	45,249.00
--------	--	-----------

DESTINATION

001A	North America United States and Canada	In Base Price
------	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Attachment Identifier	Description	List Price Suggested USD (\$)
Drive Wheels and Tires		
BUC10893	Drive Tire Fender Kit	179.76
Engine		
AR87167	Engine Coolant Heater (110 V)	82.67
Hydraulics		
BTC10531	Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	356.31
Lighting		
LVB24852	Beacon Light Kit (Cab Only)	260.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights, cab is pre-wired.</i>	161.70
		Mirrors	
	LVB24844	External Mirror Kit (Cab Only)	203.50
		Miscellaneous	
	TCU38441	Bracket, Left-Hand Front Tie Down	75.92
	TCU38442	Bracket, Right-Hand Front Tie Down	78.98
	TCB10608	Electronic Cruise Control Kit	321.00
	BTC10673	Reverse Alarm Kit (Back-up alarm)	140.17
	BTC10685	Slow Moving Vehicle (SMV) Kit	93.09
	TCA23365	Vehicle Enclosure Kit <i>Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.</i>	1,053.29
		Quik-Tatch™ Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
		Radio	
	RE321109	Radio Kit <i>Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.</i>	975.70
	BTC10677	Radio Mount Kit (Cab Only)	130.54
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Requires radio mounting kit to complete installation.</i>	263.09
		Tire Chains	
	TY15958	Tire chains (pair) for 26x12-12 tires	126.41
		Weights	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	140.17
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****62 In. Fastback Commercial Rear Discharge Deck**
Equipment for Base Machine

62 In. (157.48 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Quick Release Belt Shields
(3) 0.31 In. (7.87 mm) Medium Lift Blades	(3) Double Captured Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) Fabricated Deck	Greaseable Spindles and Caster Wheels
1-6 In. (2.54-15.24 cm) Height of Cut	1 In. (2.54 cm) Splined Shaft Drive
Vehicle Enclosure Kit	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0352TC	62 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,669.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION**Miscellaneous**

TCB10523	1574.8-mm (62-in.) Rear-Discharge Mower Deck Deflector Kit	282.49
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	20.81
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	1,053.29
BTC10545	Mulch Kits 1574.8-mm (62-in.) Rear Discharge Mulching Kit <i>Compatible with 62-in. Rear Discharge deck S/N 010001-069999.</i>	253.59
UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****72 In. Fastback Commercial Rear Discharge Deck**
Equipment for Base Machine

72 In. (182.88 cm) Cutting Width	(2) Semi-Pneumatic Caster Wheels
(3) Spindles, Blades	Belt Shields
7-Gauge 0.177 In. (4.49 mm)	(2) Rear Anti-Scalp Wheels
Fabricated Deck	Front Anti-Scalp Rollers
1-6 In. (2.54-15.24 cm) Height of Cut	Offset Spindles
Deep Deck Design	Greaseable Spindles
Vehicle Enclosure Kit	1 In. (2.54 cm) Splined Shaft
Rear Deck Deflector Kit	Drive
	Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0553TC	72 In. Fastback Commercial Rear Discharge Deck <i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	5,309.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION**Miscellaneous**

DMB210223	1828.8-mm (72-in.) Rear Discharge Anti-Scalp Wheel (Front Pair) Kit <i>For use with all 182.88 cm (72 In.) Rear Discharge Decks for NA and Export.</i>	193.67
DMA210906	Deflector Kit for 72" 1.83 m FAST BACK Deck <i>each 1 flap right and left in front of the traction wheels</i>	256.21
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	20.81
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	1,053.29
	Mulch Kits	
DMB210099	1828.8-mm (72-in.) Rear Discharge Mulching Kit <i>For use with 72" Rear Discharge Decks for NA.</i>	465.46
	Weights	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck

Equipment for Base Machine

72 In. (1,829 mm) Cutting Width	Deep Deck Design
Three HD Spindles Blades	Four Front Pneumatic Caster Wheels
Three - One Piece Stamped Decks	20 Degrees of Wing Deck
7-Gauge 0.177 In. (4.5 mm) Steel	Articulation
1-5 In. (25-127 mm) Height of Cut	Hinged Side Discharge Chute
with Standard Rear Wheel Kit	Greasable Spindles
1-4 In. (25-102 mm) Height of Cut	Splined Shaft Drive
with Optional Rear Roller Kit	45 Degrees Rotate for Service

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0050TC		72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck <i>(For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)</i> Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements. Not Compatible with the MCS 600L Hydraulic High-Dump Material Collection System. Ballast Required. Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit, see Ballast Chart in Sales Manual. Hydraulic Weight Transfer Kit is Required for use with 72-In. (182.88 cm) V-Flex Mower Deck on 1400/1500 Series II Front Mowers. (2) Lift Cylinders are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001.	8,839.00
--------	--	---	----------

REAR ROLLERS AND WHEELS

1000		Rear Wheel Kit Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.	In Base Price
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics		
BTC10531	Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	352.03
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	609.90
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.</i>	644.14
Miscellaneous		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	20.81
Weights		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****60 In. 7-Iron PRO Commercial Side Discharge Deck**
Equipment for Base Machine

60 In. (152.4 cm) Cutting Width	Quick Release Belt Shields
(3) Spindles, Blade	(4) Double Captured Adjustable
(3) 0.25 In. (6.35 mm) High Lift Blades	Anti-scalp Wheel Locations
7-Gauge (.177 In.) One Piece Stamped Deck Shell	(1) Left Rear Anti-scalp Wheel
1-6 In. (2.54-15.24 cm) Height of Cut	Hinged Side Discharge Chute
5.5 In. (13.97 cm) Deep Deck Design	Greaseable Spindles and Caster Wheels
(2) Semi-Pneumatic Caster Wheels	1 In. (2.54 cm) Splined Shaft Drive
	Rotate for Service with Safety Latches

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

033HTC	60 In. 7-Iron PRO Commercial Side Discharge Deck <i>(For 1550/1570/1575 TerrainCut Front mower and 1400 Series II and non Series II) Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,499.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	20.81
	Mulch Kits	
BTC10669	Mulch Kit (1524-mm (60-in.) 7-Iron PRO)	350.96
	Weights	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****72 In. 7-Iron PRO Commercial Side Discharge Mower Deck**
Equipment for Base Machine

72 In. (182.88 cm) Cutting Width	(4) Double Captured Adjustable
(3) Spindles, Blades	Anti-scalp Wheel Locations
7-Gauge 0.177 In. (4.49 mm) One Piece	(2) Rear Anti-scalp Adjustable Wheels
Stamped Deck Shell	Hinged Side Discharge Chute
1-6 In. (2.54-15.24 cm) Height of Cut	Greaseable Spindles
Deep Deck Design	1 In. (2.54 cm) Splined Shaft Drive
(2) Semi-Pneumatic Caster Wheels	Rotate for Service
Quick Release Belt Shields	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

034GTC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>(For 1500 TerrainCut Mowers and 1400/1500's Series II and non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	5,289.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	20.81
Mulch Kits		
BTC10670	Mulch Kit 1828.8 mm (72 in.) (7-Iron PRO)	356.31
Weights		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	60.99
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	120.91

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****60 In. Heavy-Duty Hydraulic Angling Front Blade**
Equipment for Base Machine

60 In. Clearing Width "Straight"	Heavy-Duty, 7-Gauge Steel
52 In. Clearing Width "Fully Angled"	Reinforced Angle Bar on Back of Blade
0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle	Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes
Hydraulic Angling	Less Lift Arms
Replaceable Cutting Edge	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

0390TC		60 In. Heavy-Duty Hydraulic Angling Front Blade <i>For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers. Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000. Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers. Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	1,905.00
--------	--	---	----------

LIFT ARMS

1000		Lift Arms and Hardware <i>For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.</i>	233.00
1001		Lift Arms and Hardware <i>For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.</i>	233.00
1010		Less Lift Arms	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Hydraulics		
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>		609.90
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>		644.14
	Miscellaneous		
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>		140.17
M142885	Heavy Duty Skid Shoe (1)		65.14

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. Heavy-Duty Hydraulic Angling Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM119321		Heavy-duty skid shoe (1) <i>For Front Blade. Two required.</i>	76.71
TCB10449		Lift Arm Kit <i>(For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II)</i>	267.50
BTC10608		Lift Arm Kit <i>(For 1580/1585 TerrainCut Front Mowers and 1500 Series II and non Series II)</i>	267.50
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	120.91
TY15956		Tire chains (pair) for 23x10.50-12 tires	104.95
TY15841		Tire chains (pair) for 23x8.50-12 tires	88.19
TY15958		Tire chains (pair) for 26x12-12 tires	126.41

JOHN DEERE TURF & UTILITY PRODUCTS**COMMERCIAL FRONT MOWERS AND EQUIPMENT****Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)**
Equipment for Base Machine

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0228TC		Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) <i>(Not Compatible with 1500 TerrainCut Models)</i> <i>Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	3,131.00
--------	--	---	----------

MISCELLANEOUS

9000		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	495.00
9001		Single Speed Front Windshield Wiper	374.00
9002		(1) Exterior Mirror Kit	226.00
9004		Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867</i>	987.00
9005		Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</i>	2,530.00
9006		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,711.00

ATTACHMENTS FOR FIELD CONVERSION

	TCB10325	Miscellaneous (1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting. Mounts to 4-Post ROPS.</i>	241.81
--	----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10293		4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023. Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.	1,830.77
TCB10538		Breakaway Beacon Light Hard or Soft Cab with 4-Post ROPS Required. Hard or Soft Cab with 4-Post ROPS Required.	369.16
TCB10620		Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers) Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.	529.66
TCB10662		Rear Worklight (2) Kit Hard or Soft Cab with 4-Post ROPS Required. Hard or Soft Cab with 4-Post ROPS Required.	262.16
TCB10981		Single-Speed Front Windshield Wiper	400.19

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) Equipment for Base Machine

57 In. (145 cm) Clearing Width
Straight
50 In. (127 cm) Clearing Width
Fully Angled
0 Degrees Straight, 15-30
Degrees
Left or Right Brush Angle
26 In. (66 cm) Diameter
Polypropylene Brush
Heavy Duty Center Drive Gearbox
Storage Stand
Less Lift Arms and Drive Shaft

Chain and Sprocket Final Drive
(2) Caster Wheels
Steel Hood

to Change without Notice.

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.

Pricing and Specifications are
Recommended only and are Subject

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0501TC		60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	3,586.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	No Added Cost
------	--	--------------------------	---------------

LIFT ARMS AND DRIVE SHAFT

1000		Lift Arms, Cylinders, Drive Shaft and Hardware	1,741.00
1010		Less Lift Arms, Cylinders, Drive Shaft and Hardware	In Base Price

Attachment Information is not available in MOCI for the base code 0501TC

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

47 In. Heavy-Duty Two-Stage Snow Blower
 Equipment for Base Machine

Two-Stage Design	Reversible, Replaceable Scraper
Hydraulic Lift	Blade
47 In. Clearing Width	Hydraulic Discharge Chute
15.5 In. Diameter Impeller	Rotation 90 Degrees Right and
16 In. Diameter Auger	Left (180 Degrees Total)
(4) Spare Shear Bolts Mounted to Shell	HD Auger Bevel Gearbox Drive
Adjustable Spout Cap Deflector	Less Lift Arms and Drive Shaft
Large, Adjustable Skid Shoes	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0370TC	<p>47 In. Heavy-Duty Two-Stage Snow Blower <i>For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> <i>Compatibility with F900/F1145 Front Mowers requires additional parts. See Sales Manual for 47 In. Heavy-Duty Snow Blower and Supplemental/Compatibility Information.</i></p>	4,622.00
--------	--	----------

LIFT ARMS AND DRIVE SHAFT

1000	Lift Arms, Drive Shaft and Hardware	478.00
1010	<p>Less Lift Arms <i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i></p>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

TCB11474	<p>Hydraulics Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i> <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i> <i>For Series II and Non-Series II Front Mowers.</i></p>	609.90
BTC10530	<p>Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i> <i>For 1500 TerrainCut Front Mowers.</i></p>	644.14

Miscellaneous

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

47 In. Heavy-Duty Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>For 23x8.50 and 23x10.50 Tires.</i>	140.17
M88984		Drift blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts. Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts. Must also Order: 03H1729-Bolt, 12H302-Lock Washer, 14H786-Hex Nut.</i>	33.46
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	32.10
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	120.91
TY15956		Tire chains (pair) for 23x10.50-12 tires	104.95
TY15841		Tire chains (pair) for 23x8.50-12 tires	88.19
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
TCB10448		Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	547.84

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. Heavy-Duty Two-Stage Snow Blower
 Equipment for Base Machine

Two-Stage Design
 Hydraulic Lift
 59 In. Clearing Width
 60 In. Overall Width
 16 In. Diameter Auger
 Adjustable Spout Cap Deflector
 Large, Adjustable Skid Shoes
 Reversible, Replaceable Scraper

Blade
 Hydraulic Discharge Chute
 Rotation 90 Degrees Right and
 Left (180 Degrees Total)
 HD Auger Gearbox Drive
 Less Lift Arms and Drive Shaft

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0381TC		60 In. Heavy-Duty Two-Stage Snow Blower <i>For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	5,134.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	No Added Cost
------	--	--------------------------	---------------

LIFT ARMS AND DRIVE SHAFT

1000		Lift Arms, Drive Shaft and Hardware	478.00
1010		Less Lift Arms <i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

Attachment Information is not available in MOCI for the base code 0381TC

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL FRONT MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Front Mowers and Equipment
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code C15275DUM