

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
Twin Touch Pedals and Direction Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

4WD STEERING AND BRAKES:
Hydrostatic Power Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt. Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over Protective Structure)
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires
Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM

MID-MOUNT LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

025BLV		1023E Sub-Compact Utility Tractor (15 PTO hp)	13,052.00
--------	--	---	-----------

DESTINATION

0184		North America Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0409		OPERATOR'S MANUAL Continued... English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station 2 Post Folding Rops (Meets OECD code 7 standard) Yellow deluxe seat with mechanical suspension. Rear Fenders with Handrails Front Work Lights mounted on Rear Fenders	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 Includes one set of bushings	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
5206		26x12-12 (4PR, R3, 1 Position) Requires Front Tire 6206	-50.00
5207		26x12-12 (4PR, R4 Industrial, 1 Position) Requires Front Tire 6207	In Base Price
5208		26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply Requires Front Tire option 6208	128.00
FRONT WHEELS AND TIRES			
6206		18x8.50-10 (4PR, R3 Turf, 1 Position) Requires Front Tire 5206	-35.00
6207		18x8.50-10 (4PR, R4 Industrial, 1 Position) Requires Rear Tire 5207	In Base Price
6208		18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply Requires Rear Tire option 5208	82.00
LOADERS			
1701		Factory Installed Loader with Bucket Pricing includes 120R Loader and loader installation charge with the following options: 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast	4,393.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
LP64809		Canopy Kit - Rigid Plastic	463.95
LP95233		Large Seat Cover	29.99
LP63768		Magnetic hitch pin	18.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
LP95637		Tractor Cover	159.99
Alternator			
BLV11188		55 Amp Alternator	353.10
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Cold Weather Packages			
MIA881629		Engine Block Heater Adapter	116.10
BLV10640		Engine Coolant Heater Kit	66.00
Exhaust			
AM108146		Spark Arrester Screen for Muffler	36.65
Front Weights			
BLV10623		Front Weight Bracket Extension Kit <i>For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
Front Wheels and Tires			
BLV10859		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	355.30
BXX10271		18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply	355.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10857		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	400.40
BLV11143		<p>Hydraulics 3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade.</i></p> <p><i>Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit)</i></p> <p><i>The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217)</i></p> <p><i>Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	748.00
LVB25956		<p>Power Beyond Kit <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	190.30
BLV11216		<p>Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017.</i></p> <p><i>Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Masser Cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	184.80
BLV11217		<p>Rear Selective Control Valve Kit <i>Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or Masser cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	696.30
BLV10948		<p>Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i></p> <p><i>Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	333.30
BXX10283		Single-Point Hydraulic Connector	653.40
LVB25546		<p>Lighting Dual Light Forward Lighting Kit</p>	117.70
BLV10497		LED Work Light Kit	328.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26026		Rear Work Light Harness Kit	25.30
LVB25547		Single Rear Auxiliary Rear Work Light Kit	69.30
TA15270		Maintenance Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	63.97
BLV11042		Open Operator's Station Illuminated Rear License Plate Kit	70.40
BXX10277		License Plate Kit <i>For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility 1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after Not compatible with Mauser Cab</i>	70.40
BLV10953		Rear Power Take-Off (PTO) John Deere Quik Knect™ PTO receiver	194.70
BM17972		Rear Wheel Weights 50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
BXX10270		Rear Wheels and Tires 26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply	488.40
BLV10858		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	488.40
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	552.20
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	126.41
LVU12858		Three-Point Hitch iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP25004	iMatch™ Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
	LP19969	iMatch™ Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	34.95
	LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
	BW15056	iMatch™/Quik-Coupler Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:
Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt.
Position Control Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights
Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE:
Folding ROPS (Roll-Over Protective Structure)

** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Deluxe Cushion Seat With Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM

MID-MOWER LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

028BLV		1025R Sub-Compact Utility Tractor (18 PTO hp)	15,066.00
--------	--	---	-----------

DESTINATION

0184		North America Canada	No Added Cost
0202		United States	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****1025R Sub-Compact Utility Tractor (18 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0205		DESTINATION Continued... Quebec	No Added Cost
OPERATOR'S MANUAL			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station <i>2 Post Folding Rops (Meets OECD code 7 standard)</i> <i>Yellow deluxe seat with mechanical suspension.</i> <i>Rear Fenders with Handrails</i> <i>Front Work Lights mounted on Rear Fenders</i>	In Base Price
2053		Cab - Heat Only <i>Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator</i> <i>Factory installed cab comes equipped with loader frames. If a loader is not needed, frames can be removed.</i> <i>Not compatible with backhoe</i>	6,764.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not available with factory installed Tractor/Loader/Backhoe</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
5206		26x12-12 (4PR, R3, 1 Position) <i>Requires Front Tire 6206</i>	-50.00
5207		26x12-12 (4PR, R4 Industrial, 1 Position) <i>Requires Front Tire 6207</i>	In Base Price
5208		26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply <i>Requires Front Tire option 6208</i>	128.00
FRONT WHEELS AND TIRES			
6206		18x8.50-10 (4PR, R3 Turf, 1 Position) <i>Requires Front Tire 5206</i>	-35.00
6207		18x8.50-10 (4PR, R4 Industrial, 1 Position) <i>Requires Rear Tire 5207</i>	In Base Price
6208		18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply <i>Requires Rear Tire option 5208</i>	82.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i> 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,393.00
1795		Less Loader	In Base Price
BACKHOES			
3701		260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i> <i>Pricing includes backhoe and installation with the following options:</i> 6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Angle Two Lever Control Six Spool Control Valve 12 In. Bucket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics <i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i> <i>Not available with factory installed iMatch</i>	6,938.00
3749		Less Backhoe	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
LP64809		Canopy Kit - Rigid Plastic	463.95
LP63768		Magnetic hitch pin	18.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP68694	Seat Cover	34.95
	LP95637	Tractor Cover	159.99
		Alternator	
	BLV11188	55 Amp Alternator <i>Recommended for use with drop-on cab (LP68087)</i>	353.10
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Cab Operator's Station	
	BXE10606	Cell Phone Suction Cup Kit	68.20
	BLV11246	Illuminated License Plate Kit	83.60
	BLV11241	Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.</i>	211.20
	BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Cold Weather Packages	
	AM134805	Engine Block Heater Adapter	127.68
	BLV10640	Engine Coolant Heater Kit	66.00
		Exhaust	
	LVA15392	Spark Arrester Screen for Muffler	53.66
		Front Weights	
	BLV10623	Front Weight Bracket Extension Kit <i>For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99
		Front Wheels and Tires	
	BLV10859	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	355.30
	BXX10271	18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply	355.30
	BLV10857	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	400.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Hydraulics	
BLV11143		3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade.</i> <i>Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit)</i> <i>The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217)</i> <i>Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	748.00
LVB25956		Power Beyond Kit <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	190.30
BLV11216		Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017.</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Masser Cab</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	184.80
BLV11217		Rear Selective Control Valve Kit <i>Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or Masser cab</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	696.30
BLV10948		Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i> <i>Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	333.30
BXX10283		Single-Point Hydraulic Connector	653.40
LVB25546		Lighting Dual Light Forward Lighting Kit	117.70
BLV10497		LED Work Light Kit	328.90
BLV10399		Open Station Work Light Brush Guard Kit	86.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10673	Premium LED Work Light Kit	445.50
	BLV10400	ROPS Lights Brush Guard Kit <i>Not compatible with Mauser Cab</i>	84.70
	BLV11244	Rear LED Work Light Kit	110.00
	BXX10310	Rotating Beacon Light	125.40
	LVB25547	Single Rear Auxiliary Rear Work Light Kit	69.30
		Maintenance	
	TA15270	Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	63.97
		Open Operator's Station	
	BLV11042	Illuminated Rear License Plate Kit <i>For 1023E, 1025R and 2025R models through MY19. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY19 for compatibility 1023E - 1LV1023EPLL137987 and prior 1025R - 1LV1025RVLL806023 and prior Not compatible with Mauser Cab</i>	70.40
	BXX10277	License Plate Kit <i>For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility 1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after Not compatible with Mauser Cab</i>	70.40
		Radio	
	SWJHD1635BT	Heavy-Duty AM/FM, Weatherband, Auxiliary Input, SiriusXM Satellite, Bluetooth Radio	318.15
	SWSXV200B	Sirius/XM Tuner	87.99
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	263.09
		Rear Power Take-Off (PTO)	
	BLV10953	John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
	BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
	BM17976	50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
	UC13499	70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
	BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
	BM18089	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
	BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rear Wheels and Tires			
BXX10270		26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply	488.40
BLV10858		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	488.40
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	552.20
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	126.41
Three-Point Hitch			
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP25004		iMatch™ Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
LP19969		iMatch™ Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	34.95
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
 Final Tier IV EPA Emissions Certified
 Engine Power 23.9 HP (17.8 kW) 24.2 PS **
 PTO Power 18.0 HP (13.4 kW)
 **Manufacturer's Estimate of Power (ISO) per SAE J1995
 Rated Speed 3200 RPM
 77.3 Cu. In. Displacement (1.267 L)
 Indirect Fuel Injection
 Auto Bleed Fuel System
 Glow Plug Cold Starting Aid
 Anti-Freeze
 Dry Type Air Cleaner With Safety Element and Mechanical Restriction Indicator
 Fully Enclosed Engine and Muffler with Horizontal Exhaust
 6.2 Gallon Fuel Tank Capacity (23.5 L)
 Hand Throttle
 Key Engine Shut Off
TRANSMISSION:
 Hydrostatic Transmission:
 Infinitely Variable - 2 Speed
 Transaxle
 TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
 Differential Lock
 Cruise Control

FRONT/REAR AXLE:
 Flanged Rear Axle
 Spur Gear Final Drive
 4WD
STEERING AND BRAKES:
 Hydrostatic Power Steering
 Tilt Steering
 Wheel Brakes
 Park Brake
 Wet Disk Brakes
HYDRAULICS:
 Open Center Hydraulic System
 9.0cc Gear Pump
 Maximum Total Flow 7.5 GPM (28.5 LPM)
 Working Pressure (2000 PSI)
 Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
 540-RPM Rear PTO
 2000-RPM Mid PTO
 Hydraulic PTO Clutch
 Mid PTO Brake
 Rear PTO Brake
 Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
 Flip Up Rear PTO Shield
 ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR:
 Rockshaft
 Limited Category 1, 3-Pt. Hitch
 Position Control Hitch
 Rate of Drop/Stop Valve
 Hitch Plate
 Adjustable Sway Chains
INSTRUMENTATION:
 Analog Style Fuel Gauge in Left Hand Fender
 Tachometer/Hour Meter
 Oil Pressure Indicator Light
 Analog Engine Coolant Temperature Gauge
 Coolant Over-Temperature Warning Light
 Alternator Charge Indicator Light
 PTO Engagement Light
 Park Brake Light
 Flashing Amber Warning Light
ELECTRICAL:
 12-Volt Outlet
 12-Volt Electrical System
 Wet Battery with 500 Cold Cranking Amps
 40 Amp Alternator
 Key Ignition Starter with Over-Start Protection
 Neutral Start Switch
LIGHTS:
 Two Front Halogen Head Lights
 Two Forward Flashing Warning Lights
 Two Rearward Flashing Warning Lights
 Two Fender Lights
 Brake Indicator Lights
 **Turn Signal Indication per Current ASABE Lighting Standard
OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS

(Roll-Over-Protective Structure)
 **Meets OECD 7 Standard
 Deluxe Cushion Seat with Seat Belt
 Isolated Foot Deck
 Operator Presence System
MISCELLANEOUS:
 SMV Emblem
 Front Weight Bracket
 Tilt-Up Hood with Gas-Lift Shocks
 Cup holder
 Integrated Storage in Right Fender (Open)
 Mower Deck Height Adjustment
 Tool Box
 Floor Mat
 High Back Mechanical Suspension Seat
 Adjustable Armrests
 Fuel fill location on LH fender
 Chrome Plated Row Finder on Hood
 Seat close out
 Fender close outs
 Fender grab handles - LH & RH
BASE MACHINE (4WD):
 Engage on-the-go 4WD
 Anti-Wrapping Guard for 4WD
 Drive Shaft
 12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires
 23x8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires
MID-MOWER LIFT SYSTEM:
 Mid-Mower Mechanical Lift Ready
 Includes Mid-Mower Lift
 Rockshaft
 Includes Mechanical Lift Arm
 Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

151BLV	2025R Compact Utility Tractor (18 PTO hp)	17,555.00
--------	---	-----------

DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
024H		DESTINATION Continued... United States Minor Outlying Islands	No Added Cost
0184		North America Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
<hr/>			
OPERATOR'S MANUAL			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<hr/>			
OPERATOR'S STATION			
2000		Open Operator Station	In Base Price
2053		Cab - Heat Only <i>Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator</i> <i>Factory installed cab comes equipped with loader frames. If a loader is not needed, frames can be removed.</i> <i>Not compatible with backhoe</i>	6,764.00
<hr/>			
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not available with factory installed Tractor/Loader/Backhoe</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
<hr/>			
REAR WHEELS AND TIRES			
5203		12-16.5 (6PR, R4 Industrial, 1 Position) Bias Ply	127.00
5204		280/70 R16 (R3 Turf, 1 Position) Radial	250.00
5205		12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
<hr/>			
FRONT WHEELS AND TIRES			
6203		23 X 8.50-12 (6PR, R4 Industrial, 1 Position) Bias Ply	45.00
6204		220/55 R12 (R3 Turf, 1 Position) Radial	168.00
6205		23 X 8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
<hr/>			
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>	4,393.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****2025R Compact Utility Tractor (18 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		BACKHOES	
3701		260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i> <i>Pricing includes backhoe and installation with the following options:</i> 6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Angle Two Lever Control Six Spool Control Valve 12 In. Bucket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics <i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe. Not available with factory installed iMatch</i>	6,938.00
3749		Less Backhoe	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
LP64809		Canopy Kit - Rigid Plastic	463.95
LP63768		Magnetic hitch pin	18.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
LP68694		Seat Cover	34.95
LP95637		Tractor Cover	159.99

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Alternator	
BLV11188		55 Amp Alternator <i>Recommended for use with drop-on cab (LP70009)</i>	353.10
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Cab Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	68.20
BLV11242		Illuminated License Plate Kit <i>Not compatible with Open Station tractors. Only for Cab tractors.</i>	83.60
BLV10674		Radio Installation Kit <i>Includes radio console for mounting, 2 speakers, 1 antenna, wiring for radio (DIN) and wiring for speakers. Recommended radio SWJHD1130WP For cab tractors only</i>	162.80
BXX10309		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For cab tractors only.</i>	370.70
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Cold Weather Packages	
AM134805		Engine Block Heater Adapter	127.68
BLV10640		Engine Coolant Heater Kit	66.00
		Engine	
BLV10784		Auto-Throttle Kit <i>Kit contains cables and necessary hardware to connect the TwinTouch pedals to the engine throttle. This allows engine speed to increase or decrease as the transmission speed changes. This feature works in both the forward and reverse directions.</i>	248.60
		Exhaust	
LVA15392		Spark Arrester Screen for Muffler	53.66
		Front Fenders	
BLV10945		Turnable Front Fender Kit with Quick Release Mechanism <i>Not compatible while mid-mount mower is installed.</i>	506.00
		Front Hitch	
BLV10680		Front Attaching Support kit <i>For Model Year 2017 and newer 2025R and 2026R tractors</i>	306.90
BLV11099		Front Tow Hitch	96.80
BLV10880		Hydraulic Angling <i>For Model Year 2017 and newer 2025R and 2026R tractors</i>	319.00
BLV10708		Quick Hitch Kit <i>For Model Year 2017 and newer 2025R and 2026R tractors</i>	858.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Front Weights	
BLV10623		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263). For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors</i>	223.30
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
		Front Wheels and Tires	
BLV10745		220/55-12 (R3 Turf) Radial Front Wheels & Tires	386.10
BLV10741		23x8.5-12 (R3 Turf) Bias Ply Front Wheels & Tires	468.60
BLV10743		23x8.5-12 (R4 Industrial) Bias Ply Front Wheels & Tires	528.00
		Hydraulics	
BLV11156		Mid Mounted 3rd Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications.</i> <i>Requires Loader bundle BXX10210 (Third Function Loader Hose Kit) for use with grapple bucket, 4 in 1 bucket and/or front blade.</i> <i>Not compatible for use in conjunction with BLV10933 (Independent mower lift system) as functionality will be limited. However, if using with independent mower lift, also order BLV11115.</i> <i>Please reference the compatibility matrix located on the Value Selling Navigator for additional parts that might be needed.</i>	748.00
BLV11238		Power Beyond Kit <i>Not compatible with Drop On Cab from Mauser (LP68087).</i>	190.30
BLV11217		Rear Selective Control Valve Kit <i>Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or Mauser cab</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	696.30
BLV11025		Rear Selective Control Valve Kit <i>For use on MY 2017 and newer 2025R tractors</i> <i>Not compatible with Mauser Cab, Power Beyond Kit (BLV11238) or Rear Tubing Kit (BLV10775)</i>	717.20
BLV10775		Rear Tubing Kit <i>Routes dual mid SCVs to rear of tractor</i> <i>Not compatible with Power Beyond Kit (BLV11238), Rear SCV Kit (BLV11025), Backhoe or Tire Chains</i>	333.30
BXX10283		Single-Point Hydraulic Connector	653.40
		Lighting	
BLV11024		Beacon Light	190.30
LVB25546		Dual Light Forward Lighting Kit	117.70
BLV10497		LED Work Light Kit	328.90

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BLV10399		Open Station Work Light Brush Guard Kit	86.90
BLV10673		Premium LED Work Light Kit	445.50
BLV10400		ROPS Lights Brush Guard Kit <i>Not compatible with Mauser Cab</i>	84.70
BLV11083		Rear LED Work Light Kit	110.00
LVB25547		Single Rear Auxiliary Rear Work Light Kit	69.30
Maintenance			
TA15270		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	63.97
Open Operator's Station			
BLV11042		Illuminated Rear License Plate Kit	70.40
BXX10277		License Plate Kit <i>For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility 1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after Not compatible with Mauser Cab</i>	70.40
Radio			
SWJHD1130WP		Radio	202.53
Rear Fenders			
BLV10930		Rear Fender Extension Kit	89.10
Rear Power Take-Off (PTO)			
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
Rear Wheel Weights			
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg)	140.80
Rear Wheels and Tires			
BLV10740		12-16.5 (R3 Turf) Bias Ply Rear Wheels & Tires	920.70
BLV10742		12x16.5 (R4 Industrial) Bias Ply Rear Wheels & Tires	1,083.50
BLV10744		280/70-16 (R3 Turf) Radial Rear Wheels & Tires	871.20
TY15201		Tire Chains <i>For use with 280/70-16 (R3 - Radial) rear tires.</i>	235.75
TY4451		Tire Chains <i>Compatible with 12-16.5 R4 and R1 tires.</i>	286.32
Three-Point Hitch			
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	25.21

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP25004		iMatch™ Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
LP19969		iMatch™ Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	34.95
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

**2032R Compact Utility Tractor (25 PTO hp)
Equipment for Base Machine**

ENGINE:
 Yanmar 3 Cylinder Liquid Cooled Diesel Engine
 Final Tier IV EPA Emissions Certified
 Engine Power 30.8 HP (23.0 kW) 31.2 PS **
 PTO Power 25.0 HP (18.6 kW)
 **Manufacturer's Estimate of Power (ISO) per SAE J1995
 Rated Speed 2500 RPM
 100.2 Cu. In. Displacement (1.642 L)
 Direct Fuel Injection
 Auto Bleed Fuel System
 Glow Plug Cold Starting Aid
 Anti-Freeze
 Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
 Fully Enclosed Engine and Muffler with Side Outlet Exhaust
 8.6 Gallon Fuel Tank Capacity (32.5 L)
 Hand Throttle
 eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
 Key Engine Shut Off

TRANSMISSION:
 Hydrostatic Transmission:
 Infinitely Variable - 2 Speed Transaxle
 TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
 Differential Lock
 Cruise Control

FRONT/REAR AXLE:
 Flanged Rear Axle
 Spur Gear Final Drive
 4WD

STERING AND BRAKES:
 Hydrostatic Power Steering
 Tilt Steering
 Individual Wheel (Turning) Brakes
 Park Brake
 Wet Disk Brakes

HYDRAULICS:
 Open Center Hydraulic System
 Dual Gear Pumps
 8.2cc Gear Pump (Implement)
 6.1cc Gear Pump (Steering)
 Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
 Implement Pump 5.2 GPM (19.6 LPM)
 Working Pressure (2500 PSI)
 Dual Mid SCV Standard

PTO:
 Independent Mid and Rear PTO
 540-RPM Rear PTO
 2000-RPM Mid PTO
 Hydraulic PTO Clutch
 Mid PTO Brake
 Rear PTO Brake
 Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
 Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR:
 Rockshaft
 Category 1, 3-Pt. Hitch
 Position Control Hitch
 Rate of Drop/Stop Valve
 Adjustable Drawbar
 Adjustable Sway Chains

INSTRUMENTATION:
 Analog Style Fuel Gauge in Instrument Panel
 Tachometer/Hour Meter
 Premium Instrument Panel with Advanced Diagnostic Capabilities
 Dot Matrix Display with Multiple Language Support
 Oil Pressure Indicator Light
 Air Filter Restriction Indicator Light
 Analog Engine Coolant Temperature Gauge
 Coolant Over-Temperature Warning Light
 Alternator Charge Indicator Light
 PTO Engagement Light
 Park Brake Light
 Flashing Amber Warning Light
 Cruise Control Indicator Light
 MFWD Indicator Light
 Digital PTO Speed Indicator

ELECTRICAL:
 12-Volt Outlet
 12-Volt Electrical System
 Wet Battery with 500 Cold Cranking Amps
 85 Amp Alternator
 Key Ignition Starter with Over-Start Protection
 Neutral Start Switch
 Pre-Wired for Backup Alarm

LIGHTS:
 Two Front Halogen Head Lights
 Two Forward Flashing Warning Lights
 Two Rearward Flashing Warning Lights
 Two Fender Lights
 Brake Indicator Lights
 **Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:
 Folding ROPS (Roll-Over-Protective Structure)
 **Meets OECD 7 Standard
 Deluxe Cushion Seat with Seat Belt
 Isolated Foot Deck
 Operator Presence System

MISCELLANEOUS:
 SMV Emblem
 Front Weight Bracket
 Tilt-Up Hood with Gas-Lift Shocks
 Cup holder
 Integrated Storage in Left Fender (Covered)
 Integrated Storage in Right Fender (Open)
 Floor Mat
 High Back Mechanical Suspension Seat
 Adjustable Armrests
 Fuel fill location on LH fender
 Chrome Plated Row Finder on Hood
 Seat close out
 Fender close outs
 Fender grab handles - LH & RH

BASE MACHINE (4WD):
 Engage on-the-go 4WD
 Anti-Wrapping Guard for 4WD Drive Shaft
 14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
 23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BASE MACHINE Continued... <i>F.O.B. Grovetown, Georgia</i>	
1534LV		2032R Compact Utility Tractor (25 PTO hp)	23,910.00
DESTINATION			
		North America	
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
		Central America	
024H		United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	315.00
4061		Less iMatch Quick Hitch	In Base Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-518.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-65.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	790.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-285.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	38.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i> <i>Non Self-Leveling Boom</i> <i>Hoses and Hydraulic Couplers</i>	4,942.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750		Factory Installed Loader less Bucket Pricing includes loader installation charge and 220R Loader with the following options: Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	4,144.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	List Price Suggested USD (\$)
	Accessories	
LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459	Bracket, Arm, RAM Double Socket	28.49
LP63768	Magnetic hitch pin	18.99
PF80460	Mount - RAM U-Bolt	62.39
RE558821	Mounting Ball Stud	19.64
AL212683	Mounting Parts - Display Mount RAM	136.97
UC17356	RAM Mount Vesa Bracket 1.5	110.00
LP95637	Tractor Cover	159.99
	Ballast	
BW15073	Ballast Box	302.50
BW15074	Ballast Box Extension	143.00
	Drawbar	
RE19428	Safety Chain Support Kit	164.83
	Engine	
BLV10640	Engine Coolant Heater Kit	66.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Front Fenders	
BLV10999		Turnable Front Fender Kit	506.00
		Front Hitch	
BLV10637		A-Frame Quick Attach System <i>For 3120-3720, 3033R-3046R, Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i>	226.60
BLV10634		Auxiliary Front Hydraulic Coupler Kit <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch. For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i>	101.20
BLV10631		Front Three-Point Hitch <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i>	1,464.10
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	133.10
		Front Power Take-Off (PTO)	
BLV10633		2000 RPM Front PTO <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	330.00
		Front Weights	
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00
		Front Wheels and Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	958.10
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	831.60
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	915.20
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	552.20
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	931.70
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW16970		Single Point Hydraulic Connector <i>For use with 220R loaders on 2032R and 2038R tractors, MY17 and newer</i>	653.40
BXX10542		Single Point Hydraulic Connector - MSL 220R <i>Compatible with 2R tractors MY17 and newer matched with 220R MSL loader</i>	1,779.23
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	445.50
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA23615		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	133.62
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV10677		Illuminated Rear License Plate Kit	70.40
TY25324		Weather Protection Umbrella	117.16
		Rear Fenders	
BLV10520		Rear FenderExtension Kit	295.90
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Rear Wheels and Tires	
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	801.90
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,369.50
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,452.00
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,449.70
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	307.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).</i>	26.00
LP25004		iMatch™ Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
LP19969		iMatch™ Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	34.95
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10430		Wheel Spacer Set, 60MM (each side)	347.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

**2038R Compact Utility Tractor (30 PTO hp)
Equipment for Base Machine**

ENGINE:
 Yanmar 3 Cylinder Liquid Cooled Diesel Engine
 Final Tier IV EPA Emissions Certified
 Engine Power 36.8 HP (27.4 kW) 37.3 PS **
 PTO Power 30.0 HP (22.4 kW)
 **Manufacturer's Estimate of Power (ISO) per SAE J1995
 Rated Speed 2500 RPM
 95.7 Cu. In. Displacement (1.568 L)
 Direct Fuel Injection
 Auto Bleed Fuel System
 Glow Plug Cold Starting Aid
 Anti-Freeze
 Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
 Fully Enclosed Engine and Muffler with Side Outlet Exhaust
 8.6 Gallon Fuel Tank Capacity (32.5 L)
 Hand Throttle
 eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
 Key Engine Shut Off

TRANSMISSION:
 Hydrostatic Transmission:
 Infinitely Variable - 2 Speed Transaxle
 TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
 Differential Lock
 Cruise Control

FRONT/REAR AXLE:
 Flanged Rear Axle
 Spur Gear Final Drive
 4WD

STERING AND BRAKES:
 Hydrostatic Power Steering
 Tilt Steering
 Individual Wheel (Turning) Brakes
 Park Brake
 Wet Disk Brakes

HYDRAULICS:
 Open Center Hydraulic System
 Dual Gear Pumps
 8.2cc Gear Pump (Implement)
 6.1cc Gear Pump (Steering)
 Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
 Implement Pump 5.2 GPM (19.6 LPM)
 Working Pressure (2500 PSI)
 Dual Mid SCV Standard

PTO:
 Independent Mid and Rear PTO
 540-RPM Rear PTO
 2000-RPM Mid PTO
 Hydraulic PTO Clutch
 Mid PTO Brake
 Rear PTO Brake
 Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
 Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR:
 Rockshaft
 Category 1, 3-Pt. Hitch
 Position Control Hitch
 Rate of Drop/Stop Valve
 Adjustable Drawbar
 Adjustable Sway Chains

INSTRUMENTATION:
 Analog Style Fuel Gauge in Instrument Panel
 Tachometer/Hour Meter
 Premium Instrument Panel with Advanced Diagnostic Capabilities
 Dot Matrix Display with Multiple Language Support
 Oil Pressure Indicator Light
 Air Filter Restriction Indicator Light
 Analog Engine Coolant Temperature Gauge
 Coolant Over-Temperature Warning Light
 Alternator Charge Indicator Light
 PTO Engagement Light
 Park Brake Light
 Flashing Amber Warning Light
 Cruise Control Indicator Light
 MFWD Indicator Light
 Digital PTO Speed Indicator

ELECTRICAL:
 12-Volt Outlet
 12-Volt Electrical System
 Wet Battery with 500 Cold Cranking Amps
 85 Amp Alternator
 Key Ignition Starter with Over-Start Protection
 Neutral Start Switch
 Pre-Wired for Backup Alarm

LIGHTS:
 Two Front Halogen Head Lights
 Two Forward Flashing Warning Lights
 Two Rearward Flashing Warning Lights
 Two Fender Lights
 Brake Indicator Lights
 **Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:
 Folding ROPS (Roll-Over-Protective Structure)
 **Meets OECD 7 Standard
 Deluxe Cushion Seat with Seat Belt
 Isolated Foot Deck
 Operator Presence System

MISCELLANEOUS:
 SMV Emblem
 Front Weight Bracket
 Tilt-Up Hood with Gas-Lift Shocks
 Cup holder
 Integrated Storage in Left Fender (Covered)
 Integrated Storage in Right Fender (Open)
 Floor Mat
 High Back Mechanical Suspension Seat
 Adjustable Armrests
 Fuel fill location on LH fender
 Chrome Plated Row Finder on Hood
 Seat close out
 Fender close outs
 Fender grab handles - LH & RH

BASE MACHINE (4WD):
 Engage on-the-go 4WD
 Anti-Wrapping Guard for 4WD Drive Shaft
 14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
 23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BASE MACHINE Continued... <i>F.O.B. Grovetown, Georgia</i>	
1554LV		2038R Compact Utility Tractor (30 PTO hp)	25,926.00
DESTINATION			
		North America	
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
		Central America	
024H		United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	315.00
4061		Less iMatch Quick Hitch	In Base Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-518.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-65.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	790.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-285.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	38.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i> <i>Non Self-Leveling Boom</i> <i>Hoses and Hydraulic Couplers</i>	4,942.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****2038R Compact Utility Tractor (30 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator <i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i> Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator <i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,144.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	List Price Suggested USD (\$)
	Accessories	
LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459	Bracket, Arm, RAM Double Socket	28.49
LP63768	Magnetic hitch pin	18.99
PF80460	Mount - RAM U-Bolt	62.39
RE558821	Mounting Ball Stud	19.64
AL212683	Mounting Parts - Display Mount RAM	136.97
UC17356	RAM Mount Vesa Bracket 1.5	110.00
LP95637	Tractor Cover	159.99
	Ballast	
BW15073	Ballast Box	302.50
BW15074	Ballast Box Extension	143.00
	Drawbar	
RE19428	Safety Chain Support Kit	164.83
	Engine	
BLV10640	Engine Coolant Heater Kit	66.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Front Fenders	
BLV10999		Turnable Front Fender Kit	506.00
		Front Hitch	
BLV10637		A-Frame Quick Attach System <i>For 3120-3720, 3033R-3046R, Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i>	226.60
BLV10634		Auxiliary Front Hydraulic Coupler Kit <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i> <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	101.20
BLV10631		Front Three-Point Hitch <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i>	1,464.10
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i> <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	133.10
		Front Power Take-Off (PTO)	
BLV10633		2000 RPM Front PTO <i>For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors</i> <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i>	330.00
		Front Weights	
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00
		Front Wheels and Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	958.10
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	831.60
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	915.20
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	552.20
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	931.70
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW16970		Single Point Hydraulic Connector <i>For use with 220R loaders on 2032R and 2038R tractors, MY17 and newer</i>	653.40
BXX10542		Single Point Hydraulic Connector - MSL 220R <i>Compatible with 2R tractors MY17 and newer matched with 220R MSL loader</i>	1,779.23
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	445.50
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA23615		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	133.62
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV10677		Illuminated Rear License Plate Kit	70.40
TY25324		Weather Protection Umbrella	117.16
		Rear Fenders	
BLV10520		Rear FenderExtension Kit	295.90
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Rear Wheels and Tires	
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	801.90
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,369.50
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,452.00
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,449.70
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	307.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).</i>	26.00
LP25004		iMatch™ Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
LP19969		iMatch™ Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	34.95
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10430		Wheel Spacer Set, 60MM (each side)	347.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor
Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 24.7 (18.2 kW)**
Rated Speed 2400 RPM
**Engine HP (kW), gross SAE
J1995: 24.7 (18.2) @ 2400 rpm, PS
Displacement, cu in. (L): 100.20 (1.642)

TRANSMISSION:
4-Wheel Drive
Gear Transmission
8F/8R
Differential Lock

HYDRAULICS:
8.5 GPM (32 LPM) Total Flow
5.0 GPM (19 LPM) Implement Pump

3.5 GPM (13 LPM) Steering Pump
PTO:
Transmission Driven 540 RPM Rear PTO
Mechanically Engaged Wet Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with Accessory and Pre-Heat Position
Maintenance Free Battery with 600 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without suspension
Folding ROPS
Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification

Standards
Retractable Seat Belt
Operator Presence with Safety Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1680LV		3025D Compact Utility Tractor	17,278.00
--------	--	-------------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0202		United States	No Added Cost
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0437		Spanish North American Operators Manual and Decal Kit	No Added Cost
0409		English North American Operators Manual and Decal Kit	No Added Cost
0413		French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>	5,404.00
------	--	--	----------

*61 In. (1550 mm) Quick Change Materials Bucket
Non-Self Leveling Loader Boom
Mounting Frame
Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit
Hood Guard*

Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3025D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> <i>Mounting Frame</i> <i>Non-Self Leveling Loader Boom</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,593.00
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	315.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	157.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	17.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	62.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	72.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
LP95233		Large Seat Cover	29.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
RE19428		Safety Chain Support Kit	164.83
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Draft Link			
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
Engine			
BLV10640		Engine Coolant Heater Kit	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60
Exhaust			
BLV11105		Spark Arrester Screen	240.90
Front Weights			
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
Front Wheels and Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
Hydraulics			
BLV10901		Rear Hydraulic Kit	965.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11094		Rear License Plate Kit (Include Light)	70.40
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,875.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook	383.90
		Wheel Tread Width	
BLV10985		Wheel Spacer Kit	347.60

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3035D Compact Utility Tractor**
Equipment for Base Machine

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 34.7 (25.5 kW)** Rated Speed 2800 RPM **Engine HP (kW), gross SAE J1995: 34.7 (25.5) @ 2800 rpm, PS Displacement, cu in. (L): 100.20 (1.642)	Pump 3.5 GPM (13.0 LPM) Steering Pump PTO: Transmission Driven 540 RPM Rear PTO Mechanically Engaged Wet Clutch ELECTRICAL: 12-Volt System 55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 600 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Folding ROPS Meets ASABE S478.1 and OSHA	1928.5l ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
---	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Grovetown, Georgia*

1690LV	3035D Compact Utility Tractor	21,323.00
--------	-------------------------------	-----------

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0437	Spanish North American Operators Manual and Decal Kit	No Added Cost
0409	English North American Operators Manual and Decal Kit	No Added Cost
0413	French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701	Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>	5,404.00
------	--	----------

*61 In. (1550 mm) Quick Change Materials Bucket
 Non-Self Leveling Loader Boom
 Mounting Frame
 Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit
 Hood Guard*

Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> <i>Mounting Frame</i> <i>Non-Self Leveling Loader Boom</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,593.00
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	315.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	157.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	17.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	62.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	72.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
LP95233		Large Seat Cover	29.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
RE19428		Safety Chain Support Kit	164.83
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Draft Link			
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
Engine			
BLV10640		Engine Coolant Heater Kit	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60
Exhaust			
BLV11105		Spark Arrester Screen	240.90
Front Weights			
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
Front Wheels and Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
Hydraulics			
BLV10901		Rear Hydraulic Kit	965.80

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11094		Rear License Plate Kit (Include Light)	70.40
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,875.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook	383.90
		Wheel Tread Width	
BLV10985		Wheel Spacer Kit	347.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor
 Equipment for Base Machine

ENGINE:
 Yanmar Liquid Cooled Diesel Engine
 Tier IV EPA Emissions Certified
 Engine HP 42.2 (31 kW)**
 Rated Speed 2800 RPM
 **Engine HP (kW), gross SAE
 J1995: 42.2 (31) @ 2800 rpm, PS
 Displacement, cu in. (L): 95.69
 (1.568)

3.5 GPM (13 LPM) Steering Pump
PTO:
 Transmission Driven 540 RPM Rear
 PTO
 Mechanically Engaged Wet Clutch

1928.5l ROPS Certification Standards
 Retractable Seat Belt
 Operator Presence with Safety Interlock System

TRANSMISSION:
 4-Wheel Drive
 Gear Transmission
 8F/8R
 Differential Lock

ELECTRICAL:
 12-Volt System
 55 Amp Alternator
 Key Ignition Starter with Accessory and Pre-Heat Position
 Maintenance Free Battery with 600 Cold Cranking Amps

BASE MACHINE (4WD):
 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires
 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

HYDRAULICS:
 8.5 GPM (32 LPM) Total Flow
 5.0 GPM (19 LPM) Implement Pump

OPERATOR PROTECTIVE STRUCTURE:
 Adjustable Vinyl Seat without suspension
 Folding ROPS
 Meets ASABE S478.1 and OSHA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

16A0LV		3043D Compact Utility Tractor	24,558.00
--------	--	-------------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0202		United States	No Added Cost
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0437		Spanish North American Operators Manual and Decal Kit	No Added Cost
0409		English North American Operators Manual and Decal Kit	No Added Cost
0413		French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701		Factory Installed Loader with Bucket	5,404.00
------	--	--------------------------------------	----------

Pricing includes loader installation charge and 300E loader with the following options:

- 61 In. (1550 mm) Quick Change Materials Bucket*
- Non-Self Leveling Loader Boom*
- Mounting Frame*
- Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit*
- Hood Guard*

Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1750		LOADERS Continued... Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> <i>Mounting Frame</i> <i>Non-Self Leveling Loader Boom</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,593.00
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	315.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	157.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	17.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	62.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	72.00

ATTACHMENTS FOR FIELD CONVERSION**Accessories**

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	LP95233	Large Seat Cover	29.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	RE19428	Safety Chain Support Kit	164.83
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10908	Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
	BLV10906	Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60
		Exhaust	
	BLV11105	Spark Arrester Screen	240.90
		Front Weights	
	BLV11045	Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
	LVU32113	Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
		Front Wheels and Tires	
	BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
	BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
	BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
		Hydraulics	
	BLV10901	Rear Hydraulic Kit	965.80
		Lighting	

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11094		Rear License Plate Kit (Include Light)	70.40
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,875.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90
LVU12858		Three-Point Hitch iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook	383.90
BLV10985		Wheel Tread Width Wheel Spacer Kit	347.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor
Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 24.7 (18.2 kW)**
PTO HP 19.4 (14.4 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 24.7 (18.2) @ 2500 rpm,
PS Displacement, cu in. (L):
100.20 (1.642)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control Integrated with Brake Pedal)

HYDRAULICS:
9.3 GPM (35.2 LPM) Total Flow
5.3 GPM (20.1 LPM) Implement

Pump
4.0 GPM (15.1 LPM) Steering Pump

ROCKSHAFT, HITCH AND DRAWBAR:
Drawbar
PTO: Independent 540 RPM Rear PTO
Electronically Engaged Wet Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with Accessory and Pre-Heat Position
Maintenance Free Battery with 500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without suspension
Folding ROPS

Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards
Retractable Seat Belt
Operator Presence with Safety Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1359LV		3025E Compact Utility Tractor	18,879.00
--------	--	-------------------------------	-----------

DESTINATION

0202	North America United States		In Base Price
0184	Canada		No Added Cost
0205	Quebec		No Added Cost
024H	Oceania United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost

THREE-POINT HITCH

4060	iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>		315.00
------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	157.00
5213		41x14-20 4PR R3 Turf 1 Position	17.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	180.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	62.00
6213		27x8.50-15 6PR R3 Turf 2 Position	72.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	140.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>61 In. (1550 mm) Quick Change Materials Bucket</i> <i>Mounting Frame</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,404.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,593.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Mounting Frame</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	LP95233	Large Seat Cover	29.99
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LP95637	Tractor Cover	159.99
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10919	Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
		Drawbar	
	BLV10918	Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	168.30
	RE19428	Safety Chain Support Kit	164.83
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
	BLV11022	Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60
		Exhaust	
	BLV11104	Spark Arrester Screen <i>For MY18 and newer Tractors.</i>	240.90

Front Weights

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
		Front Wheels and Tires	
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
		Hydraulics	
BLV10903		Dual Rear Selective Control Valve <i>Not Compatible with Power Beyond Kit (BLV11068)</i> <i>For MY18 and newer Tractors.</i>	965.80
BLV11068		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i> <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i>	448.80
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,875.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10898	Cruise Control Kit	271.70
	BLV10641	Transmission Oil Heater	88.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3032E Compact Utility Tractor**
Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled Diesel
Engine
Tier IV EPA Emissions Certified
Engine HP 31.1 (22.3 kW)*
PTO HP 25.0 (18.6 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 31.1 (22.3) @ 2500 rpm,
PS
Displacement, cu in. (L): 100.20
(1.642)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control
Integrated with Brake Pedal)

HYDRAULICS:
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement
Pump
4.0 GPM (15.1 LPM) Steering Pump
ROCKSHAFT, HITCH AND DRAWBAR:
Drawbar

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged Wet
Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with
Pre-Heat While Cranking
Maintenance Free Battery with
500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without
suspension

Folding ROPS
Meets ASABE S478.1 and OSHA
1928.51 ROPS Certification
Standards
Retractable Seat Belt
Operator Presence with Safety
Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
1479LV		3032E Compact Utility Tractor	21,340.00
DESTINATION			
0202		North America United States	In Base Price
0184		Canada	No Added Cost
0205		Quebec	No Added Cost
024H		Oceania United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	315.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	157.00
5213		41x14-20 4PR R3 Turf 1 Position	17.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	180.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	62.00
6213		27x8.50-15 6PR R3 Turf 2 Position	72.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	140.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,404.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,593.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued...	
		<i>Mounting Frame</i>	
		<i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i>	
		<i>Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	LP95233	Large Seat Cover	29.99
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LP95637	Tractor Cover	159.99
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10919	Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
		Drawbar	
	BLV10918	Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	168.30
	RE19428	Safety Chain Support Kit	164.83
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
	BLV11022	Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Weights			
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
Front Wheels and Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
Hydraulics			
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors.</i> <i>Not Compatible with Power Beyond Kit (BLV11068)</i>	965.80
BLV11068		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i> <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i>	448.80
Lighting			
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21037		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	149.71
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,875.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	
BLV10898		Cruise Control Kit	271.70
BLV10641		Transmission Oil Heater	88.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor
Equipment for Base Machine

ENGINE:
Yanmar Liquid Cooled Diesel
Engine
Tier IV EPA Emissions Certified
Engine HP 37.3 (27.4 kW)*
PTO HP 30.0 (22.4 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 37.3 (27.4) @ 2500 rpm,
PS
Displacement, cu in. (L): 95.68
(1.568)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control
Integrated with Brake Pedal)

HYDRAULICS:
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement
Pump
4.0 GPM (15.1 LPM) Steering Pump
ROCKSHAFT, HITCH AND DRAWBAR:
Drawbar

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged Wet
Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Maintenance Free Battery with
500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without
suspension

Folding ROPS
Meets ASABE S478.1 and OSHA
1928.51 ROPS Certification
Standards
Retractable Seat Belt
Operator Presence with Safety
Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1489LV		3038E Compact Utility Tractor	23,800.00
--------	--	-------------------------------	-----------

DESTINATION

0202	North America United States		In Base Price
0184	Canada		No Added Cost
0205	Quebec		No Added Cost
024H	Oceania United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost

THREE-POINT HITCH

4060	iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>		315.00
------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	337.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	157.00
5213		41x14-20 4PR R3 Turf 1 Position	17.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	180.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	62.00
6213		27x8.50-15 6PR R3 Turf 2 Position	72.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	140.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>61 In. (1550 mm) Quick Change Materials Bucket</i> <i>Mounting Frame</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,404.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,593.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued...	
		<i>Mounting Frame</i>	
		<i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i>	
		<i>Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	LP95233	Large Seat Cover	29.99
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LP95637	Tractor Cover	159.99
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10919	Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	423.50
		Drawbar	
	BLV10918	Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	168.30
	RE19428	Safety Chain Support Kit	164.83
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
	BLV11022	Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	39.60

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Weights			
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
Front Wheels and Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
Hydraulics			
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors.</i> <i>Not Compatible with Power Beyond Kit (BLV11068)</i>	965.80
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i> <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	448.80
Lighting			
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	69.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21037		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	149.71
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels and Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,674.20
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,875.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,700.60
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	368.90

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	
BLV10898		Cruise Control Kit	271.70
BLV10641		Transmission Oil Heater	88.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar Liquid Cooled Diesel
 Engine Tier IV EPA Emissions
 Certified
 Engine HP 32.2 (23.7 kW)
 PTO HP 24.8 (18.5 kW) PRT
 PTO HP 24.3 (18.1 kW) HST
 Engine HP (kW), Gross SAE J1995:
 32.2 (23.7) @ 2600 rpm, PS
 Displacement, L: 1.642

TRANSMISSION:

4-Wheel Drive
 PRT Transmission
 Differential Lock
HYDRAULICS:
 Dual Mid Selective Control Valve
 with Joystick Control Lever,
 Float, Regenerative Function,
 and SCV and Regenerative Lockout

PTO:

Independent 540 RPM Rear PTO
 Electronically Engaged with
 Mechanical Mid-Both-Rear
 Selector

ELECTRICAL: 12-Volt Electrical System

75 Amp Alternator
 Key Ignition Starter with
 Accessory and Pre-Heat Position

Maintenance Free Battery with
 770 Cold Cranking Amps
OPERATOR PROTECTIVE STRUCTURE:
 Deluxe Adjustable Vinyl Seat
 with Retractable Seat Belt
 Folding ROPS (Roll-Over
 Protective Structure) meets SAE
 J2194 and OSHA 1928 ROPS
 Certification Standards
 Isolated Foot Rest

CAB (OPTIONAL):

12-Volt Auxiliary Power Outlet
 Air Conditioning and Heater
 Cell Phone Holder
 Deluxe Fabric Covered Seat with
 Retractable Seat Belt
 Armrests
 Dual Forward Work Lights
 Exclusive Raised Header Bar
 Two-Speed Front Windshield
 Wiper/Washer
 Fully Isolated Cab
 High Impact Polymer Fenders with
 Integrated Tail Lights
 Radio Preparation (with antenna,
 speakers, wiring, media player
 storage slot)
 Molded Rubber Floor Mat
 Operator Manual Holder

Rearview Mirror (Inside)
 Monitor Mounting Bosses (2 sets)
 Right Hand and Left Hand Console
 Storage
 Right Hand Control Center
 Sealed Quiet Cabin
 Sun Visor Swing-Out Rear Window
 with removable rear plug for
 monitor or controller wiring
 harnesses
 Tilt Steering
 Two Front/Two Rear Roof Mounted
 Warning Lights
 Operator Presence with Safety
 Interlock System
 Reverse Implement Option (RIO)
BASE MACHINE (4WD):
 11.20-24 (6PR, R1 Bar, 5
 Position) Rear Wheels & Tires
 7-14 (6PR, R1 Bar, 2 Position)
 Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1369LV		3033R Compact Utility Tractor (24 PTO hp)	25,384.00
--------	--	---	-----------

DESTINATION

North America		
0184	Canada	In Base Price
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>	In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch, eThrottle)</i>	1,435.00
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i> <i>If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,970.00
2051		Snow Cab with Standard Seat <i>Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket.</i> <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,748.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	510.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires option 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i> <i>Mid PTO is not offered on PRT configurations.</i>	780.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
3401		Less Mid PTO (Snow Cab Only) <i>Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear SCV)</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,066.00
3331		Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) <i>Includes same parts as option 3330 Requires Mid PTO option 3401</i>	1,066.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-243.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	562.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-103.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-80.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	72.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	140.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	62.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	140.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Compact Utility Tractor Carrier Mounting Frame Hood Guard</i>	6,327.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued...	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>Non-Self Leveling Loader Boom</i> <i>Mounting Frame</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,516.00
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	BLV10359	Horn Kit	64.90
	LVB24851	Horn Kit (Cab Only)	51.70
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LVB24930	Tool Box Kit	67.10
	LP95637	Tractor Cover	159.99
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	143.00
	BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Cab Operator's Station	
	BXE10864	12" Tablet Holder Kit (Ipad Pro™)	212.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
RE343680		Accessory Mounting Bracket	55.81
BRE10015		Cell Phone Mount Kit	71.50
BXE10606		Cell Phone Suction Cup Kit	68.20
LVB24844		External Mirror Kit (Cab Only)	203.50
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	275.00
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light)	70.40
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	275.00
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	68.20
BRE10255		Tablet Mount Kit	97.90
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
LVB25308		Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	423.50
		Engine	
BLV10640		Engine Coolant Heater Kit	66.00
		Exhaust	
BLV10606		Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	1,580.70
		Front Fenders	
BLV10895		Turnable Front Fender Kit (Cab Only) <i>Requires Vertical Exhaust Kit</i>	506.00
		Front Hitch	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
		Front Power Take-Off (PTO)	
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements</i>	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	97.90
		Front Weights	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch™ Weights</i>	46.20

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights</i>	262.90
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights</i>	246.40
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels and Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	765.60
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	127.18
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	125.59
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	356.40
BW15219		Hood Guard	292.60
		Hydraulics	
BLV10761		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes: Rear mounted couplers Hydraulic lines SCV lever See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	908.60
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors Includes: Rear mounted couplers Hydraulic lines SCV lever See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,639.00
BLV10983		Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,656.60
BLV10962		Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80
BLV10964		Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hoses for use with backhoe</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	448.80
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,436.60
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	69.30
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	112.20
BXX10244		7-Pin Trailer Connector <i>For Model Year 2018 and newer 3R tractors</i> <i>Compatible with Cab tractors only</i>	112.20
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid Power Take-Off (PTO)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	168.30
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	812.90
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
	BLV11034	Left Hand Mirror Kit	206.80
	BLV10924	Rear License Plate Kit (Includes Light)	70.40
	BLV11035	Right Hand Mirror Kit	206.80
	TY25324	Weather Protection Umbrella	117.16
		Radio	
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	263.09
		Rear Fenders	
	BLV10892	Rear Fender Extension Kit (Cab Only)	365.20
	BLV10893	Rear Fender Extension Kit (OOS Only)	365.20
		Rear Power Take-Off (PTO)	
	BLV10953	John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
	BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
	BM17968	Rear Wheel Weight, 48.5 lb	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg)	165.00
		Rear Wheels and Tires	
	BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,674.20
	BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,875.50
	BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,700.60
	BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
	BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	352.04
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
	LVU12858	iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	25.21

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVU15507	iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
	LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90
	BW15056	iMatch™/Quik-Coupler Bushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.</i>	104.50
	LVB26139	Transmission PRT Oil Cooler Kit	319.00
	BLV10641	Transmission Oil Heater <i>HST models only</i>	88.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3039R Compact Utility Tractor (31 PTO hp)**

Equipment for Base Machine

ENGINE:

Yanmar Liquid Cooled Diesel
Engine Tier IV EPA Emissions
Certified

Engine HP 38.7 (28.5 kW)
PTO HP 31.1 (23.2 kW) HST
PTO HP 31.6 (23.6 kW) PRT
Engine HP (kW), Gross SAE J1995:
38.7 (28.5) @ 2600 rpm, PS
Displacement, L: 1.496

TRANSMISSION:

4-Wheel Drive
PRT Transmission
Differential Lock

HYDRAULICS:

Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and SCV and Regenerative Lockout

PTO:

Independent 540 RPM Rear PTO
Electronically Engaged with
Mechanical Mid-Both-Rear
Selector

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with

Accessory and Pre-Heat Position
Maintenance Free Battery with
770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure) meets SAE
J2194 and OSHA 1928 ROPS
Certification Standards
Isolated Foot Rest

COMFORTGARD CAB (OPTIONAL):

12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)
Molded Rubber Floor Mat
Operator Manual Holder

Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with
removable rear plug for monitor
or controller wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
Operator Presence with Safety
Interlock System Reverse
Implement Option (RIO)

BASE MACHINE (4WD):

11.20-24 (6PR, R1 Bar, 5
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1389LV	3039R Compact Utility Tractor (31 PTO hp)	28,042.00
--------	---	-----------

DESTINATION

North America		
0184	Canada	In Base Price
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0437		OPERATOR'S MANUAL Continued... Spanish Operator's Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>	In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch, eThrottle)</i>	1,435.00
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i> <i>If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,970.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	9,919.00
2051		Snow Cab with Standard Seat <i>Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket.</i> <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,748.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	510.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires option 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i> <i>Mid PTO is not offered on PRT configurations.</i>	780.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3400		MID POWER TAKE-OFF (PTO) Continued... Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
3401		Less Mid PTO (Snow Cab Only) <i>Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear SCV)</i>	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,066.00
3331		Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) <i>Includes same parts as option 3330 Requires Mid PTO option 3401</i>	1,066.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-243.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	562.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-103.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-80.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	72.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	140.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	62.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	140.00

LOADERS

11 January 2021 U.S.

C-20- 78

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket</i> <i>Non-Self Leveling Loader Boom</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,327.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>Non-Self Leveling Loader Boom</i> <i>Mounting Frame</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,516.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Accessories

LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459	Bracket, Arm, RAM Double Socket	28.49
BLV10359	Horn Kit	64.90
LVB24851	Horn Kit (Cab Only)	51.70
LP63768	Magnetic hitch pin	18.99
PF80460	Mount - RAM U-Bolt	62.39
RE558821	Mounting Ball Stud	19.64
AL212683	Mounting Parts - Display Mount RAM	136.97
UC17356	RAM Mount Vesa Bracket 1.5	110.00
LVB24930	Tool Box Kit	67.10
LP95637	Tractor Cover	159.99
	Backup Alarm	
BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	143.00
BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	143.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Cab Operator's Station	
BXE10864		12" Tablet Holder Kit (Ipad Pro™)	212.30
RE343680		Accessory Mounting Bracket	55.81
BRE10015		Cell Phone Mount Kit	71.50
BXE10606		Cell Phone Suction Cup Kit	68.20
LVB24844		External Mirror Kit (Cab Only)	203.50
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	275.00
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light)	70.40
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	275.00
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	68.20
BRE10255		Tablet Mount Kit	97.90
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
LVB25308		Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	423.50
		Engine	
BLV10640		Engine Coolant Heater Kit	66.00
		Exhaust	
BLV10605		Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	521.40
		Front Fenders	
BLV10895		Turnable Front Fender Kit (Cab Only) <i>Requires Vertical Exhaust Kit</i>	506.00
		Front Hitch	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
		Front Power Take-Off (PTO)	
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements</i>	319.93

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	97.90
		Front Weights	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch™ Weights</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99
LUV32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels and Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	765.60
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	127.18
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	125.59
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	356.40
BW15219		Hood Guard	292.60
		Hydraulics	
BLV10761		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>	908.60
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10500	EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50
	BLV10961	EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50
	BLV10649	Electric Diverter Kit (Cab Only) <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,639.00
	BLV10983	Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,656.60
	BLV10962	Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80
	BLV10964	Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hoses for use with backhoe</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	448.80
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,436.60
		Lighting	
LVB24852		Beacon Light Kit (Cab Only)	260.70
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	69.30
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	112.20
BXX10244		7-Pin Trailer Connector <i>For Model Year 2018 and newer 3R tractors</i> <i>Compatible with Cab tractors only</i>	112.20
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid Power Take-Off (PTO)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	168.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	812.90
LVB25688		Open Operator's Station Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
SWJHD1630		Radio Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	263.09
BLV10892		Rear Fenders Rear Fender Extension Kit (Cab Only)	365.20
BLV10893		Rear Fender Extension Kit (OOS Only)	365.20
BLV10953		Rear Power Take-Off (PTO) John Deere Quik Knect™ PTO receiver	194.70
BM19936		Rear Wheel Weights Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
BLV10861		Rear Wheels and Tires 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,674.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,875.50
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,700.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.</i>	104.50
		Transmission	
LVB26139		PRT Oil Cooler Kit	319.00
BLV10641		Transmission Oil Heater <i>HST models only</i>	88.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Equipment for Base Machine

ENGINE:
 Yanmar Liquid Cooled Diesel
 Engine Tier IV EPA Emissions Certified
 Engine HP 45.3 (33.3 kW)
 PTO HP 34.1 (25.4 kW) HST
 Engine HP (kW), Gross SAE J1995:
 45.3 (33.3) @ 2600 rpm, PS
 Displacement, L: 1.496

TRANSMISSION:
 4-Wheel Drive
 HST Transmission
 Differential Lock
 Cruise Control
 eThrottle
 Load Match
 Speed Match
 Motion Match

HYDRAULICS:
 Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout

PTO:
 Independent 540 RPM Rear PTO
 Electronically Engaged with Mechanical Mid-Both-Rear Selector

ELECTRICAL:

12-Volt Electrical System
 75 Amp Alternator
 Key Ignition Starter with Accessory and Pre-Heat Position
 Maintenance Free Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
 Deluxe Adjustable Vinyl Seat with Retractable Seat Belt
 Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards
 Isolated Foot Rest

COMFORTGARD CAB (OPTIONAL):
 12-Volt Auxiliary Power Outlet
 Air Conditioning and Heater
 Cell Phone Holder
 Deluxe Fabric Covered Seat with Retractable Seat Belt
 Armrests
 Dual Forward Work Lights
 Exclusive Raised Header Bar
 Two-Speed Front Windshield Wiper/Washer
 Fully Isolated Cab
 High Impact Polymer Fenders with Integrated Tail Lights
 Radio Preparation (with antenna, speakers, wiring, media player storage slot)

Molded Rubber Floormat
 Operator Manual Holder
 Rearview Mirror (Inside)
 Monitor Mounting Bosses (2 sets)
 Right Hand and Left Hand Console Storage
 Right Hand Control Center
 Sealed Quiet Cabin
 Sun Visor
 Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses
 Tilt Steering
 Two Front/Two Rear Roof Mounted Warning Lights
 Operator Presence with Safety Interlock System Reverse Implement Option (RIO)

BASE MACHINE (4WD):
 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires
 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0299LV		3046R Compact Utility Tractor (34 PTO hp)	32,574.00
--------	--	---	-----------

DESTINATION

North America		
0184	Canada	In Base Price
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
TRANSMISSION			
1520		eHydro 3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch, eThrottle)	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2005		Open Station with Air Ride Seat <i>The following set of options are required: 1520 (eHydro), 3330 (Dual Mid & Single EH Rear SCV), and 3420 (Mid PTO).</i>	536.00
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,970.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	9,919.00
2051		Snow Cab with Standard Seat <i>Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket.</i> <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,748.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	510.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires SCV option 3330 (Dual Mid & Single EH Rear SCV).</i>	780.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
3401		Less Mid PTO (Snow Cab Only) <i>Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear SCV)</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,066.00
3331		Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) <i>Includes same parts as option 3330 Requires Mid PTO option 3401</i>	1,066.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-243.00
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	562.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-103.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-80.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	72.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	140.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	62.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	140.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Compact Utility Tractor Carrier Mounting Frame Hood Guard</i>	6,327.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued...	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Hood Guard</i>	5,516.00
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	BLV10359	Horn Kit	64.90
	LVB24851	Horn Kit (Cab Only)	51.70
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LVB24930	Tool Box Kit	67.10
	LP95637	Tractor Cover	159.99
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	143.00
	BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Cab Operator's Station	
	BXE10864	12" Tablet Holder Kit (Ipad Pro™)	212.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	RE343680	Accessory Mounting Bracket	55.81
	BRE10015	Cell Phone Mount Kit	71.50
	BXE10606	Cell Phone Suction Cup Kit	68.20
	LVB24844	External Mirror Kit (Cab Only)	203.50
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	275.00
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	70.40
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	275.00
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	68.20
	BRE10255	Tablet Mount Kit	97.90
	BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
	LVB25308	Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	423.50
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
		Exhaust	
	BLV10605	Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	521.40
		Front Fenders	
	BLV10895	Turnable Front Fender Kit (Cab Only) <i>Requires Vertical Exhaust Kit</i>	506.00
		Front Hitch	
	BLV10439	Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
		Front Power Take-Off (PTO)	
	BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements</i>	319.93
	BLV10452	Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	97.90
		Front Weights	
	LVB25705	Front Quik-Tatch™ Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch™ Weights</i>	46.20

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels and Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	765.60
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	677.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	775.50
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	689.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	600.60
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	127.18
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	125.59
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	356.40
BW15219		Hood Guard	292.60
		Hydraulics	
BLV10761		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes: Rear mounted couplers Hydraulic lines SCV lever See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	908.60
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors Includes: Rear mounted couplers Hydraulic lines SCV lever See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,017.50
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,639.00
BLV10983		Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,656.60
BLV10962		Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80
BLV10964		Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	448.80
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hoses for use with backhoe</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	448.80
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,436.60
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	69.30
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	112.20
BXX10244		7-Pin Trailer Connector <i>Compatible with Cab tractors only</i> <i>For Model Year 2018 and newer 3R tractors</i>	112.20
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid Power Take-Off (PTO)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	168.30
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	812.90
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Radio	
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	263.09
		Rear Fenders	
BLV10892		Rear Fender Extension Kit (Cab Only)	365.20
BLV10893		Rear Fender Extension Kit (OOS Only)	365.20
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
		Rear Wheels and Tires	
BLV10861		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,674.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,875.50
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,700.60
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,905.20
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	352.04
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	368.90
		Three-Point Hitch	
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	25.21

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVU15507	iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
	LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90
	BW15056	iMatch™/Quik-Coupler Bushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.</i>	104.50
	BLV10641	Transmission Transmission Oil Heater <i>HST models only</i>	88.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified
 Engine HP 43.1 (31.7 kW)**
 PTO HP 32.5 (23.0 kW)
 **Engine HP (kW), Gross SAE
 J1995: 43.1 (31.7) @ 2600 rpm, PS
 Displacement, L: 2.2

TRANSMISSION:

PowrReverser
 Synchronized - 4 Speeds
 Forward, 4 Speeds Reverse
 Dual Multi-Disk Wet Clutches
 Differential Lock
 4-Wheel Drive
 LoadMatch
 MotionMatch

INSTRUMENTATION:

Performance Tracking System
 Diagnostic Control Panel
 Hour Meter
 PTO Hour Meter
 Filter Cleaning Tracking

ELECTRICAL:

12-Volt Electrical System
 75 Amp Alternator
 Key Ignition Starter with Accessory and Pre-Heat Position
 Wet Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Adjustable Vinyl Seat with Retractable Seat Belt
 Folding ROPS (Roll-Over Protective Structure)
 Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe

Flat Foot Deck
 Operator Presence with Safety Interlock

HYDRAULICS:

Not included in base machine

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires
 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Grovetown, Georgia</i>			
0319LV		4044M Compact Utility Tractor (33 PTO hp)	29,296.00
DESTINATION			
024H		United States Minor Outlying Islands North America	No Added Cost
0184		Canada	In Base Price
0202		United States	In Base Price
0205		Quebec	Call For Prices
OPERATOR'S MANUAL			
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Call For Prices
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,197.00
OPERATOR'S STATION			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,480.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,521.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	BLV10359	Horn Kit	64.90
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LVB24865	Tool Box Kit	180.40
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10375	Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
	BLV10844	Tractor Drawbar Assembly	300.30
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
		Exhaust	
	BLV10608	Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Weights	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
		Hood Guards	
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	315.70
		Hydraulics	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i>	744.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i>	1,386.00
		<i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). For MY18 and newer Tractors.</i>	
		Lighting	
LVB25546		Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit <i>Includes 2 guards.</i>	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	69.30
		<i>Includes 1 Light.</i>	
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	112.20
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21039		Filter Pak	207.02
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
LP95233		Large Seat Cover	29.99
BLV11034		Left Hand Mirror Kit	206.80
BLV10401		Premium Seat Kit (OOS Only)	898.70
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Rear Power Take-Off (PTO)	
BLV10953		John Deere Quik Knect™ PTO receiver	194.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rear Wheel Weights			
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
Rear Wheels and Tires			
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04
Three-Point Hitch			
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
Transmission			
BLV10388		Cruise Control Kit	74.80
BLV10641		Transmission Oil Heater	88.00
Wheel Tread Width			
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

ENGINE:

Yanmar
4 Cylinder Turbocharged Diesel
Engine Tier IV EPA Emissions
Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW)
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.1

TRANSMISSION:

PowrReverser
Synchronized - 4 Speeds
Forward, 4 Speeds Reverse
Dual Multi-Disk Wet Clutches
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch

INSTRUMENTATION:

Performance Tracking System
Diagnostic Control Panel
Hour Meter
PTO Hour Meter
Filter Cleaning Tracking

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Adjustable Vinyl Seat with
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for

North America and Europe

Flat Foot Deck
Operator Presence with Safety
Interlock

HYDRAULICS:

Not included in base machine

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0359LV		4052M Compact Utility Tractor (40 PTO hp)	32,338.00
--------	--	---	-----------

DESTINATION

024H		United States Minor Outlying Islands North America	No Added Cost
0184		Canada	In Base Price
0202		United States	In Base Price
0205		Quebec	Call For Prices

OPERATOR'S MANUAL

0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Call For Prices
0437		Spanish Operator's Manual and Decal Kit	No Added Cost

TRANSMISSION

1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,197.00

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,480.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,521.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	BLV10359	Horn Kit	64.90
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LVB24865	Tool Box Kit	180.40
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10375	Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
	BLV10844	Tractor Drawbar Assembly	300.30
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
		Exhaust	
	BLV10609	Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Weights	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
		Hood Guards	
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	315.70
		Hydraulics	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i>	744.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i>	1,386.00
		<i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). For MY18 and newer Tractors.</i>	
LVB25546		Lighting Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit <i>Includes 2 guards.</i>	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	69.30
		<i>Includes 1 Light.</i>	
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	112.20
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
LP95233		Large Seat Cover	29.99
BLV11034		Left Hand Mirror Kit	206.80
BLV10401		Premium Seat Kit (OOS Only)	898.70
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
BLV10953		Rear Power Take-Off (PTO) John Deere Quik Knect™ PTO receiver	194.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rear Wheel Weights			
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
Rear Wheels and Tires			
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04
Three-Point Hitch			
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
Transmission			
BLV10388		Cruise Control Kit	74.80
BLV10641		Transmission Oil Heater	88.00
Wheel Tread Width			
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine

ENGINE:

Yanmar 4 Cylinder Intercooled
Turbocharged Diesel Engine Tier
IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW)
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.1

TRANSMISSION:

PowrReverser
Synchronized - 4 Speeds
Forward, 4 Speeds Reverse
Dual Multi-Disk Wet Clutches
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch

INSTRUMENTATION:

Performance Tracking System
Diagnostic Control Panel
Hour Meter
PTO Hour Meter
Filter Cleaning Tracking

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Adjustable Vinyl Seat with
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe

Flat Foot Deck
Operator Presence with Safety
Interlock

HYDRAULICS:

Not included in base machine

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0379LV		4066M Compact Utility Tractor (52 PTO hp)	38,266.00
--------	--	---	-----------

DESTINATION

024H		United States Minor Outlying Islands North America	No Added Cost
0184		Canada	In Base Price
0202		United States	In Base Price
0205		Quebec	Call For Prices

OPERATOR'S MANUAL

0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Call For Prices
0437		Spanish Operator's Manual and Decal Kit	No Added Cost

TRANSMISSION

1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,197.00

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		OPERATOR'S STATION Continued... Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,480.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,521.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Accessories	
	LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
	RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
	PF80459	Bracket, Arm, RAM Double Socket	28.49
	BLV10359	Horn Kit	64.90
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
	LVB24865	Tool Box Kit	180.40
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Draft Link	
	BLV10375	Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
	BLV10844	Tractor Drawbar Assembly	300.30
		Engine	
	BLV10640	Engine Coolant Heater Kit	66.00
		Exhaust	
	BLV10609	Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Weights	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
		Hood Guards	
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	315.70
		Hydraulics	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i>	744.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).</i>	1,386.00
LVB25546		Lighting Dual Light Forward Lighting Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	86.90
BLV10400		ROPS Lights Brush Guard Kit <i>Includes 2 guards.</i>	84.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	69.30
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	112.20
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
LP95233		Large Seat Cover	29.99
BLV11034		Left Hand Mirror Kit	206.80
BLV10401		Premium Seat Kit (OOS Only)	898.70
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
BLV10953		Rear Power Take-Off (PTO) John Deere Quik Knect™ PTO receiver	194.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rear Wheel Weights			
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
Rear Wheels and Tires			
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04
Three-Point Hitch			
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
Transmission			
BLV10388		Cruise Control Kit	74.80
BLV10641		Transmission Oil Heater	88.00
Wheel Tread Width			
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar
4 Cylinder
Turbocharged Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW) HST
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout
Single Rear Selective Control
Valve

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests and Retractable
Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

LIGHTS:
Two Front Halogen Head Lights
Two Front Flashing Warning
Lights
Two Fender LED Work Lights

One Rear LED Work Light
Two Rearward Flashing Warning
Lights
Brake Indicator Lights
**Turn Signal Indication per
Current ASABE Lighting Standard

HITCH:
Telescoping Draft Links with
Sway Bar
Aux. 3 Point Hitch Control

HOOD GUARD:
Heavy Duty Hood Guard with Front
Weight Support

BASE MACHINE (4WD):
16.9-24 (8PR, R4 Industrial, 2
Position) Rear Wheels & Tires
31.5x13-16.5 (10PR, R4
Industrial, 2 Position) Front
Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

035ALV		4052M Heavy Duty Compact Utility Tractor (40 PTO hp)	45,884.00
--------	--	--	-----------

DESTINATION

	North America		
0184	Canada		In Base Price
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****4052M Heavy Duty Compact Utility Tractor (40 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch Category 1	In Base Price
MID SELECTIVE CONTROL VALVES			
3420		Dual Mid Selective Control Valve (SCV)	In Base Price
3431		Dual Mid Selective Control Valve with EH 3rd SCV	1,233.00
REAR SELECTIVE CONTROL VALVES			
3310		Single Rear Selective Control Valve (SCV)	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5244		16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246		19.5L-24 (8PR, R4 Industrial, 2 Position)	1,903.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6244		31.5x13-16.5 (10PR, R4 Industrial, 2 Position)	In Base Price
LOADERS			
1711		Factory Installed Loader with Bucket <i>Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:</i> <i>73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i> <i>Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting</i>	In Base Price
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:</i>	-1,342.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
		<i>Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting</i>	
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
BLV10359		Horn Kit	64.90
LP63768		Magnetic hitch pin	18.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
BW15852		Large ballast box	1,269.40
Engine			
BLV10640		Engine Coolant Heater Kit	66.00
Exhaust			
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
Front Hitch			
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	767.80
BLV10989		Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,768.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	464.20
Front Weights			

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
R51680		Weight, Front Suitcase (100 Lb.) Quantity of One <i>If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).</i>	141.90
BLV10990		Hydraulics Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	238.70
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i> <i>Also order Oil Line LVA17974.</i>	448.80
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV11035		Right Hand Mirror Kit	206.80
BLV10385		Rear Power Take-Off (PTO) 2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	821.70
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
BM19939		Rear Wheel Weights Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
TY27545		Three-Point Hitch Quik-Coupler, Economy, Category 2	597.90
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar
4 Cylinder Intercooled
Turbocharged Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW) HST
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatc
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout
Single Rear Selective Control
Valve

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests and Retractable
Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

LIGHTS:
Two Front Halogen Head Lights
Two Front Flashing Warning
Lights
Two Fender LED Work Lights

One Rear LED Work Light
Two Rearward Flashing Warning
Lights
Brake Indicator Lights
**Turn Signal Indication per
Current ASABE Lighting Standard

HITCH:
Telescoping Draft Links with
Sway Bar
Aux. 3 Point Hitch Control

HOOD GUARD:
Heavy Duty Hood Guard with Front
Weight Support

BASE MACHINE (4WD):
16.9-24 (8PR, R4 Industrial, 2
Position) Rear Wheels & Tires
31.5x13-16.5 (10PR, R4
Industrial, 2 Position) Front
Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

037ALV		4066M Heavy Duty Compact Utility Tractor (52 PTO hp)	51,842.00
--------	--	--	-----------

DESTINATION

	North America		
0184	Canada		In Base Price
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****4066M Heavy Duty Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch Category 1	In Base Price
MID SELECTIVE CONTROL VALVES			
3420		Dual Mid Selective Control Valve (SCV)	In Base Price
3431		Dual Mid Selective Control Valve with EH 3rd SCV	1,233.00
REAR SELECTIVE CONTROL VALVES			
3310		Single Rear Selective Control Valve (SCV)	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5244		16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246		19.5L-24 (8PR, R4 Industrial, 2 Position)	1,903.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6244		31.5x13-16.5 (10PR, R4 Industrial, 2 Position)	In Base Price
LOADERS			
1711		Factory Installed Loader with Bucket <i>Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:</i> <i>73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i> <i>Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting</i>	In Base Price
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:</i>	-1,342.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
		<i>Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting</i>	
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
BLV10359		Horn Kit	64.90
LP63768		Magnetic hitch pin	18.99
PF80460		Mount - RAM U-Bolt	62.39
RE558821		Mounting Ball Stud	19.64
AL212683		Mounting Parts - Display Mount RAM	136.97
UC17356		RAM Mount Vesa Bracket 1.5	110.00
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
BW15852		Large ballast box	1,269.40
Engine			
BLV10640		Engine Coolant Heater Kit	66.00
Exhaust			
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
Front Hitch			
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	767.80
BLV10989		Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,768.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	464.20
Front Weights			

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
R51680		Weight, Front Suitcase (100 Lb.) Quantity of One <i>If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).</i>	141.90
BLV10990		Hydraulics Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	238.70
BLV10969		Power Beyond Kit (Cab and OOS) <i>Also order Oil Line LVA17974.</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV11035		Right Hand Mirror Kit	206.80
BLV10385		Rear Power Take-Off (PTO) 2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	821.70
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
BM19939		Rear Wheel Weights Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
TY27545		Three-Point Hitch Quik-Coupler, Economy, Category 2	597.90
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Equipment for Base Machine

ENGINE:

Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified Engine HP 43.1 (31.7)** PTO HP 32.5 (23.0 kW) HST **Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS Displacement, L: 2.2

TRANSMISSION:

HST Transmission 3 Range Differential Lock 4-Wheel Drive Cruise Control LoadMatch MotionMatch SpeedMatch eThrottle

HYDRAULICS:

Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function

INSTRUMENTATION:

Performance Tracking System Diagnostic Control Panel Hour Meter Speedometer

ELECTRICAL:

12-Volt Electrical System

75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock

CAB (OPTIONAL):

12 Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt and Armrests Dual Forward Work Lights Two Speed Front Windshield Wiper/Washer Fully Isolated Deluxe Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers, wiring, media player

storage slot Molded Rubber Floor Mat Operator Manual Holder Rearview Mirror (inside) Monitor Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun visor Swing-Out Rear Window w/removable plug for monitor or controller harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights

HITCH:

HitchAssist Aux. 3 Point Hitch Control

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0329LV		4044R Compact Utility Tractor (33 PTO hp)	33,627.00
--------	--	---	-----------

DESTINATION

0184	North America Canada		In Base Price
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,197.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro)</i>	8,970.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050, 2060, and 2051</i>	510.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totalling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRES Continued...	
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00

LOADERS

1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Hydraulic Hoses to Tractor Mid Valve</i> <i>Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,235.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Two Function Single Lever Control</i> <i>Hood Guard</i> <i>Hydraulic Hoses to Tractor Mid Valve</i> <i>Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,276.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Accessories		
LP25001	3-Point Hitch Tractor Receiver Hitch	139.00
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459	Bracket, Arm, RAM Double Socket	28.49
BLV10359	Horn Kit	64.90
LP63768	Magnetic hitch pin	18.99
PF80460	Mount - RAM U-Bolt	62.39
RE558821	Mounting Ball Stud	19.64
AL212683	Mounting Parts - Display Mount RAM	136.97
UC17356	RAM Mount Vesa Bracket 1.5	110.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Backup Alarm	
BLV10358		Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
BLV10648		Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Cab Operator's Station	
BXE10864		12" Tablet Holder Kit (Ipad Pro™)	212.30
RE343680		Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
BRE10015		Cell Phone Mount Kit	71.50
BXE10606		Cell Phone Suction Cup Kit	68.20
LVB24844		External Mirror Kit (Cab Only)	203.50
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	275.00
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light)	70.40
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	275.00
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	68.20
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	263.09
BRE10255		Tablet Mount Kit	97.90
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
BLV10375		Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
BLV10844		Tractor Drawbar Assembly	300.30
		Engine	
BLV10640		Engine Coolant Heater Kit	66.00
		Exhaust	
BLV11103		Upward Exhaust Kit (Non Turbo) <i>Cab Tractors Only.</i> <i>This conversion kit routes exhaust heat upward for compatibility with front fenders.</i>	298.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10608		Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Fenders	
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	574.20
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	680.90
		Front Hitch	
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	767.80
BLV10989		Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,768.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	464.20
		Front Weights	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
		Hydraulics	
BLV10045		4th and 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,050.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV10990		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	238.70
BLV10991		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes three additional sets of SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,656.60
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	420.20
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,386.00
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).</i>	1,386.00
		Lighting	
LVB24852		Beacon Light Kit (Cab Only)	260.70
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors. Includes 1 Light.</i>	69.30
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	112.20
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	140.80
		Machine Connectivity	
BXX10255		SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
		Maintenance	
LVA21039		Filter Pak	207.02
		Open Operator's Station	
BLV10379		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40
BLV11035		Right Hand Mirror Kit	206.80
TY25324		Weather Protection Umbrella	117.16
		Rear Fenders	
BLV10892		Rear Fender Extension Kit (Cab Only)	365.20
		Rear Power Take-Off (PTO)	
BLV10832		2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	821.70

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	821.70
BLV10953		John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM19940		Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
BM17968		Rear Wheel Weight, 48.5 lb	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	165.00
		Rear Wheels and Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04
		Three-Point Hitch	
BLV10968		3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar 4 Cylinder Turbocharged
Diesel Engine Tier IV EPA
Emissions Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW) HST
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests, Swivel and
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

CAB (OPTIONAL):
12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Armrests
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Dual Forward Work Lights
Two Speed Front Windshield
Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (w/antenna,
speakers, wiring, media player

storage slot
Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear Window
w/removable plug for monitor or
controller harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights

HITCH:
HitchAssist
Aux. 3 Point Hitch Control

BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0369LV		4052R Compact Utility Tractor (40 PTO hp)	36,699.00
--------	--	---	-----------

DESTINATION

0184	North America Canada		In Base Price
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,197.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro)</i>	8,970.00
2051		Snow Cab with Air Ride Seat <i>Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater. Requires Transmission option code 1520 (eHydro).</i>	11,781.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050, 2060, and 2051</i>	510.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totalling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES Continued...			
5201		Nokian TRI 2 360/80R28 Rear Snow Tires	675.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
6201		Nokian 250/75R16 TRI2 Steel Front Snow Tires	630.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,235.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,276.00
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
BLV10359		Horn Kit	64.90

JOHN DEERE TURF & UTILITY PRODUCTS COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
	BLV10648	Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Cab Operator's Station	
	BXE10864	12" Tablet Holder Kit (Ipad Pro™)	212.30
	RE343680	Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
	BRE10015	Cell Phone Mount Kit	71.50
	BXE10606	Cell Phone Suction Cup Kit	68.20
	LVB24844	External Mirror Kit (Cab Only)	203.50
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	275.00
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	70.40
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	275.00
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	68.20
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	263.09
	BRE10255	Tablet Mount Kit	97.90
	BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
	BLV10375	Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
	BLV10844	Tractor Drawbar Assembly	300.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Engine	
BLV10640		Engine Coolant Heater Kit	66.00
		Exhaust	
BLV11102		Upward Exhaust Kit <i>Cab Tractors Only.</i> <i>This conversion kit routes exhaust heat upward for compatibility with front fenders.</i>	298.10
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Fenders	
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	574.20
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	680.90
		Front Hitch	
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	767.80
BLV10989		Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,768.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	464.20
		Front Weights	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
BLV10045		Hydraulics 4th and 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,050.50
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV10990		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	238.70
BLV10991		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes three additional sets of SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,656.60
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	420.20
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,386.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). For MY18 and newer Tractors.</i>	1,386.00
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.</i> <i>Includes 1 Light.</i>	69.30
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	112.20
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	140.80
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
BLV10379		Open Operator's Station Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV11035	Right Hand Mirror Kit	206.80
	TY25324	Weather Protection Umbrella	117.16
		Rear Fenders	
	BLV10892	Rear Fender Extension Kit (Cab Only)	365.20
		Rear Power Take-Off (PTO)	
	BLV10832	2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	821.70
	BLV10385	2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	821.70
	BLV10953	John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
	BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
	BM17968	Rear Wheel Weight, 48.5 lb	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg)	165.00
		Rear Wheels and Tires	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Three-Point Hitch	
BLV10968		3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine

ENGINE:
Yanmar 4 Cylinder Intercooled
Turbocharged Diesel Engine Tier
IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW) HST
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
Cruise Control
4-Wheel Drive
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and Regenerative Lockout

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:
12-Volt Electrical System

75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests, Swivel and
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

CAB (OPTIONAL):
12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Armrests
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Dual Forward Work Lights
Two Speed Front Windshield
Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (w/antenna,
speakers, wiring, media player
storage slot

Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear Window
w/removable plug for monitor or
controller harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights

HITCH:
HitchAssist
Aux. 3 Point Hitch Control

BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0389LV		4066R Compact Utility Tractor (52 PTO hp)	42,657.00
--------	--	---	-----------

DESTINATION

0184	North America Canada		In Base Price
0202	United States		In Base Price
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit		In Base Price
0413	French Operator's Manual and Decal Kit		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,197.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2005		Open Station with Deluxe Seat	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights. Requires Transmission option 1520 (eHydro)</i>	9,919.00
2051		Snow Cab with Air Ride Seat <i>Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater. Requires Transmission option code 1520 (eHydro).</i>	11,781.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050, 2060, and 2051</i>	510.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	455.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	315.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-497.00

JOHN DEERE TURF & UTILITY PRODUCTS**COMPACT UTILITY TRACTORS****4066R Compact Utility Tractor (52 PTO hp)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRES Continued...	
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	580.00
5201		Nokian TRI 2 360/80R28 Rear Snow Tires	675.00
<hr/>			
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	145.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
6201		Nokian 250/75R16 TRI2 Steel Front Snow Tires	630.00
<hr/>			
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,235.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,276.00
1795		Less Loader	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
RE574454		38.1-mm (1.5-in.) ball mount and socket arm	58.57
PF80459		Bracket, Arm, RAM Double Socket	28.49
BLV10359		Horn Kit	64.90

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP63768	Magnetic hitch pin	18.99
	PF80460	Mount - RAM U-Bolt	62.39
	RE558821	Mounting Ball Stud	19.64
	AL212683	Mounting Parts - Display Mount RAM	136.97
	UC17356	RAM Mount Vesa Bracket 1.5	110.00
		Backup Alarm	
	BLV10358	Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
	BLV10648	Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	143.00
		Ballast	
	BW15073	Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
		Cab Operator's Station	
	BXE10864	12" Tablet Holder Kit (Ipad Pro™)	212.30
	RE343680	Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
	BRE10015	Cell Phone Mount Kit	71.50
	BXE10606	Cell Phone Suction Cup Kit	68.20
	LVB24844	External Mirror Kit (Cab Only)	203.50
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	275.00
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	70.40
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	275.00
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	68.20
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	263.09
	BRE10255	Tablet Mount Kit	97.90
	BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	196.90
		Draft Link	
	BLV10375	Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	423.50
		Drawbar	
	BLV10844	Tractor Drawbar Assembly	300.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Engine	
BLV10640		Engine Coolant Heater Kit	66.00
		Exhaust	
BLV11102		Upward Exhaust Kit <i>This conversion kit routes exhaust heat upward for compatibility with front fenders. Cab Tractors Only.</i>	298.10
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	431.20
		Front Fenders	
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	574.20
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.</i>	680.90
		Front Hitch	
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	767.80
BLV10989		Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,768.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	464.20
		Front Weights	
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels and Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	943.80
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	765.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	865.70
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	759.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	235.75
BLV10045		Hydraulics 4th and 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,050.50
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	965.80
BLV10990		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.</i>	238.70
BLV10991		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.</i>	238.70
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes three additional sets of SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,656.60
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,056.00
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	420.20
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,386.00

JOHN DEERE TURF & UTILITY PRODUCTS

COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). For MY18 and newer Tractors.</i>	1,386.00
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB25546		Dual Light Forward Lighting Kit <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	117.70
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	328.90
BLV10399		Open Station Work Light Brush Guard Kit <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	86.90
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	86.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Single Rear Auxiliary Rear Work Light Kit <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.</i> <i>Includes 1 Light.</i>	69.30
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	112.20
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	140.80
BXX10255		Machine Connectivity SmartConnector - CAN to Bluetooth <i>There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details</i>	102.30
LVA21039		Maintenance Filter Pak	207.02
BLV10379		Open Operator's Station Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	787.60
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	80.30
BLV11034		Left Hand Mirror Kit	206.80
BLV10924		Rear License Plate Kit (Includes Light)	70.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV11035	Right Hand Mirror Kit	206.80
	TY25324	Weather Protection Umbrella	117.16
		Rear Fenders	
	BLV10892	Rear Fender Extension Kit (Cab Only)	365.20
		Rear Power Take-Off (PTO)	
	BLV10832	2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	821.70
	BLV10385	2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	821.70
	BLV10953	John Deere Quik Knect™ PTO receiver	194.70
		Rear Wheel Weights	
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
	BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	13.20
	BM17968	Rear Wheel Weight, 48.5 lb	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg)	165.00
		Rear Wheels and Tires	
	BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	2,667.50
	BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,611.40
	BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,395.70
	BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	2,040.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	717.30
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	479.07
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	452.04

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Three-Point Hitch	
BLV10968		3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	25.21
LVU15507		iMatch™ Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch™/Quik-Coupler Bushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	588.50

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe Equipment for Base Machine

6 ft. 2 In. (1.89 m) Digging Depth	Swivel Seat Bracket
One Double Acting Swing Cylinder	Transport Locking Pins
150 Degree Swing	Hydraulic Stabilizers
Narrow Control Console	Bucket (See Code Selection)
Two Lever Control	Subframe Mounting (See Code Selection)
Six Spool Control Valve	
Hydraulics	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1165LV	260 Backhoe <i>For 1023E, 1025R, 1026R, and 2305 OOS Tractors.</i>	6,621.00
--------	---	----------

Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit LVB25956 (except 2305). Tire chains are not compatible with backhoe.

Only 17 digit Serial No. 260 backhoes (with updated mainframe) are compatible with 1023E, 1025R, and 1026R.

For 1023E and 1025R Tractors built on or before July 14, 2017. Also for 1026R and 2305 OOS Tractors. Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit LVB25956 (except 2305). Only 17 digit Serial No. 260 backhoes (with updated mainframe) are compatible with 1023E, 1025R, and 1026R.

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit <i>Spanish/French Canadian North American Operator's Manual and Decal Kit.</i>	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For 1023E Tractors. Power Beyond kit LVB25956 is required on tractor and must be purchased separately. For 1023E Tractors built on or before July 14, 2017. Power Beyond kit LVB25956 is required on tractor and must be purchased separately.</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1001		MOUNTINGS, HYDRAULICS AND SUBFRAME Continued... Subframe Mounting <i>For 2305 Tractors.</i> <i>This kit includes Power Beyond Hydraulics.</i> <i>AM105466 and AM105467 couplers are required and must be ordered separately.</i>	-105.00
1002		Subframe Mounting <i>For 1025R and 1026R Tractors.</i> <i>Power Beyond kit LVB25956 is required on tractor and must be purchased separately.</i> <i>For 1025R Tractors built on or before July 14, 2017. Also for 1026R Tractors. Power Beyond kit LVB25956 is required on tractor and must be purchased separately.</i>	No Added Cost
1995		Less Subframe Mounting	-1,279.00

BUCKETS

3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	65.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	113.00
3995		Less Bucket	-364.00

ATTACHMENTS FOR FIELD CONVERSION

	Buckets		
BLV10025	12 In. Bucket (0.66 Cu. Ft.)		506.00
BLV10026	16 In. Bucket (0.90 Cu. Ft.)		562.10
BLV10024	8 In. Bucket (0.42 Cu. Ft.)		429.00
BXX10247	Ripper		341.00
BXX10246	Trenching Bucket		367.40
	Miscellaneous		
BLV10986	Rubber Street Pad Kit		151.80
LVB24982	Stabilizer Cylinder Protection Kit		135.30
	Mountings, Hydraulics and Subframe		
LVB25956	Power Beyond Kit <i>For use on 1023E and 1025R Tractors built before July 14th, 2017.</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit) or BLV11143 (EH Third Selective Control Valve)</i>		190.30
BLV10837	Subframe Mounting/Power Beyond Hydraulics Kit (For 2305 Tractors with 260 Backhoe)		1,383.80
	Subframe Mounting		
BLV10836	Subframe Mounting (For 1023E Tractors) <i>For 1023E Tractors built on or before July 14th, 2017.</i> <i>Power Beyond kit LVB25956 is required on tractor.</i>		1,507.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10835		Subframe Mounting (For 1025R, 1026R Tractors) <i>For 1025R Tractors built on or before July 14th, 2017. Also for all 1026R Tractors. Power Beyond kit LVB25956 is required on tractor.</i>	1,507.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

260B Backhoe

Equipment for Base Machine

6 ft. 2.5 In. (1.892 m) Digging Depth on 1023E/1025R	Hydraulics
6 ft. 0 In. (1.830 m) Digging Depth on 2025R	8 In. Bucket
One Double Acting Swing Cylinder	Integrated Operator's Seat
150 Degree Swing	Transport Locking Pins With Integrated Storage Location
Narrow Control Console	Accessible From Seated Position
Two Lever Control	Hydraulic Stabilizers With Automatic Locking
Six Spool Control Valve	Unlockable From Seated Position
	Subframe Mounting

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1231LV	260B Backhoe <i>For 1023E and 1025R tractors built after July 14, 2017 and 2025R Tractors built after 2017</i> <i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit (refer to tractor price pages for kit numbers). Mauser cab is not compatible with a backhoe</i>	6,722.00
--------	--	----------

DESTINATION

0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1001	Subframe Mounting <i>For 1023E, 1025R, and 2025R tractors Model Year 2020.</i> <i>Tractors must be equipped with a Front Loader and a Power Beyond Hydraulic kit (refer to configurator for kit numbers).</i> <i>Tire chains are not compatible with backhoe.</i>	In Base Price
1002	Subframe Mounting <i>For 1023E and 1025R tractors built July 14 2017 up to Model Year 2020.</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

260B Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOUNTINGS, HYDRAULICS AND SUBFRAME Continued...			
<i>Tractors must be equipped with a Front Loader and power Beyond Hydraulic kit (refer to configurator for kit numbers).</i>			
<i>Tire chains are not compatible with backhoe.</i>			
1003		Subframe Mounting <i>For 2025R tractors built July 2017 up to Model Year 2020</i> <i>Tractors must be equipped with a Front Loader and a Power Beyond Hydraulic kit (refer to Configurator for kit numbers).</i> <i>Tire chains are not compatible with backhoe.</i>	No Added Cost

BUCKETS

3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	65.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	113.00
3995		Less Bucket	-364.00

ATTACHMENTS FOR FIELD CONVERSION

Buckets			
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	562.10
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	429.00
BXX10248		Hydraulic Thumb	1,366.20
BLV10750		Mechanical Thumb	680.90
BXX10247		Ripper	341.00
BXX10246		Trenching Bucket	367.40
Miscellaneous			
BLV10986		Rubber Street Pad Kit	151.80
Mountings, Hydraulics and Subframe			
BLV11238		Power Beyond Kit <i>For use on MY 2017 and Newer 2025R Tractors.</i> <i>Not compatible with Third SCV Kit (BLV11025) or Rear Outlet Kit (BLV10775)</i>	190.30
BLV11216		Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose</i> <i>Not compatible with Rear Hydraulic Kit (BLV10948)</i> <i>Not compatible with Third SCV Kit (BLV11114)</i> <i>Not Compatible with drop-on cab from Mauser (LP68087)</i>	184.80
BXX10278		Subframe Mounting Grab Handle and Mounting Parts <i>For 1023E, 1025R and 2025R tractors Model Year 2020</i>	110.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260B Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BXX10322		Grab Handle and Mounting Parts <i>For 1023E and 1025R tractors built between July 14 2017 up to Model Year 2020</i>	110.00
BXX10323		Grab Handle and Mounting Parts <i>For 2025R tractors built between July 14 2017 up to Model Year 2020</i>	110.00
BXX10279		Subframe Mounting <i>For 1023E and 1025R tractors built after July 14 2017</i> <i>For 2025R tractors Model Year 2017 and newer</i> <i>Power beyond kit is required on all tractors for proper backhoe installation and functionality</i>	1,507.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270A Backhoe
 Equipment for Base Machine

7 ft. Digging Depth
 One Double Acting Swing
 Cylinder
 150 Degree Swing
 Narrow Control Console
 Two Lever Control
 Six Spool Control Valve
 Hydraulics
 Operator's Seat

Hydraulic Stabilizers
 Bucket (See Code Selection)
 Subframe Mounting (See Code
 Selection)
 Transport Locks

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6155LV	270A Backhoe	For 2025R and 2320 OOS Tractors.	9,036.00
--------	--------------	----------------------------------	----------

*Tractors Must be Equipped with a Front Loader and Power Beyond Kit. Mechanical mower lift system will not work with backhoe mounted.
 For MY16 and older 2025R Tractors. Also for 2320 OOS Tractors. Tractors Must be Equipped with a Front Loader and Power Beyond Kit. Mechanical mower lift system will not work with backhoe mounted.*

DESTINATION

0184	Canada		No Added Cost
0195	Mexico		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost
0230	Australia		No Added Cost
0237	New Zealand		No Added Cost
024F	Norfolk Island		No Added Cost
024H	United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit		No Added Cost
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost
0450	Australian Operator's Manual and Decal Kit		No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270A Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1000		MOUNTINGS, HYDRAULICS AND SUBFRAME Continued... Subframe Mounting <i>For 2025R, 2320 Tractors.</i> <i>Tractors must be equipped with a front loader and power beyond kit.</i> <i>Mechanical mower lift system will not work with backhoe mounted.</i> <i>For MY2016 and older 2025R Tractors. Also for 2320 Tractors. Tractors must be equipped with a front loader and power beyond kit. Mechanical mower lift system will not work with backhoe mounted.</i>	In Base Price
BUCKETS			
3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	65.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	113.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets	
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	506.00
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	562.10
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	429.00
BLV10750		Mechanical Thumb	680.90
BXX10247		Ripper	341.00
BXX10246		Trenching Bucket	367.40
		Miscellaneous	
BLV10986		Rubber Street Pad Kit	151.80
		Mountings, Hydraulics and Subframe	
BLV10381		Power Beyond Kit <i>Not Compatible with 3rd SCV kit BLV10731/LVB26166. Includes Rear Mounted Couplers and Hose. For use with a backhoe on MY16 an older 2025R and 2320 tractors.</i>	522.50
		Subframe Mounting	
BLV10639		Subframe Mounting Kit (For 2025R and 2320 Tractors with 270A backhoe)	1,620.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe

Equipment for Base Machine

6.5 ft. (2.0 m) Digging Depth
Two Double Acting Swing
Cylinders
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics

Operator's Seat with
Transport Lock
Hydraulic Stabilizers with
Flip-Over Pads
Bucket (See Code Selection)
Subframe Mounting (See Code
Selection)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1155LV	46 Backhoe <i>For 2032R, 2520, and 2720 OOS Tractors. The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual. For MY16 and older 2032R Tractors. Also for 2520 and 2720 Tractors. The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual. For MY16 and older 2025R and 2032R Tractors. Also for 2520 and 2720 Tractors. The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual.</i>	8,315.00
--------	--	----------

DESTINATION

0184	Canada	No Added Cost
0195	Mexico	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
0230	Australia	No Added Cost
0237	New Zealand	No Added Cost
024F	Norfolk Island	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit <i>English/Spanish Operator's Manual. Decal kit not included.</i>	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit <i>English/Spanish Operator's Manual. Decal kit not included.</i>	No Added Cost
0450	Australian Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1000		MOUNTINGS, HYDRAULICS AND SUBFRAME Continued... Subframe Mounting <i>For 2032R, 2520, 2720 Tractors.</i> <i>For MY2016 and older 2032R Tractors. Also for 2520 and 2720 Tractors.</i>	In Base Price
1995		Less Subframe Mounting <i>For MY '16 and older 2025R Tractors. Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit (refer to Tractor price pages for kit numbers). If desiring Subframe Mounting for MY'16 and older 2025R tractors order attachment LVB24842.</i>	-1,131.00
BUCKETS			
3009		9 In. Bucket <i>0.64 Cu. Ft.</i>	In Base Price
3013		13 In. Bucket <i>1.04 Cu. Ft.</i>	55.00
3016		16 In. Bucket <i>1.33 Cu.Ft.</i>	91.00
3020		20 In. Bucket <i>1.74 Cu. Ft.</i>	163.00
3024		24 In. Bucket <i>2.14 Cu. Ft.</i>	244.00
3995		Less Bucket	-409.00
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets	
BM19558		13 In. Bucket (1.04 Cu. Ft.)	546.70
BM19559		16 In. Bucket (1.33 Cu. Ft.)	589.60
BM19560		20 In. Bucket (1.74 Cu. Ft.)	693.00
BM19561		24 In. Bucket (2.14 Cu. Ft.)	770.00
BM19557		9 In. Bucket (0.64 Cu. Ft.)	481.80
		Mountings, Hydraulics and Subframe	
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV10731/LVB26166.</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4100, 4110, and 4115 Tractors Equipped with Dual SCV.</i>	522.50
		Subframe Mounting	
LVB25883		Subframe Mounting Kit (for 2032R, 2520, 2720 Tractors with 46 Backhoe)	1,333.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270B Backhoe
 Equipment for Base Machine

7.3 ft. (2.2 m) Digging Depth	15 In. High Back Operator's Seat	Selection)
One Double Acting Swing Cylinder	Large Integrated Boarding Step	
Cushioned Boom and Swing Cylinder	ROPS Mounted Grab Handle	
150 Degree Swing	Transport Locking Pins	
Rubber Swing Bumpers	(Accessible from Seat)	
180 Degree Bucket Rotation	Hydraulic Stabilizers (Locking)	
Narrow Control Console	Mounting Provisions for	
Two Lever Control with Protective Boots	Mechanical Thumb and Street Pads	
Six Spool Control Valve	Replaceable Bushings In Key	
Hydraulics	Joints	
	Bucket (See Code Selection)	
	Subframe Mounting (See Code	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6190LV	270B Backhoe <i>For MY2017 and newer 2032R and 2038R OOS Tractors.</i>	9,401.00
	<i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit BLV10881. For MY2017 and newer 2032R and 2038R OOS Tractors.</i>	
	<i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit BLV10881. Wheel Spacers are required if R3 Radial Tires (300/70 R20) are installed on the tractor.</i>	

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>For MY2017 and newer 2032R and 2038R OOS Tractors</i>	In Base Price
------	---	---------------

BUCKETS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270B Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BUCKETS Continued...	
3008		8 In. Bucket <i>0.42 Cu. Ft.</i>	In Base Price
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	65.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	113.00
3995		Less Bucket	-364.00

ATTACHMENTS FOR FIELD CONVERSION

		Buckets	
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	506.00
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	562.10
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	429.00
BXX10248		Hydraulic Thumb	1,366.20
BLV10750		Mechanical Thumb	680.90
BXX10247		Ripper	341.00
BXX10246		Trenching Bucket	367.40
		Miscellaneous	
BLV10986		Rubber Street Pad Kit	151.80
		Mountings, Hydraulics and Subframe	
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY '17 and newer 2032R and 2038R Tractors.</i>	448.80
		Subframe Mounting	
BLV10594		Subframe Mounting Kit (For MY '17 and newer 2032R and 2038R Tractors with 270B backhoe) <i>Power Beyond kit BLV10881 is required on tractor.</i>	1,620.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

370B Backhoe

Equipment for Base Machine

6.8 ft (2.1m) Digging Depth
Digging Force, using bucket
cylinder (V) 11,975N
Digging Force, using dipperstick
cylinder (W) 7,015 N
One Double Acting Swing Cylinder
Cushioned Boom and Swing
Cylinder
150 Degree Swing
180 Degree Bucket Rotation
Narrow Control Console
Large Operator Foot Deck
Two Lever Control with
Protective Boots

Six Spool Control Valve
Hydraulics
15 in. High Back Operator Seat
Large Integrated Boarding Step
Secondary Grab Handle
Transport Locking Pins
(accessible from seat) sigh
Automatic Locking
Hydraulic Stabilizers (locking)
Mounting Provisions for
Mechanical Thumb and Street Pads
Replaceable Bushings in Key
Joints
Bucket

Sub-frame Mounting
3 Point Centerlink Storage
4 Point Pin Mounting System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6200LV		370B Backhoe <i>For MY18 and newer 3E Tractors. Tractors must be equipped with a Front End Loader and Power Beyond Hydraulic kit for backhoe installation</i>	8,647.00
--------	--	--	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost
024H	United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit		No Added Cost
0413	French Operator's Manual and Decal Kit		No Added Cost
0437	Spanish Operator's Manual and Decal Kit		No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1001	Subframe Mounting <i>For MY18 and newer 3E Series Tractors.</i>		In Base Price
------	--	--	---------------

BUCKETS

3008	8 In. Bucket <i>0.42 Cu. Ft.</i>		In Base Price
------	-------------------------------------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

370B Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BUCKETS Continued...	
3012		12 In. Bucket <i>0.66 Cu. Ft.</i>	65.00
3016		16 In. Bucket <i>0.90 Cu. Ft.</i>	113.00
3995		Less Bucket	-364.00

ATTACHMENTS FOR FIELD CONVERSION

		Buckets	
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	506.00
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	562.10
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	429.00
BXX10248		Hydraulic Thumb	1,366.20
BLV10750		Mechanical Thumb	680.90
BXX10247		Ripper	341.00
BXX10246		Trenching Bucket	367.40
		Miscellaneous	
BLV10986		Rubber Street Pad Kit	151.80
		Mountings, Hydraulics and Subframe	
BLV11068		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3025E-3038E Open Station Tractors.</i>	448.80
		Subframe Mounting	
BLV11015		Subframe Mounting Kit (For 3025E, 3032E, 3038E Tractors with 370B Backhoe)	1,620.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe

Equipment for Base Machine

7 ft. 8 In. (2.3 m) Digging
Depth
Quik-Tatch Mounting
Two Double Acting Swing
Cylinders
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve

Hydraulics
Operator's Seat with Transport
Lock
Hydraulic Stabilizers with
Flip-Over Pads
Bucket (See Code Selection)
Subframe Mounting (See Code
Selection)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6125LV	375 Backhoe <i>For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors.</i>	9,897.00
<p><i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit. 4105 Tractor Requires LVB25930 Parking Extension Kit. See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i></p>		

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 OOS Tractors</i>	In Base Price
1001	Subframe Mounting <i>For 3320-3720 Cab Tractors. Rockshaft assist mounting brackets and hardware.</i>	354.00
1002	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame.</i>	557.00
1995	Less Subframe Mounting	-532.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOUNTINGS, HYDRAULICS AND SUBFRAME Continued...			
<i>Less mounting brackets and hardware.</i>			
BUCKETS			
3009		9 In. Bucket <i>0.64 Cu. Ft.</i>	In Base Price
3013		13 In. Bucket <i>1.04 Cu. Ft.</i>	55.00
3016		16 In. Bucket <i>1.33 Cu.Ft.</i>	91.00
3020		20 In. Bucket <i>1.74 Cu. Ft.</i>	179.00
3024		24 In. Bucket <i>2.14 Cu. Ft.</i>	244.00
3995		Less Bucket	-409.00
ATTACHMENTS FOR FIELD CONVERSION			
Buckets			
BM19558		13 In. Bucket (1.04 Cu. Ft.)	546.70
BM19559		16 In. Bucket (1.33 Cu. Ft.)	589.60
BM19560		20 In. Bucket (1.74 Cu. Ft.)	693.00
BM19561		24 In. Bucket (2.14 Cu. Ft.)	770.00
BM19562		36 In. Bucket (3.34 Cu. Ft.)	966.90
BM19557		9 In. Bucket (0.64 Cu. Ft.)	481.80
LVB26056		Thumb	891.00
Miscellaneous			
LVB25930		Parking Extension Kit (4105)	116.60
BLV10986		Rubber Street Pad Kit	151.80
Mountings, Hydraulics and Subframe			
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	380.60
LVB25781		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	448.80
LVB26069		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	448.80
LVB25221		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	448.80
LVB25611		Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	627.00
BM19564		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	627.00
LVB24795		Subframe Mounting Heavy-Duty Subframe Kit <i>See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	656.70

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe

Equipment for Base Machine

7.5 ft. Digging Depth
170 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
Operator's Seat

Hydraulic Stabilizers
Bucket (See Code Selection)
Subframe Mounting (See Code Selection)
Transport Locks

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6165LV	375A Backhoe <i>For 3033R-3046R Cab and OOS Tractors.</i>	10,245.00
<i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>		
<i>If installing on a MY18 and newer tractors, order LVU25414 to replace the existing tractor drawbar.</i>		

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Open Operator Station Only).</i>	In Base Price
1001	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only).</i>	No Added Cost

BUCKETS

3009	9 In. Bucket <i>0.684 Cu. Ft.</i>	In Base Price
------	--------------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BUCKETS Continued...			
3012		12 In. Bucket <i>1.12 Cu. Ft.</i>	74.00
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	168.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	296.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	264.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	359.00
3995		Less Bucket	-491.00
ATTACHMENTS FOR FIELD CONVERSION			
Buckets			
	BLV10339	12 In. Bucket (1.12 Cu Ft.)	665.50
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	776.60
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft)	927.30
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	889.90
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	1,002.10
	BLV10338	9 In. Bucket (0.684 Cu. Ft)	578.60
	BLV10353	Mechanical Thumb	765.60
Miscellaneous			
	BLV10986	Rubber Street Pad Kit	151.80
Mountings, Hydraulics and Subframe			
	BLV10962	Power Beyond Kit <i>For use with 3rd SCV. Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Options Table) for ordering information.</i>	448.80
	BLV10964	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Options Table) for ordering information.</i>	448.80
	BLV11010	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	448.80
Subframe Mounting			
	BLV11093	Supplemental Hardware Kit for Subframe Mounting on Cab Tractors <i>For 3033R-3046R Cab Tractors built on or after October 24 2017. Also requires Subframe Mounting Brackets and Hardware (BLV10460).</i>	238.70

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

385A Backhoe

Equipment for Base Machine

8.5 ft. Digging Depth
170 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
Operator's Seat

Hydraulic Stabilizers
Bucket (See Code Selection)
Subframe Mounting (See Code Selection)
Transport Locks

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6175LV		385A Backhoe <i>For 3033R-3046R OOS Tractors.</i>	11,080.00
<i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>			
<i>If installing on a MY18 and newer tractors, order LVU25414 to replace the existing tractor drawbar.</i>			

DESTINATION

0184		Canada	No Added Cost
0202		United States	No Added Cost
0205		Quebec	No Added Cost
024H		United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409		English Operator's Manual and Decal Kit	No Added Cost
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000		Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Open Operator Station Only).</i>	In Base Price
1995		Less Subframe Mounting	-1,140.00

BUCKETS

3009		9 In. Bucket <i>0.684 Cu. Ft.</i>	-74.00
3012		12 In. Bucket <i>1.12 Cu.Ft.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

385A Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BUCKETS Continued...			
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	94.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	222.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	190.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	285.00
3995		Less Bucket	-565.00
ATTACHMENTS FOR FIELD CONVERSION			
Buckets			
	BLV10339	12 In. Bucket (1.12 Cu Ft.)	665.50
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	776.60
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft)	927.30
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	889.90
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	1,002.10
	BLV10338	9 In. Bucket (0.684 Cu. Ft)	578.60
	BLV10352	Mechanical Thumb	942.70
Miscellaneous			
	BLV10986	Rubber Street Pad Kit	151.80
Mountings, Hydraulics and Subframe			
	BLV10962	Power Beyond Kit <i>For use with 3rd SCV.</i> <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Options Table) for ordering information.</i>	448.80
	BLV11010	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe Equipment for Base Machine

8 ft. 9 In.(2.7 m) Digging Depth Quick-Tatch Mounting Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	Operator's Seat with Transport Locks Hydraulic Stabilizers with Flip-Over Pads Bucket (See Code Selection) Subframe Mounting (See Code Selection)
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6135LV	485 Backhoe	11,540.00
--------	-------------	-----------

For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors, 4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3 PRIOR to Final Tier 4, Final Tier 4 5045E - 5075E OOS Tractors, and 5103-5403 OOS Tractors.

Does Not Fit Cab 3320-3720 Tractors.

CUT Tractors Must be Equipped with a Front Loader and Power Beyond Kit.

5 Series Tractors do not require a Power Beyond Kit.

Installation of LVB25628 PRT Oil Cooler Kit is Recommended for 4000 Twenty Series Tractors with a PRT Trans. and Equipped with a Backhoe that will be used for Extended Continuous Periods of Time.

*See Sales Manual for 4300 Through 4710 Tractor/Backhoe Requirements.
For 5045E-5075E Tractors, not compatible with IOOS.*

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
0230	Australia	No Added Cost
0237	New Zealand	No Added Cost
024F	Norfolk Island	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL AND DECAL KIT Continued...			
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
0450		Australian Operator's Manual and Decal Kit	No Added Cost
MOUNTINGS, HYDRAULICS AND SUBFRAME			
1000		Subframe Mounting <i>For 3120-3720 OOS Tractors. Rockshaft assist mounting brackets and hardware.</i>	-485.00
1001		Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4120-4720, 4500-4700, and 4510-4710. 4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	In Base Price
1002		Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame.</i>	72.00
1003		Subframe Mounting <i>Subframe Mounting Brackets, Hydraulics and Hardware. 5045E-5075E FT4 Tractor compatibility is limited to open operator station (OOS) Tractors 5103-5403 Tractor compatibility is limited to tractors with serial numbers after PY5103U013641, PY5203U005570, PY5303U007753, and PY5403U000735. For 5045E-5075E Tractors, the 485 Backhoe is only compatible with OOS tractors PRIOR to Final Tier 4 that are equipped with a 9/3 transmission (see note above for coupler kit). Not compatible with Final Tier 4 5E 3-Cylinder Tractors. Not compatible with 12/12 transmission. Not compatible with IOOS.</i>	1,089.00
1995		Less Subframe Mounting <i>Less mounting brackets and hardware.</i>	-1,017.00
ADAPTER FRAME FOR BACKHOE			
<i>Adapter Frame Weldment Plate for 4120-4720, 4500-4700 and 4510-4710 tractors will need to be ordered as attachment bundle (LVB26163)</i>			
2000		Adapter Frame Weldment Plate <i>For 3120-3720, 4300-4400, 4310-4410 Tractors.</i>	-74.00
2995		Less Adapter Frame Weldment Plate	-1,055.00
BUCKETS			
3012		12 In. Bucket <i>1.53 Cu.Ft.</i>	In Base Price
3018		18 In. Bucket <i>2.47 Cu. Ft.</i>	82.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3024		BUCKETS Continued... 24 In. Bucket 3.48 Cu. Ft.	173.00
3995		Less Bucket	-663.00

ATTACHMENTS FOR FIELD CONVERSION

		Adapter Frame for Backhoe	
LVB25613		Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	1,156.10
LVB26163		Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	1,243.00
		Buckets	
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	781.00
LVB25173		14 in. Heavy duty bucket (1.74 cu. ft.)	863.50
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	877.80
LVB25174		18 in. Heavy duty bucket (2.68 cu. ft.)	948.20
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	985.60
LVB25175		24 in. Heavy duty bucket (3.71 cu. ft.)	1,060.40
LVB26057		Thumb	1,147.30
		Miscellaneous	
LVB26039		Creep to Reposition Kit <i>Only compatible with 4520 and 4720 tractors starting with Model Year 2011, and the latest 485 Backhoe LVB26189 and Adaptor LVB26163. Ensure software is LVA16028P or later. Previous software versions are not compatible with this kit.</i>	1,083.50
LVB25865		PowrReverser™ Transmission (PRT) Oil Cooler Kit <i>Required for 4120-4720 PRT tractors</i>	315.70
BLV10986		Rubber Street Pad Kit	151.80
		Mountings, Hydraulics and Subframe	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,481.60
LVB25876		Cab/Backhoe/Mid Power Take-Off Additional Mounting Kit <i>Required in addition to Order Code 1003 for 4320-4720 Cab Tractors Equipped with Mid PTO.</i>	128.70
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	380.60
LVB25780		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4320-4720 Cab Tractors.</i>	448.80
LVB26071		Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	448.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485 Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	448.80
LVB25512		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	448.80
LVB26066		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	448.80
LVB25221		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	448.80
LVB25220		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4500-4700 Tractors.</i>	448.80
LVB25611		Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	627.00
LVB26148		Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) <i>4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	1,199.00
BM19564		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	627.00
LVB24795		Subframe Mounting Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with a 48, 448 or 485 Backhoe.</i>	656.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe
 Equipment for Base Machine

8.5 ft. Digging Depth
 170 Degree Swing
 Narrow Control Console
 Two Lever Control
 Six Spool Control Valve
 Hydraulics
 Operator's Seat

Hydraulic Stabilizers
 Bucket (See Code Selection)
 Subframe Mounting (See Code Selection)
 Transport Locks

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6185LV		485A Backhoe For 4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors. <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	11,766.00
--------	--	---	-----------

DESTINATION

0184	Canada	No Added Cost
0195	Mexico	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost
0230	Australia	No Added Cost
0237	New Zealand	No Added Cost
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL AND DECAL KIT

0409	English Operator's Manual and Decal Kit	No Added Cost
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
0450	Australian Operator's Manual and Decal Kit	No Added Cost

MOUNTINGS, HYDRAULICS AND SUBFRAME

1000	Subframe Mounting <i>Rockshaft Assist Mounting Brackets and Hardware for 4044M-4066M and 4044R-4066R Tractors (Cab and OOS).</i>	In Base Price
1995	Less Subframe Mounting	-1,140.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BUCKETS			
3009		9 In. Bucket <i>0.684 Cu. Ft.</i>	-74.00
3012		12 In. Bucket <i>1.12 Cu.Ft.</i>	In Base Price
3016		16 In. Bucket <i>1.50 Cu. Ft.</i>	94.00
3018		18 In. Bucket <i>Heavy Duty Bucket: 1.69 Cu. Ft.</i>	222.00
3020		20 In. Bucket <i>1.88 Cu. Ft.</i>	190.00
3024		24 In. Bucket <i>2.26 Cu. Ft.</i>	285.00
3995		Less Bucket	-565.00

ATTACHMENTS FOR FIELD CONVERSION

Buckets			
BLV10339		12 In. Bucket (1.12 Cu Ft.)	665.50
BLV10340		16 In. Bucket (1.50 Cu. Ft.)	776.60
BLV10343		18 In. Heavy Duty Bucket (1.69 Cu. Ft)	927.30
BLV10341		20 In. Bucket (1.88 Cu. Ft.)	889.90
BLV10342		24 In. Bucket (2.26 Cu. Ft.)	1,002.10
BLV10338		9 In. Bucket (0.684 Cu. Ft)	578.60
BLV10352		Mechanical Thumb	942.70
Miscellaneous			
BLV10986		Rubber Street Pad Kit	151.80
Mountings, Hydraulics and Subframe			
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	448.80
BLV10334		Rockshaft Assist Mounting Brackets and Hardware for 4044M and R-4066M and R Tractors (Cab and Open Station)	1,343.10

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****54 in. Quick-Hitch Front Blade**

Equipment for Base Machine

1372 mm (54 in.) Clearing Width Straight	degrees
1219 mm (48 in.) Clearing Width Fully Angled	Two Adjustable Skid Shoes
Replaceable Cutting Edge	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Heavy 11-Gauge, Curved Blade	
Angled Left or Right Up to 27	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

1492M	54 in. Quick-Hitch Front Blade <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors.</i>	550.00
-------	---	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	No Added Cost
0437	Spanish operator's manual and decal kit	No Added Cost
0448	English operator's manual and no-text decal kit	No Added Cost
0457	Spanish operator's manual and no-text decal kit	No Added Cost

FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift	645.00
------	--------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****54 in. Quick-Hitch Front Blade**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT QUICK-HITCH Continued... <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	
6947		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	667.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes BLV10680 front attaching support kit.</i>	959.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Includes BLV10796 front attaching support kit.</i>	950.00
6968		Less Front Quick-Hitch	In Base Price
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	198.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	173.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	271.00
6818		Less Hydraulic Angling	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Front Quick-Hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14
BM17347		Front quick hitch and hydraulic lift (415, 425, 445, 455)	765.06

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	739.37
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86
BLV10708		Quick Hitch Kit	858.00
		Hydraulic Angling	
BLV10880		Hydraulic Angling	319.00
BM20922		Hydraulic angling (2210, 2305)	228.99
BM17650		Hydraulic angling (415, 425, 445, 455)	197.96
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	236.47
		Miscellaneous	
LP54000		54-in. (137-cm) Tractor Shovel <i>For X400/X500 HDGTs, and X700s. See Sales Manual for specific requirements.</i>	799.95
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	63.13
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	148.50
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	73.63
LP53767		Front blade snow extension kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	224.95
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	68.20

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****54 in. Quick-Hitch Front Blade**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM119321	Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	76.71
	LP64664	Snow plow markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	29.95

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****60 in. Quick-Hitch Front Blade**
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Replaceable Cutting Edge Heavy 7-Gauge, Curved Blade Angled Left or Right Up to 27 degrees	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

9820M		60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support lit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	950.00
-------	--	---	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	No Added Cost
0437	Spanish operator's manual and decal kit	No Added Cost
0448	English operator's manual and no-text decal kit	No Added Cost
0457	Spanish operator's manual and no-text decal kit	No Added Cost

FRONT QUICK-HITCH

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****60 in. Quick-Hitch Front Blade**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6940		FRONT QUICK-HITCH Continued... Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	645.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes BLV10680 front attaching support kit.</i>	959.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Includes BLV10796 front attaching support kit.</i>	950.00
6968		Less Front Quick-Hitch	In Base Price
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	198.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	271.00
6818		Less Hydraulic Angling	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BM20921		Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	739.37
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10708		Quick Hitch Kit	858.00
		Hydraulic Angling	
BLV10880		Hydraulic Angling	319.00
BM20922		Hydraulic angling (2210, 2305)	228.99
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	236.47
		Miscellaneous	
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) 2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.	63.13
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) 2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)	148.50
LVB25302		Front-Attaching Support Kit For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.	68.20
AM119321		Heavy-duty skid shoe (1)	76.71
LP64664		Snow plow markers Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade	29.95

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

366 Front Mounted Blade
 Equipment for Base Machine

66 In. Blade with Spring Trip Mounting Frame
 Hydraulic Angling
 Skid Shoes
 A-frame Quick Change System
 (Common with 59 In. Snow Blower)
 Hydraulic Hoses

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6007M		366 Front Mounted Blade <i>For Model Year 2017 and newer 2032R and 2038R Tractors, 3033R-3046R Tractors and 3120-3720 Tractors.</i> <i>For 3120-3720 Tractors with AutoConnect Mowers, Front Three-Point Hitch/Mid Mount Brackets (LVB25820) are required.</i> <i>For 3120-3720 Tractors with the old 7-iron decks, Front Three-Point Hitch/Mid-Mount Mower Draft Arms (LVB24810) are required.</i> <i>Not for use with 4200-4410 Tractors.</i>	3,974.00
-------	--	---	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		In Base Price
024H	UM United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		In Base Price
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

FRONT HITCH

6950	Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720 and 3033R-3046R Tractors.</i>		In Base Price
6967	Less Front Three-Point Hitch with A-Frame Quick Attach System		-1,520.00
6951	Front Three-Point Hitch with A-Frame Quick Attach System <i>For MY2017 and newer 2032R and 2038R Tractors.</i>		No Added Cost

Attachment Information is not available in MOCI for the base code 6007M

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

366 Front Mounted Blade
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D120 Loader
 Equipment for Base Machine

1250-mm (49-in) pin-on materials bucket
 Hood guard
 Basic loader mounting system
 Mounting frame for 1023E,
 1025R, and non-current 1026R
 Series Tractors

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1752P		D120 Loader <i>For 1023E, 1025R, and non-current 1026R Tractors.</i>	2,870.00
-------	--	---	----------

DESTINATION

0184		Canada <i>English Operator's Manual. If French Operator's Manual is required, will need to order seperatly.</i>	No Added Cost
0202		United States <i>Operator's Manual.</i>	In Base Price

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
0400		Less OM	No Added Cost

BALLAST

3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch

6000		Ballast Box	272.00
6010		Ballast Box with Extension	400.00
6995		Less Ballast Box	In Base Price

IMPLEMENTS

Additional bucket options are available as attachments.

8111		1250 mm (49 in.) Pin-On Materials Bucket	In Base Price
------	--	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

D120 Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
IMPLEMENTS Continued...			
8995		Less Bucket	-652.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box	
BW15073		Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors) Must remove Backhoe prior to use (If Equipped).</i>	302.50
BW15074		Ballast Box Extension <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors) Must be used with BW15073</i>	143.00
		Bucket Level Indicator (BLI)	
BW15476		Bucket Level Indicator <i>Compatible with D120, H120 and former 200X, 200CX and H130 loaders.</i>	71.50
		Buckets	
BW15896		1250 mm (49 in.) Pin-on materials bucket <i>For 1R loaders without JD Quick Change carrier (pin on bucket)</i>	768.90
BW14144		1250-mm (49-in.) Loader Materials Bucket - Quick Change <i>For 1R and 2R style tractors (1250 mm / 49") bucket</i>	830.50
		Carriers	
BW15939		John Deere™ CUT Carrier <i>For use on 120R, 220R and 300E loaders</i>	325.60
		Hood Guards	
BW15901		Deluxe Hood Guard (1 Series, 2025R Deere MY17 & newer) <i>-Standard on 120R & H120 Loaders -Field-installed option for D120 Loaders. Compatible with 1023E, 1025R and 1026R Tractors.</i>	260.70
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Compatible with 1023E, 1025R and 1026R Tractors. Standard on D120 Loaders. Standard on D120 Loaders.</i>	235.40
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Mounting Frames	
BW15898		Mounting Frame <i>For 1023E and 1026R Tractors. For 1023E and 1026R Tractors.</i>	469.70
ALD10025		Mounting Frame <i>For 1E & 1R Tractors.(120R Loader)</i>	469.70

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

120R Loader

Equipment for Base Machine

Mechanical-Self Leveling Boom Less Ballast Box
 (includes bucket level indicator
 and parking stands)
 Hoses and parts to connect to
 tractor mid-valve
 Quik-Change Attachment Carrier

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1471P		120R Loader For 2025R MY17 and Newer Tractors For 1E and 1R tractors. This price does not include the Mandatory and Recommended Optional Ordering codes. Pricing and Specifications are recommended only and are subject to change without notice. For 1026R and 2026R Tractors Includes Mounting Frame and Hardware for MY17 and Newer 1R and 2025R tractors in base equipment Includes Hood Guard in base equipment Includes 1350 mm (53") materials bucket in base equipment	3,887.00
-------	--	---	----------

DESTINATION

0202		United States Operator's Manual.	In Base Price
0184		Canada English Operator's Manual. If French Operator's Manual is required, also order code 9102 for French Operator's Manual and Decal Kit.	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
0400		Less OM	No Added Cost

TRACTOR CONFIGURATION

1210		Mounting frame For 1E & 1R Tractors When field installing on 1R from Augusta with factory installed Mauser cab, less mounting frames need to be selected (Loader mounting frames are already installed with Mauser cab)	In Base Price
1211		Mounting frame	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

120R Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRACTOR CONFIGURATION Continued...			
<i>For 2025R (MY17 and newer)</i>			
<i>For EU 2026R (MY17 tractors and newer)</i>			
1995		Less Mounting Frame <i>Less mounting frame</i> - Note: <i>For MY17 2032R and 2038R Tractors and field installed loaders, need to order mounting frames and hood guard through parts (see attachments). -Review Additional Information section</i> <i>For MY16 2025R and 2032R tractors and 2X20 Series Tractors, order mounting frames and hood guard from parts (see attachments)</i> - Review Additional Information section	-399.00
LEVELING			
2101		120R Non Self Leveling Loader (NSL)	In Base Price
2102		120R Mechanical Self Leveling Loader (MSL)	585.00
TRACTOR AND LOADER HYDRAULIC CONNECTION			
4101		Hoses and Parts - Non Self-Leveling Loaders <i>For 2025R (MY17 & Newer), 1023E, 1025R, 1026R</i> <i>Hoses and parts to tractor mid-valve</i>	In Base Price
4102		Hoses and Parts - Mechanical Self-Leveling Loaders <i>For 1023E, 1025R and 2025R (MY17 and newer) Tractors</i> <i>Mechanical Self-Leveling loaders</i>	No Added Cost
4995		Less hydraulic connection	-473.00
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier <i>Order with bucket Codes 8110, 8115, 8116, 8117 and 8120.</i>	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5101		Deluxe Hood Guard <i>For 1023E, 1025R, 1026R, and MY17 and newer 2025R</i> <i>For 1026R and 2026R Tractors</i>	In Base Price
5995		Less hood guard	-221.00
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

120R Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
IMPLEMENTS Continued...			
<i>Additional bucket options are available as attachments.</i>			
8110		1250 mm (49 in.) quick-change materials bucket	-60.00
8113		1350 mm (53 in.) quick-change materials bucket - Reduced Volume <i>Bucket has 1350 mm width but overall volume similar to BW14144</i>	-60.00
8115		1350 mm (53 in.) quick-change materials buckets	In Base Price
8750		Less bucket	-764.00

ATTACHMENTS FOR FIELD CONVERSION

	Ballast Box		
BW15073	Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i> <i>Must remove Backhoe prior to use (If Equipped).</i>		302.50
	Buckets		
BW14144	1250-mm (49-in.) Loader Materials Bucket - Quick Change <i>For 1R and 2R style tractors (1250 mm / 49") bucket</i>		830.50
BXX10368	1350 mm (53 in.) quick-change materials bucket - Reduced Volume <i>Bucket has 1350 mm width, but has a bucket volume similar to that of BW14144 (1250 mm)</i>		830.50
BXX10052	1350-mm (53-in.) Materials Bucket		900.90
BW16787	57 in (1450 mm) Heavy Duty Bucket with Bucket Loops		1,155.00
BW16609	57 in (1450 mm) Materials Bucket		940.50
	Hood Guards		
BW15901	Deluxe Hood Guard (1 Series, 2025R Deere MY17 & newer) <i>-Standard on 120R & H120 Loaders</i> <i>-Field-installed option for D120 Loaders.</i> <i>Compatible with 1023E, 1025R and 1026R Tractors.</i>		260.70
	Hoses and Parts		
BW17057	Hydraulic Hoses and Parts to Tractor Mid-Valve		557.70
BXX10268	Third Function Hydraulic Kit <i>Attachment is used with the tractor bundle BLV11156 (EH Third Slective Control Valve) for 2025R tractors</i>		248.60
BXX10210	Third Function Hydraulic Kit		248.60
	Hydraulic Connection		
BXX10355	Hydraulic Connection <i>Hydraulic Connection for 120R Loader</i> <i>Compatible with 120R Loaders equipped on 1023E, 1025R, and 2025R tractors</i>		251.99
BXX10283	Single-Point Hydraulic Connector <i>Single Point Hydraulic Connection for 120R Loader</i>		653.40
	Miscellaneous		
BXX10507	Mauser Cab Compatability Bracket <i>For 1025R and 2025R tractors when installing MSL loader on a tractor with Mauser cab</i> <i>Relocation bracket for amber lights on the tractor</i>		27.43

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

120R Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15056	iMatch™/Quik-Coupler Bushing Kit - For use with ballast box on compact tractor loaders; used with I-Match hitch	104.50

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader
 Equipment for Base Machine

Mechanical-Self Leveling boom Less ballast box
 (includes bucket level indicator
 and parking stands)
 Hoses and parts to connect to
 tractor mid-valve
 Quik-Change Attachment Carrier

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1481P		220R Loader <i>For MY17 and Newer Deere 2R tractors (2032R and 2038R) For MY16 and Older Yanmar 2R and former 2X20 Series tractors For 2036R Tractors Includes mounting frame for MY17 and newer John Deere 2R's in base equipment Includes Hood Guard in base equipment Includes 1450 mm (57") materials bucket in base equipment</i>	4,436.00
-------	--	--	----------

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>English Operator's Manual. If French Operator's Manual is required, also order code 9102 for French Operator's Manual and Decal Kit.</i>	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
0400		Less OM	No Added Cost

TRACTOR CONFIGURATION

1220		Mounting Frame <i>For MY17 - newer Deere 2R Tractors Non-Self-Leveling and Mechanical Self Leveling For 2032R and 2038R</i>	In Base Price
		<i>Note: Field installed loader for 2016 and earlier 2R and 2X20 Series Tractors, see Additional Information section and Attachments for individual part numbers that will be needed. Field installed loaders for 2016 and earlier 2R and 2X20 Series Tractors, order "less mounting frame" and then the specific part numbers based off model needed. See Additional Information and Attachments</i>	

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1995		TRACTOR CONFIGURATION Continued... Less Mounting Frame <i>Less mounting frame</i> - Note: For MY17 2032R and 2038R Tractors and field installed loaders, need to order mounting frames and hood guard through parts (see attachments). -Review Additional Information section For MY16 2025R and 2032R tractors and 2X20 Series Tractors, order mounting frames and hood guard from parts (see attachments) - Review Additional Information section	-399.00
LEVELING			
2204		220R Non Self Leveling Loader (NSL) <i>For MY17 and newer John Deere 2R tractors</i>	In Base Price
2205		220R Non Self Leveling Loader (NSL) <i>For MY16 and earlier (older) 2R and 2X20 Series Tractors</i>	No Added Cost
2206		220R Mechanical Self Leveling Loader (MSL)	637.00
TRACTOR AND LOADER HYDRAULIC CONNECTION			
4200		Two Function Hoses and Parts <i>For Non-Self-Leveling Loaders</i> <i>Hoses and Parts for MY17 & newer Deere 2R Tractors</i> <i>For 2032R, 2038R</i>	In Base Price
4203		Two Function Hoses and Parts <i>For Mechanical Self-Leveling Loaders</i> <i>Hoses and Parts for MY17 & newer Deere 2R Tractors</i>	No Added Cost
4995		Less hydraulic connection	-473.00
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier <i>Order with bucket Codes 8110, 8115, 8116, 8117 and 8120.</i>	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5202		Hood Guard <i>For MY17 and forward 2032R, 2038R (and EU 2036R)</i>	In Base Price
<i>Note:</i> <i>Field installed loader for 2016 and earlier 2R and 2X20 Series Tractors, see Additional Information section and Attachments for individual part numbers that will be needed.</i> <i>- Field installed loaders for 2016 and earlier 2R and 2X20 Series Tractors, order "less hood guard" and then the specific part numbers based off model needed. See Additional Information and Attachments</i>			
5995		Less hood guard <i>For MY17 2032R and 2038R Tractors and field installed loaders, need to order mounting frames and hood guard through parts (see attachments). -Review Additional Information section</i> <i>For MY16 2025R and 2032R tractors and 2X20 Series Tractors, order mounting frames and hood guard from parts (see attachments)</i> <i>- Review Additional Information section</i>	-248.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
HOOD GUARDS Continued...			
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8116		1450 mm (57 in.) Quick Change Materials Bucket <i>Base bucket for 220R</i>	In Base Price
8750		Less bucket	-798.00

PARTS FOR FIELD INSTALLED LOADERS

Mounting Frames

- (For field installed 220R Loaders, some additional bundles may be needed)

For 2320 / 2025R Tractors (MY16 and earlier) - BW16764

For 2520 Tractors - BW16732

For 2720 / 2032R Tractors (MY16 and earlier) - BW16762

For MY '17 and newer 2032R, 2038R (and EU 2036R) - BLV10704

Hood Guard

- (For field installed 220R Loaders, some additional bundles may be needed)

For 2320 & 2025R Tractors (MY16 and earlier) - BW15217

For 2520, 2720, 2032R Yanmar Tractors MY16 and earlier) - BW15634

For MY '17 2032R, 2038R (and EU 2036R) - BLV10705

Hydraulics

- (For field installed 220R Loaders, some additional bundles may be needed)

For MY '16 and earlier 2R's and 2X20 Series - BW16978 (fittings) and BW15406 (hoses)

For MY '17 and newer 2032R, 2038R (and EU 2036R) - BW16612 (hoses and fittings)

For MY '17 and newer 2032R, 2038R (and EU 2036R) Single Point Hydraulic Connection

- BW16970

Buckets

- BW14144 : 1250mm (49") Materials Bucket

- BW14145 : 1350 mm (53") Materials Bucket

- BW16609 : 1450 mm (57") Materials Bucket

- BW16787 : 1450 mm (57") Heavy Duty Bucket with Loops

- BW14146 : 1500 mm (61") Materials Bucket

ATTACHMENTS FOR FIELD CONVERSION

Ballast Box

BW15073

Ballast Box

302.50

Must remove Backhoe prior to use (If Equipped).

Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)

Buckets

BW14144

1250-mm (49-in.) Loader Materials Bucket - Quick Change

830.50

For 1R and 2R style tractors (1250 mm / 49") bucket

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

220R Loader
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BXX10052		1350-mm (53-in.) Materials Bucket <i>220R Loader is ordered factory & field installed on model year 2017 & newer 2R Tractors</i>	900.90
BW16787		57 in (1450 mm) Heavy Duty Bucket with Bucket Loops <i>For 2R tractors</i>	1,155.00
BW16609		57 in (1450 mm) Materials Bucket	940.50
		Carriers	
BW15939		John Deere™ CUT Carrier <i>For use on 120R, 220R and 300E loaders</i>	325.60
		Hood Guards	
BLV10705		Hood Guard <i>Used on 220R loader on MY17 2R tractors</i>	292.60
		Hydraulic Connection	
BXX10356		Hoses and Parts <i>For 220R Mechanical-Self Leveling loaders on 2R MY17 and newer tractors</i>	327.89
BW16612		Hoses and Parts (Couplers) <i>For 220R loader equipped with Non-Self Leveling boom configuration Compatible with 2R MY17 and newer tractors</i>	557.70
BW16970		Single Point Hydraulic Connector <i>For 220R Non-Self Leveling boom configured loaders on 2032R and 2028R MY17 and newer tractors</i>	653.40
BXX10542		Single Point Hydraulic Connector - MSL 220R <i>For 220R Mechanical-Self Leveling loaders on 2032R and 2038R MY17 and newer tractors</i>	1,779.23
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Mounting Frames	
BW16764		Mounting Frame <i>For 2320 and 2025R Tractors. -220R loader</i>	469.70
BW16762		Mounting Frame <i>For 2720 and MY16 and earlier 2032R (Yanmar Built Tractors) -220R loader</i>	469.70
BW16732		Mounting Frame <i>For 2032R, 2520 Tractors. -220R loader</i>	469.70

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

300E Loader

Equipment for Base Machine

Non-parking loader
 Loader Mast / Mounting frames
 Quik-Change Attachment Carrier
 Less ballast box

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.</i>			
1361P		300E Loader For 3E & 3D Tractors <i>This price does NOT include the Mandatory and Recommended Optional Ordering codes. Includes Hood Guard (with side braces) in base equipment Includes Single Lever Control Valve (two-function) with oil line kit in base equipment</i>	4,898.00
DESTINATION			
0202		United States	In Base Price
0184		Canada	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0437		Spanish	No Added Cost
0400		Less OM	No Added Cost
TRACTOR CONFIGURATION			
1330		Mounting Frame For 3E & 3D Tractor Series <i>Mounting Frames for Non Self-Leveling Only</i>	In Base Price
1331		Mounting Frame - Mechanical Self-Leveling Loader For John Deere 3E & 3D Series Tractors <i>Mounting Frames for Mechanical Self-Leveling Loaders only</i>	No Added Cost
LEVELING			
2302		300E Non Self Leveling Loader (NSL)	In Base Price
2303		300E Mechanical Self Leveling Loader (MSL)	693.00
TRACTOR AND LOADER HYDRAULIC CONNECTION			
4301		Two-Function Single Lever Control - for 300E For MY18 and Newer 3E Tractors <i>Hydraulic Loader Control Kit (2ftm) for 3E Tractors Compatible with Non Self-Leveling Booms Only (option 2302)</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

300E Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRACTOR AND LOADER HYDRAULIC CONNECTION			
Continued...			
4302		Two-Function Single Lever Control - for 300E <i>For 3D Tractors - Non Self-Leveling Loaders Only</i> <i>Hydraulic Loader Control Kit (2ftn) for 3D Tractors</i>	No Added Cost
4303		Two-Function Single Lever Control - for 300E <i>For MY17 and earlier 3E tractors</i> <i>Hydraulic loader control kit (2ftn) for 3E tractors - Non Self-Leveling Loaders</i>	No Added Cost
4304		Two-Function Single Lever Control- for 300E <i>For MY18 and Newer 3E Tractors</i> <i>Hydraulic Loader Control Kit (2ftn) - Mechanical Self-Leveling</i> <i>Compatible with Mechanical Self-Leveling (MSL) booms only (option 2303)</i>	No Added Cost
4305		Two Function Single Lever Control Valve - for 300E <i>For 3D Tractors and Mechanical Self-Leveling Loaders</i>	No Added Cost
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier <i>Order with bucket Codes 8110, 8115, 8116, 8117 and 8120.</i>	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5330		Hood Guard <i>For MY18 3E & 3D Tractors and newer</i> <i>Hood guard, braces and hardware</i>	In Base Price
5331		Hood Guard <i>For MY17 and earlier 3E tractors</i> <i>Hood guard, braces and hardware</i>	No Added Cost
5332		Hood Guard <i>For 3E series tractors with Mechanical Self Leveling Loader.</i> <i>MY2018 and forward for 3E</i> <i>For 3E series tractors with Mechanical Self Leveling Loader.</i> <i>MY2018 and forward for 3D</i>	No Added Cost
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8122		1550 mm (61 in.) materials bucket	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

300E Loader

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
IMPLEMENTS Continued...			
8750		Less bucket	-811.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box	
BW15073		Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors) Must remove Backhoe prior to use (If Equipped).</i>	302.50
		Buckets	
BW14764		1550-mm (61-in.) Loader Heavy-Duty Bucket with Holes for Cutting Edge	1,167.10
BW15863		1550-mm (61-in.) Loader Materials Bucket	955.90
		Carriers	
BW15939		John Deere™ CUT Carrier <i>For use on 120R, 220R and 300E loaders</i>	325.60
		Hood Guards	
AW33948		Hood Guard <i>For 300E (D160) Non-Self Leveling loaders on 3E tractors Compatible with 3E tractors MY17 and older W60474 and W60475 side braces required</i>	479.60
AXX10478		Hood Guard <i>For 300E Non-Self Leveling boom equipped loaders Compatible with MY18 and newer 3E tractors and 3D tractors W60474 and W60475 side braces required</i>	292.60
		Hoses and Parts	
BLV11070		Hydraulic Controls for 3D MY18 and newer <i>Note: Used with BXX10074 Single Lever control Valve</i>	342.10
BLV11097		Hydraulic Controls for 3E MY17 and prior <i>Note: Used with BXX10074 Single Lever control Valve</i>	342.10
BLV10922		Hydraulic Controls for 3E MY18 and newer <i>Note: Used with BXX10074 Single Lever control Valve</i>	342.10
		Joysticks	
BXX10074		Single Lever Control Valve <i>For Non-Self Leveling configured 300E Loaders Compatible with 3D tractors and MY17 and older 3E tractors</i>	1,248.50
BXX10286		Single Lever Control Valve <i>For Mechanical-Self Leveling configured 300E Loaders Compatible with 3D tractors and MY18 and newer 3E tractors</i>	1,248.50
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Parking Stands	
BW15872		Parking Stand Kit <i>Compatible with 300E & D160 loaders.</i>	466.40

JOHN DEERE TURF & UTILITY PRODUCTS**300R Loader**
Equipment for Base Machine

Quick-Park Loader Mounting System
 Quik-Change Attachment Carrier
 Non Self-Leveling boom
 Mounting Frames - Open Operator Station
 Hood Guard
 Bucket Level Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1370P		300R Loader <i>For 3033R, 3039R, 3046R, (3038R, 3045R) Tractors. Also for older 3120-3720, 3203, 4200, 4400, 4210, and 4410 Tractors. Includes 61" (1550 mm) Material Bucket in base equipment</i>	5,065.00
-------	--	---	----------

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost

TRACTOR CONFIGURATION

1305		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, (3038R, 3045R), 3120, 3320, 3520, and 3720 Open operator station tractors. Also for older 3203, 4200, 4300, 4210, 4310 and 4410 Open Station Tractors</i>	In Base Price
1310		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, (3038R, 3045R), 3320, 3520, and 3720 Cab tractors.</i>	No Added Cost
1995		Less Mounting Frame	-473.00

TRACTOR AND LOADER HYDRAULIC CONNECTION

4310		Hoses and parts for tractor mid-valve connection <i>For 3033R, 3039R, 3046R, (3038R, 3045R) Open Station and Cab Tractors Also Older 3120, 3320, 3520, 3720, 3203, 4200, 4300, 4210, 4310 and 4410 Open Station Tractors 300R Loader</i>	In Base Price
4995		Less hydraulic connection	-290.00

JOHN DEERE TURF & UTILITY PRODUCTS**300R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRACTOR AND LOADER HYDRAULIC CONNECTION			
Continued...			
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5995		Less hood guard	-248.00
5240		Hood guard <i>For 3033R, 3039R, and 3046R (3038R, 3045R) Tractors.</i>	In Base Price
5245		Deluxe hood guard <i>For 3033R, 3039R, and 3046R (3038R, 3045R) Tractors.</i>	303.00
5255		Hood guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	No Added Cost
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8120		1550 mm (61 in.) materials bucket	In Base Price
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	179.00
8130		73 In. (1850mm) Materials Bucket	148.00
8750		Less bucket	-811.00
HYDRAULIC CONNECTION - LOADER TO IMPLEMENT			
9611		Third function hydraulic kit (hoses and parts)	432.00
ATTACHMENTS FOR FIELD CONVERSION			
BW15073		Ballast Box Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i>	302.50
BW15074		Ballast Box Extension <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i> <i>Must be used with BW15073</i>	143.00

JOHN DEERE TURF & UTILITY PRODUCTS**300R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Bucket Level Indicator (BLI)	
BW15223		Bucket Level Indicator <i>Compatible with 300R, 320R, H160, H165, 300, 300X, 300CX and 400X loaders.</i>	80.30
		Buckets	
BW14764		1550-mm (61-in.) Loader Heavy-Duty Bucket with Holes for Cutting Edge	1,167.10
BW15863		1550-mm (61-in.) Loader Materials Bucket	955.90
BW16183		1850-mm (73-in.) Materials Bucket	1,130.80
		Carriers	
BW16184		John Deere™ CUT Carrier <i>For use on 300R, 320R, and 440R loaders</i>	338.80
BW15244		Skid Steer Attachment Carrier	732.60
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors. Used with BW15219 & BW16617 Hood Guards</i>	356.40
BW16617		Hood Guard	292.60
		Hoses and Parts	
BW15599		Hoses and Parts <i>For 4105 & 3203 For 3R, 3X20, 4X10 & 4X00 Series Open Station and Cab Tractors</i>	342.10
BW16138		Hydraulic Lines and Hoses (3 function kit) <i>For 320R, 300R and former (H160, H165) loaders on 3R Tractors</i>	475.20
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Mounting Frames	
BW15456		Mounting Frame (3R & 3X20 Series Cab Tractors)	557.70
BW15204		Mounting Frame (3R, 3120-3720, 3203 Open Station Tractors)	557.70

JOHN DEERE TURF & UTILITY PRODUCTS**320R Loader**
Equipment for Base Machine

Quick-Park Loader Mounting
System
Quick Change Attachment Carrier
Non Self-Leveling boom
Bucket Level Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1350P		320R Loader <i>For 3033R, 3039R, 3046R, Tractors Also for older 3120 - 3720, 4105, 3203, 4005, 990, 970, 1070, 4300-4400, and 4310-4410 Tractors) Includes Mounting Frames - Open Operator Station tractors in base equipment Includes Hood Guard in base equipment Includes 61" (1550 mm) Material Bucket in base equipment</i>	5,821.00
-------	--	---	----------

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost

TRACTOR CONFIGURATION

1305		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, (3038R, 3045R), 3120, 3320, 3520, and 3720 Open operator station tractors. Also for older 3203, 4200, 4300, 4210, 4310 and 4410 Open Station Tractors</i>	In Base Price
1310		Mounting frame and hoses <i>For 3033R, 3039R, 3046R, (3038R, 3045R), 3320, 3520, and 3720 Cab tractors.</i>	No Added Cost
1325		Mounting frame and hoses <i>For 4105.</i>	No Added Cost
1995		Less Mounting Frame	-473.00

TRACTOR AND LOADER HYDRAULIC CONNECTION

4312		Hoses and parts for mid-valve connection	In Base Price
------	--	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS**320R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRACTOR AND LOADER HYDRAULIC CONNECTION			
Continued...			
<i>For 3033R, 3039R, 3046R, (3038R, 3045R) Open Station and Cab Tractors Also Older 3120, 3320, 3520, 3720, 3203, 4200, 4300, 4210, 4310 and 4410 Open Station Tractors 320R Loader</i>			
4313		Hoses and parts for mid-valve connection <i>For 4105 and 3203 Tractors</i>	No Added Cost
4995		Less hydraulic connection	-290.00
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5995		Less hood guard	-248.00
5240		Hood guard <i>For 3033R, 3039R, and 3046R (3038R, 3045R) Tractors.</i>	In Base Price
5245		Deluxe hood guard <i>For 3033R, 3039R, and 3046R (3038R, 3045R) Tractors.</i>	303.00
5255		Hood guard <i>For 3120, 3320, 3520, and 3720 Tractors.</i>	No Added Cost
5270		Hood guard <i>For 4105 Tractors Note: Required for loader installation.</i>	No Added Cost
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8120		1550 mm (61 in.) materials bucket	In Base Price
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	179.00
8130		73 In. (1850mm) Materials Bucket	148.00
8136		73 In. 1850 mm) Heavy Duty Bucket with Chain Loops and Holes for Cutting Edge	418.00
8750		Less bucket	-811.00

JOHN DEERE TURF & UTILITY PRODUCTS**320R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC CONNECTION - LOADER TO IMPLEMENT	
9611		Third function hydraulic kit (hoses and parts)	432.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Ballast Box	
BW15073		Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i>	302.50
BW15074		Ballast Box Extension <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i> <i>Must be used with BW15073</i>	143.00
		Bucket Level Indicator (BLI)	
BW15223		Bucket Level Indicator <i>Compatible with 300R, 320R, H160, H165, 300, 300X, 300CX and 400X loaders.</i>	80.30
		Buckets	
BW14764		1550-mm (61-in.) Loader Heavy-Duty Bucket with Holes for Cutting Edge	1,167.10
BW15863		1550-mm (61-in.) Loader Materials Bucket	955.90
BXX10058		1850 mm (73 in.) Loader High-Volume Bucket	1,582.90
BW16183		1850-mm (73-in.) Materials Bucket	1,130.80
		Carriers	
BW16184		John Deere™ CUT Carrier <i>For use on 300R, 320R, and 440R loaders</i>	338.80
BW15244		Skid Steer Attachment Carrier	732.60
		Cutting Edges	
BW14762		1550-mm (61-in.) Replaceable Bucket Cutting Edge with hardware <i>Use with bucket BW14764</i>	179.30
BW14763		1850-mm (73-in.) replaceable bucket cutting edge with hardware <i>Use with bucket BW16358</i>	220.00
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment <i>For 3R and 3000 TWENTY Series Tractors.</i> <i>Used with BW15219 & BW16617 Hood Guards</i>	356.40
BW15219		Hood Guard <i>For 3000 TWENTY tractors.</i> <i>Compatible with 300R, 320R, 300X and 300CX loaders.</i>	292.60
BW16040		Hood Guard <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i> <i>For 4105 Tractor Serial Numbers 1LV4105HKAH410001 and above. For 4105 Tractors 1LV4105HKAH410001 and below, use BW15783.</i> <i>Compatible with 300CX loaders.</i> <i>Required for Loader Installation.</i> <i>Required for Loader Installation.</i>	292.60

JOHN DEERE TURF & UTILITY PRODUCTS**320R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW15416		Hood Guard <i>For 970, 990 and 1070 Tractors. Required for Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket. - For 320R (H165) Loaders</i>	292.60
BW16617		Hood Guard <i>For 320R (also H160 and H165) on 3R Tractors</i>	292.60
BW15848		Hood Guard (3005, 4005) <i>Compatible with 320R, H165, and 300, 300CX loaders.</i>	292.60
BW15534		Hood Guard (3203) <i>Compatible with 300R, 320R, 300, 300X, 300CX loaders.</i>	289.30
		Hoses and Parts	
BW15762		Hoses and Parts <i>For 3R, 3X20, 4X10 & 4X00 Series Open Station and Cab Tractors</i>	342.10
BW15599		Hoses and Parts <i>For 4105 & 3203 For 3R, 3X20, 4X10 & 4X00 Series Open Station and Cab Tractors</i>	342.10
BW16138		Hydraulic Lines and Hoses (3 function kit) <i>For 320R, 300R and former (H160, H165) loaders on 3R Tractors</i>	475.20
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Mounting Frames	
BW15347		Mounting Frame <i>Compatible with 320R & H165 loaders. For 4005, 970, 990, and 1070 Tractors.</i>	557.70
BW15456		Mounting Frame (3R & 3X20 Series Cab Tractors)	557.70
BW15204		Mounting Frame (3R, 3120-3720, 3203 Open Station Tractors)	557.70
BW15682		Mounting Frame (4105)	557.70

JOHN DEERE TURF & UTILITY PRODUCTS**400E Loader**
Equipment for Base Machine

Loader Mast / Mounting Frame
 Quik-Change Attachment Carrier
 Non Quik-Park Loader
 Non-Self Leveling boom
 Less Ballast Box

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1380P		400E Loader <i>For 4044M, 4052M, 4066M, (4049M) and 4R Open Operator Station (OOS) Tractors. Includes Single Lever Hydraulic Control in base equipment Includes Hood Guard with side braces and hardware in base equipment Includes 73" Material Bucket in base equipment</i>	5,974.00
-------	--	--	----------

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost

TRACTOR CONFIGURATION

1400		Mounting frame <i>For 4M Series Tractors and 4R Open Operator Station Tractors (400E Loader)</i>	In Base Price
------	--	---	---------------

TRACTOR AND LOADER HYDRAULIC CONNECTION

4405		Two-function single lever control - for 400E and 4M tractor compatibility <i>For tractors without mid-valve assemblies Loader joystick and valve assembly are mounted to the loader frame.</i>	In Base Price
4406		Two-function single lever control - for 400E and 4 Family tractor compatibility (open operator station (OOS) only) <i>Tractor must be equipped with mid-valve assembly (factory option 8040 or attachment BLV11029) Loader joystick is integrated into the tractor and loader hoses connect to tractor mid-valve assembly.</i>	-517.00
4995		Less hydraulic connection	-1,157.00

JOHN DEERE TURF & UTILITY PRODUCTS**400E Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier	In Base Price
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5340		Hood Guard <i>For 4M tractors (400E loader)</i>	In Base Price
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8140		73 In. (1850 mm) High Volume Bucket	384.00
8000		73 In. (1850 mm) Materials Bucket	In Base Price
8136		73 In. 1850 mm) Heavy Duty Bucket with Chain Loops and Holes for Cutting Edge	270.00
8750		Less bucket	-959.00
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box			
BW15073		Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i>	302.50
BW15074		Ballast Box Extension <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i> <i>Must be used with BW15073</i>	143.00
Buckets			
BW14764		1550-mm (61-in.) Loader Heavy-Duty Bucket with Holes for Cutting Edge	1,167.10
BXX10058		1850 mm (73 in.) Loader High-Volume Bucket	1,582.90
BW16358		1850-mm (73-in.) Heavy-Duty Bucket with Bucket Loops and Holes for Cutting Edge	1,448.70
BW16183		1850-mm (73-in.) Materials Bucket	1,130.80
BW15273		2150-mm (85-in.) Loader High-Volume Bucket	1,936.00
Carriers			
BW16184		John Deere™ CUT Carrier <i>For use on 300R, 320R, and 440R loaders</i>	338.80
Cutting Edges			

JOHN DEERE TURF & UTILITY PRODUCTS**400E Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW14762		1550-mm (61-in.) Replaceable Bucket Cutting Edge with hardware <i>Use with bucket BW14764</i>	179.30
BW14763		1850-mm (73-in.) replaceable bucket cutting edge with hardware <i>Use with bucket BW16358</i>	220.00
		Hoses and Parts	
BW15352		Hoses and Parts <i>For 3R, 3X20, 4X10 & 4X00 Series Open Station and Cab Tractors</i>	342.10
BXX10153		Single Lever Control Valve w/ Joystick <i>For 400E & D170 loaders on 4M tractors</i>	1,370.60
BW16448		Third Function Hydraulic Lines and Hoses <i>Note: BW16448 is 3rd function lines and hoses for 400E loader on 4M tractor. (also for D170 loader on 4M tractor)</i> <i>Note: Requires tractor side hydraulic bundle, see tractor attachments</i>	460.90
		Miscellaneous	
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50

JOHN DEERE TURF & UTILITY PRODUCTS**440R Loader**
Equipment for Base Machine

Quick-Park Loader System
 Quik-Change Attachment Carrier
 Hydraulic hoses to mid-valve and fittings
 Less Ballast Box

Bucket Level Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario.

1390P		440R Loader <i>For 4R Series Open Station and Cab Tractors Includes Non Self-Leveling Boom in base equipment Includes Mounting Frames for 4R tractors in base equipment (Open Station) Includes Hood Guard for 4R tractors in base equipment Includes 1850 mm (73") Material bucket in base equipment</i>	6,729.00
-------	--	--	----------

DESTINATION

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost

TRACTOR CONFIGURATION

1401		Mounting frame <i>For 4R Series Open Station and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 Open Station Tractors</i>	No Added Cost
1402		Mounting frame <i>For 4R Series Cab and Non-Current 4320, 4520, and 4720 Cab Tractors</i>	In Base Price
1995		Less Mounting Frame	-631.00

LEVELING

2401		440R Non Self Leveling Loader (NSL)	In Base Price
2402		440R Mechanical Self Leveling Loader (MSL)	754.00

TRACTOR AND LOADER HYDRAULIC CONNECTION

4400		Single-point hydraulic connector (open operator station (OOS) only)	196.00
------	--	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS**440R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRACTOR AND LOADER HYDRAULIC CONNECTION			
Continued...			
<i>Single-point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>			
4401		Hoses to tractor mid-valve <i>Hoses from loader to quick-couplers at mid-valve.</i>	In Base Price
4995		Less hydraulic connection	-471.00
CARRIERS			
7020		John Deere Compact Utility Tractor (CUT) carrier	In Base Price
7095		Less carrier	-280.00
7410		Skid Steer carrier <i>Attachments for skid steer carrier can be ordered from attachments and Worksite PRO attachments.</i>	325.00
HOOD GUARDS			
<i>Hood guard must be installed on tractor to mount loader.</i>			
5995		Less hood guard	-268.00
5360		Hood guard <i>For 4120, 4320, 4520, and 4720 Tractors.</i>	57.00
5370		Hood guard <i>For 4044R, 4052R, and 4066R (4049R) Tractors.</i>	In Base Price
5371		Deluxe hood guard <i>For 4044R, 4052R, and 4066R (4049R) Tractors.</i>	154.00
BALLAST			
<i>3-point hitch ballast is required for loader stability and reducing stress of vital tractor components. See operator's manual for ballast recommendations. For ballast box use with iMatch Quick-Hitch, BW15056 is required.</i>			
6000		Ballast box	272.00
6995		Less ballast box	In Base Price
IMPLEMENTS			
<i>Additional bucket options are available as attachments.</i>			
8130		73 In. (1850mm) Materials Bucket <i>Not compatible with Code 7410.</i>	In Base Price
8140		73 In. (1850 mm) High Volume Bucket <i>Not compatible with Code 7410.</i>	384.00
8136		73 In. 1850 mm) Heavy Duty Bucket with Chain Loops and Holes for Cutting Edge	270.00

JOHN DEERE TURF & UTILITY PRODUCTS**440R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8750		IMPLEMENTS Continued... Less bucket	-959.00
9611		HYDRAULIC CONNECTION - LOADER TO IMPLEMENT Third function hydraulic kit (hoses and parts)	432.00
9540		LOADER SUSPENSION SYSTEM Loader suspension kit (440R Only) <i>Manual on and off lever.</i>	480.00
		ATTACHMENTS FOR FIELD CONVERSION	
BW15073		Ballast Box Ballast Box <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i>	302.50
BW15074		Ballast Box Extension <i>Compatible with all Compact Utility Tractors & Loaders (1R - 4R tractors)</i> <i>Must be used with BW15073</i>	143.00
BW16364		Bucket Level Indicator (BLI) Bucket Level Indicator <i>For 440R & H180 Loader.</i>	80.30
BW14764		Buckets 1550-mm (61-in.) Loader Heavy-Duty Bucket with Holes for Cutting Edge	1,167.10
BXX10058		1850 mm (73 in.) Loader High-Volume Bucket	1,582.90
BW16358		1850-mm (73-in.) Heavy-Duty Bucket with Bucket Loops and Holes for Cutting Edge	1,448.70
BW16183		1850-mm (73-in.) Materials Bucket	1,130.80
BW15273		2150-mm (85-in.) Loader High-Volume Bucket	1,936.00
BW16184		Carriers John Deere™ CUT Carrier <i>For use on 300R, 320R, and 440R loaders</i>	338.80
BW15244		Skid Steer Attachment Carrier <i>For use on 440R and 320R loaders</i>	732.60
BW14762		Cutting Edges 1550-mm (61-in.) Replaceable Bucket Cutting Edge with hardware <i>Use with bucket BW14764</i>	179.30
BW14763		1850-mm (73-in.) replaceable bucket cutting edge with hardware <i>Use with bucket BW16358</i>	220.00
BW16989		Hood Guards Deluxe Brush Guard Attachment <i>For 440R & H180 on 4044R, 4052R, and 4066R Tractors. Hood guard required for loader installation.</i> <i>Used with BW16335</i>	181.50

JOHN DEERE TURF & UTILITY PRODUCTS**440R Loader**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW16393		Hanging Weldment Kit <i>For use on 440R (and former H180) loaders and 4X20 & 4X10 Series tractors</i>	90.20
BW16335		Hood Guard <i>For 440R / H180 on 4R Tractors. Hood guard required for loader installation. Compatible with 4M tractors less loader only.</i>	315.70
BW14378		Hood Guard <i>For 4200-4400, 4210-4410 Tractors. For 4500-4700, 4510-4710 Tractors. Compatible with 440R & H180 loaders.</i>	292.60
BW15221		Hood Guard <i>For 4020 series tractors. To install loader on tractor, must order and install BW16393 hanging weldment kit on hood guard. Compatible with 440R, H180, 400X and 400CX loaders.</i>	292.60
AW36654		Hood Guard <i>For 400E Loader and 4M tractors - Requires side braces and hardware a Hood guard required for loader installation</i>	547.30
		Hoses and Parts	
BW16414		3rd Function Hydraulic Kit (Hoses and parts) <i>For 440R (and former H180) on 4R tractors</i>	454.30
BW15352		Hoses and Parts <i>For 3R, 3X20, 4X10 & 4X00 Series Open Station and Cab Tractors</i>	342.10
BW16221		Hoses to tractor mid-valve <i>Note: Used on 440R and H180 with 4R Tractors</i>	510.40
BW16220		Single-Point Hydraulic Connector <i>Note: Used on 440R and H180 with 4R Tractors</i>	786.50
		Miscellaneous	
BW16470		Loader Suspension Kit (4R Tractors Only) <i>For use on 440R loaders (and former H180) when installed on 4R tractors</i>	528.00
BW15056		iMatch™/Quik-Coupler Bushing Kit <i>- For use with ballast box on compact tractor loaders; used with I-Match hitch</i>	104.50
		Mounting Frames	
BW16268		Mounting Frame <i>For 440R & H180 on 4R Cab and Non-Current 4320, 4520, and 4720 Cab Tractors.</i>	743.60
BW16171		Mounting Frame <i>For 440R & H180 on 4R OOS and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 OOS Tractors.</i>	743.60

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)
 Equipment for Base Machine

54 In. (137.16 cm) Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memory Settings PTO Shaft (See Code Selection)	Quick Release Belt Shields Hinged Discharge Chute Greasable Spindles Deck Lockup Mower Wash Port
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5315M		54D In. Mid-Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020) <i>For 1023E, 1025R, and 1026R tractors built prior to Model Year 2020</i> <i>*IF ORDERING FOR MODEL YEAR 20 TRACTOR, ORDER 700CLV BASE CODE</i>	1,984.00
-------	--	--	----------

DESTINATION

Oceania			
024H		United States Minor Outlying Islands	No Added Cost
North America			
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost

ATTACHING PARTS

1995		Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-257.00
1000		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500). Also used on Model Year 2016 and older 1023E, 1026R, and TLB models.</i>	223.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
1001		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500). Also used on Model Year 2016 and older 1023E, 1026R, and TLB models.</i>	422.00
1002		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500). Also used on Model Year 2016 and older 1023E, 1026R, and TLB models. If tractor is equipped with power beyond, also order LVA18446 (Hydraulic oil line).</i> <i>*Required lines included in Power Beyond kit, if installing at the same time there is no need to order additional lines.</i>	659.00
1100		Attaching Parts (Mechanical Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX)</i>	In Base Price
1101		Attaching Parts (Hydraulic Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX)</i>	317.00
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX) If tractor is already equipped with power beyond, also order LVA18446 (Hydraulic oil line) for Model Year 2017 and older tractors OR LVA23191 for Model Year 2018 and newer tractors.</i> <i>*Required lines included in Power Beyond kit, if installing at the same time there is no need to order additional lines.</i>	554.00
<hr/>			
DRIVE SHAFT			
2000		Manual PTO Connection	In Base Price
2001		Auto PTO Coupler	274.00
2995		Less Drive Shaft	-202.00

ATTACHMENTS FOR FIELD CONVERSION

BLV10738	Attaching Parts Mower Deck Mechanical Linkage Kit <i>Rockshaft Linkage Components for Model Year 2016 to Model Year 2019 1 family tractors. Required for Mechanical lift only. See Sales Manual.</i>	139.70
BXX10219	Drive Shaft AutoConnect™ Power Take-Off Coupler	561.00
LVB26044	Manual Power Take-Off (PTO) Connection	237.60
BLV10737	Mower Deck Shaft Kit <i>Cross Shaft Components for all Model Year 2016 and older 1023E, 1025R, 1026R, and TLB models. Also used on 1025R models built prior to the following S/N Break (XXXXXX - 324500) Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	123.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulics	
	BLV10688	Ind. Valve and Switch Kit	354.20
	BLV11205	Mower Deck Hydraulic Lift Hose Kit <i>For use on all 1023E, 1025R, and 1026R Tractors.</i>	72.60
		Lift Kit	
	BLV10739	Mower Deck Hydraulic Lift Power Kit	299.20
	BLV10736	Mower Deck Lift Components	302.50
		Miscellaneous	
	AM130907	Mower deck leveling gauge	7.15
		Mulch Kits	
	BM20827	Mulch kit (54C/54D/54X)	222.56

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Equipment for Base Machine

54 In. Cutting Width
 Three Cutting Blades
 7 Gauge Stamped Steel Deck
 Drive-Over Capability with
 Tractor Alignment Guide
 Front and Rear Quick Release
 Gauge Wheels with Memory
 Settings

AutoConnect PTO Shaft
 Anti-Scalp Front Skid
 Hinged Discharge Chute
 Greasable Spindles
 Front Lip Reinforcement
 Mower Wash Port

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

700CLV		54D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R) <i>For 1023E and 1025R tractors Model Year 2020 For 2025R tractors 2017 and newer *IF ORDERING FOR A PREVIOUS MODEL YEAR TRACTOR, ORDER 5325M BASE CODE</i>	1,628.00
--------	--	---	----------

DESTINATION

	North America		
0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
	Oceania		
024H	United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0409	English		In Base Price
0413	French		No Added Cost
0437	Spanish		No Added Cost

ATTACHING PARTS

1995	Less Attaching Parts		In Base Price
1100	Attaching Parts (Mechanical Mower Lift) <i>For MY17 and newer 2025R Tractors.</i> <i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>		765.00
1101	Attaching Parts (Hydraulic Mower Lift)		1,035.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
<i>For MY17 and newer 2025R Tractors</i>			
<i>Includes hydraulic cylinder and hoses, AutoConnect PTO shaft, and all AutoConnect mower deck linkages</i>			
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>Premium Independent Hydraulic Mower Lift for MY2017 and newer 2025R Tractors.</i>	1,035.00
<i>Includes hydraulic cylinder, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For customers already equipped with front third function SCV.</i>			
1103		Attaching Parts (Independent Hydraulic Mower Lift) With 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for MY2017 and newer 2025R Tractors.</i>	1,670.00
<i>Includes hydraulic cylinder, tractor side third function electro-hydraulic valved (with full control in both the up and down directions), SCV lever mounted activation switch, wire harnesses, hydraulic plumbing, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For loader third function capability also order BXX10210</i>			
<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>			
1104		Attaching Parts (Mechanical Mower Lift) <i>For 1023E, 1025R and 1025R TLB Model Year 2020</i>	765.00
<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>			
1105		Attaching Parts (Hydraulic Mower Lift) <i>For 1023E, 1025R and 1025R TLB Model Year 2020</i>	1,035.00
<i>Includes hydraulic cylinder and hoses, AutoConnect PTO shaft, and all AutoConnect mower deck linkages</i>			
1106		Attaching Parts (Independent Hydraulic Mower Lift) W/O 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for For 1023E, 1025R and 1025R TLB Model Year 2020</i>	1,035.00
<i>For customers already equipped with front third function SCV.</i>			
<i>Includes hydraulic cylinder, AutoConnect PTO shaft, and all AutoConnect mower deck linkages.</i>			
1107		Attaching Parts (Independent Hydraulic Mower Lift) With 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for For 1023E, 1025R and 1025R TLB Model Year 2020</i>	1,670.00
<i>Includes hydraulic cylinder, tractor side third function electro-hydraulic valved (with full control in both the up and down directions), SCV lever mounted activation switch, wire harnesses, hydraulic plumbing, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For loader third function capability also order BXX10268</i>			

ATTACHMENTS FOR FIELD CONVERSION

BXX10321	Attaching Parts Load-N-Go ramps for 54D AutoConnect™ 7-Iron Deck <i>For use on 54D AutoConnect™ 7-Iron Decks (serial number 1M02054DJKM040001-)</i>	256.30
<i>Compatible with model year 2020 and newer 1 Family Tractors and model year 2017 and newer 2025R Tractors.</i>		
BXX10219	Drive Shaft AutoConnect™ Power Take-Off Coupler	561.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26044		Manual Power Take-Off (PTO) Connection	237.60
		Hydraulics	
BLV11143		3rd Function Selective Control Valve <i>For 1023E, 1025R, and 1025R TLB tractors Model Year 2020</i>	748.00
		<i>Mid Mounted 3rd function valve for converting existing mower lift into independent hydraulic lift with full raise and lower function located on 3rd SCV thumb control. Requires Hydraulic Mower Lift attaching parts if not already installed (BXX10233 and BXX10229)</i>	
BLV11156		Mid Mounted 3rd Selective Control Valve <i>For Model Year 2017 and newer 2025R Tractors</i>	748.00
		<i>Mid Mounted 3rd function valve for converting existing mower lift into independent hydraulic lift with full raise and lower function located on 3rd SCV thumb control. Requires Hydraulic Mower Lift attaching parts if not already installed (BXX10231 and BLV11115)</i>	
		Lift Kit	
BLV11115		Hydraulic Lift Kit	317.90
BXX10233		Hydraulic Mower Lift Attaching Parts <i>For use on 1023E, 1025R, and 1025R TLB Model Year 2020.</i>	317.90
		<i>Includes hydraulic cylinder and hoses to convert existing mechanical mower lift to hydraulic mower lift Requires mechanical mower lift components if not already installed (BLV10229)</i>	
BXX10229		Mechanical Mower Lift Attaching Parts <i>For 1023E, 1025R, and 1025R TLB Model Year 2020</i>	902.00
		<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages</i>	
BXX10231		Mechanical Mower Lift Attaching Parts <i>For Model Year 2017 and newer 2025R Tractors</i>	902.00
		<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages</i>	
		Miscellaneous	
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM23977		54 HC Mulch kit	241.81

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**54 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model
Year 2016 and older)**
Equipment for Base Machine

54 In. (137.16 cm) Cutting Width	Hinged Discharge Chute
Three Cutting Blades	Greasable Spindles
10 Gauge Stamped Steel Deck	Front Lip Reinforcement
Front and Rear Quick	Attaching Parts (See Code
Release Gauge Wheels with	Selection)
Memory Setting	Deck Lockup
PTO Shaft (See Code Selection)	Mower Wash Port
Quick Release Belt Shields	
Anti-Scalp Front Roller	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0175LV		54 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model Year 2016 and older) <i>For MY16 and older 2025R and 2320 Tractors.</i>	2,116.00
--------	--	--	----------

DESTINATION

0195	Central America Mexico		No Added Cost
0184	North America Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
0230	Oceania Australia		No Added Cost
0237	New Zealand		No Added Cost

OPERATOR'S MANUAL

0450	Australian Operator's Manual and Decal Kit		No Added Cost
0409	English <i>English North American Operator's Manual and Decal Kit</i>		In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>		No Added Cost
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model Year 2016 and older)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS			
1995		Less Attaching Parts	In Base Price
1000		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, LVB25630 must also be ordered.</i>	402.00
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	148.50
		Hydraulics	
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	440.84
		Lift Kit	
LVB25620		Attaching Parts for MY16 and Older 2025R, 2320 Tractor (Mechanical Mower Lift)	474.10
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors	454.30
		Miscellaneous	
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM20827		Mulch kit (54C/54D/54X)	222.56

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)

Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	Mower wheels rotate 90 degrees for easy mower removal
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9071M		54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,389.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

ATTACHING PARTS

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	277.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	551.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts		
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	214.50
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	336.60
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	454.30
Hydraulics		
LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	440.84
Mower Decks		
AM130907	Mower deck leveling gauge	7.15

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	300.67
		Mulch Kits	
BM20827		Mulch kit (54C/54D/54X)	222.56
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D IN. 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)

Equipment for Base Machine

60 In. (152.4 cm) Cutting Width	Hinged Discharge Chute
Three Cutting Blades	Greasable Spindles
7 Gauge Stamped Steel Deck	Front Lip Reinforcement
(4) Front and Rear Adjustable and Quick Release Gauge	Deck Lockup
Wheels with Memory Settings	Mower Wash Port
PTO Shaft (See Code Seletion)	
Quick Release Belt Shields	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5325M		60D IN. 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020) <i>For 1023E, 1025R, and 1026R tractors built prior to Model Year 2020</i> <i>*IF ORDERING FOR MODEL YEAR 20 TRACTOR, ORDER 701CLV BASE CODE</i>	2,445.00
-------	--	---	----------

DESTINATION

Oceania			
024H		United States Minor Outlying Islands	No Added Cost
North America			
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost

ATTACHING PARTS

1995		Less Attaching Parts <i>Mower lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-257.00
1000		Attaching Parts (Mechanical Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500).</i>	223.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D IN. 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
<i>Also used on Model Year 2016 and older 1023E, 1026R, and TLB models.</i>			
1001		Attaching Parts (Hydraulic Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500). Also used on Model Year 2016 and older 1023E, 1026R, and TLB models.</i>	422.00
1002		Attaching Parts (Independent Hydraulic Mower Lift) <i>For Model Year 2015 and older 1025R Tractors serial number break (XXXXXX - 324500). Also used on Model Year 2016 and older 1023E, 1026R, and TLB models. If tractor is equipped with power beyond, also order LVA18446 (Hydraulic oil line). *Required lines included in Power Beyond kit, if installing at the same time there is no need to order additional lines.</i>	659.00
1100		Attaching Parts (Mechanical Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX)</i>	In Base Price
1101		Attaching Parts (Hydraulic Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX)</i>	317.00
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>For 1023E and 1025R TLB models with build date of 2016 up to Model Year 2020 Also used on Model Year 2015 1025R Tractors serial number break (324501 - XXXXXX) and Model Year 2016 and newer 1025R Tractors serial number break (00101 - XXXXX) If tractor is already equipped with power beyond, also order LVA18446 (Hydraulic oil line) for Model Year 2017 and older tractors OR LVA23191 for Model Year 2018 and newer tractors. *Required lines included in Power Beyond kit, if installing at the same time there is no need to order additional lines.</i>	554.00
<hr/>			
DRIVE SHAFT			
2000		Manual PTO Connection	In Base Price
2001		Auto PTO Coupler	274.00
2995		Less Drive Shaft	-202.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
BXX10241		Attaching Parts Load-N-Go for 60D AutoConnect™ 7-Iron Deck <i>For use on 60D AutoConnect™ 7-Iron Mid-Mount Side-Discharge Mower Decks Compatible with MY17 and Newer 2025R tractors and MY20 and newer 1 Family tractors Load-N-Go is not compatible with the Power Flow Material Collection System (MCS)</i>	256.30
BLV10738		Mower Deck Mechanical Linkage Kit <i>Rockshaft Linkage Components for Model Year 2016 to Model Year 2019 1 family tractors. Required for Mechanical lift only. See Sales Manual.</i>	139.70
BXX10219		Drive Shaft AutoConnect™ Power Take-Off Coupler	561.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D IN. 7-Iron Mid Mount Side Discharge Mower (1 Family Tractors prior to Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26044	Manual Power Take-Off (PTO) Connection	237.60
	BLV10737	Mower Deck Shaft Kit <i>Cross Shaft Components for all Model Year 2016 and older 1023E, 1025R, 1026R, and TLB models. Also used on 1025R models built prior to the following S/N Break (XXXXXX - 324500) Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	123.20
		Hydraulics	
	BLV10688	Ind. Valve and Switch Kit	354.20
	BLV11205	Mower Deck Hydraulic Lift Hose Kit <i>For use on all 1023E, 1025R, and 1026R Tractors.</i>	72.60
		Lift Kit	
	BLV10739	Mower Deck Hydraulic Lift Power Kit	299.20
	BLV10736	Mower Deck Lift Components	302.50
		Miscellaneous	
	AM130907	Mower deck leveling gauge	7.15
		Mulch Kits	
	BM23978	60 HC Mulch kit	254.66
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Equipment for Base Machine

60 In. Cutting Width
 Three Cutting Blades
 7 Gauge Stamped Steel Deck
 Drive-Over Capability with
 Tractor Alignment Guide
 Front and Rear Quick Release
 Gauge Wheels with Memory
 Settings

AutoConnect PTO Shaft
 Anti-Scalp Front Skid
 Hinged Discharge Chute
 Greasable Spindles
 Front Lip Reinforcement
 Mower Wash Port

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

701CLV		60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R) <i>For 1023E and 1025R tractors Model Year 2020 For 2025R tractors 2017 and newer *IF ORDERING FOR A PREVIOUS MODEL YEAR TRACTOR, ORDER 5325M BASE CODE</i>	2,062.00
--------	--	---	----------

DESTINATION

	North America		
0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
	Oceania		
024H	United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0409	English		In Base Price
0413	French		No Added Cost
0437	Spanish		No Added Cost

ATTACHING PARTS

1995	Less Attaching Parts		In Base Price
1100	Attaching Parts (Mechanical Mower Lift) <i>For MY17 and newer 2025R Tractors.</i> <i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>		765.00
1101	Attaching Parts (Hydraulic Mower Lift)		1,035.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
<i>For MY17 and newer 2025R Tractors Includes hydraulic cylinder and hoses, AutoConnect PTO shaft, and all AutoConnect mower deck linkages</i>			
1102		Attaching Parts (Independent Hydraulic Mower Lift) <i>Premium Independent Hydraulic Mower Lift for MY2017 and newer 2025R Tractors.</i> <i>Includes hydraulic cylinder, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For customers already equipped with front third function SCV.</i>	1,035.00
1103		Attaching Parts (Independent Hydraulic Mower Lift) With 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for MY2017 and newer 2025R Tractors.</i> <i>Includes hydraulic cylinder, tractor side third function electro-hydraulic valved (with full control in both the up and down directions), SCV lever mounted activation switch, wire harnesses, hydraulic plumbing, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For loader third function capability also order BXX10210 Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>	1,670.00
1104		Attaching Parts (Mechanical Mower Lift) <i>For 1023E, 1025R and 1025R TLB Model Year 2020</i> <i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages.</i>	765.00
1105		Attaching Parts (Hydraulic Mower Lift) <i>For 1023E, 1025R and 1025R TLB Model Year 2020</i> <i>Includes hydraulic cylinder and hoses, AutoConnect PTO shaft, and all AutoConnect mower deck linkages</i>	1,035.00
1106		Attaching Parts (Independent Hydraulic Mower Lift) W/O 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for For 1023E, 1025R and 1025R TLB Model Year 2020</i> <i>For customers already equipped with front third function SCV. Includes hydraulic cylinder, AutoConnect PTO shaft, and all AutoConnect mower deck linkages.</i>	1,035.00
1107		Attaching Parts (Independent Hydraulic Mower Lift) With 3rd Function Valve <i>Premium Independent Hydraulic Mower Lift for For 1023E, 1025R and 1025R TLB Model Year 2020</i> <i>Includes hydraulic cylinder, tractor side third function electro-hydraulic valved (with full control in both the up and down directions), SCV lever mounted activation switch, wire harnesses, hydraulic plumbing, AutoConnect PTO shaft, and all AutoConnect mower deck linkages. For loader third function capability also order BXX10268</i>	1,670.00

ATTACHMENTS FOR FIELD CONVERSION

BXX10241	Attaching Parts Load-N-Go for 60D AutoConnect™ 7-Iron Deck <i>For use on 60D AutoConnect™ 7-Iron Mid-Mount Side-Discharge Mower Decks</i> <i>Compatible with MY17 and Newer 2025R tractors and MY20 and newer 1 Family tractors Requires TR107595 for 2025R tractors 2017 and newer Load-N-Go is not compatible with the Power Flow Material Collection System (MCS)</i>	256.30
BXX10219	Drive Shaft AutoConnect™ Power Take-Off Coupler	561.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (1023E, 1025R Model Year 2020 and 2025R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26044		Manual Power Take-Off (PTO) Connection	237.60
		Hydraulics	
BLV11143		3rd Function Selective Control Valve <i>For 1023E, 1025R, and 1025R TLB tractors Model Year 2020</i>	748.00
		<i>Mid Mounted 3rd function valve for converting existing mower lift into independent hydraulic lift with full raise and lower function located on 3rd SCV thumb control. Requires Hydraulic Mower Lift attaching parts if not already installed (BXX10233 and BXX10229)</i>	
BLV11156		Mid Mounted 3rd Selective Control Valve <i>For Model Year 2017 and newer 2025R Tractors</i>	748.00
		<i>Mid Mounted 3rd function valve for converting existing mower lift into independent hydraulic lift with full raise and lower function located on 3rd SCV thumb control. Requires Hydraulic Mower Lift attaching parts if not already installed (BXX10231 and BLV11115)</i>	
		Lift Kit	
BLV11115		Hydraulic Lift Kit	317.90
BXX10233		Hydraulic Mower Lift Attaching Parts <i>For use on 1023E, 1025R, and 1025R TLB Model Year 2020.</i>	317.90
		<i>Includes hydraulic cylinder and hoses to convert existing mechanical mower lift to hydraulic mower lift Requires mechanical mower lift components if not already installed (BLV10229)</i>	
BXX10229		Mechanical Mower Lift Attaching Parts <i>For 1023E, 1025R, and 1025R TLB Model Year 2020</i>	902.00
		<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages</i>	
BXX10231		Mechanical Mower Lift Attaching Parts <i>For Model Year 2017 and newer 2025R Tractors</i>	902.00
		<i>Includes AutoConnect PTO shaft and all AutoConnect mower deck linkages</i>	
		Miscellaneous	
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM23978		60 HC Mulch kit	254.66

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)
 Equipment for Base Machine

60 In. (152.4 cm) Cutting Width	Settings
Three Cutting Blades	Quick Release Belt Shields
7 Gauge Stamped Steel Deck	Anti-Scalp Front Skid
Drive-Over Capability with	Hinged Discharge Chute
Adjustable Tractor Alignment	Greasable Spindles
Guide	Front Lip Reinforcement
Front and Rear Quick Release	
Gauge Wheels with Memory	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7017LV	60D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)	2,405.00
--------	--	----------

*For MY2017 and newer 2032R and 2038R OOS Tractors.
 For 4310-4410, 3120-3720, and 3033R-3046R Tractors.*

The 60 In. deck is a close fit for the 3R and 3x20 Series Tractor. The right front tire can rub against the spring pin in the top of the right front anti-scalp wheel post if it is in the in-board-most position and the tire is too far to the right. Care must be exercised during installation and removal of the deck.

3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.

3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.

LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.

For Installation of Mid-Mount Mower on Cab Tractor, Must Order BLV11084. See Sales Manual for 4310-4410 Requirements.

DESTINATION

North America		
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S MANUAL Continued...	
0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost
ATTACHING PARTS			
1004		AutoConnect Mower Lift - OOS <i>For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,489.00
1008		AutoConnect Mower Lift - Cab <i>Compatible with cab tractors For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,628.00
1006		AutoConnect Mower Lift <i>For 60D and 72D mower decks. For MY2017 and newer 2032R and 2038R OOS Tractors.</i> <i>Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceADVISOR.</i>	1,885.00
1295		Less AutoConnect Mower Lift	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

LVB25820	Attaching Parts Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>The front 3-point hitch/mid-mount mower compatibility brackets are required for use on AutoConnect Mowers that are being attached to a Front Three-Point Hitch with BLV10439 (3033R-3046R) or LVB25878 (3120-3720).</i>	182.60
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulics	
BLV10500		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,017.50
BLV10961		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,017.50
BLV10887		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,318.90
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,318.90
LVB25506		Third Selective Control Valve (SCV) Kit <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	308.00
LVB25084		Third Selective Control Valve (SCV) Kit <i>For 4310-4410 Tractors, Requires Dual SCV.</i>	350.90
LVB24845		Third Selective control Valve (SCV) Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	369.60
		Lift Kit	
BLV10432		AutoConnect™ Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410)	1,754.50
BLV10593		AutoConnect™ Mower Lift Kit with CommandCut	2,222.00
BLV11084		Mid-Mount Mower Lift Support (Cab)	163.90
		Mulch Kits	
BM23978		60 HC Mulch kit	254.66
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**62 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model
Year 2016 and older)**
Equipment for Base Machine

62 In. (1,575 mm) Cutting Width	Hinged Discharge Chute
Three Cutting Blades	Greasable Spindles
10 Gauge Stamped Steel Deck	Front Lip Reinforcement
Front and Rear Quick	Attaching Parts (See Code
Release Gauge Wheels with	Selection)
Memory Settings	Deck Lockup
Quick Release Belt Shields	Mower Wash Port
Anti-Scalp Front Roller	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0185LV		62 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model Year 2016 and older) <i>For MY16 and older 2025R and 2320 Tractors.</i>	2,860.00
--------	--	--	----------

DESTINATION

		Central America	
0195		Mexico	No Added Cost
		North America	
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
		Oceania	
0230		Australia	No Added Cost
0237		New Zealand	No Added Cost

OPERATOR'S MANUAL

0450		Australian Operator's Manual and Decal Kit	No Added Cost
0409		English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413		French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost

ATTACHING PARTS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**62 in. OnRamp Mid-Mount Side Discharge Mower (2025R and 2320 Tractors Model
Year 2016 and older)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
1995		Less Attaching Parts	In Base Price
1000		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, LVB25630 must also be ordered.</i>	402.00
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	148.50
		Hydraulics	
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	440.84
		Lift Kit	
LVB25620		Attaching Parts for MY16 and Older 2025R, 2320 Tractor (Mechanical Mower Lift)	474.10
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors	454.30
		Miscellaneous	
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM21890		Mulch kit (62C/62D/62X)	237.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**62 in. OnRamp Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors
 Model Year 2016 and older)**
 Equipment for Base Machine

62 In. (1,575 mm) Cutting Width	Hinged Discharge Chute
Three Cutting Blades	Greasable Spindles
10 Gauge Stamped Steel Deck	Front Lip Reinforcement
Front and Rear Quick	Attaching Parts (See Code
Release Gauge Wheels with	Selection)
Memory Setting	Mower Wash Port
Quick Release Belt Shields	
Anti-Scalp Front Roller	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0195LV		62 in. OnRamp Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors Model Year 2016 and older) <i>For MY2016 and older 2032R, 2520, 2720, and 4115 Tractor.</i>	3,339.00
--------	--	---	----------

DESTINATION

Central America		
0195	Mexico	No Added Cost
North America		
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
0230	Australia	No Added Cost
0237	New Zealand	No Added Cost

OPERATOR'S MANUAL

0450	Australian Operator's Manual and Decal Kit	No Added Cost
0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost

ATTACHING PARTS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**62 in. OnRamp Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors
 Model Year 2016 and older)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
1995		Less Attaching Parts	In Base Price
1000		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift (Not Available for 4115), BLV10476 Must be Ordered with Code 1095 (Less Attaching Parts).</i>	443.00
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4115).</i>	148.50
		Hydraulics	
LVB25823		Loader and Mower Mechanical Diverter Valve Kit (MY16 and Older 2032R, 2520, 2720)	605.00
		Lift Kit	
LVB25902		Attaching Parts for MY16 and Older 2032R, 2520, 2720, 4115 (Mechanical Mower Lift)	522.50
BLV10476		Independent Lift Kit for MY16 and Older 2032R, 2520, 2720	1,034.00
		Miscellaneous	
LVB24962		Mower Height Latch Kit <i>For use with Mechanical Mower Lift.</i>	179.30
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM21890		Mulch kit (62C/62D/62X)	237.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)
 Equipment for Base Machine

72 In. (182.9 cm) Cutting Width	Settings
Three Cutting Blades	Quick Release Belt Shields
7 Gauge Stamped Steel Deck	Anti-Scalp Front Skid
Drive-Over Capability with	Hinged Discharge Chute
Adjustable Tractor Alignment	Greasable Spindles
Guide	Front Lip Reinforcement
Front and Rear Quick Release	
Gauge Wheels with Memory	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7027LV	72D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor) <i>For MY2017 and newer 2032R and 2038R OOS Tractors. For 4310-4410, 3120-3720, and 3033R-3046R Tractors</i> <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.</i> <i>3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.</i> <i>LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must Order BLV11084. See Sales Manual for 4310-4410 Requirements.</i>	3,178.00
--------	---	----------

DESTINATION

0184	North America Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
024H	Oceania United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost
ATTACHING PARTS			
1004		AutoConnect Mower Lift - OOS <i>For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,489.00
1008		AutoConnect Mower Lift - Cab <i>Compatible with cab tractors For 60D and 72D mower decks with SN 060001 and above. For 3033R-3046R and 3120-3720 Tractors.</i> <i>NOT COMPATIBLE with 3120-3720 Tractors equipped with PowrReverser Transmission (PRT) (SN ending in 910000 and above). NOT COMPATIBLE with 3033R-3046R Tractors Equipped with PRT.</i> <i>The Mid Hydraulic Cylinder Lift Kit (included) allows the mower to be raised and lowered independently of the rear implements using the dual selective control valve (SCV) (loader joystick). If you do not wish to use the loader joystick to lift the mower deck, order the Third SCV kit.</i>	1,628.00
1006		AutoConnect Mower Lift <i>For 60D and 72D mower decks. For MY2017 and newer 2032R and 2038R OOS Tractors.</i> <i>Includes all mower attaching parts plus CommandCut Height-of-Cut wiring harness, actuator, rotary dial and raise/lower lever. System must be calibrated after installation to insure accurate cut-heights. Refer to installation instructions for calibration procedure or refer to ServiceADVISOR.</i>	1,885.00
1295		Less AutoConnect Mower Lift	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>The front 3-point hitch/mid-mount mower compatibility brackets are required for use on AutoConnect Mowers that are being attached to a Front Three-Point Hitch with BLV10439 (3033R-3046R) or LVB25878 (3120-3720).</i>	182.60
LVB25302		Front-Attaching Support Kit	68.20
BXX10354		Load-N-Go ramps for 72D AutoConnect™ 7-Iron Deck <i>For use on MY17 and newer 2032R and 2038R , 3R series, and 3120-3720 tractors</i>	256.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72D in. AutoConnect 7-Iron Mid-Mount Side Discharge Mower (2R Large Frame, 3R Series, and 3120-3720 Tractor)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulics	
BLV10500		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,017.50
BLV10961		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,017.50
BLV10887		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	1,318.90
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,318.90
LVB25506		Third Selective Control Valve (SCV) Kit <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	308.00
LVB25084		Third Selective Control Valve (SCV) Kit <i>For 4210-4410 Tractors. Requires Dual SCV.</i>	350.90
LVB24845		Third Selective control Valve (SCV) Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	369.60
		Lift Kit	
BLV10432		AutoConnect™ Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410)	1,754.50
BLV10593		AutoConnect™ Mower Lift Kit with CommandCut	2,222.00
BLV11084		Mid-Mount Mower Lift Support (Cab)	163.90
		Mulch Kits	
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 in. Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors)
 Equipment for Base Machine

72 In. (182.88 cm) Cutting Width Three Cutting Blades 9 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels Mower Lift: Steel Rods from Tractor Rockshaft Quick Release Belt Shields	Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Attaching Parts (See Code Selection)
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0045LV	72 in. Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors) <i>For 2032R, 2520, 2720, and 4115 Tractors</i>	3,639.00
--------	---	----------

Tractors must be equipped with Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.

If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.

2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.

DESTINATION

0195	Central America Mexico	No Added Cost
0184	North America Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
0230	Oceania Australia	No Added Cost
0237	New Zealand	No Added Cost

OPERATOR'S MANUAL

0450	Australian Operator's Manual and Decal Kit	No Added Cost
0409	English <i>English North American Operator's Manual and Decal Kit</i>	In Base Price
0413	French <i>French Canadian Operator's Manual and Decal Kit</i>	No Added Cost
0437	Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 in. Mid-Mount Side Discharge Mower (2032R, 2520, and 2720 Tractors)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
ATTACHING PARTS			
1995		Less Attaching Parts	In Base Price
1003		Attaching Parts	644.00
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB25263		Attaching Parts	759.00
LVB25302		Front-Attaching Support Kit	68.20
		Miscellaneous	
LVB24962		Mower Height Latch Kit <i>For use with Mechanical Mower Lift.</i>	179.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)
 Equipment for Base Machine

62-in. (157-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	Mower wheels rotate 90 degrees for easy mower removal
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9072M		62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,815.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

ATTACHING PARTS

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	277.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	551.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	214.50
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	336.60
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	454.30
Hydraulics			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	440.84
Mower Decks			
AM130907		Mower deck leveling gauge	7.15

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	300.67
		Mulch Kits	
BM21890		Mulch kit (62C/62D/62X)	237.54
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

3-Bag Power Flow Material Collection System (MCS)
 Equipment for Base Machine

14 Bushel Capacity
 Polyethylene Hopper Top
 3 Polyester Bags
 Attaching Parts
 Chute

Less Power Flow

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

140LGX		3-Bag Power Flow Material Collection System (MCS) <i>For 1023E, 1025R, 1026R, 2305, 2025R, MY2016 and Older 2032R, 2320, 2520, 2720, 2210 and 4115.</i> <i>Tractors Require a High Performance Power Flow Kit for the Appropriate Mower Deck Which Must be Ordered Separately. Tractors Using OnRamp Mower Decks also Require Appropriate OnRamp Belt Cover Kit. Not Compatible with 72-Inch Decks. (5) UC13263 Quik-Tatch Weights are Recommended for Proper Ballast.</i>	1,688.00
--------	--	--	----------

DESTINATION

0195	Central America Mexico		No Added Cost
0184	North America Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost
0230	Oceania Australia		No Added Cost
024A	Christmas Island		No Added Cost
024B	Heard Island and McDonald Islands		No Added Cost
0237	New Zealand		No Added Cost
024H	United States Minor Outlying Islands		No Added Cost

OPERATOR'S MANUAL

0450	Australian Operator's Manual and Decal Kit		No Added Cost
0409	English <i>English North American Operator's Manual and Decal Kit</i>		In Base Price
0413	French		No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

3-Bag Power Flow Material Collection System (MCS)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S MANUAL Continued... <i>French Canadian Operator's Manual and Decal Kit</i>	
0437		Spanish <i>Spanish North American Operator's Manual and Decal Kit</i>	No Added Cost
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
BLV10028		Hitch Plate for 3-bag Material Collection System (MCS)	61.60
LVB24957		Small Chasis MCS Chute	300.30
		Power Flow Blower	
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For X700 Signature Series.</i> <i>For MY20 and newer 1 Family Tractors and MY17 and newer 2025R tractors</i>	674.10
BM22697		54C/54X/54D High-Performance Power Flow blower <i>For tractors built prior to MY20</i>	566.03
BM24514		60D High-Performance Power Flow <i>For use with 60D and 7-Iron Mower Decks X700, 1023E, 1025R, 1026R, and MY2017 and newer 2025R Tractors). Not compatible with Cabs on X700.</i>	752.21
BM21496		62C/62X High-Performance Power Flow	566.03
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****52 in. Quick-Hitch Rotary Broom**
Equipment for Base Machine

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive (2) Adjustable Rear Mounting
48 In. (1,219 mm) Clearing Width "Angled"	Caster Wheels Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. (533 mm) Diameter	Bolts "Mounted to Shell"
Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

3880M		52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,335.00
-------	--	---	----------

FRONT QUICK-HITCH

1000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
1012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
1005		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
1006		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
1013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
1010		Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

2000		Hydraulic Angling	198.00
------	--	-------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****52 in. Quick-Hitch Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
HYDRAULIC ANGLING Continued...			
<i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>			
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
2009		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	271.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
2010		Less Hydraulic Angling	In Base Price
FRONT POWER TAKE-OFF (PTO)			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	272.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	272.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	295.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	279.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
IMPLEMENT DRIVE SHAFT			
4006		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10900 implement drive shaft and BLV10794 mounting frame.</i>	291.00

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****52 in. Quick-Hitch Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4002		IMPLEMENT DRIVE SHAFT Continued... Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	275.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	262.00
4010		Less Implement Drive Shaft	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

BLV10786		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02CIM) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	521.09
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	424.79
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	319.93
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	338.11
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	311.37
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	311.37
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	311.37
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
BM20921		Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	739.37
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86
BLV10708		Quick Hitch Kit	858.00
		Hydraulic Angling	
BLV10880		Hydraulic Angling	319.00
BM20922		Hydraulic angling (2210, 2305)	228.99
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	236.47
		Implement Drive Shaft	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	300.67
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	315.66
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	300.67
		Miscellaneous	
BM21777		Deflector kit (52-in. Rotary Broom)	64.20
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	63.13
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	148.50
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	68.20
BM21853		Thatching-wheel kit (52-in. Rotary Broom)	280.34

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mounting Frame	
BLV10794		52-in. Quick-Hitch Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	33.17
		Spanish North American Kit	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	105.93

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****60 In. Heavy-Duty Rotary Broom**
Equipment for Base Machine

57 In. (1,448 mm) Clearing Width "Straight"	Chain and Sprocket Final Drive (2) Adjustable Rear Mounted Caster Wheels
50 In. (1,270 mm) Clearing Width "Angled"	Broom Head Float
Storage Stands	Four Spare Driveshaft Shear
26 In. (660 mm) Diameter	Bolts Two Sizes, "Mounted to Shell"
Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

3790M		60 In. Heavy-Duty Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2036R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010, 4100, 4110, 4115, and 4400-4410 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. See Sales Manual for ballast requirements. Not compatible with BM17347, 400-Series Quick-Hitch. Compact tractors require dual selective control valve and mid PTO. Small chassis compact tractors also require front attaching support kit. See Sales Manual for front attaching support requirements. 3120-3720 Tractors with mid-mount mowers for use with front three-point hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,569.00
-------	--	---	----------

MOUNTING FRAME

1000		Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700s, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115, model year 2013-2016 2025R, and model year 2013-2016 2032R.</i>	411.00
1004		Mounting Frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	411.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	847.00
1003		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For model year 2017- 2032R, 2036R and 2038R.</i>	892.00
1010		Less Mounting Frame	In Base Price

FRONT QUICK-HITCH

2000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	645.00
2002		Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410.</i>	770.00
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	685.00

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****60 In. Heavy-Duty Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT QUICK-HITCH Continued...			
<i>Also requires LVB25396 front attaching support.</i>			
2005		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2011		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,488.00
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For model year 2017- 2032R, 2036R and 2038R.</i>	1,476.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
HYDRAULIC ANGLING			
<i>Hydraulic Angling for 3120-3720, model year 2017- 2032R, 2036R, 2038R, 4200-4400, and 4210-4410 Tractors are included in option codes 1001, 1002, and 1003.</i>			
3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	198.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	200.00
3003		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
3005		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	271.00
3010		Less Hydraulic Angling	In Base Price
FRONT POWER TAKE-OFF (PTO)			
4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	272.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	272.00
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	271.00
4005		2000 RPM Front PTO Kit	295.00

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****60 In. Heavy-Duty Rotary Broom**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
<i>For 2210 and 2305.</i>			
4006		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
4017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
4007		2000 RPM Front PTO Kit <i>For model year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	279.00
4016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	351.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
4012		2000 RPM Front PTO Kit <i>For model year 2017- 2032R, 2036R and 2038R.</i>	280.00
IMPLEMENT DRIVE SHAFT			
<i>Drive Shaft for Model Year 2017- 2032R, 2036R, 2038R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.</i>			
5001		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	275.00
5005		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R</i>	262.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	262.00
5010		Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BLV10633		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	330.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02CIM) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	521.09
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	424.79
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	319.93
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	338.11
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	311.37
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	310.30
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	311.37
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	311.37
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	97.90
		Front Quick-Hitch	
BLV10637		A-Frame Quick Attach System	226.60
BLV10634		Auxiliary Front Hydraulic Coupler Kit <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	101.20
LVB25878		Front 3-Point Hitch (3120-3720)	1,371.74
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10631		Front Three-Point Hitch	1,464.10
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,435.50
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	739.37
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	133.10
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86
BLV10708		Quick Hitch Kit	858.00
		Hydraulic Angling	
BLV10880		Hydraulic Angling	319.00
BM20922		Hydraulic angling (2210, 2305)	228.99
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	236.47
		Implement Drive Shaft	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	300.67
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	315.66
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	300.67
LVB24956		Implement Drive Shaft for Rotary Brooms (3120-3720, 3033R-3046R)	181.90
BLV10800		Implement Drive Shaft for Rotary Brooms (model year 2017- 2032R, 2036R, and 2038R)	234.33
		Miscellaneous	
BM19805		Debris deflector (60-in. Heavy-Duty Rotary Broom)	436.56
LVB24810		Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	249.31
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	148.50
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	182.60
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	68.20
BM20706		Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	377.71
AM128682		Wafers, polypropylene bristle (pack of 16)	336.30
AM128683		Wafers, steel bristle (pack of 16)	606.60
		Mounting Frame	
BM20626		60-in. Rotary Broom mounting frame <i>For use on X400/X500 HDGT's, X700s, 2210, 2305, model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	470.80
BLV10795		60-in. Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	470.80
BLV10776		Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R, model year 2017-2032R, 2036R, and 2038R)	788.59
		Spanish North American Kit	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	105.93

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****647 Rotary Tiller**

Equipment for Base Machine

48 In. (1,219 mm) Tilling Width	6 Hybrid Tines per Flange
Drive Shaft (See Code Selection)	6 Flanges - Total of 36 Tines
Pre-set Slip Clutch	4 Position Adjustable Skidshoes
15-35 PTO HP Rated Main Gearbox	ASA 60 Roller Chain
Breather on Gearbox and Chain Case	Parking Stands
Dipstick on Gearbox	Adjustable Rear Hinged Cover
Sight Glass on Chain Case	Door
7 In. (177 mm) Tilling Depth	Center Mounted Cat 1 Hitch
14 In. (368 mm) Rotor Diameter	iMatch & Alpha Compatible
	3-Point Hitch

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

0206LV	647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3025E, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i>	2,834.00
	<i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i>	
	<i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i>	

DESTINATION

0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	No Added Cost
0413	French Canadian Operator's Manual and Decal Kit	No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit	No Added Cost

DRIVE SHAFT

1000	Drive Shaft <i>For compact utility tractors.</i>	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order option code 1000 Drive Shaft for Compact Utility Tractors.</i>	34.00
1995	Less Drive Shaft	-355.00

BRACKETS

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		BRACKETS Continued... Brackets for Compact Utility Tractors	In Base Price
2001		Brackets for X400/X500 HDGT and X700 Series Tractors	No Added Cost
2995		Less Brackets	-158.00

ATTACHMENTS FOR FIELD CONVERSION

		Brackets	
LVB25769		Brackets for Compact Utility Tractors	185.90
LVB25770		Brackets for X400/X500 HDGT and X700 Series Tractors	185.90
		Drive Shaft	
BM21914		540-rpm rear PTO (X400/X500 HDGTs, X700s before June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on model year 2005 and older X400/X500 HDGTs, also order AM120840 module.</i>	1,035.76
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
LVB25518		Drive Shaft Kit (CUTS)	418.00
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's)	458.70
BLV11178		John Deere Quik-Knect Driveline Yoke Bundle <i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). At least one tractor receiver bundle (BLV10953) is needed per tractor. The tractor receiver bundle is removable and can be used on various tractors within the compatibility. For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the sales manual.</i>	275.00
		Weights	
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVB19607		Front Quik-Tatch™ Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	49.50
BLV10623		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	223.30
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller

Equipment for Base Machine

55 In. (1,397 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth	15 In. (381 mm) Rotor Diameter 6 Hybrid Tines per Flange 7 Flanges - Total of 42 Tines 4 Position Adjustable Skidshoes ASA 80 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Davenport, Iowa</i>			
0216LV		655 Rotary Tiller <i>For 3005, 3025E, 3032E, 3038E, 3203, 4005, 790, 990, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 4200-4400, 4210-4410, 3033R-3046R, 3120-3720 and 4105 Tractors.</i> <i>Front Ballast is Required, See Sales Manual for specific requirements.</i>	3,380.00
DESTINATION			
0184		Canada	No Added Cost
0202		United States	No Added Cost
0205		Quebec	No Added Cost
OPERATOR'S MANUAL			
0409		English North American Operator's Manual and Decal Kit	No Added Cost
0413		French Canadian Operator's Manual and Decal Kit	No Added Cost
0437		Spanish North American Operator's Manual and Decal Kit	No Added Cost
DRIVE SHAFT			
1000		Drive Shaft	In Base Price
1995		Less Drive Shaft	-371.00
ATTACHMENTS FOR FIELD CONVERSION			
LVB25625		Drive Shaft Drive Shaft	436.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11178		John Deere Quik-Knect Driveline Yoke Bundle <i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). At least one tractor receiver bundle (BLV10953) is needed per tractor. The tractor receiver bundle is removable and can be used on various tractors within the compatibility. For information on what Implement driveling yoke bundle to select, refer to the compatibility table within the sales manual.</i>	275.00
		Weights	
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.49
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVBM19607		Front Quik-Tatch™ Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	49.50
LVB24952		Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors. For MY '17 and Newer 2032R and 2038R Tractors. Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10623		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	223.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller

Equipment for Base Machine

65 In. (1,651 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 30-50 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 16 In. (406 mm) Rotor Diameter	6 Hybrid Tines per Flange 8 Flanges - Total of 48 Tines 4 Position Adjustable Skidshoes ASA 100 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0226LV		665 Rotary Tiller <i>For 3038E, 4005, 790, 990, 2038R, 4300-4700, 4310-4710, 3520, 3720, 3039R-3046R, 4105 and 4120-4320 Tractors.</i>	4,135.00
<i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>			

DESTINATION

0184	Canada		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		No Added Cost
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-424.00

ATTACHMENTS FOR FIELD CONVERSION

		Drive Shaft Drive Shaft	499.40
LVB25626			

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11202		John Deere Quik-Knect Driveline Yoke Bundle <i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). At least one tractor receiver bundle (BLV10953) is needed per tractor. The tractor receiver bundle is removable and can be used on various tractors within the compatibility. For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the sales manual.</i>	275.00
		Weights	
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.49
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
LVBM19607		Front Quik-Tatch™ Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	49.50
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
LVB24952		Front Weight Bracket Extension Kit <i>For 3032E and 3038E Tractors. For MY '17 and Newer 2032R and 2038R Tractors. Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller

Equipment for Base Machine

73 In. (1,855 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 30-50 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 16 In. (406 mm) Rotor Diameter	6 Hybrid Tines per Flange 9 Flanges - Total of 54 Tines 4 Position Adjustable Skidshoes ASA 100 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0236LV		673 Rotary Tiller <i>For 4005, 990, 4500-4600, 3038E, 3520, 3720, 3039R-3046R, 4510-4710, 4105, 4120, 4320 Tractors.</i>	4,893.00
<i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>			

DESTINATION

0184	Canada		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		No Added Cost
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-424.00

ATTACHMENTS FOR FIELD CONVERSION

		Drive Shaft Drive Shaft	499.40
LVB25626			

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11202		John Deere Quik-Knect Driveline Yoke Bundle <i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). At least one tractor receiver bundle (BLV10953) is needed per tractor. The tractor receiver bundle is removable and can be used on various tractors within the compatibility. For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the sales manual.</i>	275.00
		Weights	
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVB25705		Front Quik-Tatch™ Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
LVB19607		Front Quik-Tatch™ Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	49.50
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller

Equipment for Base Machine

81 In. Tilling Width 540 PTO Shaft Drive with "Quick Lock" Collar Pre-set Slip Clutch 35-60 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 8 In. Tilling Depth	18 In. Rotor Diameter 6 Hybrid Tines per Flange 8 Flanges - Total of 48 Tines 4 Position Adjustable Skidshoes Gear Driveline Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch Compatible 3-Point Hitch	PTO Drive Shaft
---	---	-----------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0246LV		681 Rotary Tiller For 4005, 990, 4500-4600, 4510-4710, 3720, 3046R, 4120-4720 and 5000 Series Tractors. <i>Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	5,807.00
--------	--	--	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		No Added Cost
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft		In Base Price
1995	Less Drive Shaft		-496.00

ATTACHMENTS FOR FIELD CONVERSION

	Weights		
CH14083	Front Quik-Tatch Weight Kit (990, 4005)	<i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
LVB25705	Front Quik-Tatch™ Weight Kit	<i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVBM19607	Front Quik-Tatch™ Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	49.50
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****47 In. Quick-Hitch Two-Stage Snow Blower**
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

1474M	47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,265.00
-------	---	----------

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	667.00
2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 front attaching support.</i>	685.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
2013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2010	Less Front Quick-Hitch	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO)			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	246.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	272.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	272.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	295.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://diac.deere.com/Solutions/English/111853.htm</i>	455.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, and 2520-2720.</i>	279.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
IMPLEMENT DRIVE AND UPSTOP			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	231.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	386.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	441.00
4010		Less Implement Drive and Upstop	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4013		IMPLEMENT DRIVE AND UPSTOP Continued... Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	280.00
ATTACHMENTS FOR FIELD CONVERSION			
BLV10786		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	521.09
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	424.79
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	319.93
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	338.11
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	311.37
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	311.37
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	311.37
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
BM17330		2000-rpm front power take-off (PTO) (415, 425, 445, 455)	282.49
BM20921		Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86
BM20896		Hydraulic retro kit <i>Required to fit a customer's 425, 445 and 455 snow blower or snow thrower on a new X400/X500 HDGT or X700 Series tractor.</i>	31.03
BLV10708		Quick Hitch Kit	858.00
LVB24902		Implement Drive and Upstop Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	442.99
BM20871		Implement drive and upstop (425, 445, 455, F900's)	265.36
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	321.00
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	195.81
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	310.30
		Miscellaneous	
M88984		Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	33.46
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R.</i> <i>Requires separate chassis harness for tractor.</i>	297.46
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	63.13
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	148.50
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	68.20
AM119321		Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000)</i>	76.71

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM128337		Left-side skid shoe plate and hardware	54.95
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	163.71
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors Not compatible with Mauser Cab equipped 1R tractors.</i>	219.36
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	209.71
BM20960		Remote spout cap control kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for required attaching parts.</i>	131.61
AM128336		Right-side skid shoe plate and hardware	54.95
M157831		Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	33.52
LP70692		Snow blower storage dollies	94.95
BLV11058		Spanish North American Kit 47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	92.01

JOHN DEERE TURF & UTILITY PRODUCTS**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS****54 In. Quick-Hitch Two-Stage Snow Blower**
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Davenport, Iowa*

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, model year 2013-2016 2032R, 2320-2720 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,720.00
-------	--	----------

FRONT QUICK-HITCH

2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 front attaching support.</i>	685.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, and 2320, 2520, 2720 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720).</i>	749.00
2013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2010	Less Front Quick-Hitch	In Base Price

FRONT POWER TAKE-OFF (PTO)

3007	2000 RPM Front PTO	295.00
------	--------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
<i>For 2305 Tractor.</i>			
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, and 2520-2720.</i>	279.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
<hr/>			
IMPLEMENT DRIVE AND UPSTOP			
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	386.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	441.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	280.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BLV10786		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i> <i>See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007.</i> http://dtac.deere.com/Solutions/English/111853.htm	521.09
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i>	424.79
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	319.93
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	338.11
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	311.37
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
BM20921		Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	785.39
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	858.14
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	58.86
BLV10708		Quick Hitch Kit	858.00
BM23238		Implement Drive and Upstop Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	345.61
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	321.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	195.81
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	310.30
M88984		Miscellaneous Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	33.46
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R.</i> <i>Requires separate chassis harness for tractor.</i>	297.46
BLV10796		Front Attaching Support Kit	295.90
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	63.13
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	93.09
BLV10680		Front Attaching Support kit	306.90
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	148.50
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	68.20
AM128337		Left-side skid shoe plate and hardware	54.95
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	163.71
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors Not compatible with Mauser Cab equipped 1R tractors.</i>	219.36
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	209.71
BM20960		Remote spout cap control kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for required attaching parts.</i>	131.61
AM128336		Right-side skid shoe plate and hardware	54.95

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M157831		Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	33.52
LP70692		Snow blower storage dollies	94.95
		Spanish North American Kit	
BLV11058		47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	92.01

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
59 In. Clearing Width "Straight"	Hydraulic Chute Angling
16 In. Diameter Impeller	Less Front Hitch
16 In. Diameter Auger	Less Front PTO
Shear Bolt Protection	Less Mounting Kit and Less
Adjustable Spout Cap Deflector	Snow Blower Driveshaft
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa.

2759M		59 In. Two-Stage Snow Blower <i>For 3033R-3046R, 3120-3720, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors. Also for MY2017 and Newer 2032R and 2038R Tractors.</i> <i>For Use with Front Three-Point Hitch with A-Frame.</i> <i>Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting.</i> <i>3120-3720 Tractors with Mid-Mount Mowers Require LVB24810.</i> <i>Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	4,671.00
-------	--	--	----------

DESTINATION

0205	Quebec	No Added Cost
0184	Canada	No Added Cost
0202	United States	In Base Price

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit	No Added Cost

MOUNTING KIT / DRIVESHAFT

6833	Snow Blower Mounting Kit and Driveshaft <i>For 3005, 855, 955, 670, 770, 790, 4200-4400, 4210-4410 Tractors.</i>	675.00
6834	Snow Blower Mounting Kit and Driveshaft <i>For 3033R-3046R, 3120-3720 Tractors.</i>	353.00
6835	Less Snow Blower Mounting Kit and Driveshaft	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6836		MOUNTING KIT / DRIVESHAFT Continued... Snow Blower Mounting Kit and Driveshaft <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	348.00
<hr/>			
FRONT HITCH			
6941		Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410 Tractors.</i>	793.00
6950		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720 and 3033R-3046 Tractors.</i>	1,520.00
6967		Less Front Hitch and Less Hydraulic Lift	In Base Price
6951		Front Three-Point Hitch with A-Frame Quick Attach System <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	1,520.00
<hr/>			
FRONT POWER TAKE-OFF (PTO)			
6880		2000 RPM Front PTO <i>For 4200-4400, 4210-4410 Tractors.</i>	279.00
6882		2000 RPM Front PTO <i>For 670 Tractors.</i>	419.00
6883		2000 RPM Front PTO <i>For 770, 790, 3005 Tractors.</i>	430.00
6884		2000 RPM Front PTO <i>For 855, 955 Tractors.</i>	394.00
6885		2000 RPM Front PTO <i>For 3033R-3046R, 3120-3720 Tractors.</i>	293.00
6910		Less 2000 RPM Front PTO	In Base Price
6886		2000 RPM Front PTO <i>For MY2017 and Newer 2032R and 2038R Tractors.</i>	288.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
BLV10637		Front Hitch A-Frame Quick Attach System <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	226.60
BLV10634		Auxiliary Front Hydraulic Coupler Kit <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i> <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	101.20
LVB25878		Front 3-Point Hitch (3120-3720)	1,371.74
BLV10631		Front Three-Point Hitch <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i>	1,464.10

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,435.50
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch <i>For use on MY '17 and newer 2032R and 2038R Tractors.</i> <i>For use in applications where there is significant transporting done at higher speeds.</i> <i>Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	133.10
BLV10633		Front Power Take-Off (PTO) 2000 RPM Front PTO <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i>	330.00
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	319.93
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	310.30
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	97.90
LVB24810		Miscellaneous Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	249.31
AM128337		Left-side skid shoe plate and hardware	54.95
AM128336		Right-side skid shoe plate and hardware	54.95
LVB24800		Snow Blower Drive Shaft (3033R-3046R, 3120-3720)	169.06
BLV10799		Snow Blower Drive Shaft (MY '17 and newer 2032R and 2038R)	169.06
BLV10715		Snow Blower Mounting Kit (For MY '17 and newer 2032R and 2038R, 3033R-3046R, and 3120-3720) <i>MY'17 and newer 2032R and 2038R requires snow blower driveshaft BLV10799 3033R-3046R, and 3120-3720 requires snow blower driveshaft LVB24800</i>	223.63

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9998_04

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9998_08

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9998_09

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2305, 2305 TLB Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9999_21

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9999_22

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9999_23

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9999_24

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 110 TLB Compact Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 9999_25