

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)
Equipment for Base Machine

ENGINE: 46 Engine kW (62 hp) (839 cc), electronic fuel injection (EFI) 2-cylinder, liquid-cooled, dual overhead cams, 4-cycle gasoline full pressure, and dry sump with reservoir lubrication system Replaceable single dry-type element air cleaner with remote intake 28-L (7.4-gal.) fuel capacity Solid-state ignition (12 V) Spark-arresting muffler ELECTRICAL: Electric start 38-amp (450-W) alternator 340 cold cranking amps (CCA) battery Four 27-W halogen headlights Brake and tail light TRANSAXLE AND TRANSMISSION: Continuously variable Transmission Full clutch enclosure Two-speed transaxle Operator selectable four-wheel drive (4WD) 97 km/h (60 mph) maximum Forward speed On-demand true four-wheel drive system Lockable limited slip; switch engagement Front differential Spool rear final drive Front and rear hydraulic disk Brakes Foot brake; mechanical disk Actuation Park brake Large diameter half shafts with thermoplastic elastomer (TPE) boot axles STERING AND SUSPENSION: Rack and pinion steering Independent

front suspension Double A-arm with coil over shock and anti-sway bar Independent rear suspension (IRS) with 229 mm (9 in.) of travel Independent rear suspension Semi-trailing double A-arm with coil over shock and anti-sway bar independent rear suspension (IRS) with 229 mm (9 in.) of travel Standard 50-mm (2-in.) rear receiver 6-m (19.7-ft) turning circle Ground clearance: 266 mm (10.5 in.) Ground clearance (Under foot platform): 267 mm (10.5 in.) FRAME AND STYLED PARTS: Full, robotically welded frame design Side frame rails for rock sliding ROLL-OVER PROTECTIVE STRUCTURE (ROPS): 44.4-mm (1.75-in.) steel tubular Overhead structure Multiple passenger handholds 3-point seat belts ISO 3471 and OSHA roll-over protective structure (ROPS) certified OPERATOR STATION: Professional high-back bucket seats; tilt forward Adjustment on driver's seat Glove box Storage compartment underhood Two cup holders 12-V DC outlet Digital instrument cluster with speed mph, km/h, rpm, fuel level, hour meter, odometer, with trip,

clock, water temperature, and four wheel-drive (4WD) notice. DIMENSIONS (WITH ROPS): 3022.6 mm (119 in.) long by 1435.1 mm (56.5 in.) wide by 1828.8 mm (72 in.) high PAYLOAD CAPACITY: 363-kg (800-lb) total payload Capacity which includes: 91-kg (200-lb) driver, 91-kg (200-lb) passenger, and 181 kg (400 lb) in cargo box Towing capacity: 544 kg (1200 lb) CARGO BOX: 820 mm (32.3 in.) long by 1209 mm (47.6 in.) wide by 297 mm (11.7 in.) deep .25-m (8.9-cu ft) capacity 181-kg (400-lb) box capacity Tilting box; two-sided manual Release Hinged (bottom) tailgate TIRES: Front: 25x8-12 Ancla M-T (4PR), 26x8-14 Maxxis Bighorn 2.0 (6PR) Rear: 25x10-12 Ancla M-T (4PR), 26x10-14 Maxxis Bighorn 2.0 (6PR) SAFETY VIDEO TAPE: Safety and operational DVD Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4632M		Gator RSX860E (Model Year 2020)	11,699.00
-------	--	---------------------------------	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

PACKAGES

0501		PR - Base Package G&Y - Green & Yellow (Code 2500) - 25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow Steel Wheels (Code 1002) - 21 in. deluxe high back seats - yellow (code 2026) - OPS with brake / taillight, headrests, and OSR doors (Code 2026) - FOX Monotube shocks (Code 2300) - Less roof (Code 4049) - Less rear bumper (Code 4199) - Less PreRunner bumper (Code 4249) - Less Packages (Code 6349)	In Base Price
------	--	---	---------------

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
COLOR			
2500		Green & Yellow	In Base Price
WHEELS AND TIRES			
1027		Wheels, 14" Steel Maxxis Bighorn Yellow	In Base Price
SEAT			
2026		21 in. standard high back seat - yellow	In Base Price
ROOF SELECTION			
4049		Less roof	In Base Price
SUSPENSION			
2300		FOX monotube shocks	In Base Price
PERFORMANCE PACKAGES			
6349		Less packages	In Base Price
FRONT BRUSH GUARD			
4249		Less PreRunner Bumper	In Base Price
GUARDS			
4199		Less rear bumper	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions	
BM25411		Ag Management Solutions (AMS) Integration Kit <i>Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.</i>	456.89
		Batteries	
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	335.99
		Bumper	
BM23309		Constant-Velocity (CV) Guards (Front and Rear) <i>Aluminum.</i>	163.71
BM23361		Nerf Bar <i>Not compatible with front fender guards.</i>	283.56
BM23364		PreRunner Bumper	369.16
BM23362		Rear Bumper	210.79
BUC10347		Underbody Armor <i>Aluminum.</i>	332.77
		Cargo Box	
BM23849		19 L (5 gal) Pail Holder <i>Cargo box rails required.</i>	42.80

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23371		Box Mat	128.40
BM23526		Cargo Box Rails	125.19
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	377.71
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	239.69
		Drawbar	
BM23363		50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	125.19
BM22290		Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
		Horn	
BM23370		Horn Kit <i>Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	107.00
		Lighting	
BM25553		Beacon Light <i>Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.</i>	257.87
BM26182		Beacon Light Harness Kit <i>Required with Beacon Light.</i>	72.76
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens) mounted at brush guard.</i>	123.06
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank mounted at roof in front position</i>	89.89
BM24089		Occupant Protective Structure (OPS) Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	78.11
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.</i>	86.67
BM25544		Work Lights (Halogens) <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.</i>	126.26
		Mirrors	
BM25148		Occupant Protective Structure (OPS) Rear View Mirror	94.16
BM24737		Occupant Protective Structure (OPS) Side Mirrors <i>Not compatible with poly cab.</i>	204.37

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24796		Poly Cab Mirror	182.97
		Operator's Station	
BM24200		Glove Box Lock	12.84
BUC10184		Heater Kit	889.17
BM25014		Occupant Protective Structure (OPS) Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	561.76
BM26583		Seat-Belt Comfort Strap (2) <i>For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.</i>	99.51
BM23933		Sport Steering Wheel	226.84
		Radio	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	724.39
		Roof	
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	379.86
BUC10243		Occupant Protective Structure (OPS) Poly Roof - Black	386.27
BM23853		Occupant Protective Structure (OPS) Poly Roof - Camo	827.11
		SUSPENSION	
BM23981		Fox 2.0 Performance Series Shocks	1,988.06
		Sprayers	
LP39965		25 Gallon Bed Sprayer	594.95
LP39964		45 Gallon Bed Sprayer	624.95
LP39098		45 Gallon High Performance Bed Sprayer	824.95
LP22911		HP Standard Gator Boom <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	69.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft) <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	269.95
LP22884		High performance boomless nozzles <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	169.95

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	774.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L)	629.95
		Spreaders	
LPPCT17ATJD		17AT Cart	847.00
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,299.95
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	924.95
LP68757		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	709.95
LPUT21JD		Utility Cart, 21 Steel	990.00
		Storage	
LP37044		OPS Overhead Organizer - Black	65.99
		Turn Signals	
BM24831		Deluxe Light Kit <i>Includes hazards and turn signals (front & rear).</i>	422.66
		Winch	
BUC10681		WARN VRX 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.</i>	647.36
BM21392		Winch Accessories Kit <i>Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.</i>	141.24
BM26662		Wireless Winch Remote	372.36
		Winch Mounting Kit	
BUC10699		Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	218.29
		Windshield	
BM25259		Abrasion Resistant Half Windshield	285.69
BM26000		Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	219.36
BM23373		Full No-Scratch Flip-Open Windshield	595.99
BUC10159		OPS Glass Windshield w/ Wiper <i>Requires OPS switch bank</i>	800.36
BM25103		Occupant Protective Structure (OPS) Windshield Washer Kit <i>Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.</i>	327.41

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860E (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25967	Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860M Power Steering Winch Ready (Model Year 2020)

Equipment for Base Machine

ENGINE: 46 Engine kW (62 hp) (839 cc), electronic fuel injection (EFI) 2-cylinder, liquid-cooled, dual overhead cams, 4-cycle gasoline full pressure, and dry sump with reservoir lubrication system Replaceable single dry-type element air cleaner with remote intake 28-L (7.4-gal.) fuel capacity Solid-state ignition (12 V) Spark-arresting muffler ELECTRICAL: Electric start 38-amp (450-W) alternator 340 cold cranking amps (CCA) battery Four 27-W halogen headlights Brake and tail light Pre-wired for winch

TRANSAXLE AND TRANSMISSION: Continuously variable Transmission Full clutch enclosure Two-speed transaxle Operator selectable four-wheel drive (4WD) 97 km/h (60 mph) maximum Forward speed On-demand true four-wheel drive system Lockable limited slip; switch engagement Front differential Spool rear final drive Front and rear hydraulic disk Brakes Foot brake; mechanical disk Actuation Park brake Large diameter half shafts with thermoplastic elastomer (TPE) boot axles

STEERING AND SUSPENSION: Power Steering Rack and pinion

steering Independent front suspension Double A-arm with coil over shock and anti-sway bar Independent rear suspension (IRS) with 229 mm (9 in.) of travel Independent rear suspension Semi-trailing double A-arm with coil over shock and anti-sway bar independent rear suspension (IRS) with 229 mm (9 in.) of travel Standard 50-mm (2-in.) rear receiver 6-m (19.7-ft) turning circle Ground clearance: 266 mm (10.5 in.) Ground clearance (Under foot platform): 267 mm (10.5 in.)

FRAME AND STYLED PARTS: Full, robotically welded frame design Side frame rails for rock sliding

ROLL-OVER PROTECTIVE STRUCTURE (ROPS): 44.4-mm (1.75-in.) steel tubular Overhead structure Multiple passenger handholds 3-point seat belts ISO 3471 and OSHA roll-over protective structure (ROPS) certified

OPERATOR STATION: Professional high-back bucket seats; tilt forward Adjustment on driver's seat Glove box Storage compartment under hood Two cup holders 12-V DC outlet Digital instrument cluster with speed mph, km/h, rpm, fuel level, hour meter, odometer, with trip,

clock, water temperature, and four wheel-drive (4WD) notice. DIMENSIONS (WITH ROPS): 3022.6 mm (119 in.) long by 1435.1 mm (56.5 in.) wide by 1828.8 mm (72 in.) high PAYLOAD CAPACITY: 363-kg (800-lb) total payload Capacity which includes: 91-kg (200-lb) driver, 91-kg (200-lb) passenger, and 181 kg (400 lb) in cargo box Towing capacity: 544 kg (1200 lb) CARGO BOX: 820 mm (32.3 in.) long by 1209 mm (47.6 in.) wide by 297 mm (11.7 in.) deep .25-m (8.9-cu ft) capacity 181-kg (400-lb) box capacity Tilting box; two-sided manual Release Hinged (bottom) tailgate TIRES: Front: 25x8-12 Ancla M-T (4PR), 26x8-14 Maxxis Bighorn 2.0 (6PR) Rear: 25x10-12 Ancla M-T (4PR), 26x10-14 Maxxis Bighorn 2.0 (6PR) SAFETY VIDEO TAPE: Safety and operational DVD Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4642M	Gator RSX860M Power Steering Winch Ready (Model Year 2020)	12,899.00
<i>Base machine suggested list price does not include 600 USD destination charge.</i>		

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

PACKAGES

0505	Build to Order Package	In Base Price
------	------------------------	---------------

COLOR

2500	Green & Yellow	In Base Price
2502	Realtree Hardwoods HD Camo	650.00

JOHN DEERE TURF & UTILITY PRODUCTS**HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT****Gator RSX860M Power Steering Winch Ready (Model Year 2020)**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2501		COLOR Continued... Olive & Black	100.00
WHEELS AND TIRES			
1008		Wheels, 14" Alloy Maxxis Bighorn Yellow	415.00
1009		Wheels, 14" Alloy Maxxis Bighorn Black	415.00
1027		Wheels, 14" Steel Maxxis Bighorn Yellow	In Base Price
1028		Wheels, 14" Steel Maxxis Bighorn Black	No Added Cost
SEAT			
2028		High performance sport seat - black	350.00
2029		High performance sport seat - black with sport steering wheel	562.00
2026		21 in. standard high back seat - yellow	In Base Price
2027		21 in. standard high back seat - black	No Added Cost
ROOF SELECTION			
4030		Poly roof - black	361.00
4034		Poly roof - camo	773.00
4049		Less roof	In Base Price
SUSPENSION			
2300		FOX monotube shocks	In Base Price
2301		FOX 2.0 Performance Series Shocks	1,226.00
PERFORMANCE PACKAGES			
6320		Winch and protection package <i>Package consists of Warn VRX 1588-kg (3500-lb.) winch, pre-runner bumper, rear bumper, 50.8-mm (2-in.) front receiver hitch and recovery loops, and cargo box rails.</i>	1,387.00
6321		Protection package <i>Package consists of pre-runner bumper, rear bumper, and cargo box rails.</i>	665.00
6349		Less packages	In Base Price
6313		Winch package <i>Package consists of Warn VRX 1588-kg (3500-lb.) winch and 50.8-mm (2-in.) front receiver hitch and recovery loops.</i>	722.00
FRONT BRUSH GUARD			
4203		PreRunner Bumper	345.00
4249		Less PreRunner Bumper	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860M Power Steering Winch Ready (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
GUARDS			
4152		Rear bumper	203.00
4199		Less rear bumper	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Ag Management Solutions			
BM25411		Ag Management Solutions (AMS) Integration Kit <i>Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.</i>	456.89
Batteries			
BM24356		Dual Battery Kit <i>Does not include the dual batteries for the kit, ordered seperately.</i>	335.99
Bumper			
BM23309		Constant-Velocity (CV) Guards (Front and Rear) <i>Aluminum.</i>	163.71
BM23361		Nerf Bar <i>Not compatible with front fender guards.</i>	283.56
BM23364		PreRunner Bumper	369.16
BM23362		Rear Bumper	210.79
BUC10347		Underbody Armor <i>Aluminum.</i>	332.77
Cargo Box			
BM23849		19 L (5 gal) Pail Holder <i>Cargo box rails required.</i>	42.80
BM23371		Box Mat	128.40
BM23526		Cargo Box Rails	125.19
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	377.71
BM23385		Tire Rack <i>Requires cargo box rails. Spare tire not included.</i>	239.69
Drawbar			
BM23363		50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	125.19
BM22290		Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
Horn			
BM23370		Horn Kit <i>Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.</i>	107.00

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860M Power Steering Winch Ready (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Lighting	
BM25553		Beacon Light Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.	257.87
BM26182		Beacon Light Harness Kit Required with Beacon Light.	72.76
BM25619		Brush Guard Light Harness Kit Required with LED light kits or Work Lights (Halogens) mounted at brush guard.	123.06
BM25620		Front OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank mounted at roof in front position	89.89
BM24089		Occupant Protective Structure (OPS) Switch Bank Accommodates up to three separate OPS accessory kits.	78.11
BM25731		Rear OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	86.67
BM25544		Work Lights (Halogens) Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.	126.26
		Mirrors	
BM25148		Occupant Protective Structure (OPS) Rear View Mirror	94.16
BM24737		Occupant Protective Structure (OPS) Side Mirrors Not compatible with poly cab.	204.37
BM24796		Poly Cab Mirror	182.97
		Operator's Station	
BM24200		Glove Box Lock	12.84
BUC10184		Heater Kit	889.17
BM25014		Occupant Protective Structure (OPS) Rear Panel Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.	561.76
BM26583		Seat-Belt Comfort Strap (2) For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.	99.51
BM23933		Sport Steering Wheel	226.84

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860M Power Steering Winch Ready (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Radio	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	724.39
		Roof	
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	379.86
BUC10243		Occupant Protective Structure (OPS) Poly Roof - Black	386.27
BM23853		Occupant Protective Structure (OPS) Poly Roof - Camo	827.11
		SUSPENSION	
BM23981		Fox 2.0 Performance Series Shocks	1,988.06
		Sprayers	
LP39965		25 Gallon Bed Sprayer	594.95
LP39964		45 Gallon Bed Sprayer	624.95
LP39098		45 Gallon High Performance Bed Sprayer	824.95
LP22911		HP Standard Gator Boom <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	69.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft) <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	269.95
LP22884		High performance boomless nozzles <i>Compatible with all High Performance Sprayers. Available through Order Zone.</i>	169.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	774.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L)	629.95
		Spreaders	
LPPCT17ATJD		17AT Cart	847.00
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,299.95
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	924.95
LP68757		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	709.95
LPUT21JD		Utility Cart, 21 Steel	990.00

JOHN DEERE TURF & UTILITY PRODUCTS

HIGH PERFORMANCE UTILITY VEHICLES AND EQUIPMENT

Gator RSX860M Power Steering Winch Ready (Model Year 2020)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Storage	
LP37044		OPS Overhead Organizer - Black	65.99
		Turn Signals	
BM24831		Deluxe Light Kit <i>Includes hazards and turn signals (front & rear).</i>	422.66
		Winch	
BUC10681		WARN VRX 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.</i>	647.36
BM21392		Winch Accessories Kit <i>Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.</i>	141.24
BM26662		Wireless Winch Remote	372.36
		Winch Mounting Kit	
BUC10702		Winch Mounting Kit <i>Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	200.09
		Windshield	
BM25259		Abrasion Resistant Half Windshield	285.69
BM26000		Canvas Rear Panel <i>Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	219.36
BM23373		Full No-Scratch Flip-Open Windshield	595.99
BUC10159		OPS Glass Windshield w/ Wiper <i>Requires OPS switch bank</i>	800.36
BM25103		Occupant Protective Structure (OPS) Windshield Washer Kit <i>Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.</i>	327.41
BM25967		Rear Dust Panel <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS

**CURRENT ATTACHMENTS FOR NON-CURRENT HIGH PERFORMANCE UTILITY
VEHICLES**

Attachments for Non-Current High Performance Utility Vehicles
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Attachment Information is not available in MOCI for the base code 9998_17