## **CONSTRUCTION EQUIPMENT**

### **U.S. PRICE LIST**

### **COMPACT WHEEL LOADERS**

### PL-200 CW SAP REVISION 27

**EFFECTIVE JULY 9, 2021** 

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the (CW) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compact Wheel Loaders 21F T4 FINAL 121F T4 FINAL 221F T4 FINAL 321F T4 FINAL

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2021 By

CNH Industrial America LLC

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22: EXtended to 2/21/23

(This page intentionally left blank)

### **General Information**

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

#### ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

#### **PRICES**

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

#### CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

#### **PROCEDURE**

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

#### **ATTACHMENTS**

Expect Attachments to be shipped within 2 -3 weeks from order entry.



### **General Information**

#### DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

#### Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22: EXtended to 2/21/23

# COMPACT WHEEL LOADERS TABLE OF CONTENTS

#### **F SERIES**

21F 14 FINAL COMPACT WHEEL LOADER	
Standard Features	CW-7
Price List	CW-9
121F T4 FINAL COMPACT WHEEL LOADER	
Standard Features	CW-15
Price List	CW-17
221F T4 FINAL COMPACT WHEEL LOADER	
Standard Features	CW-23
Price List	CW-25
321F T4 FINAL COMPACT WHEEL LOADER	
Standard Features	CW-31
Price List	CW-33

(This page intentionally left blank)



# (Ex Works Port of Entry) Standard Equipment

#### ENGINE:

FPT F5H FL463 B\*F001 4-Cylinder Tier 4 Final

- CEGR / Diesel Oxidation Catalyst
- No regeneration
- No emissions related maintenance Displacement: 207 cu in  $(3.4\ L)$

Kilowatts (horsepower):

- Gross 58 hp (43 kW) @ 2500 rpm
- Net 55 hp (41 kW) @ 2500 rpm

Fuel Tank: 23 gal (87 L)
Dual element air cleaner
Direct Drive Fan

#### OPERATOR ENVIROMENT:

Cab with heater & A/C
Key start
Cloth suspension seat
Tiltable steering column
Retractable seat belt
Front sun screen
Opening side window
Dome light
Front and rear wipers
12-volt auxiliary power
Pocket for cellular phone
Coat hook and cup holder

External rearview mirrors

Loader control lockout

#### LOADER SYSTEM:

Electro-Hydraulic (EH) Joystick loader
 control for lift and tilt with F/N/R
 switch
EH Joystick loader control adjustability
 switches for lift and tilt functions

Ground level lubrication points
Positive hold float
Hydraulic attachment coupler:

Skid steer compatible

#### AXLES:

Limited slip differentials - Front/Rear with caliper service brakes

#### HYDRAULICS:

3-spool main control valve
3 Diagnostic quick couplers
Standard Hydraulic Auxilary
Connect under pressure connectors
Remote drain of hydraulic oil
Aux. Hyd. drain line coupling

#### INSTRUMENTATION:

Electronic Information Center
Displays/Gauges:

- 1. Vehicle speed
- 2. Hour meter
- 3. Floating function active
- 4. Clock
- 5. Vehicle directions
- 6. Gear number engaged
- 7. Fuel Level

#### Indicator Lights for:

- 1. Main hydraulic enabled
- 2. Turn lights
- 3. Rear work lamps
- 4. Work lamps
- 5. Main high beam
- 6. Side lights
- 7. Stop
- 8. Warning signal
- 9. 2nd speed indicator
- 10. Hand brake
- 11. Brake fluid level
- 12. Quick coupler on
- 13. Ride Control on
- 14. Creep Speed
- 15. Low fuel level
- 16. Clogging air filter
- 17. Engine oil pressure
- 18. Glow plug
- 19. Alternator changing



# (Ex Works Port of Entry) Standard Equipment

#### DRIVE TRAIN:

4-wheel drive Hydrostatic transmission

Electronic inching pedal Outboard planetary axles Caliper service brakes Mechanical parking brake

#### ELECTRICAL:

12 Volt system 95 AHR, 900 CCA Battery 120 amp alternator Lights:

2 Front driving headlights - high/low beam

2 Rear flood lights

#### OTHER:

LED rotating beacon

Tool Box Return to Dig

Front and rear fenders

Backup alarm Wired for Radio Drawbar pin

Articulation locking pin Loader arm support strut

Tie-down and Lift-up point - front and

rear

Bucket position indicator Seaworthy Conservation



# (Ex Works Port of Entry) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
21F ZB T4 FINAL	11,199 LB		\$98,357.00
21F XT T4 FINAL	11,023 LB		\$99,364.00



### **Compact Wheel Loader Option Packages**

		Plus Package		
FCP	OPT	OPT Description	List Price	Package Price
CAB	734632	Deluxe Cab	\$2,167	
SEAT	734590	Air Seat	\$737	
RADIO OPTION	734504	Radio with speakers	\$418	4,480.35
RIDE CONTROL	734520	Auto Ride control	\$1,517	4,400.33
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	790.65 Savings
		Total:	\$5,271	3

		Professional Package		
FCP	OPT	OPT Description	List Price	Package Price
CAB	734632	Deluxe Cab	\$2,167	
SEAT	734590	Air Seat	\$737	
RADIO OPTION	734504	Radio with speakers	\$418	5,585.35
CREEP SPEED	734583	Creep Speed	\$867	•
RIDE CONTROL	734520	Auto Ride control	\$1,517	985.65 Savings
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	5
AUXILIARY FRONT ELECTRIC	734588	Front Electrical Socket	\$433	
		Total:	\$6,571	

9400023 | 365/80 R18 SPT9 L2 Dunlop



## 21F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

### (Ex Works Port of Entry)

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
OPERATOR'S PR	ROTECTIVE STRUCTURE			
SD_05127 C	AR			
734671	Canopy, ROPS			(\$4,500.00)
''34071	Must also order: 734672 Canopy Only - Vinly Seat,			(ψ+,500.00)
	X05136X Canopy Only - No Heat,			
	X05136X No Radio and X30005X No Fire Extinguisher.			
734631	Base Cab			No Charge
734632	Deluxe Cab			\$2,167.00
101002	Internal covers for side pillars, Metal A/C vents,			Ψ2,101.00
	Side storage box for personal belongings,			
	Fully adjustable steering column (Telescopic/Tiltable),			
	Full steering column cover, two position side window (Partial/180°),			
	and a rearview mirror.			
	1		· ·	
SD 05197 CI	LIMATE CONTROL			
X05197X				(\$3,033.00)
734506	Air Conditioner w/ Heater			No Charge
•				
SD_05133 SE	EAT			
734672	Canopy Only - Vinyl Seat			No Charge
734589	Mechanical Seat			No Charge
734590	Air Seat			\$737.00
SD_05136 R	ADIO OPTION			
X05136X	No Radio			No Charge
	Wiring harness installed.			
734504	Radio with speakers			\$418.00
	Wiring harness for radio, speakers installed,			
	Bluetooth radio with MP3 and USB included.			
WHEELS AND TI	RES			
SD_16066 W	HEELS AND TIRES			
9420294	12.5-18 MPT-04 Bias Mitas			(\$867.00)
9420378	335/80 R18 EM-02 Mitas			(\$433.00)
9420161	335/80 R18 SPT9 L2 Dunlop			No Charge
9420374	365/70 R18 EM-01 Mitas			\$614.00
0.400000	000/00 D to 00000 to 0			

\$1,040.00

One 900 CCA battery



## 21F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

#### (Ex Works Port of Entry)

AND LI	ERATURE		
D_32003 DE	CALS & LITERATURE		
734529	Decal & Lit English		No
734540	Decal & Lit Spanish		No
734533	Decal & Lit French		No
ITIONAL EQ	UIPMENT CWL		
DRAULIC SYS	TEM OPTIONS		
SD_20053 CF	REEP SPEED		
X20053X	No Creep Speed		No
734583	Creep Speed		\$
	Once Creep Speed is activated (switch on the dashboard),		
	the operator can set the engine rpm (dial switch on the		
	dashboard) and set ground speed using a rocker switch up to		
	3.2 mph (5 KM/H).		
SD_20086 H\	/DRAULIC COUPLER		
734516	Hyd. SSL Compatible Coupler		No
734517	Hyd. Horizontal Pin Coupler		\$2
T =	/DRAULIC ROUTING		
734518	No Anti-Burst Valves		No
734519	Anti-Burst Valves		\$1
SD 20119 H\	/DRAULIC AUX		
734586	Standard Auxiliary		No
	Quick coupler allows 3rd function		
	Comes standard with connect under pressure connectors		
734584	Secondary Auxiliaries		\$1
	Quick coupler allows 4th function		
	Comes standard with connect under pressure connectors		
SD_20178 RI	DE CONTROL		
1	No Ride Control		No
734520	Auto Ride control		\$1
	Engages at approx. 2.2 MPH (3.5 KM/H)		<b>.</b>
•		•	•
LD START			
SD_02025 C0	OLD WEATHER STARTING		
734574	Std Weather Package		No
'5-0/-	- Carron Carron		1 140

734507

734663

734588

2 Front & 2 Rear work lights

LED 2 Front 2 Rear

Front Electrical Socket

SD\_21009 AUXILIARY FRONT ELECTRIC

X21009X No Auxiliary Front Electric

#### 21F T4 FINAL COMPACT WHEEL LOADER **US PRICE LIST** (Ex Works Port of Entry) \$773.00 734654 Cold Weather w/ Block Heater Two 680 CCA batteries, Low-temp Hytran oil, engine block heater. Rated down to -9.4° F (-23° C). FORK ATTACHMENTS SD\_U5201 LIFT FORKS XU5201X No Lift Forks No Charge Horizontal Pin Coupler Forks 734573 48" Forks (1200 mm) \$2,384.00 SSL Compatible Coupler Forks 734642 48" Forks (1200mm) - SSL Coup. \$2,477.00 GENERAL PURPOSE BUCKETS SD\_U5101 COMPACT WHEEL LOADER BUCKETS XU5101X No Bucket No Charge Horizontal Pin Coupler Buckets 734605 .92 cu. yd. GP Bucket \$2,201.00 .92 cu. ft. (.7 cu. m.) - 74.8 in (1900 mm) Bucket 734606 1.05 cu. yd. GP Bucket \$2,286.00 1.05 cu. yd. (.8 cu. m.) - 80.71 in (2050 mm) Bucket 734604 1.31 cu. yd. LM Bucket \$2,383.00 1.31 cu. ft. (1 cu. m.) - 80.71 in (2050 mm) Light Material Bucket SSL Compatible Coupler Buckets 734629 .92 cu. yd. GP Bkt-SSL Coupler \$2,020.00 .92 cu. yd. (.7 cu. m.) - 74.8 in (1900 mm) Bucket for use with SSL Compatible Coupler (734516) 734626 \$2,130.00 1.05 cu yd GP Bkt -SSL Coupler 1.05 cu. yd. (.8 cu. m.) - 80.71 in (2050 mm) Bucket for use with SSL Compatible Coupler (734516) SD\_V5203 BUCKET ACCESSORIES No Charge XV5203X No Bucket Accessories 734610 Bucket Teeth (1900 mm) \$217.00 734603 Cutting Edge (1900 mm) \$953.00 734570 Cutting Edge (2050 mm) \$1,127.00 LIGHTING AND ELECTRICAL OPTIONS SD\_06067 ROAD AND WORK LIGHTS

No Charge

No Charge

\$433.00

\$432.00



#### (Ex Works Port of Entry)

#### **TELEMATICS**

SD\_V9000 TELEMATICS

	XV9000X	No Telematics		No Charge
	424233	Case Sitewatch Telematics		\$826.00
		Telematics option includes 1-Year Advanced subscription. Dealers		
		may purchase additional subscriptions thru Service Parts to fulfill		
		connectivity needs.		



### **Standard Equipment**

#### ENGINE:

FPT F5H FL463 C\*F001 4-Cylinder

Tier 4 Final

- CEGR / Diesel Oxidation Catalyst
- No regeneration
- No emissions related maintenance

Displacement: 207 cu in (3.4 L)

Kilowatts (horsepower):

- Gross 64 hp (48 kW) @ 2500 rpm
- Net 60 hp (45 kW) @ 2500 rpm

Fuel Tank: 23 gal (87 L)
Dual element air cleaner
Direct Drive Fan

#### OPERATOR ENVIROMENT:

Cab with heater & A/C
Key start
Cloth suspension seat
Tiltable steering column
Retractable seat belt
Front sun screen
Opening side window

Dome light
Front and rear wipers
12-volt auxiliary power
Pocket for cellular phone
Coat hook and cup holder
External rearview mirrors
Loader control lockout

#### LOADER CONTROLS:

Electro-Hydraulic (EH) Joystick loader
 control for lift and tilt with F/N/R
 switch

EH Joystick loader control adjustability switches for lift and tilt functions Ground level lubrication points

Positive hold float

Hydraulic attachment coupler:
 Skid steer compatible

#### AXLES:

Open axles with caliper service brakes

#### HYDRAULICS:

3-spool main control valve
3 Diagnostic quick couplers
Standard Hydraulic Auxilary
Connect under pressure connectors
Remote drain of hydraulic oil
Aux. Hyd. drain line coupling

#### INSTRUMENTATION:

Electronic Information Center
Displays/Gauges:

- 1. Vehicle speed
- 2. Hour meter
- 3. Floating function active
- 4. Clock
- 5. Vehicle directions
- 6. Gear number engaged
- 7. Fuel Level

#### Indicator Lights for:

- 1. Main hydraulic enabled
- 2. Turn lights
- 3. Rear work lamps
- 4. Work lamps
- 5. Main high beam
- 6. Side lights
- 7. Stop
- 8. Warning signal
- 9. 2nd speed indicator
- 10. Hand brake
- 11. Brake fluid level
- 12. Quick coupler on
- 13. Ride Control on
- 14. Creep Speed
- 15. Low fuel level
- 16. Clogging air filter
- 17. Engine oil pressure
- 18. Glow plug
- 19. Alternator changing



### **Standard Equipment**

#### DRIVE TRAIN:

4-wheel drive Hydrostatic transmission Electronic inching pedal Outboard planetary axles

Caliper service brakes

Mechanical parking brake

#### ELECTRICAL:

12 Volt system

95 AHR, 900 CCA Battery

120 amp alternator

Lights:

2 Front driving headlights - high/low

beam

2 Rear flood lights

#### OTHER:

LED Rotating beacon

Tool box

Return to dig

Front and rear fenders

Backup alarm Wired for Radio

Drawbar pin

Articulation locking pin

Loader arm support strut

Tie-down and Lift-up point - front and

rear

Bucket position indicator Seaworthy Conservation

Heavy Counterweight



### **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
121F ZB T4 FINAL	11,596 LB		\$105,990.00
121F XT T4 FINAL	11,111 LB		\$106,483.00



### **Compact Wheel Loader Option Packages**

		Plus Package		
FCP	OPT	OPT Description	List Price	Package Price
CAB	734632	Deluxe Cab	\$2,167	
SEAT	734590	Air Seat	\$737	
RADIO OPTION	734504	Radio with speakers	\$418	\$4,480.35
RIDE CONTROL	734520	Auto Ride control	\$1,517	Ψ <del>4</del> ,400.33
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	\$790.65 Savings
		Total	\$5,271	3

		Professional Package		
FCP	OPT	OPT Description	List Price	Package Price
CAB	734632	Deluxe Cab	\$2,167	
SEAT	734590	Air Seat	\$737	
RADIO OPTION	734504	Radio with speakers	\$418	\$5,585.35
CREEP SPEED	734583	Creep Speed	\$867	· ·
RIDE CONTROL	734520	Auto Ride control	\$1,517	\$985.65 Savings
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	
AUXILIARY FRONT ELECTRIC	734588	Front Electrical Socket	\$433	
		Total:	\$6,571	

Wiring harness installed.



## 121F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

### **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
AXLES				
OD 45004 A	WI FO FRONT AND DEAD			
734511	XLES FRONT AND REAR Axles Open cal			No Chargo
734311	· · · · · · · · · · · · · · · · · · ·			No Charge
	with caliper service brakes			
734510	12.4 MPH (20 KM/H)			\$1,718.00
734510	Axles Limited Slip Diff. cal			φ1,710.00
	with caliper service brakes			
	12.4 MPH (20 KM/H)		l	
OPERATOR'S PI	ROTECTIVE STRUCTURE			
OI ERATOR OT I	COTECTIVE OTROCTORE			
SD_05127 C	ΔR			
734671	Canopy, ROPS			(\$4,500.00)
''04071	Must also order: 734672 Canopy Only - Vinly Seat,			(ψ4,000.00)
	X05136X Canopy Only - No Heat,			
	X05136X No Radio and X30005X No Fire Extinguisher.			
734631	Base Cab			No Charge
734632	Deluxe Cab			\$2,167.00
1 704002	Internal covers for side pillars, Metal A/C vents,			Ψ2,107.00
	Side storage box for personal belongings,			
	Fully adjustable steering column (Telescopic/Tiltable),			
	Full steering column cover, two position side window (Partial/180°),			
	and a rearview mirror.			
	and a real view militor.			
SD 05107 C	LIMATE CONTROL			
	Canopy Only - No Heat			(\$3,033.00)
734506	Air Conditioner w/ Heater			No Charge
1 1 704000	All Conditioner wy ricates		1	140 Onlarge
SD_05133 S	FAT			
734672	Canopy Only - Vinyl Seat			No Charge
734589	Mechanical Seat			No Charge
734590	Air Seat			\$737.00
1 1 10.000			1	ψ. σσο
SD 05136 R	ADIO OPTION			
	( No Radio			No Charge
/.55100/				

734586

Standard Auxiliary

Quick coupler allows 3rd function

Comes standard with connect under pressure connectors

## 121F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

/3	34504	Radio with speakers		\$418.00
		Wiring harness for radio, speakers installed,		
		Bluetooth radio with MP3 and USB included.		
			•	•
HEELS A	ND TIR	ES		
SD_160	)66 WH	EELS AND TIRES		
		12.5-18 MPT-04 Bias Mitas		(\$867.00
94	420378	335/80 R18 EM-02 Mitas		(\$433.00)
94	420161	335/80 R18 SPT9 L2 Dunlop		No Charge
94	420374	365/70 R18 EM-01 Mitas		\$614.00
94	400023	365/80 R18 SPT9 L2 Dunlop		\$1,040.00
ECALS A	ND LITE	ERATURE		
SD_320	03 DEC	CALS & LITERATURE		
73	34529	Decal & Lit English		No Charge
73	34540	Decal & Lit Spanish		No Charge
73	34533	Decal & Lit French		No Charge
DDITION	AL EQU	IPMENT CWL		
HYDRAULI	IC SYSTE	EM OPTIONS		
HYDRAULI	IC SYSTI	EM OPTIONS		
		EM OPTIONS EEP SPEED		
SD_200	)53 CR			No Charge
SD_200	053 CRE 20053X	EEP SPEED		
SD_200	053 CRE 20053X	EEP SPEED No Creep Speed		
SD_200	053 CRE 20053X	EEP SPEED  No Creep Speed  Creep Speed		
SD_200	053 CRE 20053X	EEP SPEED  No Creep Speed  Creep Speed  Once Creep Speed is activated (switch on the dashboard),		
SD_200	053 CRE 20053X	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the		
SD_200	053 CRE 20053X	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to		
SD_2000 X2 73	053 CRE 20053X 34583	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to		
SD_200 X2 73 SD_200	053 CRB 20053X 34583	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).		\$867.00
SD_200 X2 73 SD_200	053 CRE 20053X 34583 086 HYE 34516	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).		\$867.00
SD_200 X2 73 SD_200	053 CRE 20053X 34583 086 HYE 34516	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler		\$867.00
SD_2000  SD_2000  SD_2000  73  SD_201	053 CRE 20053X 34583 086 HYE 34516 34517	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler		No Charge \$2,167.00
SD_2000	053 CRE 20053X 34583 086 HYE 34516 34517	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler Hyd. Horizontal Pin Coupler		No Charge \$867.00 No Charge \$2,167.00
SD_2000	053 CRE 20053X 34583 086 HYE 34516 34517	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler Hyd. Horizontal Pin Coupler		\$867.00 No Charge \$2,167.00
SD_200  SD_200  SD_200  73  73  SD_201  73  73	053 CRE 20053X 34583 086 HYE 34516 34517 110 HYE 34518 34519	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler Hyd. Horizontal Pin Coupler  DRAULIC ROUTING No Anti-Burst Valves Anti-Burst Valves		No Charge \$2,167.00
SD_200  SD_200  SD_200  73  73  SD_201  73  73	053 CRE 20053X 34583 086 HYE 34516 34517 110 HYE 34518 34519	No Creep Speed Creep Speed Once Creep Speed is activated (switch on the dashboard), the operator can set the engine rpm (dial switch on the dashboard) and set ground speed using a rocker switch up to 3.2 mph (5 KM/H).  DRAULIC COUPLER Hyd. SSL Compatible Coupler Hyd. Horizontal Pin Coupler  DRAULIC ROUTING No Anti-Burst Valves		No Charge \$2,167.00

No Charge

SSL Compatible Coupler (734516)



## 121F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

734584	Secondary Auxiliaries		\$1,950.00
	Quick coupler allows 4th function		
	Comes standard with connect under pressure connectors		
SD_20178	RIDE CONTROL		
X20178	X No Ride Control		No Charge
734520	Auto Ride control		\$1,517.00
	Engages at approx. 2.2 MPH (3.5 KM/H)		
COLD START			
OD 00005	OOLD MEATUED OTABTIMO		
734574	COLD WEATHER STARTING Std Weather Deckage		No Chargo
734374	1.0		No Charge
734654	One 900 CCA battery  Cold Weather w/ Block Heater		\$773.00
734034	Two 680 CCA batteries, Low-temp Hytran oil, engine block heater.		φ113.00
	Rated down to -9.4° F (-23° C).		
	Nateu down to -9.4   1 (-23 0).		
FORK ATTACHI	MENTS		
T GTATE THE TATE OF THE TATE O			
SD_U5201	LIFT FORKS		
<del></del>	1X No Lift Forks		No Charge
	I Pin Coupler Forks	<u> </u>	
734573			\$2,384.00
SSL Com	patible Coupler Forks	•	
734642	48" Forks (1200mm) - SSL Coup.		\$2,477.00
GENERAL PUR	POSE BUCKETS		
	COMPACT WHEEL LOADER BUCKETS		
•	1X No Bucket		No Charge
	l Pin Coupler Buckets	1	
734605	'		\$2,201.00
	.92 cu. yd. (.7 cu. m.) - 74.8 in (1900 mm) Bucket		
734606			\$2,286.00
	1.05 cu. yd. (.8 cu. m.) - 80.71 in (2050 mm) Bucket		
734597	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		\$2,353.00
	1.18 cu. yd. (.9 cu. m.) - 80.71 in (2050 mm) Bucket		
734577			\$2,773.00
	1.44 cu. yd. (1.1 cu. m.) - 82.68 in. (2100 mm) Light Material Bucket		
	patible Coupler Buckets	1	
734626	·		\$2,130.00
	1.05 cu. yd. (.8 cu. m.) - 80.71 in. (2050 mm) Bucket - For use with		
734627			\$2,167.00
	1.18 cu. yd. (.9 cu. m.) - 80.71 in. (2050 mm) Bucket - For use with		
734627	SSL Compatible Coupler (734516)		\$2,16°



73462	5 1.44 cu yd Bkt -SSL Coupler		\$3,467.00
	1.44 cu. yd. (1.1 cu. m.) - 82.68 in. (2100 mm) Bucket - For use with		
	SSL Compatible Coupler (734516)		
SD_V5203	BUCKET ACCESSORIES		
XV520	No Bucket Accessories		No Charge
73457	2 Bucket Teeth (2050/2100 mm)		\$311.00
73457	0 Cutting Edge (2050 mm)		\$1,127.00
73457	1 Cutting Edge (2100 mm)		\$1,300.00
LIGHTING AND	ELECTRICAL OPTIONS		
SD_06067	ROAD AND WORK LIGHTS		
73450	7 2 Front & 2 Rear work lights		No Charge
73466	3 LED 2 Front 2 Rear		\$432.00
SD_21009	AUXILIARY FRONT ELECTRIC		
X2100	9X No Auxiliary Front Electric		No Charge
73458	8 Front Electrical Socket		\$433.00
	•	,	·
TELEMATICS			
SD V9000	TELEMATICS		
T T =	10X No Telematics		No Chargo
1 1 1	INO TEIGHIANGS		No Charge

L	XV9000X	No Telematics		No Charge
	424233	Case Sitewatch Telematics		\$826.00
		Telematics option includes 1-Year Advanced subscription. Dealers		
		may purchase additional subscriptions thru Service Parts to fulfill		
L		connectivity needs.		



# (Ex Works Port of Entry) Standard Equipment

#### ENGINE:

FPT F5H FL463 A\*F004

4-Cylinder

Tier 4 Final

- CEGR / Diesel Oxidation Catalyst
- No regeneration
- No emissions related maintenance

Displacement: 207 cu in (3.4 L)

Kilowatts (horsepower):

- Gross 74 hp (55 kW) @ 2500 rpm
- Net 70 hp (52 kW) @ 2500 rpm

Fuel Tank: 23 gal (87 L)
Dual element air cleaner

Direct Drive Fan

#### OPERATOR ENVIROMENT:

Cab with heater & A/C

Key start

Cloth suspension seat

Tiltable steering column

Retractable seat belt

Front sun screen

Opening side window

Dome light

Front and rear wipers

12-volt auxiliary power

Pocket for cellular phone

Coat hook and cup holder

External rearview mirrors

Loader control lockout

#### LOADER CONTROLS:

Electro-Hydraulic (EH) Joystick loader
 control for lift and tilt with F/N/R
 ...,

EH Joystick loader control adjustability switches for lift and tilt functions

Z-Bar loader linkage

Ground level lubrication points

Positive hold float

Hydraulic attachment coupler:

Skid steer compatible

#### AXLES:

Open axles w/wet disk service brakes

#### HYDRAULICS:

3-spool main control valve
3 Diagnostic quick couplers
Standard Hydraulic Auxilary
Connect under pressure connectors
Remote drain of hydraulic oil

#### INSTRUMENTATION:

Electronic Information Center

Aux. Hyd. drain line coupling

Displays/Gauges:

- 1. Vehicle speed
- 2. Hour meter
- 3. Floating function active
- 4. Clock
- 5. Vehicle directions
- 6. Gear number engaged
- 7. Fuel Level

#### Indicator Lights for:

- 1. Main hydraulic enabled
- 2. Turn lights
- 3. Rear work lamps
- 4. Work lamps
- 5. Main high beam
- 6. Side lights
- 7. Stop
- 8. Warning signal
- 9. 2nd speed indicator
- 10. Hand brake
- 11. Brake fluid level
- 12. Quick coupler on
- 13. Ride Control on
- 14. Creep Speed
- 15. Low fuel level
- 16. Clogging air filter
- 17. Engine oil pressure
- 18. Glow plug
- 19. Alternator changing



# (Ex Works Port of Entry) Standard Equipment

#### DRIVE TRAIN:

High Speed Axles

4-wheel drive Hydrostatic transmission Electronic inching pedal Outboard planetary axles Wet disc brakes

Mechanical parking brake

#### ELECTRICAL:

12 Volt system
95 AHR, 900 CCA Battery
120 amp alternator
Lights:

2 Front driving headlights - high/low beam

2 Rear flood lights

#### OTHER:

LED rotation beacon
Tool Box
Return to dig
Front and rear fenders
Backup alarm
Wired for Radio
Drawbar pin
Articulation locking pin
Loader arm support strut
Tie-down and Lift-up point - front and rear
Bucket position indicator
Seaworthy Conservation



# (Ex Works Port of Entry) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
221F HS T4 FINAL	12,500 LB		\$107,542.00



### **Compact Wheel Loader Option Packages**

Plus Package						
FCP	OPT	OPT Description	List Price	Package Price		
CAB	734632	Deluxe Cab	\$2,167			
SEAT	734590	Air Seat	\$737			
RADIO OPTION	734504	Radio with speakers	\$418	\$4,480.35	-	
RIDE CONTROL	734520	Auto Ride control	\$1,517	ψ4,400.3	J	
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	\$790.65 Savir	ngs	
		Total:	\$5,271			

Professional Package						
FCP	OPT	OPT Description	List Price	Package Price		
CAB	734632	Deluxe Cab	\$2,167			
SEAT	734590	Air Seat	\$737			
RADIO OPTION	734504	Radio with speakers	\$418			
CREEP SPEED	734583	Creep Speed	\$867	\$7,610.90		
HYDRAULIC AUX	734585	Secondary Aux w/ High Flow	\$2,383	$\mathfrak{P}^{I}$ ,010.90		
RIDE CONTROL	734520	Auto Ride control	\$1,517	\$1,343.10 Savings		
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	3		
AUXILIARY FRONT ELECTRIC	734588	Front Electrical Socket	\$433			
		Total:	\$8,954			

X05136X No Radio

Wiring harness installed.



## 221F T4 FINAL COMPACT WHEEL LOADER US PRICE LIST

# (Ex Works Port of Entry) Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
XLES				
SD 15021 AX	(LES FRONT AND REAR			
High Speed				
734514	HS Axles Open wd			No Charge
	with wet disc service brakes			ŭ
	18.6 MPH (30.0 KM/H)			
734513	HS Axles Limited Slip Diff. wd			\$3,033.00
	with wet disc service brakes			. ,
	18.6 MPH (30.0 KM/H)			
734515	HS Axles Differential Lock wd			\$3,727.00
	with wet disc service brakes			. ,
	18.6 MPH (30.0 KM/H)			
SD_05127 CA				
734671	Canopy, ROPS			(\$4,500.00
734631	Base Cab			No Charge
734632	Deluxe Cab			\$2,167.00
	Internal covers for side pillars, Metal A/C vents,			
	Side storage box for personal belongings,			
	Fully adjustable steering column (Telescopic/Tiltable),			
	Full steering column cover, two position side window (Partial/180°),			
	and a rearview mirror.			
SD 05107 CI	IMATE CONTROL			
	Canopy Only - No Heat			(\$3,033.00
734506	Air Conditioner w/ Heater			No Charge
734300	All Conditioner w/ Fleater		<u> </u>	No Charge
SD_05133 SE			<del>                                     </del>	NIa Objection
734672	Canopy Only - Vinyl Seat		-	No Charge
734589	Mechanical Seat		1	No Charge
734590	Air Seat			\$737.00
SD_05136 RA	ADIO OPTIONI			
- 3D_03130 K/	VIO OI HON			

No Charge

(Ex	Wor	ks	Port	of	Entry)
-----	-----	----	------	----	--------

	734504	Radio with speakers		\$418.00
		Wiring harness for radio, speakers installed,		
L		Bluetooth radio with MP3 and USB included.		

#### WHEELS AND TIRES

#### SD\_16066 WHEELS AND TIRES

9420295	12.5-20 MPT04 Bias Mitas	(\$867.00)
9400051	14.5-20 MPT-04 Bias Mitas	(\$433.00)
9420374	365/70 R18 EM-01 Mitas	(\$260.00)
9420163	365/70 R18 SPT9 L2 Dunlop	No Charge
9420375	365/80 R20 EM-01 Mitas	\$769.00
9420162	365/80 R20 STP9 L2 Dunlop	\$867.00
9420390	550/45 R22.5 ATG Flotation	\$2,985.00
9420386	360/80 R20 Nokian Tri 2 Snow	\$2,615.00
9420387	400/70R20 AG (Michelin XMCL)	\$827.00

#### **DECALS AND LITERATURE**

#### SD\_32003 DECALS & LITERATURE

	734529	Decal & Lit English		No Charge
	734540	Decal & Lit Spanish		No Charge
Γ	734533	Decal & Lit French		No Charge

#### ADDITIONAL EQUIPMENT CWL

#### HYDRAULIC SYSTEM OPTIONS

SD\_20053 CREEP SPEED

	X20053X	No Creep Speed		No Charge
	734583	Creep Speed		\$867.00
		Once Creep Speed is activated (switch on the dashboard),		
		the operator can set the engine rpm (dial switch on the		
		dashboard) and set ground speed using a rocker switch up to		
		3.2 mph (5 KM/H).		

#### SD\_20086 HYDRAULIC COUPLER

	734516	Hyd. SSL Compatible Coupler		No Charge
	734517	Hyd. Horizontal Pin Coupler		\$2,167.00

#### SD\_20110 HYDRAULIC ROUTING

	<u> </u>					
		734518	No Anti-Burst Valves			No Charge
Ī		734519	Anti-Burst Valves			\$1,622.00



#### (Ex Works Port of Entry)

734586	Standard Auxiliary	No Charge
	Quick coupler allows 3rd function	
	Comes standard with connect under pressure connectors	
734591	Standard Aux w/ High Flow	\$1,083.00
	Option 734583 Creep Speed is mandatory with High Flow Aux	
	Comes standard with connect under pressure connectors	
734585		\$2,383.00
	Option 734583 Creep Speed is mandatory with High Flow Aux	
	Comes standard with connect under pressure connectors	
		·
SD_20178 I	RIDE CONTROL	
X20178	X No Ride Control	No Charge
734520	Auto Ride control	\$1,517.00
	Engages at approx. 2.2 MPH (3.5 KM/H)	
COLD START		
SD_02025 (	COLD WEATHER STARTING	
734574	Std Weather Package	No Charge
	One 900 CCA battery	
734654	Cold Weather w/ Block Heater	\$773.00
	Two 680 CCA batteries, Low-temp Hytran oil, engine block heater.	
	Rated down to -9.4° F (-23° C).	
FORK ATTACH	MENTS	
SD_U5201		
	X No Lift Forks	No Charge
Horizonta	Pin Coupler Forks	
734573		\$2,384.0
	patible Coupler Forks	
734642	48" Forks (1200mm) - SSL Coup.	\$2,477.0
GENERAL PURI	POSE BUCKETS	
	COMPACT WHEEL LOADER BUCKETS	
XU510 <sup>2</sup>		No Charge
	Pin Coupler Buckets	<u> </u>
734597	1.18 cu. yd. GP Bucket	\$2,167.00

1.18 cu. yd. (.9 cu. m.) - 80.71 in (2050 mm) Bucket

1.31 cu. yd. (1 cu. m.) - 82.68 in. (2100 mm) Bucket

1.57 cu. yd. (1.2 cu. m.) - 82.68 in. (2100 mm) Bucket

1.31 cu. yd. GP Bucket

1.57 cu. yd. LM Bucket

734576

734598

\$2,427.00

\$2,773.00



#### (Ex Works Port of Entry)

\$2,167.00 \$2,427.00 \$3,553.00
. ,
. ,
. ,
\$3,553.00
\$3,553.00
\$3,553.00
No Charge
\$311.00
\$1,127.00
\$1,300.00
No Charge
\$432.00
No Charge
\$433.00

SD\_V9000 TELEMATICS

L		XV9000X	No Telematics		No Charge
		424233	Case Sitewatch Telematics		\$826.00
			Telematics option includes 1-Year Advanced subscription. Dealers		
			may purchase additional subscriptions thru Service Parts to fulfill		
1			connectivity needs		



# (Ex Works Port of Entry) Standard Equipment

#### ENGINE:

FPT F5H FL463 A\*F001

4-Cylinder

Tier 4 Final

- CEGR / Diesel Oxidation Catalyst
- No regeneration
- No emissions related maintenance

Displacement: 207 cu in (3.4 L)

Kilowatts (horsepower):

- Gross 74 hp (55 kW) @ 2500 rpm
- Net 70 hp (52 kW) @ 2500 rpm

Fuel Tank: 23 gal (87 L)
Dual element air cleaner

Direct Drive Fan

#### OPERATOR ENVIROMENT:

Cab with heater & A/C

Key start

Cloth suspension seat

Tiltable steering column

Retractable seat belt

Front sun screen

Opening side window

Dome light

Front and rear wipers

12-volt auxiliary power

Pocket for cellular phone

Coat hook and cup holder

External rearview mirrors

Loader control lockout

#### LOADER CONTROLS:

Electro-Hydraulic (EH) Joystick loader control for lift and tilt with F/N/R

switch

EH Joystick loader control adjustability

switches for lift and tilt functions

Z-Bar loader linkage

Ground level lubrication points

Positive hold float

Hydraulic attachment coupler:

Skid steer compatible

#### AXLES:

Open axles w/ wet disk service brakes

#### HYDRAULICS:

3-spool main control valve

3 Diagnostic quick couplers

Standard Hydraulic Auxilary

Connect under pressure connectors

Remote Drain of Hydraulic Oil

Aux. Hyd. drain line coupling

#### INSTRUMENTATION:

Electronic Information Center

Displays/Gauges:

- 1. Vehicle speed
- 2. Hour meter
- 3. Floating function active
- 4. Clock
- 5. Vehicle directions
- 6. Gear number engaged
- 7. Fuel Level

#### Indicator Lights for:

- 1. Main hydraulic enabled
- 2. Turn lights
- 3. Rear work lamps
- 4. Work lamps
- 5. Main high beam
- 6. Side lights
- 7. Stop
- 8. Warning signal
- 9. 2nd speed indicator
- 10. Hand brake
- 11. Brake fluid level
- 12. Quick coupler on
- 13. Ride Control on
- 14. Creep Speed
- 15. Low fuel level
- 16. Clogging air filter
- 17. Engine oil pressure
- 18. Glow plug
- 19. Alternator changing



# (Ex Works Port of Entry) Standard Equipment

DRIVE TRAIN:

High Speed Axles 4-wheel drive

Hydrostatic transmission Electronic inching pedal Outboard planetary axles Wet disc brakes Mechanical parking brake

ELECTRICAL:

12 Volt system
95 AHR, 900 CCA Battery
120 amp alternator
Lights:

2 Front driving headlights - high/low beam

2 Rear flood lights

OTHER:

LED rotating beacon

Tool Box

Heavy Counterweight

Return to Dig

Front and rear fenders

Backup alarm Wired for Radio Drawbar pin

Articulation locking pin

Loader arm support strut

Tie-down and Lift-up point - front and

rear

Bucket position indicator Seaworthy Conservation



# (Ex Works Port of Entry) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
321F HS T4 FINAL	13,388 LB		\$119,086.00



### **Compact Wheel Loader Option Packages**

Plus Package						
FCP	OPT	OPT Description	List Price	Package Price		
CAB	734632	Deluxe Cab	\$2,167			
SEAT	734590	Air Seat	\$737			
RADIO OPTION	734504	Radio with speakers	\$418	\$4,480.35		
RIDE CONTROL	734520	Auto Ride control	\$1,517	Ψ <del>4</del> ,400.33		
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	\$790.65 Savings		
		Total	\$5,271	3		

Professional Package							
FCP	OPT	OPT Description	List Price	Package Price			
CAB	734632	Deluxe Cab	\$2,167				
SEAT	734590	Air Seat	\$737				
RADIO OPTION	734504	Radio with speakers					
CREEP SPEED	734583	Creep Speed	\$867	\$7,610.90			
HYDRAULIC AUX	734585	Secondary Aux w/ High Flow	\$2,383	$\phi I$ ,010.90			
RIDE CONTROL	734520	Auto Ride control	\$1,517	\$1,343.10 Savings			
ROAD AND WORK LIGHTS	734663	LED 2 FRONT 2 REAR	\$432	. ,			
AUXILIARY FRONT ELECTRIC	734588	Front Electrical Socket	\$433				
		Total:	\$8,954				



### (Ex Works Port of Entry) **Factory Supplied Options**

Order Code	Description	Woight	Factory Data	List Price
Order Code	Description	Weight	Factory Data	List Price

#### **AXLES** SD\_15021 AXLES FRONT AND REAR High Speed 734514 HS Axles Open wd No Charge with wet disc service brakes 20.6 MPH (33.1 KM/H) 734513 HS Axles Limited Slip Diff. wd \$3,033.00 with wet disc service brakes 20.6 MPH (33.1 KM/H) 734515 HS Axles Differential Lock wd \$3,727.00 with wet disc service brakes 20.6 MPH (33.1 KM/H) **OPERATOR'S PROTECTIVE STRUCTURE** SD\_05127 CAB 734671 Canopy, ROPS (\$4,500.00)Must also order: 734672 Canopy Only - Vinly Seat, X05136X Canopy Only - No Heat, X05136X No Radio and X30005X No Fire Extinguisher. 734631 Base Cab No Charge 734632 \$2,167.00 Deluxe Cab Internal covers for side pillars, Metal A/C vents, Side storage box for personal belongings, Fully adjustable steering column (Telescopic/Tiltable), Full steering column cover, two position side window (Partial/180°), and a rearview mirror. SD\_05197 CLIMATE CONTROL X05197X | Canopy Only - No Heat (\$3,033.00)734506 Air Conditioner w/ Heater No Charge SD\_05133 SEAT

	734672	Canopy Only - Vinyl Seat		No Charge
	734589	Mechanical Seat		No Charge
	734590	Air Seat		\$737.00



#### (Ex Works Port of Entry)

$\sigma$	05126	RADIO OPTION

	X05136X	No Radio		No Charge
		Wiring harness installed.		
	734504	Radio with speakers		\$418.00
		Wiring harness for radio, speakers installed,		
		Bluetooth radio with MP3 and USB included.		

#### WHEELS AND TIRES

#### SD\_16066 WHEELS AND TIRES

	9400051	14.5-20 MPT-04 Bias Mitas	(\$867.00)
	9420375	365/80 R20 EM-01 Mitas	\$300.00
	9420376	405/70 R20 EM-01 Mitas	\$573.00
	9420162	365/80 R20 STP9 L2 Dunlop	No Charge
	9400025	405/70 R20 STP9 L2 Dunlop	\$550.00
	9420390	550/45 R22.5 ATG Flotation	\$2,588.00
	9420386	360/80 R20 Nokian Tri 2 Snow	\$2,210.00
	9420387	400/70R20 AG (Michelin XMCL)	\$409.00

#### **DECALS AND LITERATURE**

#### SD\_32003 DECALS & LITERATURE

	734529	Decal & Lit English		No Charge
	734533	Decal & Lit French		No Charge
	734540	Decal & Lit Spanish		No Charge

### ADDITIONAL EQUIPMENT CWL

#### HYDRAULIC SYSTEM OPTIONS

#### SD\_20053 CREEP SPEED

L	X20053X	No Creep Speed		No Charge
	734583	Creep Speed		\$867.00
		Once Creep Speed is activated (switch on the dashboard),		
		the operator can set the engine rpm (dial switch on the		
		dashboard) and set ground speed using a rocker switch up to		
L		3.2 mph (5 KM/H).		

#### SD\_20086 HYDRAULIC COUPLER

L		734516	Hyd. SSL Compatible Coupler		No Charge
		734517	Hyd. Horizontal Pin Coupler		\$2,167.00

#### SD\_20110 HYDRAULIC ROUTING

 GB_EGTTG TITBITATELIGITATE					
	734518	No Anti-Burst Valves			No Charge