

CATERPILLAR MACHINE PRICE LIST

CB1.8CB1.8 UTILITY COMPACTOR
QINGZHOU, CHINAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C1.1 inline 3 cylinder, turbo-charged diesel engine (18.4 kW / 24.6 HP) with glow-plug heater
Dual element air cleaner
Fuel filter/water separator/manual priming pump and water indicator
Hydrostatic transmission with drive motors in series
Service and parking brakes

ELECTRICAL

Engine start switch with auto preheat
12-volt starting and charging system
40 ampere alternator
Maintenance free battery (1) - 650 CCA
Backup alarm and forward warning horn
Product link ready
Beacon ready

OPERATOR ENVIRONMENT

Hour meter gauge
Operator warning system indicators
-Parking brake engaged
-High engine coolant temperature
-Hydraulic oil temperature
-Engine oil pressure
-Low electrical system voltage
-Low fuel level
-Engine preheat
-Vibration on
Power steering
Steering wheel spinner
Manual throttle control lever
Manual propel control lever
Vinyl seat with:
-Fore and aft adjustment
-Retractable 51 mm (2 inch) seat belt
Lockable instrument panel vandalism guard
Platform handrails and guardrails
Dual 12-volt power point

DRUMS

Smooth solid drum
Pressurized drum watering system with selectable continuous or intermittent flow
Single amplitude with single frequency vibratory system
Selection of front drum or both drum vibration
Front and rear retractable, spring-loaded, adjustable scrapers

FLUIDS

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

OTHER STANDARD EQUIPMENT

Lockable engine enclosure
Articulated frame with safety lock
2 transport tie-down and 4 lift points
Tow hook
Hydraulic oil level sight gauge
Quick connect hydraulic pressure test ports
23 L (6.1 gal) fuel tank capacity
145 L (38.3 gal) water tank capacity
O-ring face seal couplings
Hydraulic SOS port

CATERPILLAR MACHINE PRICE LIST

CB1.8

CB1.8 UTILITY COMPACTOR QINGZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the
 Base Order Management Program.**

570-1322	CB1.8 03A UT COMP DCA2 0	\$37,390
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 568-8424 CB1.8 03A UTILITY COMPACTOR
 - 564-0665 ENGINE, CAT C1.1
 - 485-6082 MUFFLER, STD
 - 485-6402 DRUM, STANDARD
 - 485-6087 OIL, HYD, FACTORY FILLED
 - 485-6089 LIGHTS, WORKING
 - 485-6085 ROPS, FOLDABLE
 - 485-6186 SEAT, ADJ VINYL
 - 485-6170 PRODUCT LINK, CELLULAR PL241
 - 485-6081 INSTRUCTIONS, NORTH AMERICAN
 - 485-6189 LIGHT, WARNING
 - 485-6098 SWITCH, BATTERY, DISCONNECT
 - 485-6196 GUARD, WORKING LIGHTS
 - 485-6097 LIFT, SINGLE POINT

NOTE: Please refer to the Lane 1 section to complete your order.

591-1489	CB1.8 03A UT COMP DCA2A 0	\$37,390
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 568-8424 CB1.8 03A UTILITY COMPACTOR
 - 564-0665 ENGINE, CAT C1.1
 - 485-6082 MUFFLER, STD
 - 485-6402 DRUM, STANDARD
 - 485-6087 OIL, HYD, FACTORY FILLED
 - 485-6089 LIGHTS, WORKING
 - 485-6085 ROPS, FOLDABLE
 - 485-6186 SEAT, ADJ VINYL
 - 590-9114 PRODUCT LINK, CELLULAR PL641
 - 485-6189 LIGHT, WARNING
 - 485-6098 SWITCH, BATTERY, DISCONNECT
 - 485-6196 GUARD, WORKING LIGHTS
 - 485-6097 LIFT, SINGLE POINT
 - 485-6081 INSTRUCTIONS, NORTH AMERICAN

NOTE: Please refer to the Lane 1 section to complete your order.

568-8424	CB1.8 03A UTILITY COMPACTOR 0	\$35,380
	LANE 2 - AVAILABLE FROM QINGZHOU FACTORY	
	LANE 3 - AVAILABLE FROM QINGZHOU FACTORY	

CATERPILLAR MACHINE PRICE LIST

CB1.8

CB1.8 UTILITY COMPACTOR QINGZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

0P-4722	CB1.8 MISC MATERIAL. 0	NC
	AVAILABLE FROM QINGZHOU FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM PDC

0P-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	-----------

INSTRUCTIONS - SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
----------	--	---	-----------

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

CERTIFICATES

P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC 0 Required for Canada		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN**ENGINE**

L	564-0665	ENGINE, CAT C1.1	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		

MUFFLER

L	485-6082	MUFFLER, STD	0	NC
---	----------	-------------------------------	---	-----------

DRUM TYPE

L	485-6402	DRUM, STANDARD	0	NC
		Tandem 1000 mm (39") wide x 575 mm (22.6") solid drum.		

ELECTRICAL**LIGHTING**

L	485-6089	LIGHTS, WORKING	0	\$114
		Includes 2 front and 1 rear facing flood lights located in the bumpers. REQUIRES: 485-6196 GUARD, WORKING LIGHTS		
L	485-6090	LIGHTS, ROADING AND WORKING	0	\$258
		Includes 2 front high beams headlights, 1 rear facing flood light, front and rear turn signals, and front and rear indicator/parking lights. All lights are located in the bumpers. REQUIRES: 485-6096 GUARD, ROADING LIGHTS		
L	485-6091	NO LIGHTS	0	NC
		Provides covers to the frame where lights would be.		

OPERATOR ENVIRONMENT**OPERATOR STATION**

L	485-6084	ROPS, FIXED	0	\$476
		Provides fixed mounted ROPS.		
L	485-6085	ROPS, FOLDABLE	0	\$750
		Provides foldable ROPS.		

SEAT SELECTION

L	485-6086	SEAT, STD VINYL	0	NC
		Standard vinyl seat with seat belt and lockable, weather resistant operator's manual storage container.		

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT SELECTION (Cont.)

L	485-6186	SEAT, ADJ VINYL W/SEAT SWITCH 0 Adjustable vinyl seat with operator presense seat switch, seat belt, and lockable weather resistant operator's manual storage container. This is required by Europe for CE Certification.		\$445
---	----------	--	--	-------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with question.

L	590-9114	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	518-5177	PRODUCT LINK, SATELLITE PL631 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link users applications. For use in areas with poor or no cellular coverage.		\$446

FLUIDS

HYDRAULIC OILS

L	485-6087	OIL, HYD, FACTORY FILLED 0		NC
---	----------	--------------------------------------	--	----

INSTRUCTIONS

DECAL PACKAGES

L	485-6081	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		NC
---	----------	--	--	----

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		NC
--	----------	--	--	----

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	485-6189	LIGHT, WARNING 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 1 LED amber strobe light with clamp style mount. ONLY FOR USE WITH: 485-6085 ROPS, FIXED or 485-6085 ROPS, FOLDABLE CANNOT BE USED WITH: 485-6094 LIGHTS, IRH ROADING & WORKING	0	\$256 NI
P	485-6098	SWITCH, BATTERY, DISCONNECT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes mechanical disconnect switch to physically isolate electronic power source from the rest of the system.	0	\$70 \$70 NI

OTHER ATTACHMENTS

P	485-6096	GUARD, ROADING LIGHTS 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes protective guarding for the roading light package. REQUIRED BY: 485-6090 LIGHTS, ROADING AND WORKING or 485-6094 LIGHTS, IRH ROADING & WORKING	0	\$46 \$46 NI
P	485-6196	GUARD, WORKING LIGHTS 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes protective guarding for the working light package. REQUIRED BY: 485-6089 LIGHTS, WORKING	0	\$46 \$46 NI
P	485-6097	LIFT, SINGLE POINT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides the option for a single lifting point on the machine.	0	\$324 \$324 NI

DOCUMENTATION

CERTIFICATES

	0P-1936	CERTIFICATE OF ORIGIN 0		\$84 NET
P	354-8706	YEAR OF MANUFACTURE PLATE 0 Plate attached to PIN plate showing year of Final Plant Shipping date. Required for all machines shipping to Brazil. CANNOT BE USED WITH: 485-6184 CE CERTIFICATION or 480-5749 EAC COMPLIANCE PLATE		NC

PACKING

	0P-4834	ROLL ON-ROLL OFF 0 Machine is in mobile condition and all attachments are installed unless specified.		\$86 NET
--	---------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

CB1.8

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

PACKING (CONT.)

PREPARATION ADDITIONAL

0P-2046	PREPARATION FOR INSPECTION 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.	\$418 NET
----------------	---	------------------