

## CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

CB10 VIBRATORY ASPHALT COMPACTOR  
XUZHOU, CHINA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT inline four-cylinder turbo-charged,  
aftercooled, diesel engine  
Cyclonic air cleaner  
Water separator  
Ultra clean fuel filter with integrated  
electric priming pump  
ECO mode throttle system  
Dual braking systems (service & parking)  
Two-speed hydrostatic transmission

**ELECTRICAL**

12-volt electric starting  
Maintenance free battery - 1000 CCA  
Backup alarm and forward warning horn  
Cat engine and vehicle ECM's - ET  
compatible  
Product link ready

**OPERATOR ENVIRONMENT**

Isolated ROPS/FOPS structure  
Platform handrails / guardrails  
Four heavy-duty isolation mounts  
Power steering  
Adjustable, suspension, seat  
Adjustable, steering console and  
control/display console  
Indicator light package with audible  
warning alarm for:  
-hydraulic oil pressure  
-hydraulic oil temperature  
-engine oil pressure  
-engine coolant temperature  
-glow plugs  
-service fault indicator  
Fuel level gauge  
Water level gauge  
Service hour meter  
Lockable, vandalism guard for display  
Sliding, rotating seat  
Automatic speed control  
Auto-vibe with adjustable on/off control  
Automatic mode for water pump  
activation  
Vibe tachometer  
Speedometer

**DRUMS**

Smooth drum  
1700 mm (67") wide x 1200 mm (47")  
diameter  
Front and rear self adjusting scraper  
blades  
Pod-style eccentric weight housing

**FLUIDS**

Premixed 50% concentration of extended  
life coolant with freeze protection  
to -37C (-35F)

**OTHER STANDARD EQUIPMENT**

Locking engine enclosure  
Sealed for life hitch bearings  
Sight gauges:  
-hydraulic tank level  
-air restriction indicator  
Cap lock for hydraulic tank  
Articulated frame with safety lock  
Transport tie-down and lift points  
Quick connect hydraulic pressure test  
ports  
SOS ports:  
-engine oil  
Dual spray bar pumps  
Single water spray bar per drum

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

CB10 VIBRATORY ASPHALT COMPACTOR  
 XUZHOU, CHINA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the  
 Base Order Management program.**

**587-3811      CB10 02A VIB COMP DCA5 ..... 0      \$181,730**  
 LANE 1 - AVAILABLE FROM SAVANNAH EPC

- INCLUDES:
- 541-9921 CB10 02A VIBRATORY COMPACTOR
  - 550-7871 ENGINE, CAT C3.6
  - 541-9992 BELT, ENG
  - 556-3447 HITCH, STANDARD
  - 559-3526 DUAL SYSTEM, VERSA-VIBE
  - 546-4798 HYDRAULICS, SOLID DRUM, STD
  - 583-4156 LIGHTS, WORKING W/SIGNALS
  - 587-9551 COVER, NO LED LIGHTS
  - 556-4309 PLATFORM, ROPS/FOPS
  - 583-4761 ROTATION, FULL
  - 560-1623 SWITCH, STD IGNITION
  - 586-7552 CONTROL, STANDARD
  - 561-2140 STEERING WHEEL, STD
  - 556-4371 SEAT, STANDARD VINYL
  - 585-8769 PRODUCT LINK, CELLULAR PLE743
  - 570-4268 BUMPER COVER, STD
  - 556-7020 OIL, HYD, STANDARD
  - 556-3657 INSTRUCTIONS, ANSI
  - 552-1722 SENSORS, MAT TEMPERATURE
  - 564-2040 FREEZE PROTECTION, ROPS/FOPS
  - 567-6815 MOUNT, OPTIONAL SENSOR(S)
  - 593-9841 SEAT BELT, 3"
  - 581-6884 STEPS, REFILL ASSIST, FRONT
  - 559-3523 DECAL, VERSA VIBE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

CB10 VIBRATORY ASPHALT COMPACTOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>587-3812      CB10 02A VIB COMP DCA6</b> ..... 0 LANE 1 - AVAILABLE FROM SAVANNAH EPC	<b>\$185,650</b>
---	------------------

- INCLUDES:
- 541-9921 CB10 02A VIBRATORY COMPACTOR
  - 550-7871 ENGINE, CAT C3.6
  - 541-9992 BELT, ENG
  - 556-3447 HITCH, STANDARD
  - 556-4409 FRONT SYSTEM, VERSA-VIBE
  - 556-4412 REAR SYSTEM, OSCILLATION STD
  - 546-4798 HYDRAULICS, SOLID DRUM, STD
  - 583-4156 LIGHTS, WORKING W/SIGNALS
  - 587-9551 COVER, NO LED LIGHTS
  - 556-4309 PLATFORM, ROPS/FOPS
  - 583-4761 ROTATION, FULL
  - 560-1623 SWITCH, STD IGNITION
  - 586-7552 CONTROL, STANDARD
  - 561-2140 STEERING WHEEL, STD
  - 556-4371 SEAT, STANDARD VINYL
  - 585-8769 PRODUCT LINK, CELLULAR PLE743
  - 570-4268 BUMPER COVER, STD
  - 556-7020 OIL, HYD, STANDARD
  - 556-3657 INSTRUCTIONS, ANSI
  - 552-1722 SENSORS, MAT TEMPERATURE
  - 564-2040 FREEZE PROTECTION, ROPS/FOPS
  - 567-6815 MOUNT, OPTIONAL SENSOR(S)
  - 593-9841 SEAT BELT, 3"
  - 581-6884 STEPS, REFILL ASSIST, FRONT
  - 559-3523 DECAL, VERSA VIBE

NOTE: Please refer to the Lane 1 section to complete your order.

<b>541-9921      CB10 02A VIBRATORY COMPACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM SAVANNAH EPC LANE 3 - AVAILABLE FROM SAVANNAH EPC	<b>\$168,580</b>
---	------------------

AVAILABLE FOR: AM-N

<b>OP-4186      CB10 MISC MATL</b> ..... 0 AVAILABLE FROM XUZHOU FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	<b>NC</b>
--	-----------

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

***LANE SELECTION***

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM PDC

0P-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

***INSTRUCTIONS - PICTOGRAPH FILMS***

P	556-3659	INSTRUCTIONS, ISO . . . . . ISO picto warning decals using symbols only as required for all non-North American countries and Quebec, Canada.	0	NC
---	----------	--	---	----

***PACKING***

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**ELECTRICAL**

***AUXILIARY LIGHTING***

P	556-6097	LIGHTS, LED, BASIC . . . . .	0	\$1,370
P	556-6100	LIGHTS, LED, PREMIUM . . . . .	0	\$2,765

**TECHNOLOGY PRODUCTS**

***CAT COMPACTION CONTROL***

L	588-9564	MAPPING, GNSS, NO TEMP SENSORS . . . . .	0	\$11,150
---	----------	--	---	----------

**OTHER ATTACHMENTS**

***OPERATOR ENVIRONMENT***

P	556-4354	MIRRORS, EXTERNAL . . . . .	0	\$610
---	----------	-----------------------------	---	-------

***WATER SYSTEM - UPGRADES***

P	577-2607	MATS, COCOA . . . . .	0	\$1,335
P	577-2608	MATS, WATER DISTRIBUTION . . . . .	0	\$1,695

***CERTIFICATES***

P	0P-4990	CERTIFICATE OF ORIGIN . . . . .	0	\$174
P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC . . . . . Film indicates EMC compliance. REQUIRED BY: CANADA	0	NC

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	<b>LANE 2 ORDER</b> . . . . .	0	<b>NC</b>
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	<b>LANE 3 ORDER</b> . . . . .	0	<b>NC</b>

**POWERTRAIN**

**ENGINE**

L	550-7871	<b>ENGINE, CAT C3.6</b> . . . . .	0	<b>NC</b>
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**BELT**

L	541-9992	<b>BELT, ENG</b> . . . . .	0	<b>NC</b>
		Serpentine belt for standard machine. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**HITCH**

L	556-3447	<b>HITCH, STANDARD</b> . . . . .	0	<b>NC</b>
		Standard hitch without offset. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		
L	556-3448	<b>HITCH, OFFSET</b> . . . . .	0	<b>\$3,480</b>
		Switch control on propel lever gives + / - 170 mm (6.6") of drum offset. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**HYDRAULICS**

**CONVENTIONAL VIBRATION**

May select 1 Dual System OR 1 Front and 1 Rear System.

L	556-4405	<b>DUAL SYSTEM, 2A/2F</b> . . . . .	0	<b>NC</b>
		Frequency of 40 Hz (2400 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 40 Hz (2400 vpm) and 53.3 Hz (3200 vpm) for countries requiring CE certification. Console switch control for amplitude/frequency setting. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		
L	559-3526	<b>DUAL SYSTEM, VERSA-VIBE</b> . . . . .	0	<b>\$6,080</b>
		Frequency of 40 Hz (2400 vpm) and 63.3 Hz (3800 vpm). Console switch control for amplitude / frequency setting. Handwheel at drum to control amplitude. REQUIRES: 559-3523 DECAL, VERSA VIBE ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		
L	556-4402	<b>FRONT SYSTEM, 2A/2F</b> . . . . .	0	<b>NC</b>
		Frequency of 40 Hz (2400 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 40 Hz (2400 vpm) and 53.3 Hz (3200 vpm) for countries requiring CE certification. Console switch control for amplitude/frequency setting. REQUIRES: 556-4412 REAR SYSTEM, OSCILLATION STD ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**CONVENTIONAL VIBRATION (Cont.)**

L	556-4409	<b>FRONT SYSTEM, VERSA-VIBE</b> ..... 0 Frequency of 40 Hz (2400 vpm) and 63.3 Hz (3800 vpm). Console switch control for amplitude / frequency setting. Handwheel at drum to control amplitude. REQUIRES: 559-3523 DECAL, VERSA VIBE and 556-4412 REAR SYSTEM, OSCILLATION STD		\$3,040
L	556-4412	<b>REAR SYSTEM, OSCILLATION STD</b> ..... 0 Oscillatory vibration at 40 Hz (2400 vpm) on the rear drum. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4402 FRONT SYSTEM, 2A/2F or 556-4409 FRONT SYSTEM, VERSA-VIBE		\$6,960

**CORE MACHINE HYDRAULICS**

L	546-4798	<b>HYDRAULICS, SOLID DRUM, STD</b> ..... 0 Hydraulic system for machines with solid drums and no chipperspreaders controls. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4405 DUAL SYSTEM, 2A/2F or 559-3526 DUAL SYSTEM, VERSA-VIBE or 556-4402 FRONT SYSTEM, 2A/2F or 556-4409 FRONT SYSTEM, VERSA-VIBE		NC
---	----------	---	--	----

**ELECTRICAL**

**LIGHTING**

L	556-6075	<b>LIGHTS, WORKING</b> ..... 0 Includes 2 front and 2 rear facing bezel mounted, clear, LED flood lights located in the bumpers. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
L	583-4156	<b>LIGHTS, WORKING W/SIGNALS</b> ..... 0 Includes 4 rear facing LED flood lights, front and rear LED turn signals, and front and rear LED indicator/parking lights. All lights are mounted to bezels located in the bumpers. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		\$965

**AUXILIARY LIGHTING**

P	556-6097	<b>LIGHTS, LED, BASIC</b> ..... 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 10 LED flood lamps: 2 front facing and 2 rear facing lamps mounted to the roof with 1000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the lower drum mounted to each of the machine's folded drum supports with 1000 lumens of output each. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		\$1,370 \$1,370 NI
---	----------	--	--	-----------------------

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**AUXILIARY LIGHTING (Cont.)**

P	556-6100	LIGHTS, LED, PREMIUM . . . . .	0	\$2,765
			0	\$2,765 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Includes 10 LED flood lamps, 2 front facing and 2 rear facing lamps mounted to the roof with 2,000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the edge, mounted to each of the machine's folded drum supports with 1000 lumens of output each.

P	587-9551	COVER, NO LED LIGHTS . . . . .	0	NC
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		
		Includes 4 covers for shrouding the cavities in the canopy to where auxiliary lighting options would have been.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**OPERATOR ENVIRONMENT**

**OPERATOR STATION**

L	556-4309	PLATFORM, ROPS/FOPS . . . . .	0	NC
		Includes grab handrails and foundation for the sliding and rotating operator station.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**OPERATOR STATION MOVEMENT**

L	583-4760	ROTATION, HALF . . . . .	0	NC
		Includes operator station slide and 180 deg rotate mechanism.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		
L	583-4761	ROTATION, FULL . . . . .	0	\$2,100
		Includes operator station slide and 359 deg rotate mechanism, and position sensors.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**IGNITION SWITCH**

L	560-1623	SWITCH, STD IGNITION . . . . .	0	NC
		Key switch engine start and stop.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**PROPEL LEVER**

L	586-7552	CONTROL, STANDARD . . . . .	0	NC
		Basic 4 button propel lever for propel control, vibratory on/off selection, water on/off spray, and offset hitch left/right adjustment.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**STEERING WHEEL**

L	561-2140	STEERING WHEEL, STD . . . . .	0	NC
		Steering wheel, on the left-hand side of the operator station, is mounted in a fixed, horizontal location.		
		ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		



CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**STEERING WHEEL (Cont.)**

L	556-4489	<b>STEERING WHEEL, ELEVATED</b> . . . . . 0 Steering wheel, on the left-hand side of the operator station, can rotate upwards towards (or away from) the operator to offer a more traditional placement and feel of machine steering control. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 552-1727 MAPPING, GNSS		\$1,220
---	----------	---	--	---------

**SEAT SELECTION**

L	556-4371	<b>SEAT, STANDARD VINYL</b> . . . . . 0 Vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
L	583-7947	<b>SEAT, HEATED VINYL</b> . . . . . 0 Heated vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		\$324

**SEAT BELT**

L	593-9841	<b>SEAT BELT, 3"</b> . . . . . 0 76 mm (3") wide, high visibility orange, polyester fiber webbed belt. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**FRONT STEPS**

P	581-6884	<b>STEPS, REFILL ASSIST, FRONT</b> . . . . . 0 Fold down step mounted to the left-hand side of the machine. Step mounts to the front drum support and includes a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	585-8769	<b>PRODUCT LINK, CELLULAR PLE743</b> . . . . . 0 Product Link Elite series PLE743 (consisting of PL243 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services and other advanced feature. Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK (Cont.)**

L	585-7224	PRODUCT LINK, DUAL PLE783 . . . . . 0 Product Link Elite series dual mode PLE783 (consisting of PL083 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit, location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		\$446
---	----------	---	--	-------

**RADAR INSTALLATION**

L	570-4268	BUMPER COVER, STD . . . . . 0 Bumper covers for machine without the optional radar system. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**FLUIDS**

**HYDRAULIC OIL**

L	556-7020	OIL, HYD, STANDARD . . . . . 0 ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
L	556-7021	OIL, HYD, BIODEGRADABLE . . . . . 0 FOR USE WITH LANE 3 ONLY Biodegradable oil recommended for hydraulic system when environmental compliance is required or desired. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		\$640

**INSTRUCTIONS**

**DECAL PACKAGES**

L	556-3657	INSTRUCTIONS, ANSI . . . . . 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**CAT COMPACTION CONTROL**

This is a factory designed and integrated SBAS accuracy level pass count and temperature mapping system which requires no off-board infrastructure. For higher level accuracy consult your Dealer Technology Representative to order the necessary base station, data radio and options keys for RTK corrected position signal. Additionally, the machine connectivity modem identified below, requires cellular data plan sold separately. To view IC Mapping data in the office, a VisionLink subscription with the 3D Project Monitoring module (an add-on to VisionLink) is required

L	552-1722	<b>SENSORS, MAT TEMPERATURE</b> . . . . .	0	\$3,195
			0	\$3,195 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Includes bumper mounted (front and rear) infrared temperature sensors. Temperature information is displayed on the machine display.  
 REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)

ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR

L	510-4015	<b>SENSOR, ACCELEROMETER</b> . . . . .	0	\$5,530
			0	\$5,530 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER.  
 Hardware and an accelerometer mounted within the front drum. Output is a unit-less CMV stiffness indication displayed at the operator station.

ONLY FOR USE WITH: 516-8451 DRUM, SOLID or  
 504-6839 DRUM, SOLID W/OSCILLATION STD or  
 556-4405 DUAL SYSTEM, 2A/2F or  
 559-3526 DUAL SYSTEM, VERSA-VIBE or  
 556-4402 FRONT SYSTEM, 2A/2F or  
 556-4409 FRONT SYSTEM, VERSA-VIBE

L	552-1727	<b>MAPPING, GNSS</b> . . . . .	0	\$14,350
---	----------	--------------------------------	---	----------

Factory install of all components needed for mapping of temperature and machine pass count. Includes front and rear bumper mounted infrared temperature sensors, harnesses, system electronic controls including CB460 Display (17.8 cm/7.0 in) and MS952 antenna/receiver. Includes: Sensor, Mat Temperature  
 REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)  
 ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4309 PLATFORM, ROPS/FOPS  
 CANNOT BE USED WITH: 556-4489 STEERING WHEEL, ELEVATED

**OTHER ATTACHMENTS**

**OPERATOR ENVIRONMENT**

L	594-9448	<b>HEADREST, SEAT, VINYL</b> . . . . .	0	\$152
			0	\$152 NI

ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4371 SEAT, STANDARD VINYL or 583-7947 SEAT, HEATED VINYL

CATERPILLAR MACHINE PRICE LIST

# CB10-XZ

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**OPERATOR ENVIRONMENT (Cont.)**

P	556-4354	MIRRORS, EXTERNAL . . . . .	0	\$610
			0	\$610 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 2 external adjustable mirrors on the front frame. Secondary set may be purchased and is to be mounted on the rear frame. Mounting provisions are provided standard on the front and rear frames. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

**WATER SYSTEM - UPGRADES**

P	577-2607	MATS, COCOA . . . . .	0	\$1,335
			0	\$1,335 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-2608 MATS, WATER DISTRIBUTION		
P	577-2608	MATS, WATER DISTRIBUTION . . . . .	0	\$1,695
			0	\$1,695 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-2607 MATS, COCOA		
P	564-2040	FREEZE PROTECTION, ROPS/FOPS . . . . .	0	\$610
		Includes a reservoir that holds windshield washer or RV antifreeze that protects water lines, pumps, filters, and nozzles from freezing. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4309 PLATFORM, ROPS/FOPS		

**MISC ATTACHMENTS**

P	567-6815	MOUNT, OPTIONAL SENSOR(S) . . . . .	0	\$203
			0	\$203 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Bracket for mounting optional radar, bumper camera, and/or asphalt mat temperature sensors. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 552-1722 SENSORS, MAT TEMPERATURE		
P	559-3523	DECAL, VERSA VIBE . . . . .	0	NC
		Decal to accompany selection of the Versa-Vibe vibratory system. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR and 556-4409 FRONT SYSTEM, VERSA-VIBE or 559-3526 DUAL SYSTEM, VERSA-VIBE		
P	594-4551	STEPS, REFILL ASSIST, REAR . . . . .	0	\$406
			0	\$406 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Fold down step mounted to the left-hand side of the machine. Step mounts to the rear drum support and includes a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

**CB10-XZ**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FACTORY SOURCED KITS**

P	577-7285	<b>DRUM KIT, REAR, OSC, FLD</b> . . . . . 0 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER 1700 mm (67") rear oscillatory drum consisting of a standard shell material for field installation into a CB10. ONLY FOR USE WITH: 541-9921 CB10 02A VIBRATORY COMPACTOR		<b>\$21,480 NI</b>
---	----------	---	--	--------------------

**DOCUMENTATION**

**CERTIFICATES**

P	354-8706	<b>YEAR OF MANUFACTURE PLATE</b> . . . . . 0 Plate attached to PIN plate showing year of Final Plant Shipping date. Required for all machines shipping to Brazil. CANNOT BE USED WITH: 431-1629 CE CERTIFICATION		<b>NC</b>
P	0P-4990	<b>CERTIFICATE OF ORIGIN</b> . . . . . 0		<b>\$174</b>

**PACKING**

**EXPORT PACKING**

	0P-4507	<b>ROLL ON-ROLL OFF</b> . . . . . 0		<b>\$615 NET</b>
	0P-6706	<b>BUNDLE EXPORT PACKING</b> . . . . . 0 This OP should be ordered for all miscellaneous orders.		<b>NC</b>

**PREPARATION ADDITIONAL**

	0P-2046	<b>PREPARATION FOR INSPECTION</b> . . . . . 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the ARTS date.		<b>\$418 NET</b>
--	---------	--	--	------------------