

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

CB24B VIBRATORY ASPHALT COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Hydrostatic transmission
Service and parking brakes

ELECTRICAL

Engine start switch with auto preheat
Backup alarm and warning horn
65-ampere alternator
12-volt electric starting
Maintenance free 70 AH battery, 880 amp
Light roading and working

OPERATOR ENVIRONMENT

Gauges:
-LCD display with fuel level
-hour meter
-engine coolan temperature
Operator warning system indicators:
-parking brake engaged
-hydraulic oil temperature high
-engine coolant temperature high
-electrical system voltage low
-engine oil pressure low
-vibration activated
-engine preheat
Lockable, vandalism guard for instrument panel
Travel control, single lever
Seat with:
-fore and aft adjustment
Draining capability
Retractable seat belt 50.8mm (2inch)
Central and side handrail for easy and safe access to the machine
Steering wheel spinner
12-volt power points

DRUMS

Two smooth drums : 1200 mm (47.2 inch) wide x 720 mm (28.3 inch) diameter
Selection of front drum, rear drum or both drum vibration
Pressurized drum watering system with continuous or intermittent modes
Water tank with low level sensor
2 x retractable, spring-loaded, self adjusting scrapers per drum

OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready
Offset hitch with 50 mm (2 inches) of manual adjustment

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

CB24B VIBRATORY ASPHALT COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.**

522-1090 CB24B UT COMP DCA2 0 \$56,940
LANE 1 - AVAILABLE FROM BALTIMORE PDC

- INCLUDES:
 364-2303 CB24B UTILITY COMPACTOR
 364-2272 ENGINE T4F
 364-2313 PROPEL, STANDARD
 364-2282 HYDRAULIC OIL, STANDARD
 432-6053 LIGHTING PACKAGE, STANDARD
 364-2277 SEAT, WITH SAFETY SWITCH
 376-7962 BELT, SEAT, 51MM SUSPENSION
 364-2279 SUPPORT, SLIDING FOR SEAT
 364-2287 ROPS, FOLDABLE
 364-2297 SWITCH, BATTERY DISCONNECT
 432-8451 TRAVEL CONTROL, COVER GP
 510-6423 PRODUCT LINK INSTALLATION
 510-9322 PRODUCT LINK, PL241

NOTE: Please refer to the Lane 1 section to complete your order.

364-2303 CB24B UTILITY COMPACTOR 4,120 \$53,640
LANE 2 - AVAILABLE FROM MINERBIO FACTORY
LANE 3 - AVAILABLE FROM MINERBIO FACTORY

Double drum vibratory compactor with 1200mm (47inch) drum width.
 AVAILABLE FOR: AM-N, Australia, New Zealand and Pacific Dealers.

OG-0460 CB24B MISC MATL 0 NC
AVAILABLE FROM MINERBIO FACTORY

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec	0	NC
P	463-9168	INSTRUCTIONS, ISO ISO picto warning decals, using symbols only, as required outside of the USA. In Canada, dealers outside of Quebec, may select either the ANSI or ISO instructions set. REQUIRED BY: Quebec	0	NC

PACKING

	OP-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC REQUIRED BY: Canada	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	364-2272	ENGINE T4F	750	NC
		Meets U.S. EPA Tier 4 Final emissions, turbo-charged.		

HYDRAULICS

PROPEL SELECTION

L	364-2313	PROPEL, STANDARD	245	NC
L	364-2314	CONTROL, TRACTION	276	\$1,785
		Flow divider between front and rear drum for improved traction & minimized drum spinning		

ELECTRICAL

LIGHTING

L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
		Standard halogen lighting package.		
L	450-0906	LIGHTING PACKAGE, LED	13	\$700
		LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	361-5825	SEAT, NON SUSPENSION	0	NC
L	364-2277	SEAT, WITH SAFETY SWITCH	0	\$575
		Includes suspension seat with adjustable, foldable seat back and seat switch		

SEAT BELT SELECTION

L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$144

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
---	----------	-----------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT SUPPORT SELECTION (Cont.)

P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$770
---	----------	---------------------------------	---	-------

ROPS SELECTION

P	364-2292	ROPS, FIXED	0	\$1,540
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$1,540 NI
P	364-2287	ROPS, FOLDABLE	0	\$1,835
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$1,835 NI
P	364-2286	NO ROPS	0	NC

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

L	432-8451	TRAVEL CONTROL, COVER GP	0	NC
		This package includes a left side cover.		
L	361-5794	TRAVEL CONTROL, DUAL LEVER	11	\$885
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$885 NI
		This package includes the left lever for speed control, on the left hand console		
P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$62
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	4	\$62 NI
		This package includes a left side cup holder.		

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-9322	PRODUCT LINK, PL241	0	NC
		Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface, and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission.		
L	454-5453	PRODUCT LINK, SATELLITE PL631	9	\$439
		Product link pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS (Cont.)

L	454-5454	PRODUCT LINK, CELLULAR PL641 9		NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

PRODUCT LINK INSTALLATION

L	510-6423	PRODUCT LINK INSTALLATION 0		NC
		ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241		
L	463-3786	PRODUCT LINK INSTALLATION 0		NC
		ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		

FLUIDS

L	364-2282	HYDRAULIC OIL, STANDARD 119		NC
		Cat standard hydraulic oil.		
L	364-2283	OIL, BIO HYDR, FACTORY FILLED 126		\$800
		This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		
		ONLY FOR USE WITH: LANE 3 ONLY		

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN 0		NC
		ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA.		
		CANNOT BE USED WITH: Quebec		

SERVICE INSTRUCTIONS - MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0		NC
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		
		Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$116
---	----------	--------------------------------------	---	-------

OPERATOR ENVIRONMENT

CANOPY SELECTION

P	364-2289	CANOPY, FIXED	71	\$1,170
			0	\$1,170 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
REQUIRES: 364-2292 ROPS, FIXED

P	364-2288	CANOPY, FOLDABLE	0	\$1,700
			0	\$1,700 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
REQUIRES: 364-2287 ROPS, FOLDABLE

OTHER ATTACHMENTS

C	0F-5131	SPECIAL PAINT	0	\$1,900 NET
---	---------	-------------------------	---	-------------

CONTACT CUSTOM PRODUCTS FOR AVAILABILITY.
NOTE: One color only (in place of Caterpillar yellow). Please precise the color (RAL) in the notes.

ONLY FOR USE WITH: LANE 3 ONLY

P	456-9432	MATS, COCOA	29	\$825
			29	\$825 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

	0P-2046	PREPARATION FOR INSPECTION	0	\$412 NET
--	---------	--------------------------------------	---	-----------

Inspector is sent by the dealer to review the machine.
Plant must be contacted 2 weeks before the CSD date.

DRUMS

P	361-5796	BALLAST XT-STEEL	888	\$3,140
			0	\$3,140 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
Provides 400 kg (881.8 lb) additional drum weights to provide maximum machine operating weight.

FLUIDS

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$119
			0	\$119 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
Includes preparation for a resevoir containing antifreeze liquid to protect pump, filters, and nozzles from freezing

CATERPILLAR MACHINE PRICE LIST

CB24B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as miscellaneous order.

P	444-5549	CONTROL, TRACTION KIT 0 Flow divider between front and rear drum for improved traction & minimized drum spinning.		\$1,785 NI
P	469-5534	EDGE CUTTER READY KIT 9 Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		\$1,485 NI

DOCUMENTATION

CERTIFICATES

	OF-5109	CERTIFICATE OF ORIGIN 0		\$89 NET
--	---------	--	--	----------

PACKING

	OG-0044	ROLL ON-ROLL OFF 0		NC
	OF-5108	PACKING, CONTAINER 0 To be used for multiple orders		NC
	OG-0068	PACK, MISCELLANEOUS MATERIAL 0		NC