

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

CB34B VIBRATORY ASPHALT COMPACTOR
MINERBIO, ITALY

 Ship Weight
 lbs

 LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN
 Hydrostatic transmission
 Service and parking brakes

 Retractable seat belt 50.8 mm (2inch)
 Central and side handrail for easy and
 safe access to the machine
 Steering wheel spinner
 12-volt power points
ELECTRICAL
 Engine start switch with auto preheat
 Backup alarm and warning horn
 65-ampere alternator
 12-volt electric starting
 Maintenance free 70 AH battery, 880 amp
 Light roading and working
DRUMS
 Two smooth drums : 1300 mm (51.2 inch)
 wide x 800 mm (31.5 inch) diameter
 Selection of front drum, rear drum or
 both drum vibration
 Pressurized drum watering system with
 continuous or intermittent modes
 Water tank with low level sensor
 2 x retractable, spring-loaded, self-
 adjusting scrapers per drum
OPERATOR ENVIRONMENT
 Gauges:
 -LCD display with fuel level
 -hour meter
 -engine coolant temperature
 Operator warning system indicators:
 -parking brake engaged
 -hydraulic oil temperature high
 -engine coolant temperature high
 -electrical system voltage low
 -engine oil pressure low
 -vibration activated
 -engine preheat
 Lockable, vandalism guard for instrument
 panel
 Travel control, single lever
 Seat with:
 -fore and aft adjustment
 Draining capability
OTHER STANDARD EQUIPMENT
 Locking engine enclosure
 Sight gauge for hydraulic tank level
 Air restriction indicator
 Fuel tank
 4 transport tie-down and 4 lift points
 6 quick connect hydraulic pressure test
 ports + 1 SOS port
 Caterpillar o-ring face-seals couplings
 Product Link ready
 Offset hitch with 50 mm (2 inches) of
 manual adjustment

Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

CB34B VIBRATORY ASPHALT COMPACTOR MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------------------------	--------------------	-------------------------

579-7168 CB34B UTILITY COMPACTOR DCA3 0 LANE 1 - AVAILABLE FROM BALTIMORE AND GALVESTON PDC		\$72,300
------------------------------------------------------------------------------------------------------------------------	--	-----------------

INCLUDES:
 367-6625 CB34B UTILITY COMPACTOR
 367-6580 ENGINE, TIER 4F, STAGE 4
 456-2578 PROPEL, STANDARD
 367-6636 OIL, HYDR, FACTORY FILLED
 432-6053 LIGHTING PACKAGE, STANDARD
 364-2277 SEAT, WITH SAFETY SWITCH
 376-7962 BELT, SEAT, 2" SUSPENSION
 364-2279 SUPPORT, SLIDING FOR SEAT
 367-6629 ROPS, FOLDABLE
 432-8451 TRAVEL CONTROL, COVER GP
 364-2297 SWITCH, BATTERY DISCONNECT
 367-6593 PUMP, PROPEL, STANDARD
 454-5454 PRODUCT LINK, CELLULAR PL641
 463-3787 PRODUCT LINK INSTALLATION

NOTE: NOTE: Please refer to the Lane 1 section to complete your order.

367-6625 CB34B UTILITY COMPACTOR 6,155 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY		\$68,900
--------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

Double drum vibratory compactor with 1300mm (51inch) drum width.

0G-0463 CB34B MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY		NC
--------------------------------------------------------------------------------------	--	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec	0	NC
P	463-9168	INSTRUCTIONS, ISO ISO picto warning decals, using symbols only, as required outside of the USA. In Canada, dealers outside of Quebec, may select either the ANSI or ISO instructions set. REQUIRED BY: Quebec	0	NC

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC REQUIRED BY: Canada	0	NC
---	----------	-----------------------------------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	367-6580	ENGINE, TIER 4F, STAGE 4	1,116	NC
		Meets US EPA Tier 4 Final emissions.		

HYDRAULICS

PROPEL SELECTION

L	456-2578	PROPEL, STANDARD	94	NC
L	456-2579	CONTROL, TRACTION	110	\$1,795
		Flow divider between front and rear drum for improved traction and minimized drum spinning.		

PUMP SELECTION

L	367-6593	PUMP, PROPEL, STANDARD	40	NC
---	----------	----------------------------------	----	----

ELECTRICAL

LIGHTING

L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
		Standard halogen lighting package.		
L	450-0906	LIGHTING PACKAGE, LED	13	\$705
		LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	361-5825	SEAT, NON SUSPENSION	0	NC
		CANNOT BE USED WITH: European Union Countries		
L	364-2277	SEAT, WITH SAFETY SWITCH	0	\$580
		Vinyl suspension seat with fore/aft adjustment plus an operator presence seat switch		
		REQUIRED BY: European Union Countries		

SEAT BELT SELECTION

L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
---	----------	-------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT SELECTION (Cont.)

L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$146
---	----------	-------------------------------------	---	-------

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges	0	\$775

ROPS SELECTION

P	364-2286	NO ROPS CANNOT BE USED WITH: European Union Countries and Eurasia Economic Community Customs Union	0	NC
P	364-2294	ROPS, FIXED	119 0	\$1,550 \$1,550 NI
P	367-6629	ALSO AVAILABLE ON A MISCELLANEOUS ORDER ROPS, FOLDABLE ALSO AVAILABLE ON A MISCELLANEOUS ORDER	168 0	\$1,925 \$1,925 NI

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

L	432-8451	TRAVEL CONTROL, COVER GP This package includes a left side cover.	0	NC
L	367-6538	TRAVEL CONTROL, DUAL LEVER ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes the left lever for speed control, on the left hand console	13 0	\$890 \$890 NI
P	453-9461	TRAVEL CONTROL, CUP HOLDER ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.	4 4	\$62 \$62 NI

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	454-5453	PRODUCT LINK, SATELLITE PL631 9 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	454-5454	PRODUCT LINK, CELLULAR PL641 9 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

PRODUCT LINK INSTALLATION

L	463-3787	PRODUCT LINK INSTALLATION 0 ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		NC
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------

FLUIDS

HYDRAULIC OIL

L	367-6636	OIL, HYDR, FACTORY FILLED 139 Cat standard hydraulic oil.		NC
L	367-6637	OIL, BIO HYDR, FACTORY FILLED 143 This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled. ONLY FOR USE WITH: LANE 3 ONLY		\$1,410

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec		NC
---	----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

SERVICE INSTRUCTIONS - MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
-----------------	---------------------------------------------------	-----------

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$117
---	----------	--------------------------------------	---	-------

OPERATOR ENVIRONMENT

CANOPY SELECTION

P	364-2289	CANOPY, FIXED	71 0	\$1,175 \$1,175 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 364-2294 ROPS, FIXED		
P	364-2288	CANOPY, FOLDABLE	0 0	\$1,710 \$1,710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 367-6629 ROPS, FOLDABLE		

OTHER ATTACHMENTS

C	0F-5131	SPECIAL PAINT	0	\$1,930 NET
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. NOTE: One color only (in place of Caterpillar yellow). Please precise the color (RAL) in the notes. ONLY FOR USE WITH: LANE 3 ONLY		
P	457-9154	MATS, COCOA	31 31	\$830 \$830 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
	0P-2046	PREPARATION FOR INSPECTION	0	\$418 NET
		Inspector is sent by the dealer to review the machine. Plant must be contacted 2 weeks before the ARTS date.		

DRUMS

P	361-5797	BALLAST-STEEL	888 0	\$2,365 \$2,365 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400 kg (881.8 lbs) additional drum weights to provide maximum machine operating weight.		

FLUIDS

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$120
		Includes preparation for a reservoir containing antifreeze liquid to protect pumps, filters, and nozzles from freezing		

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

P	444-5550	CONTROL, TRACTION KIT 0 Flow divider between front and rear drum for improved traction & minimized drum spinning.		\$1,795 NI
P	469-5535	EDGE CUTTER READY KIT 9 Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		\$1,490 NI
P	367-6629	ROPS, FOLDABLE 0		\$1,925 NI

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN 0		\$90 NET
---------	------------------------------------------	--	----------

PACKING

OG-0044	ROLL ON-ROLL OFF 0 To be used for single order		NC
OF-5108	PACKING, CONTAINER 0 To be used for multiple orders		NC
OG-0068	PACK, MISCELLANEOUS MATERIAL 0 CANNOT BE USED WITH: 364-2294 ROPS, FIXED		NC