

## CATERPILLAR MACHINE PRICE LIST

**CB7****CB7 VIBRATORY ASPHALT COMPACTOR  
XUZHOU, CHINA**Ship Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT, inline four-cylinder, turbo-charged  
aftercooled, diesel engine  
Cyclonic air cleaner  
Water separator  
Ultra clean fuel filter with integrated  
electric priming pump  
ECO mode throttle system  
Dual braking systems (service & parking)  
Two-speed hydrostatic transmission

**ELECTRICAL**

12-volt electric starting  
Maintenance free battery - 1000 CCA  
Backup alarm and forward warning horn  
Cat engine and vehicle ECM's - ET  
compatible  
Product link ready

**OPERATOR ENVIRONMENT**

Isolated ROPS/FOPS structure  
Platform handrails / guardrails  
Four heavy-duty isolation mounts  
Power steering  
Adjustable, suspension, seat  
Adjustable, steering console and  
control/display console  
Indicator light package with audible  
warning alarm for:  
-hydraulic oil pressure  
-hydraulic oil temperature  
-engine oil pressure  
-engine coolant temperature  
-glow plugs  
-service fault indicator  
Fuel level gauge  
Water level gauge  
Service hour meter  
Lockable, vandalism guard for display  
Sliding, rotating seat  
Automatic speed control  
Auto-vibe with adjustable on/off control  
Automatic mode for water pump  
activation  
Vibe tachometer  
Speedometer

**DRUMS**

Smooth drum  
1500 mm (59") wide x 1100 mm (43")  
diameter  
Front and rear self adjusting scraper  
blades  
Pod-style eccentric weight housing

**FLUIDS**

Premixed 50% concentration of extended  
life coolant with freeze protection  
to -37C (-35F)

**OTHER STANDARD EQUIPMENT**

Locking engine enclosure  
Sealed for life hitch bearings  
Sight gauges:  
-hydraulic tank level  
-air restriction indicator  
Cap lock for hydraulic tank  
Articulated frame with safety lock  
Transport tie-down and lift points  
Quick connect hydraulic pressure test  
ports  
SOS ports:  
-engine oil  
Dual spray bar pumps  
Single water spray bar per drum

CATERPILLAR MACHINE PRICE LIST

**CB7**

CB7 VIBRATORY ASPHALT COMPACTOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the  
 Base Order Management program.**

<b>587-3810</b>	<b>CB7 02A VIB COMP DCA4</b> ..... 0 LANE 1 - AVAILABLE FROM SAVANNAH EPC	<b>\$144,460</b>
-----------------	--	------------------

- INCLUDES:
- 541-9919 CB7 02A VIBRATORY COMPACTOR
  - 550-7871 ENGINE, CAT C3.6
  - 541-9992 BELT, ENG
  - 556-3447 HITCH, STANDARD
  - 556-4403 DUAL SYSTEM, 2A/2F
  - 546-4792 HYDRAULICS, SOLID DRUM, STD
  - 583-4156 LIGHTS, WORKING W/SIGNALS
  - 587-9551 COVER, NO LED LIGHTS
  - 556-4308 PLATFORM, ROPS/FOPS
  - 583-4761 ROTATION, FULL
  - 560-1623 SWITCH, STD IGNITION
  - 586-7552 CONTROL, STANDARD
  - 561-2140 STEERING WHEEL, STD
  - 556-4371 SEAT, STANDARD VINYL
  - 585-8769 PRODUCT LINK, CELLULAR PLE743
  - 570-4247 BUMPER COVER, STD
  - 556-7020 OIL, HYD, STANDARD
  - 556-3657 INSTRUCTIONS, ANSI
  - 564-2040 FREEZE PROTECTION, ROPS/FOPS
  - 593-9841 SEAT BELT, 3"
  - 581-6845 STEPS, REFILL ASSIST, FRONT

NOTE: Please refer to the Lane 1 section to complete your order.

<b>541-9919</b>	<b>CB7 02A VIBRATORY COMPACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM SAVANNAH EPC LANE 3 - AVAILABLE FROM SAVANNAH EPC	<b>\$140,780</b>
-----------------	--	------------------

AVAILABLE FOR: ADSD-N

<b>OP-4184</b>	<b>CB7 MISC MATL</b> ..... 0 AVAILABLE FROM XUZHOU FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	<b>NC</b>
----------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM PDC

0P-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**INSTRUCTIONS - PICTOGRAPH FILMS**

P	556-3659	INSTRUCTIONS, ISO . . . . . ISO picto warning decals using symbols only as required for all non-North American countries and Quebec, Canada.	0	NC
---	----------	--	---	----

**PACKING**

0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**ELECTRICAL**

***AUXILIARY LIGHTING***

P	556-6097	LIGHTS, LED, BASIC . . . . .	0	\$1,370
P	556-6100	LIGHTS, LED, PREMIUM . . . . .	0	\$2,765

**TECHNOLOGY PRODUCTS**

***CAT COMPACTION CONTROL***

L	552-1722	SENSORS, MAT TEMPERATURE . . . . .	0	\$3,195
---	----------	------------------------------------	---	---------

**OTHER ATTACHMENTS**

***OPERATOR ENVIRONMENT***

P	556-4354	MIRRORS, EXTERNAL . . . . .	0	\$610
---	----------	-----------------------------	---	-------

***WATER SYSTEM - UPGRADES***

P	577-1902	MATS, COCOA . . . . .	0	\$1,335
P	577-2393	MATS, WATER DISTRIBUTION . . . . .	0	\$1,695

***MISC ATTACHMENTS***

P	567-6815	MOUNT, OPTIONAL SENSOR(S) . . . . .	0	\$203
---	----------	-------------------------------------	---	-------

***CERTIFICATES***

P	0P-4990	CERTIFICATE OF ORIGIN . . . . .	0	\$174
P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC . . . . . Film indicates EMC compliance. REQUIRED BY: CANADA	0	NC

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

0P-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN**

**ENGINE**

L	550-7871	ENGINE, CAT C3.6 . . . . .	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**BELT**

L	541-9992	BELT, ENG . . . . .	0	NC
		Serpentine belt for standard machine.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**HITCH**

L	556-3447	HITCH, STANDARD . . . . .	0	NC
		Standard hitch without offset.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-3448	HITCH, OFFSET . . . . .	0	\$3,480
		Switch control on propel lever gives + / - 170 mm (6.6") of drum offset.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**HYDRAULICS**

**CONVENTIONAL VIBRATION**

May select 1 Dual System OR 1 Front and 1 Rear System

L	556-4403	DUAL SYSTEM, 2A/2F . . . . .	0	NC
		Frequency of 53.3 Hz (3200 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 50 Hz (3000 vpm) and 57 Hz (3420 vpm) for countries requiring CE certification.		
		Console switch control for amplitude/frequency setting.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-4400	FRONT SYSTEM, 2A/2F . . . . .	0	NC
		Frequency of 53.3 Hz (3200 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 50 Hz (3000 vpm) and 57 Hz (3420 vpm) for countries requiring CE certification.		
		Console switch control for amplitude/frequency setting.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-4410	REAR SYSTEM, OSCILLATION STD . . . . .	0	\$4,365
		Oscillatory vibration at a frequency of 33 Hz (1980 vpm) and 40 Hz (2400 vpm) on the rear drum.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**CORE MACHINE HYDRAULICS**

L	546-4792	HYDRAULICS, SOLID DRUM, STD . . . . . 0		NC
		Hydraulic system for machines with solid drums and no chipperspreaders controls. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4403 DUAL SYSTEM, 2A/2F or 556-4400 FRONT SYSTEM, 2A/2F		

**ELECTRICAL**

**LIGHTING**

L	556-6075	LIGHTS, WORKING . . . . . 0		NC
		Includes 2 front and 2 rear facing bezel mounted, clear, LED flood lights located in the bumpers. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	583-4156	LIGHTS, WORKING W/SIGNALS . . . . . 0		\$965
		Includes 4 rear facing LED flood lights, front and rear LED turn signals, and front and rear LED indicator/parking lights. All lights are mounted to bezels located in the bumpers. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**AUXILIARY LIGHTING**

P	556-6097	LIGHTS, LED, BASIC . . . . . 0		\$1,370
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 10 LED flood lamps: 2 front facing and 2 rear facing lamps mounted to the roof with 1000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the lower drum edge, mounted to each of the machine's folded drum supports with 1000 lumens of output each. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR	0	\$1,370 NI
P	556-6100	LIGHTS, LED, PREMIUM . . . . . 0		\$2,765
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 10 LED flood lamps, 2 front facing and 2 rear facing lamps mounted to the roof with 2,000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the lower drum edge, mounted to each of the machine's folded drum supports with 1000 lumens of output each. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR	0	\$2,765 NI
P	587-9551	COVER, NO LED LIGHTS . . . . . 0		NC
		Includes 4 covers for shrouding the cavities in the canopy to where auxiliary lighting options would have been. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**OPERATOR STATION**

L	556-4308	PLATFORM, ROPS/FOPS . . . . . 0 Includes grab handrails and foundation for the sliding and rotating operator station. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**OPERATOR STATION MOVEMENT**

L	583-4760	ROTATION, HALF . . . . . 0 Includes operator station slide and 180 deg rotate mechanism. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	583-4761	ROTATION, FULL . . . . . 0 Includes operator station slide and 359 deg rotate mechanism, and position sensors. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$2,100

**IGNITION SWITCH**

L	560-1623	SWITCH, STD IGNITION . . . . . 0 Key switch engine start and stop. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

**PROPEL LEVER**

L	586-7552	CONTROL, STANDARD . . . . . 0 Basic 4 button propel lever for propel control, vibratory on/off selection, water on/off spray, and offset hitch left/right adjustment. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**STEERING WHEEL**

L	561-2140	STEERING WHEEL, STD . . . . . 0 Steering wheel, on the left-hand side of the operator station, is mounted in a fixed, horizontal location. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	556-4489	STEERING WHEEL, ELEVATED . . . . . 0 Steering wheel, on the left-hand side of the operator station, can rotate upwards towards (or away from) the operator to offer a more traditional placement and feel of machine steering control. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 552-1727 MAPPING, GNSS		\$1,220

**SEAT SELECTION**

L	556-4371	SEAT, STANDARD VINYL . . . . . 0 Vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	583-7947	SEAT, HEATED VINYL . . . . . 0 Heated vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$324

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT BELT**

L	593-9841	SEAT BELT, 3" . . . . . 0 76 mm (3") wide, high visibility orange, polyester fiber webbed belt. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

**FRONT STEPS**

P	581-6845	STEPS, REFILL ASSIST, FRONT . . . . . 0 Fold down steps mounted to the left-hand side of the machine. Step mounts to the front drum support and have a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	585-7224	PRODUCT LINK, DUAL PLE783 . . . . . 0 Product Link Elite series dual mode PLE783 (consisting of PL083 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit, location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$446
---	----------	--	--	-------

L	585-8769	PRODUCT LINK, CELLULAR PLE743 . . . . . 0 Product Link Elite series PLE743 (consisting of PL243 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services and other advanced feature. Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

**RADAR INSTALLATION**

L	570-4247	BUMPER COVER, STD . . . . . 0 Bumper covers for machine without the optional radar system. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----



CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS**

**HYDRAULIC OIL**

L	556-7020	OIL, HYD, STANDARD . . . . . 0 ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	556-7021	OIL, HYD, BIODEGRADABLE . . . . . 0 FOR USE WITH LANE 3 ONLY Biodegradable oil recommended for hydraulic system when environmental compliance is required or desired. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$640

**INSTRUCTIONS**

**DECAL PACKAGES**

L	556-3657	INSTRUCTIONS, ANSI . . . . . 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**CAT COMPACTION CONTROL**

This is a factory designed and integrated SBAS accuracy level pass count and temperature mapping system which requires no off-board infrastructure. For higher level accuracy consult your Dealer Technology Representative to order the necessary base station, data radio and options keys for RTK corrected position signal. Additionally, the machine connectivity identified below, requires cellular data plan sold separately. To view IC Mapping data in the office, a VisionLink subscription with the 3D Project Monitoring module (an add-on to VisionLink) is required.

L	552-1722	<b>SENSORS, MAT TEMPERATURE</b> . . . . .	0	\$3,195
			0	\$3,195 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Includes bumper mounted (front and rear) infrared temperature sensors. Temperature information is displayed on the machine display.

REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)  
 ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR

L	510-4015	<b>SENSOR, ACCELEROMETER</b> . . . . .	0	\$5,530
			0	\$5,530 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER.  
 Hardware and an accelerometer mounted within the front drum. Output is a unit-less CMV stiffness indication displayed at the operator station.

ONLY FOR USE WITH: 539-2601 DRUM, SOLID or  
 539-2608 DRUM, SOLID W/OSCILLATION STD  
 556-4403 DUAL SYSTEM, 2A/2F or  
 556-4400 FRONT SYSTEM, 2A/2F

L	552-1727	<b>MAPPING, GNSS</b> . . . . .	0	\$14,350
---	----------	--------------------------------	---	----------

Factory install of all components needed for mapping of temperature and machine pass count. Includes front and rear bumper mounted infrared temperature sensors, harnesses, system electronic controls including CB460 Display (17.8 cm/7.0 in) and MS952 antenna/receiver. Includes: Sensor, Mat Temperature  
 REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)  
 ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and  
 556-4309 PLATFORM, ROPS/FOPS  
 CANNOT BE USED WITH: 556-4489 STEERING WHEEL, ELEVATED

**OTHER ATTACHMENTS**

**OPERATOR ENVIRONMENT**

L	594-9448	<b>HEADREST, SEAT, VINYL</b> . . . . .	0	\$152
			0	\$152 NI

ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and  
 556-4371 SEAT, STANDARD VINYL or  
 583-7947 SEAT, HEATED VINYL

P	556-4354	<b>MIRRORS, EXTERNAL</b> . . . . .	0	\$610
			0	\$610 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Includes 2 external adjustable mirrors on the front frame. Secondary set may be purchased and is to be mounted on the rear frame. Mounting provisions are provided standard on the front and rear frames.  
 ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**WATER SYSTEM - UPGRADES**

P	577-1902	MATS, COCOA . . . . .	0	\$1,335
			0	\$1,335 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-2393 MATS, WATER DISTRIBUTION		
P	577-2393	MATS, WATER DISTRIBUTION . . . . .	0	\$1,695
			0	\$1,695 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-1902 MATS, COCOA		
P	564-2040	FREEZE PROTECTION, ROPS/FOPS . . . . .	0	\$610
		Includes a reservoir that holds windshield washer or RV antifreeze that protects water lines, pumps, filters, and nozzles from freezing. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4309 PLATFORM, ROPS/FOPS		

**MISC ATTACHMENTS**

P	567-6815	MOUNT, OPTIONAL SENSOR(S) . . . . .	0	\$203
			0	\$203 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Bracket for mounting optional radar, bumper camera, and/or asphalt mat temperature sensors. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 552-1722 SENSORS, MAT TEMPERATURE		
P	594-4643	STEPS, REFILL ASSIST, REAR . . . . .	0	\$406
			0	\$406 NI
		Fold down steps mounted to the left-hand side of the machine. Step mounts to the rear drum support and includes a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**FACTORY SOURCED KITS**

P	577-7283	DRUM KIT, REAR, OSC, FLD . . . . .	0	\$15,530 NI
		FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER 1500 mm (59") solid drums, front drum with conventional vibration and rear drum with oscillatory vibration. Both drums shells are comprised of standard material for field installation into CB7, CB44B, CD8, or CD44B. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

**DOCUMENTATION**

**CERTIFICATES**

P	354-8706	YEAR OF MANUFACTURE PLATE . . . . .	0	NC
		Plate attached to PIN plate showing year of Final Plant Shipping date. Required for all machines shipping to Brazil. CANNOT BE USED WITH: 434-1984 CE CERTIFICATION		

CATERPILLAR MACHINE PRICE LIST

**CB7**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
<b>DOCUMENTATION (CONT.)</b>				
<b><i>CERTIFICATES (Cont.)</i></b>				
P	0P-4990	CERTIFICATE OF ORIGIN.....	0	\$174
<b>PACKING</b>				
<b><i>EXPORT PACKING</i></b>				
	0P-4507	ROLL ON-ROLL OFF.....	0	\$615 NET
<b><i>MISCELLANEOUS PACKING</i></b>				
	0P-6706	BUNDLE EXPORT PACKING..... This OP should be ordered for all miscellaneous orders.	0	NC
<b><i>PREPARATION ADDITIONAL</i></b>				
	0P-2046	PREPARATION FOR INSPECTION..... Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the ARTS date.	0	\$418 NET