

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

CC34B VIBRATORY ASPHALT COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Hydrostatic transmission
Service and parking brakes
Propel standard

ELECTRICAL

Engine start switch with auto preheat
Backup alarm and warning horn
65-ampere alternator
12-volt electric starting
Maintenance free 70 AH battery, 880 amp
Light roading and working

OPERATOR ENVIRONMENT

Gauges:
-LCD display with fuel level
-hour meter
-engine coolant temperature
Operator warning system indicators:
-parking brake engaged
-hydraulic oil temperature high
-engine coolant temperature high
-electrical system voltage low
-engine oil pressure low
-vibration activated
-engine preheat
Lockable, vandalism guard for instrument panel
Travel control, single lever
Seat with:
-fore and aft adjustment
Draining capability
Retractable seat belt 50.8 mm (2inch)
Central and side handrail for easy and safe access to the machine
Steering wheel spinner
12-volt power points

TIRES, RIMS, AND WHEELS

Four 10.5/80-16.6 smooth tires
Pressurized emulsion watering system with tank

DRUMS

One smooth drum : 1300 mm (51.2 inch) wide x 720 mm (28.3 inch) diameter
Pressurized drum watering system with continuous or intermittent modes
Water tank with low level sensor
2 x retractable, spring-loaded, self adjusting scrapers per drum

OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready
Offset hitch with 50 mm (2 inches) of manual adjustment

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

CC34B VIBRATORY ASPHALT COMPACTOR MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Orders Management Program.**

525-7271	CC34B UT COMP DCA1 0 LANE 1 - AVAILABLE FROM BALTIMORE AND GALVESTONE PDC	\$74,720
-----------------	---	-----------------

- INCLUDES:
- 367-6630 CC34B UTILITY COMPACTOR
 - 364-2277 SEAT, WITH SAFETY SWITCH
 - 364-2279 SUPPORT, SLIDING FOR SEAT
 - 364-2281 INSTRUCTIONS, NORTH AMERICAN
 - 364-2297 SWITCH, BATTERY DISCONNECT
 - 367-6580 ENGINE, TIER 4F, STAGE 4
 - 367-6629 ROPS, FOLDABLE
 - 367-6636 OIL, HYDR, FACTORY FILLED
 - 367-7962 BELT, SEAT, 2" SUSPENSION
 - 432-6053 LIGHTING PACKAGE, STANDARD
 - 432-8451 TRAVEL CONTROL, COVER GP
 - 510-9244 PRODUCT LINK INSTALLATION
 - 510-9322 PRODUCT LINK, PL241

NOTE: Please refer to the Lane 1 section to complete your order.

367-6630	CC34B UTILITY COMPACTOR 5,589 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	\$71,340
-----------------	--	-----------------

Combi vibratory compactor with 1300mm (51inch) drum width
 at front and 4 tires at rear

0G-0464	CC34B MISC MATL 0 AVAILABLE FROM MINERBIO FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

0P-9001	LANE 1 ORDER	0	NC
---------	--------------------	---	----

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	----------------------------	---	----

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC	0	NC
		REQUIRED BY: Canada		

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	367-6580	ENGINE, TIER 4F, STAGE 4	1,116	NC
		Meets US EPA Tier 4 Final emissions.		

ELECTRICAL

LIGHTING

L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
		Standard halogen lighting package.		
L	450-0906	LIGHTING PACKAGE, LED	13	\$700
		LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	361-5825	SEAT, NON SUSPENSION	0	NC
		CANNOT BE USED WITH: European Union Countries		
L	364-2277	SEAT, WITH SAFETY SWITCH	0	\$575
		Includes suspension seat with adjustable, foldable seat back and seat switch		
		REQUIRED BY: European Union Countries		

SEAT BELT SELECTION

L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$144

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$770
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

ROPS SELECTION

P	364-2286	NO ROPS	0	NC
		CANNOT BE USED WITH: European Union Countries and Eurasia Economic Community Customs Union		

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

ROPS SELECTION (Cont.)

P	364-2294	ROPS, FIXED	119 0	\$1,540 \$1,540 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	367-6629	ROPS, FOLDABLE	168 0	\$1,915 \$1,915 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

L	432-8451	TRAVEL CONTROL, COVER GP	0	NC
		This package includes a left side cover.		
L	367-6538	TRAVEL CONTROL, DUAL LEVER	13 0	\$885 \$885 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes the left lever for speed control, on the left hand console		
P	453-9461	TRAVEL CONTROL, CUP HOLDER	4 4	\$62 \$62 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes a left side cup holder.		

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-9322	PRODUCT LINK, PL241	0	NC
		Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission.		
		AVAILABLE FOR: ALL COUNTRIES, EXCLUDING CHINA		
L	454-5453	PRODUCT LINK, SATELLITE PL631	9	\$439
		Product link pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	454-5454	PRODUCT LINK, CELLULAR PL641	9	NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK INSTALLATION

L	510-9244	PRODUCT LINK INSTALLATION 0 ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241 or 510-9323 PRODUCT LINK, PL241		NC
L	463-3787	PRODUCT LINK INSTALLATION 0 ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		NC

FLUIDS

HYDRAULIC OIL

L	367-6636	OIL, HYDR, FACTORY FILLED 139 Cat standard hydraulic oil.		NC
L	367-6637	OIL, BIO HYDR, FACTORY FILLED 143 This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled. ONLY FOR USE WITH: LANE 3 ONLY		\$1,405

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS - MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$116
---	----------	--------------------------------------	---	-------

OPERATOR ENVIRONMENT

CANOPY SELECTION

P	364-2289	CANOPY, FIXED	71 0	\$1,170 \$1,170 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 364-2294 ROPS, FIXED		
P	364-2288	CANOPY, FOLDABLE	0 0	\$1,700 \$1,700 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 367-6629 ROPS, FOLDABLE		

OTHER ATTACHMENTS

C	0F-5131	SPECIAL PAINT	0	\$1,900 NET
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. NOTE: One color only (in place of Caterpillar yellow). Please precise the color (RAL) in the notes. ONLY FOR USE WITH: LANE 3 ONLY		
P	458-1471	MATS, COCOA	15 15	\$585 \$585 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
	0P-2046	PREPARATION FOR INSPECTION	0	\$412 NET
		Inspector is sent by the dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		

DRUMS

P	461-3152	BALLAST-STEEL	448 448	\$1,175 \$1,175 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 200 kg (440.6 lb) additional drum weights to provide maximum machine operating weight.		

FLUIDS

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$119
		Includes preparation for a reservoir containing antifreeze liquid to protect pumps, filters, and nozzles from freezing		

CATERPILLAR MACHINE PRICE LIST

CC34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

P	469-5535	EDGE CUTTER READY KIT	9	\$1,485 NI
		Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		
		Not compatible with ballast option.		

DOCUMENTATION

CERTIFICATES

	0F-5109	CERTIFICATE OF ORIGIN	0	\$89 NET
--	---------	---------------------------------	---	----------

PACKING

	0G-0044	ROLL ON-ROLL OFF	0	NC
		To be used for single order		
	0F-5108	PACKING, CONTAINER	0	NC
		To be used for multiple orders		
		CANNOT BE USED WITH: 364-2294 ROPS, FIXED		
	0G-0068	PACK, MISCELLANEOUS MATERIAL	0	NC