

CATERPILLAR MACHINE PRICE LIST



CCS9 VIBRATORY COMPACTOR  
 MINNEAPOLIS, MN, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT C4.4 inline four cylinder, turbo-charged diesel engine with glow-plug heater  
 Dual element air cleaner  
 Fuel filter/water separator/manual priming pump and water indicator  
 Three-speed throttle switch including ECOMODE  
 Dual propel pumps - 1 for drum and 1 for tires  
 Dual braking systems (service & parking, for both drum and axle)  
 Two-speed hydrostatic transmission  
 Limited slip differential

2134 mm (84") wide x 1534 mm (60.4") diameter  
 5 amplitude system with single frequency  
 Pod-style eccentric weight housing  
 Front and rear self adjusting drum scraper  
 Self adjusting tire scraper for rear wheels

**OTHER STANDARD EQUIPMENT**

Locking composite engine enclosure  
 Sealed-for-life hitch bearings  
 Sight gauges:  
 -coolant level  
 -hydraulic oil level  
 Hydraulic tank locking cap  
 Articulated frame with safety lock  
 Transport tie-down and lift points  
 Fuel tank with lockable cap  
 Quick connect hydraulic pressure test ports  
 SOS ports:  
 -engine  
 -hydraulic  
 -coolant

**ELECTRICAL**

12-volt starting and charging system alternator  
 Maintenance free battery - 750 CCA  
 Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing)  
 Backup alarm and forward warning horn  
 Product link ready  
 Beacon ready

**OPERATOR ENVIRONMENT**

ROPS/FOPS platform  
 Four heavy-duty isolation mounts  
 Platform handrails/guardrails  
 Power steering  
 Adjustable tilt-steering column  
 Adjustable suspension seat  
 Retractable seat belt  
 Adjustable, padded arm rest for propel lever operation  
 On-board display with audible warning alarm and interface for:  
 - hydraulic oil temperature gauge  
 - engine oil pressure gauge  
 - engine coolant temperature gauge  
 - alternator charge  
 - fuel level gauge  
 - service hour meter  
 Lockable, vandalism guard for on-board display  
 12-volt Universal and USB power point

**COOLING**

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

**DRUMS**

Smooth drum

CATERPILLAR MACHINE PRICE LIST

**CCS9**

CCS9 VIBRATORY COMPACTOR  
 MINNEAPOLIS, MN, USA (SAP)

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the  
 Base Order Management program.**

<b>496-0189</b>	<b>CCS9 VIBRATORY COMPACTOR</b> . . . . . 0	<b>\$211,000</b>
	LANE 2 - AVAILABLE FROM MINNEAPOLIS FACTORY	
	LANE 3 - AVAILABLE FROM MINNEAPOLIS FACTORY	

<b>OP-4143</b>	<b>CCS9 MISC MATL</b> . . . . . 0	<b>NC</b>
	AVAILABLE FROM MINNEAPOLIS FACTORY	
	Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	

CATERPILLAR MACHINE PRICE LIST

**CCS9**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN**

**ENGINE**

L	420-9150	ENGINE, TIER 4F/STAGE 4 . . . . . U.S. EPA Tier 4 Final/EU Stage IV equivalent engine.	0	NC
---	----------	---	---	----

**ENCLOSURES**

L	479-9014	SCREEN, STANDARD . . . . . Fixed (not openable) screen at rear, right side of the engine compartment.	7	NC
L	479-9015	FUEL SYSTEM, DOOR . . . . . Hinged and CAT key lockable door to access fuel fill without opening enclosure.	23	\$365

**OPERATOR ENVIRONMENT**

**OPERATOR STATIONS**

L	435-8035	PLATFORM, ROPS/FOPS . . . . . Open platform with handrails, ROPS/FOPS canopy and working lights.	1,262	NC
L	435-8036	CAB, ROPS/FOPS WITH A/C . . . . . Two front-facing and two rear-facing working lights, external rear-view mirrors, air conditioner, heater & defroster, and wet-arm wipers/washers (front and rear). Cab is Radio Ready, including hardware, wiring, voltage converter and 12-volt power point. Radio NOT supplied.	1,700	\$22,810

**SEATS**

L	356-1226	SEAT, VINYL . . . . . Standard rotating vinyl covered suspension seat.	150	NC
L	356-1227	SEAT, CLOTH . . . . . Standard rotating cloth covered suspension seat.	150	\$314
L	356-1229	SEAT, CLOTH, DELUXE . . . . . Deluxe rotating cloth seat with head rest, air suspension and additional adjustments. ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C	158	\$545

**SEATS BELTS**

L	382-9003	SEAT BELT, 2" . . . . .	2	NC
L	387-1801	SEAT BELT, 3" . . . . .	2	\$146

CATERPILLAR MACHINE PRICE LIST

**CCS9**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**OPERATOR LANGUAGES**

L	477-9990	LANGUAGES, OPTION 1 . . . . . 0		NC
		Includes standard languages (English, Spanish, French, German, Italian, Polish, Portuguese, Turkish, and Korean) for machine operation and control.		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK COMMUNICATIONS**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	454-5453	PRODUCT LINK, SATELLITE PL631 . . . . . 9		\$446
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		
L	454-5454	PRODUCT LINK, CELLULAR PL641 . . . . . 9		NC
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**PRODUCT LINK INSTALLATION**

L	454-0250	INSTALLATION, ROPS/FOPS . . . . . 8		NC
		Factory installation of PL on machine with ROPS/FOPS canopy. ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		
L	454-0249	INSTALLATION, CAB . . . . . 8		NC
		Factory installation of PL on machines with cab. ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		

**TIRES, RIMS, AND WHEELS**

L	506-4476	TIRES, 16.9-30, SMOOTH 6 PL . . . . . 0		\$1,895
		6-ply smooth asphalt compaction tires and rims.		

**FLUIDS**

**HYDRAULIC OIL**

L	362-4940	OIL, HYDR, FACTORY FILLED . . . . . 0		NC
		Cat standard hydraulic oil.		

CATERPILLAR MACHINE PRICE LIST

**CCS9**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

***HYDRAULIC OIL (Cont.)***

L	362-4941	OIL, HYD, BIO, FACTORY FILLED . . . . . 0 FOR USE WITH LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		\$3,320
---	----------	---	--	---------

**INSTRUCTIONS**

P	437-9888	INSTRUCTIONS, NA PLATFORM . . . . . 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS		NC
P	437-9886	INSTRUCTIONS, NA CAB . . . . . 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C		NC

CATERPILLAR MACHINE PRICE LIST

**CCS9**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
<b>ELECTRICAL</b>				
P	355-3059	<b>LIGHTING, WARNING</b> . . . . . 0		\$433 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	355-3056	<b>LIGHTS, UPGRADED</b> . . . . . 3		\$230
			0	\$230 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 4 additional lights for increased nighttime visibility		
P	107-4643	<b>MIRRORS, REARVIEW, INTERNAL</b> . . . . . 10		\$214
			0	\$214 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two rear-view mirrors mounted inside the cab. ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C		
P	354-5413	<b>MIRRORS, REARVIEW, EXTERNAL</b> . . . . . 10		\$316
			0	\$316 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two externally mounted rear-view mirrors. ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS		
P	204-4390	<b>SUN SCREEN</b> . . . . . 2		\$337
			2	\$337 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Pull-down sunscreen for rear window, reduces heat and glare. ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C		
P	107-4641	<b>SUN VISOR, FRONT</b> . . . . . 2		\$79
			0	\$79 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Tip-down tinted sun visor for front window, reduces heat and glare. ONLY FOR USE WITH: 435-8036 CAB, ROPS/FOPS WITH A/C		

**TECHNOLOGY PRODUCTS**

**CAT COMPACTION CONTROL**

Compaction Monitoring sensors to detect changes in soil stiffness which is an excellent indicator of load bearing strength and provides the operator with real time compaction information on the machine.

P	502-6856	<b>SENSORS, MAT TEMPERATURE</b> . . . . . 0		\$3,820
			0	\$3,820 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes a single front bumper mounted infrared, air purged temperature sensor.		

**OTHER ATTACHMENTS**

P	492-0186	<b>MATS, COCOA</b> . . . . . 0		\$1,425
			0	\$1,425 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Cocoa mat for the drum. CANNOT BE USED WITH: 492-0080 MATS, WATER DISTRIBUTION		
P	492-0080	<b>MATS, WATER DISTRIBUTION</b> . . . . . 0		\$1,820
			0	\$1,820 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Water distribution mat for the drum. CANNOT BE USED WITH: 492-0186 MATS, COCOA		

CATERPILLAR MACHINE PRICE LIST

**CCS9**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

P	492-0184	MATS, COCOA, TIRES .....	0	\$1,010
			0	\$1,010 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Cocoa mats for the rear tires.		

**DOCUMENTATION**

**CERTIFICATES**

P	0P-1870	CERTIFICATE OF ORIGIN.....	0	NC
---	---------	----------------------------	---	----

**PACKING**

	0P-0210	PACK, DOMESTIC TRUCK .....	0	NC
		United States and Canadian Dealers only.		
	0P-3651	PACKING, MISC MATERIAL .....	0	NC
		No charge for packing. Applicable freight charges may apply.		