

CATERPILLAR MACHINE PRICE LIST

CP44B-BRCP44B VIBRATORY COMPACTOR
PIRACICABA, BRAZILShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Dual element air cleaner
 Fuel filter/water separator/manual
 priming pump and water indicator
 Three-speed throttle switch including
 ECOMODE
 Dual propel pumps - 1 for drum and
 1 for tires
 Dual braking systems (service &
 parking, for both drum and axle)
 Two-speed hydrostatic transmission
 Limited slip differential

ELECTRICAL

12-volt starting and charging system
 alternator
 Maintenance free battery - 750 CCA
 Halogen working lights - canopy mounted
 (2 front-facing and 2 rear-facing)
 Backup alarm and forward warning horn
 Product link ready
 Beacon ready

OPERATOR ENVIRONMENT

ROPS/FOPS platform
 Four heavy-duty isolation mounts
 Platform handrails/guardrails
 Power steering
 Adjustable tilt-steering column
 Adjustable suspension seat
 Retractable seat belt
 Rear view camera with display
 Adjustable, padded arm rest for
 propel lever operation
 On-board display with audible
 warning alarm and interface for:
 -hydraulic oil temperature gauge
 -engine oil pressure gauge
 -engine coolant temperature gauge
 -alternator charge
 -fuel level gauge
 -service hour meter
 Lockable, vandalism guard for
 on-board display
 12-volt power (Universal and USB point)

COOLING

Premixed 50% concentration of extended
 life coolant with freeze protection
 to -37C (-35F)

DRUMS

Padfoot drum
 1676 mm (66") wide x 1225 mm (48") of
 diameter

Dual amplitude with single frequency
 Pod-style eccentric weight
 housing
 Adjustable front and rear steel scrapers

OTHER STANDARD EQUIPMENT

Locking composite engine enclosure
 Sealed-for-life hitch bearings
 Sight gauges:
 -coolant level
 -hydraulic oil level
 Hydraulic tank locking cap
 Articulated frame with safety lock
 Transport tie-down and lift points
 Fuel tank with lockable cap
 Quick connect hydraulic pressure test
 ports
 SOS ports:
 -engine
 -hydraulic
 -coolant
 CP Universal bumper
 Seat belt, 76.2 mm (3")

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

CP44B VIBRATORY COMPACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program**

560-6326	CP44B VIBRATORY COMPACTOR DCA1 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC	\$189,380
-----------------	--	------------------

- INCLUDES:
- 386-5371 CP44B VIBRATORY COMPACTOR
 - 186-2335 TIRE, TRACTION
 - 386-5323 OIL, HYDR, FACTORY FILLED
 - 386-5324 FREQUENCY, FIXED
 - 386-5390 CONTROL, BASIC
 - 386-5456 GUARD, TRANSMISSION
 - 386-5571 ENGINE, TIER/STAGE 4 CERTIFIED
 - 386-5608 PAD, OVAL
 - 417-9445 PLATFORM, ROPS/FOPS
 - 426-2675 SEAT, DELUXE CONTROL
 - 433-2403 BLADE, LEVELING
 - 454-5454 PRODUCT LINK, CELLULAR PL641
 - 467-7329 INSTALLATION, ROPS/FOPS
 - 477-9990 LANGUAGES, OPTION 1
 - 554-1057 FILMS

NOTE: Please refer to the Lane 1 section to complete your order.

386-5371	CP44B VIBRATORY COMPACTOR 15,717 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	\$168,530
-----------------	---	------------------

AVAILABLE FOR: AM-N and EU

OP-4245	CP44B MISC MATL 0 AVAILABLE FROM PIRACICABA FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE

0P-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

INSTRUCTIONS

L	386-5313	INSTRUCTIONS, NORTH AMERICAN ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).	0	NC
L	386-5314	INSTRUCTIONS, INTERNATIONAL ISO picto warning decals using symbols only as required for all non-North American countries and Quebec, Canada.	0	NC

ANTIFREEZE

0P-1940	WINDSHIELD WASHER EMPTY	0	NC
---------	-----------------------------------	---	----

FUEL PROTECTION

P	0P-4269	ANTIFREEZE, -25C (-13F) Provides fuel (diesel) antifreeze protection down to -45C (-50F)	0	NC
---	---------	---	---	----

STORAGE PROTECTION

0P-4782	STORAGE PROTECTION	0	NC
---------	------------------------------	---	----

CYLINDER PROTECTION

0P-3940	PROTECTION, CYLINDER ROD	0	NC
---------	------------------------------------	---	----

SERVICE MANUAL

0P-0996	MANUAL, ENGLISH	0	NC
0P-3389	INSTRUCTIONS, FRENCH	0	NC

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

CERTIFICATES

P	0P-1870	CERTIFICATE OF ORIGIN	0	NC
P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC Film indicates EMC compliance. REQUIRED BY: CANADA	0	NC

PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

POWERTRAIN

L	386-5571 ENGINE, TIER/STAGE 4 CERTIFIED	0		NC
	Meets U.S. EPA Tier 4 Final emission standards. ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR			

OPERATOR ENVIRONMENT

OPERATORS STATION

L	417-9445 PLATFORM, ROPS/FOPS	0		\$5,980
	Open platform with handrails, ROPS/FOPS canopy and working lights. ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR			
L	391-0157 CAB, ROPS/FOPS W/ HTR & AC	613		\$27,550
	ROPS/FOPS Cab, air conditioning, heater/defroster, radio ready headliner, 12-volt power point and working lights ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR			

SEATS

L	441-5222 SEAT, BASIC CONTROL	248		NC
	LCD display and vinyl seat with no rotation ONLY FOR USE WITH: 417-9445 PLATFORM, ROPS/FOPS or 446-4913 PLATFORM, ROPS/FOPS			
L	426-2675 SEAT, DELUXE CONTROL	273		\$505
	LCD display and vinyl seat with 20 deg RH operator station rotation ONLY FOR USE WITH: 417-9445 PLATFORM, ROPS/FOPS or 446-4913 PLATFORM, ROPS/FOPS			
L	426-2676 SEAT, DELUXE CONTROL, CAB	172		\$545
	LCD display and cloth seat with no rotation ONLY FOR USE WITH: 391-0157 CAB, ROPS/FOPS W/ HTR & AC or 441-3374 CAB, ROPS/FOPS W/ HTR & AC			

OPERATOR CONTROLS

L	386-5390 CONTROL, BASIC	0		NC
	Basic controls with the following standard machine parameters; Engine faults, machine faults, display of coolant temperature, engine oil pressure, fuel tank level, DEF tank level, battery voltage, hyd oil temp, engine rpm, engine load, fuel consumption rate and ambient air temperature			
L	386-5389 CONTROL, DELUXE	5		\$650
	Deluxe controls includes all the basic control features with the addition of machine speed and vibratory speeds (VPM gauge, if equipped with FREQUENCY, VARIABLE system). In addition, the deluxe controls allows for other technology upgrades			

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

LANGUAGE OPTIONS

L	477-9990	LANGUAGES, OPTION 1	0	NC
		Includes standard languages (English, Spanish, French, German, Italian, Polish, Portuguese, Turkish, and Korean) for machine operation and control.		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	454-5453	PRODUCT LINK, SATELLITE PL631	9	\$446
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in product link's remote monitoring web interface. For use in areas with poor or no cellular coverage		
L	454-5454	PRODUCT LINK, CELLULAR PL641	9	NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data		

PRODUCT LINK INSTALLATION

L	467-7328	INSTALLATION, CAB	8	NC
		Factory installation of PL on machines with cab ONLY FOR USE WITH: 391-0157 CAB, ROPS/FOPS W/ HTR & AC or 441-3374 CAB, ROPS/FOPS W/ HTR & AC		
L	467-7329	INSTALLATION, ROPS/FOPS	8	NC
		ONLY FOR USE WITH: 417-9445 PLATFORM, ROPS/FOPS or 446-4913 PLATFORM, ROPS/FOPS		

TIRES, RIMS, AND WHEELS

L	186-2335	TIRES, 14.9-24 8PR R-1	0	\$540
		6-ply traction (lug tread) tires and rims with liquid ballast Typically used with padfoot style drum		

DRUMS

VIBRATORY SYSTEMS

L	386-5324	FREQUENCY, FIXED	61	NC
		Single 31.9 Hz (1914 vpm) frequency with high and low amplitude		

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

DRUMS (CONT.)

VIBRATORY SYSTEMS (Cont.)

L	386-5334	FREQUENCY, VARIABLE	67	\$2,655
		Frequency dial that electronically controls the displacement of the vibratory pump. Frequency range from 23.3-31.9 Hz (1400-1914 vpm) ONLY FOR USE WITH: 386-5389 CONTROL, DELUXE		

PAD STYLE

L	386-5608	PAD, OVAL	0	NC
		Involute-style pad that works well on 254-457 mm (10-18") lifts. Each pad is 127 mm (5") tall with a surface area of 13.9 square inches		
L	386-5609	PAD, SQUARE	30	NC
		Square-style pad that works well on lifts less than 254 mm (10"). Each pad is 99 mm (3.9") tall with a surface area of 21.7 square inches		

BLADES

LEVELING BLADE

L	433-2404	NO BLADE	0	NC
L	433-2403	BLADE, LEVELING	1,121	\$12,690
		Factory installed leveling blade and controls		

FLUIDS

HYDRAULIC OIL

L	386-5323	OIL, HYDR, FACTORY FILLED	0	NC
		Cat standard hydraulic oil		
L	386-5333	OIL, BIO HYDR, FACTORY FILLED	0	\$4,735
		This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		

ANTIFREEZE

	0P-1940	WINDSHIELD WASHER EMPTY	0	NC
		For use with machines with cab. ONLY FOR USE WITH: 391-0157 CAB, ROPS/FOPS W/ HTR & AC or 441-3374 CAB, ROPS/FOPS W/ HTR & AC		

FUEL PROTECTION

P	0P-4269	ANTIFREEZE, -25C (-13F)	0	NC
		Provides fuel (diesel) antifreeze protection down to -45C (-50F)		

CYLINDER PROTECTION

	0P-3940	PROTECTION, CYLINDER ROD	0	NC
--	---------	------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

STORAGE PROTECTION

OP-4782	STORAGE PROTECTION	0	NC
---------	------------------------------	---	----

INSTRUCTIONS

DECAL PACKAGES

L	386-5313 INSTRUCTIONS, NORTH AMERICAN	0	NC
	ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR and 417-9445 PLATFORM, ROPS/FOPS		
L	386-5314 INSTRUCTIONS, INTERNATIONAL	0	NC
	ISO picto warning decals using symbols only as required for all non-North American countries and Quebec, Canada. ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR and 417-9445 PLATFORM, ROPS/FOPS		
L	386-5315 INSTRUCTIONS, NORTH AMERICAN	0	NC
	ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR and 391-0157 CAB, ROPS/FOPS W/ HTR & AC		
L	386-5316 INSTRUCTIONS, INTERNATIONAL	0	NC
	ISO picture warning decals using symbols only as required for all non-North American countries and Quebec, Canada. ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR and 391-0157 CAB, ROPS/FOPS W/HTR + AC		

SERVICE INSTRUCTIONS

OP-0996	MANUAL, ENGLISH	0	NC
---------	---------------------------	---	----

FILM GP

L	554-1057 FILM GP "MADE IN BRAZIL"	0	NC
---	--	---	----

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL

BEACON ROTATING

P	449-6298	BEACON, ROTATING	3 3	\$433 \$433 NI
---	----------	----------------------------	--------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

LIGHTS UPGRADED

P	452-6686	LIGHTS, UPGRADED	5 5	\$230 \$230 NI
---	----------	----------------------------	--------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 4 additional lights for increased nighttime visibility

MODULES

P	386-5611	MODULE, RECORDING, FIX FREQ	7 7	\$6,500 \$6,500 NI
---	----------	---------------------------------------	--------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Factory installed fixed frequency recording module required for French market

ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR
 386-5324 FREQUENCY, FIXED and
 391-0157 CAB, ROPS/FOPS W/ HTR & AC

P	386-5670	MODULE, RECORDING, VARIABLE	7 7	\$6,500 \$6,500 NI
---	----------	---------------------------------------	--------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Factory installed variable frequency recording module required for French market

ONLY FOR USE WITH: 386-5371 CP44B VIBRATORY COMPACTOR
 386-5334 FREQUENCY, VARIABLE and
 391-0157 CAB, ROPS/FOPS W/ HTR & AC

GUARDS

P	386-5456	GUARD, TRANSMISSION	44 44	\$1,130 \$1,130 NI
---	----------	-------------------------------	----------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Protection for the rear axle, hydraulic drive motor and hose fittings

REQUIRED BY: EU DEALERS

FACTORY SOURCED KITS

P	465-1000	BLADE, LEVELING, FLD	1,121	\$11,080 NI
---	----------	--------------------------------	-------	-------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 INCLUDES:
 Field installed components for leveling blade

CATERPILLAR MACHINE PRICE LIST

CP44B-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

DOCUMENTATION

CERTIFICATES

L	354-8706	YEAR OF MANUFACTURE PLATE 0 Plate attached to PIN plate showing year of Final Plant Shipping date. May use on all machines, but required for shipping to Brazil. REQUIRED BY: South America dealers		NC
P	0P-1870	CERTIFICATE OF ORIGIN 0		NC

PACKING

	0P-4505	ROLL ON-ROLL OFF 0		\$915 NET
	0P-6706	BUNDLE EXPORT PACKING 0 This OP should be ordered for all miscellaneous orders		NC