



AGRICULTURAL EQUIPMENT

U.S. Price List

Effective October 1, 2018

FARMALL® SERIES COMPACT TRACTORS

PL-100 CA REVISION 28

SAP PRICE LIST 032 C1

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.

Copyright 2018 By
CNH Industrial America LLC



AGRICULTURAL EQUIPMENT

U.S. Price List

Effective October 1, 2018

1. THE PRICE LIST IS SUBJECT TO CHANGE WITHOUT NOTICE.

2. ALL PRICES ARE NET.

3. ALL PRICES ARE IN U.S. DOLLARS.

4. ALL PRICES ARE FOB NEW JERSEY.

5. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

6. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

7. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

8. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

9. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS**

COMPACT TRACTORS

COMPACT FARMALL A SERIES II TRACTORS

Standard Features 1
Price List 3
Factory Supplied Attachments 5

FARMALL 35C SERIES II TRACTORS TIER 4B

Standard Features 7
Price List 9
Factory Supplied Attachments 11

FARMALL 40C SERIES II TRACTORS TIER 4B

Standard Features 13
Price List 15
Factory Supplied Attachments 17

FARMALL 45C & 55C SERIES II TRACTORS TIER 4B

Standard Features 19
Price List 21
Factory Supplied Attachments 23

LOADERS FOR FARMALL COMPACT TRACTORS

L340A LOADERS FOR COMPACT FARMALL A SERIES II T4

Standard Features 25
Price List 26
Factory Supplied Attachments 27

L350A LOADERS FOR COMPACT FARMALL 35C and 40C SERIES II TIER 4

Standard Features 29
Price List 30
Factory Supplied Attachments 31

L360A LOADERS FOR COMPACT FARMALL 45C and 55C SERIES II TIER 4

Standard Features 33
Price List 34
Factory Supplied Attachments 35

L350A LOADER FARMALL B CVT AND C CVT

Standard Features 37
Price List 38
Factory Supplied Attachments 39



**FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS**

COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

MW SERIES MOWERS FOR FARMALL COMPACT TRACTORS

Standard Features 41
Price List 44
Factory Supplied Attachments 45

RR SERIES REAR MOUNT FINISHING MOWERS

Standard Features 47
Price List 49

BM SERIES FRONT MOUNT BLADES

Standard Features 51
Price List 52
Factory Supplied Attachments 54

BS SERIES FRONT MOUNT SNOW BLOWERS

Standard Features 55
Price List 57
Factory Supplied Attachments 60

BR SERIES FRONT MOUNT ROTARY BROOMS

Standard Features 63
Price List 65
Factory Supplied Attachments 67

BHA SERIES BACKHOES

Standard Features 69
Price List 70
Factory Supplied Attachments 73

TL SERIES ROTARY TILLERS

Standard Features 75
Price List 76

RC ROTARY CUTTERS

Standard Features 77
Price List 80
Factory Supplied Attachments 83



**FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS**

COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

WORK EZ ® DISK HARROW
Standard Features 85
Price List 86

WORK EZ ® RAKES
Standard Features 87
Price List 88

WORK EZ ® BOX BLADES
Standard Features 89
Price List 90

WORK EZ ® REAR BLADES
Standard Features 91
Price List 92

WORK EZ ® EZ MATCH
Standard Features 93
Price List 94

WORK EZ ® BALE CARRIERS
Standard Features 95
Price List 96

WORK EZ ® HAY SPEARS
Standard Features 97
Price List 98

CHARTS
PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS 99
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTORS 102
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT LOADERS 101
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS 108
REFERRAL ATTACHMENTS 110
CASE IH PURCHASED PROTECTION 111



**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

Standard Equipment

DIESEL ENGINE:

Farmall 35A Tier 4B:
35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114 cu. in. (1.9L) Displacement

Farmall 40A Tier 4B:
40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114cu. in. (1.9L) Displacement

ALL MODELS

3 Cylinder, Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4(28L) gallon Fuel Tank

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift
(SSS)

Left-hand, dash mounted,
synchronized shuttle
(4) Non-synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- Farmall 35A = 8.2 gpm (31.2 L/min)
- Farmall 40A = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.8 gpm (18.2 L/min)
- HST models = 4.8 gpm (18.2 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

ROPS:

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Standard Equipment

LIGHTING:

- (2) Incandescent Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid mount PTO

- MID PTO is STANDARD on models with HYDROSTATIC TRANSMISSION
- Mid PTO is OPTIONAL on models with gear transmission
- Independent 2000 rpm

DRAWBAR:

- Swinging
- 3-Position Extendable

REAR DIFFERENTIAL LOCK

- Foot actuated mechanical

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE:

- Mechanical Front Drive (MFD)
- Fixed Position Rims
- 47.1 in. (1197 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- 52.5 in. (1333 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM



**COMPACT FARMALL A SERIES II TRACTOR
 US PRICE LIST**

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
FARMALL 35A SERIES II	35 HP	3067	9016300P78	\$19,879.00
FARMALL 40A SERIES II	40 HP	3067	9017557P02	\$21,411.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT - FACTORY INSTALLED

SD T9981 CONFIGURATION

LOADER INSTALLATION

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0346XX	L340A Loader Factory Install To complete the request for Factory Installed Loader, a corresponding L340A loader order needs to be entered with option X0285XX selected. Please use Compatible Products feature to simplify the ordering process.			No Charge

TRANSMISSION

SD T2810 TRANSMISSION

Order Code	Description	Weight	Factory Data	List Price
720110	12 x 12 Synchro-shuttle			No Charge
729290	Hydrostatic Transmission Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)		9001316P92	\$1,606.00

HYDRAULICS

SD T8270 REAR REMOTES

Order Code	Description	Weight	Factory Data	List Price
XT8270X	LESS REAR REMOTE VALVES Less Rear Remote Valves			No Charge
720366	1 Remote SDA 1 Rear Remote with detent		9000528P90	\$645.00



**COMPACT FARMALL A SERIES II TRACTOR
 US PRICE LIST**

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

	728025	MID PTO For (720110) 12 x 12 Synchro-shuttle Transmission only		9000258P30	\$315.00
	XT8073X	LESS MID PTO For (720110) 12 x 12 Synchro-shuttle Transmission only			No Charge

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 (8364564) Rear Tires.			No Charge
	8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar (8332604) Rear Tires.		(900089P38)	(\$109.00)
	8267104	25x8.50-14 10PR R3 T		(900089P38)	(\$109.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8364564	43 x 16.00-20 R4			No Charge
	8332604	11.2 x 24 4PR R1 Ag Bar		(900216P48)	(\$264.00)
	8304804	41 x 14.00-20 4PR R3		9000149P24	\$182.00

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

	XT9802X	Less Add'l Operator Manual			No Charge
	720548	SPANISH OP.MANUAL N 720548			No Charge



**COMPACT FARMALL A SERIES II TRACTOR
 US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000296P02	\$361.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000755P22	\$921.00
826710416	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000296P02	\$361.00
830480456	41X14.00-20 4PR R3 TURF CIH LS Rear	347 LB	9001121P76	\$1,368.00
826630466	25X8.50-14 6PR R4 CIH LSM Front	107 LB	9000373P92	\$456.00
836456426	43X16-20 4PLY TL R4 CIH Rear	418 LB	9000972P52	\$1,186.00



**FARMALL 35C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

Farmall 35C Tier 4B:
35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.6 gallon (40L) Fuel Tank ROPS
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 35C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:
2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

LIGHTING:

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

- Rear PTO
 - Independent 540 rpm
 - Electro-hydraulic engagement
 - Flip-up Shield
 - Shaft Cap
- Mid PTO
 - Mid PTO is STANDARD on ALL models
 - Independent 2,000 rpm

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- REAR AXLE: (Continue):
- 46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- ROPS FOR 35C
- Contoured Cushion Seat
 - Fore / Aft / Height / Weight Compensating
 - Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray



FARMALL 35C SERIES II TRACTORS
 US PRICE LIST

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 35C SERIES II	Rops	6,300 LB	9019409P40	\$23,670.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

LOADER INSTALLATION

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0335XX	L350A Loader Factory Install To complete the request for Factory Installed Loader, a corresponding L350A loader order needs to be entered with option X0334XX selected. Please use Compatible Products feature to simplify the ordering process.			No Charge

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

Order Code	Description	Weight	Factory Data	List Price
720110	12 x 12 Synchro-shuttle Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)			No Charge
729290	Hydrostatic Transmission Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)		9001461P24	\$1,782.00

HYDRAULICS

SD_T8270 REAR REMOTES

Order Code	Description	Weight	Factory Data	List Price
X82704X	1 VALVE STD 1 valve with detent standard			No Charge
720347	2 Remote Valves 2 rear remote		9000323P08	\$394.00



**FARMALL 35C SERIES II TRACTORS
 US PRICE LIST**

(Ex Works Port of Entry)

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).			No Charge
	8267104	25x8.50-14 10PR R3 T		(900090P20)	(\$110.00)
	8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).		(900090P20)	(\$110.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	8364564	43 x 16.00-20 R4			No Charge
	8332604	11.2 x 24 4PR R1 Ag Bar		(900248P46)	(\$303.00)
	8304804	41 x 14.00-20 4PR R3		9000154P98	\$189.00

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

	XT9802X	Less Add'l Operator Manual			No Charge
	720548	SPANISH OP.MANUAL N 720548			No Charge



FARMALL 35C SERIES II TRACTORS
 US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000296P02	\$361.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000755P22	\$921.00
826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000298P48	\$364.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001166P86	\$1,423.00
826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000388P68	\$474.00
836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001009P42	\$1,231.00



**FARMALL 40C SERIES II TRACTORS
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

Farmall 40C Tier 4B:
40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
12.4 gallon (47L) Fuel Tank CAB
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 40C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



**FARMALL 40C SERIES II TRACTORS
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

LIGHTING:

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO

- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- REAR AXLE: (Continue):
- 46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- CAB FOR 40C ONLY
- (2) Doors
- Rear Window Opens 63 degrees
- Opening side windows
- Air Conditioning
- Heater
- 4-speed Fan Control for heat and A/C
- 2 Cab Air Filters
- Radio-ready with (2) speakers, wiring and antenna
- Deluxe Cloth Covered Seat
- Floor Mat
- Cloth Covered Headliner
- Sun Visor
- Interior Rearview Mirror
- Interior lighting
- Left and Right External Mounted Mirrors
- Removable Plug in rear of cab to route harness
- Front Windshield Wiper and Washer
- Cup Holder
- Left and Right Side Steps
- Toolbox
- Slow Moving Vehicle Emblem
- Grab Rails
- Horn



FARMALL 40C SERIES II TRACTORS
 US PRICE LIST

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 40C SERIES II	Cab	6,300 LB	9025285P52	\$30,836.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT - FACTORY INSTALLED

SD T9981 CONFIGURATION

X0292XX	LESS EZ PICK CONFIG			No Charge
X0335XX	L350A Loader Factory Install To complete the request for Factory Installed Loader, a corresponding L350A loader order needs to be entered with option X0334XX selected. Please use Compatible Products feature to simplify the ordering process.			No Charge

TRANSMISSION

TRANSMISSION

SD T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)			No Charge
729290	Hydrostatic Transmission Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)		9001037P30	\$1,265.00

HYDRAULICS

SD T8270 REAR REMOTES

X82704X	1 VALVE STD 1 valve with detent standard			No Charge
720347	2 Remote Valves 2 rear remote		9000206P64	\$252.00



**FARMALL 40C SERIES II TRACTORS
 US PRICE LIST**

(Ex Works Port of Entry)

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).			No Charge
	8267104	25x8.50-14 10PR R3 T		(900090P20)	(\$110.00)
	8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).		(900090P20)	(\$110.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8364564	43 x 16.00-20 R4			No Charge
	8332604	11.2 x 24 4PR R1 Ag Bar		(900248P46)	(\$303.00)
	8304804	41 x 14.00-20 4PR R3		9000154P98	\$189.00

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

	XT9802X	Less Add'l Operator Manual			No Charge
	720548	SPANISH OP.MANUAL N 720548			No Charge



FARMALL 40C SERIES II TRACTORS
 US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000296P02	\$361.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000755P22	\$921.00
826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000298P48	\$364.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001166P86	\$1,423.00
826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000388P68	\$474.00
836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001009P42	\$1,231.00



FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

Farmall 45C Tier 4B:
45 Gross Engine hp @ 2600 rpm
38.2 PTO hp @ 2600 rpm (Gear)
36 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

Farmall 55C Tier 4B:
55 Gross Engine hp @ 2600 rpm
46.7 PTO hp @ 2600 rpm (Gear)
44 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Naturally Aspirated
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.5 gallon (40L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlight Indicator
Emmissions Indicator

TRANSMISSION OPTIONS:
16 x 16 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise Control
and Dual Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 6.1 gpm (23.4 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ballk ends:
2756 lb. (1250 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:
2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL:
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



FARMALL 45G AND 55G SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

LIGHTING:

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO

- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc

Dual Brake Pedals

- Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed position rims
- 51.7 in. (1314 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 only
- Fixed Position Rims - R3, R4
- 47.7 in. (1211 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM



**FARMALL 45C AND 55C SERIES II TRACTORS
 US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 45C SERIES II	Rops	6,501 LBS	9024190P00	\$29,500.00
FARMALL 45C SERIES II	Cab	6,502 LBS	9028601P60	\$34,880.00
FARMALL 55C SERIES II	Rops	6,503 LBS	9029164P94	\$35,567.00
FARMALL 55C SERIES II	Cab	6,504 LBS	9033576P54	\$40,947.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

X0292XX	LESS EZ PICK CONFIG			No Charge
X0336XX	L360A Loader Factory Install To complete the request for Factory Installed Loader, a corresponding L360A loader order needs to be entered with option X0335XX selected. Please use Compatible Products feature to simplify the ordering process.			No Charge

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

330271	16x16 Synchro Shuttle 330271 Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)			No Charge
330014	HST + 3 Range Includes Mid PTO for operation of Front mounted implements (mowers, snow blowers, brooms, etc.)		9001461P24	\$1,782.00

HYDRAULICS

SD_T8270 REAR REMOTES

X82704X	1 VALVE STD 1 valve with detent standard			No Charge
---------	---	--	--	-----------



**FARMALL 45C AND 55C SERIES II TRACTORS
 US PRICE LIST**

(Ex Works Port of Entry)

	720347	2 Remote Valves 2 rear remote			
		if ENGINE POWER is 55 HP		9000323P08	\$394.00
		if ENGINE POWER is 45 HP		9000323P08	\$394.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8276504	12 x 16.5 6PR R4 Must be ordered with 17.5Lx24 6PR R4 Rear Tires (8396704).			No Charge
	8267204	28x8.50-15 6PR R3 T		(900104P14)	(\$127.00)
	8253304	9.5 x 16 4PR R1 Must be ordered with 13.6-24 4PR R1 Rear Tires (8338604).		(900104P14)	(\$127.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	8396704	17.5Lx24 6PR R4			No Charge
	8338604	13.6-24 4PR R1		(900635P50)	(\$775.00)
	8304804	41 x 14.00-20 4PR R3			
		if ENGINE POWER is 45 HP		(900342P76)	(\$418.00)
		if ENGINE POWER is 55 HP		(900342P76)	(\$418.00)

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

	XT9802X	Less Add'l Operator Manual			No Charge
	720548	SPANISH OP.MANUAL N 720548			No Charge



FARMALL 45C AND 55C SERIES II TRACTORS
 US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
825330446	9.5-16 4PR R1 CIH LSM Front	171 LB	9000594P50	\$725.00
833860446	13.6X24 4PR R1 CIH LSM Rear	298 LB	9000873P30	\$1,065.00
826720416	28X8.50-15 6 PLY TURF R3 Front	152 LB	9000594P50	\$725.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001166P86	\$1,423.00
827650416	12 X 16.5 6PR R4 LSM CIH Front	177 LB	9000698P64	\$852.00
839670416	17.5LX24 6PR R4 CIH Rear	581 LB	9001509P62	\$1,841.00



**L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

L340A SPECIFICATIONS

(PER ASAE S301.5):

L340A Loader includes the following:

- Basic Loader for Farmall 35A & 40A Series II tractors with Improved Visibility mounting system (like L350A)
- Mounting Kit
- Quick Coupler - Skid Steer Style
- 68" HD Material Bucket (Quick Attach) (Mid-mount valve & Joystick are included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L340A SPECIFICATIONS

(PER ASAE S301.5):

L340A (For Farmall 35A & 40A Series II)

- Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted.
- Curved Boom, Mid-Mount, Quick Attach Design
- Maximum Lift Height: 98.4 / 2500
- Dump Clearance: 75.3 / 1913
- Digging Depth: 8 / 203
- Lift Capacity @ bucket pivot point: 1250 / 567
- Lift Capacity @ 19.7 in. (500mm) from bucket pivot point: 890 / 404
- Breakout Force @ bucket pivot point: 2700 / 1225
- Breakout Force @ 19.7 in. (500mm) from bucket pivot point: 1900 / 862
- Reach @ Maximum Lift: 31 / 787
- Bucket Rollback: 32°
- Bucket Dump Angle: 39°
- Bucket Level Indicator
- Parking Stand

NOTE: COMPATIBILITY INFORMATION
To assure proper performance, see Operator's manual for recommended counterweighting.



L340A LOADER FOR 35A AND 40A SERIES II
 US PRICE LIST

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L340A 35A/40A SERIES II	68 in. Bucket	900 LB	9004232P02	\$5,161.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT - FACTORY INSTALLED

SD T9981 CONFIGURATION

LOADER INSTALLATION				
	X0292XX	LESS EZ PICK CONFIG		No Charge
	X0285XX	Factory Install L340A Loader Select this option to accommodate factory Installation of L340A on a corresponding 35A or 40A Series II tractor. Select option X0346XX with a corresponding tractor order only.		No Charge



**L340A LOADER FOR 35A AND 40A SERIES II
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Other Equipment				
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000333P74	\$407.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000428P04	\$522.00



**L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for Farmall 35C and
Farmall 40C Series II with Improved
Visibility mounting system.

Mounting Kit

Quick Coupler - Skid Steer Style

68" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A (For Farmall 35C and 40C Series
II)

Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted

Curved Boom, Mid-Mount, Quick
Attach Design

Maximum Lift Height:

105 / 2667

Dump Clearance:

81.5 / 2070

Digging Depth:

6.5 / 165

Lift Capacity

@ bucket pivot point:

2000 / 907

@ 19.7 in. (500mm) from bucket
pivot point:

1540 / 699

Breakout Force

@ bucket pivot point:

3540 / 1606

@ 19.7 in. (500mm) from bucket
pivot point:

2640 / 1197

Reach @ Maximum Lift:

33 / 838

Bucket Rollback:

30°

Bucket Dump Angle:

58°

4-Bar Bucket Linkage

Bucket Level Indicator, Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance,
see Operator's manual for



**L350A LOADER FOR 35C AND 40C SERIES II
 US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A 35C/40C SERIES II	68 in. Bucket	800 LB	9005023P32	\$6,126.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0335XX	L350A Loader Factory Install Select this option to accommodate factory installation of L350A on a corresponding 35C or 40C Series II tractor. Select option X0335XX with a corresponding tractor order only.			No Charge



**L350A LOADER FOR 35C AND 40C SERIES II
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000333P74	\$407.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000428P04	\$522.00



**L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

L360A SPECIFICATIONS

(PER ASAE S301.5):

L360A for Farmall 45C and 55C Series II

Basic Loader for Farmall 45C and
Farmall 55C Series II with Improved
Visibility mounting system

Mounting Kit

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L360A SPECIFICATIONS

(PER ASAE S301.5):

L360A (For Farmall 45C and 55C Series
II)

Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted

Curved Boom, Mid-Mount, Quick
Attach Design

Maximum Lift Height:

112.3 / 2852

Dump Clearance:

85.2 / 2164

Digging Depth:

4.9 / 125

Lift Capacity

@ bucket pivot point:

2500 / 1134

@ 19.7 in. (500mm) from bucket
pivot point:

1830 / 830

Breakout Force

@ bucket pivot point:

5000 / 2268

@ 19.7 in. (500mm) from bucket
pivot point:

3114 / 1412

Reach @ Maximum Lift:

32 / 813

Bucket Rollback:

39°

Bucket Dump Angle:

49°

4-Bar Bucket Linkage

Bucket Level Indicator

Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance,
see Operator's manual for



**L360A LOADER FOR 45C AND 55C SERIES II
 US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L360A 45C/55C SERIES II	72 in. Bucket	800 LB	9005202P90	\$6,345.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0336XX	L360A Loader Factory Install Select this option to accommodate factory installation of L360A on a corresponding 45C or 55C Series II tractor. Select option X0336XX with a corresponding tractor order only.			No Charge



**L360A LOADER FOR 45C AND 55C SERIES II
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000333P74	\$407.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000428P04	\$522.00



**L350A LOADER FOR B/C CVT
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for

Farmall 45C CVT, 55C CVT, 40B
CVT, and 50B CVT

with Improved Visibility mounting
system.

Tractors S/N ZDME21931 and after.

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE

STANDARD LOADER READY

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A (For Farmall 45C CVT, 55C
CVT, 40B CVT, 50 B CVT)

Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted

Curved Boom, Mid-Mount, Quick
Attach Design

Maximum Lift Height:

105 / 2667

Dump Clearance:

81.5 / 2070

Digging Depth:

6.5 / 165

Lift Capacity

@ bucket pivot point:

2000 / 907

@ 19.7 in. (500mm) from bucket
pivot point:

1540 / 699

Breakout Force

@ bucket pivot point:

3540 / 1606

@ 19.7 in. (500mm) from bucket
pivot point:

2640 / 1197

Reach @ Maximum Lift:

33 / 838

Bucket Rollback:

30°

Bucket Dump Angle:

58°

4-Bar Bucket Linkage

Bucket Level Indicator, Parking Stand

COMPATIBILITY INFORMATION:

To assure proper performance,
see Operator's manual for
recommended counterweighting



L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A FARMALL B/C CVT	72 in. Bucket	650 LB	9004497P70	\$5,485.00



**L350A LOADER FOR B/C CVT
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000333P74	\$407.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000428P04	\$522.00



**MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

MW166S Side Discharge Mid-Mount Rotary Mower

For use with

- Farmall 30B & 35B Tractors

SPECIFICATIONS:

Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute down 69
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 23 L x 2.5W
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:

Agricultural (R1) - Yes, limited turn angle:
Right Hand - 24 degrees, Left Hand - 27 degrees
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON LAST PAGE OF THE STANDARD EQUIPMENT

MW266S Side Discharge Mid-Mount Rotary Mower

For use with

- Farmall 35A & 40A Series II

- Farmall 35C Series II NON CAB (not compatible with 40C Series II Cab)

SPECIFICATIONS:

Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute down 69
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 23 L x 2.5W
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:

For Farmall 35A and 40A
Agricultural (R1) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Galaxy Turf - NO



**MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

MW266S Side Discharge Mid-Mount
Rotary Mower

Tire Compatibility: (continued)

For Farmall 35C Series II NON CAB

Agricultural (R1) - NO

Industrial (R4) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -
37 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -
37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement. SEE PTO OFFERING ON
LAST PAGE OF THE STANDARD
EQUIPMENT

MW172S Side Discharge Mid-
Mount Rotary Mower

For use with

- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

SPECIFICATIONS (continue):

Deck Shell Weldment - 10 gauge sides,
10 gauge top, 1/4" spindle
reinforcement pads

MW172S Side Discharge Mid-

Mount Rotary Mower (Continued):

Tire Compatibility:

Agricultural (R1) - NO

Large Industrial (R4) - YES

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand -
35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement.

MW272S Side Discharge Mid-
Mount Rotary Mower

For use with

- Farmall 45C & 55C Series II Rops only
(not compatible with Cab)

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides,
10 gauge top, 1/4" spindle
reinforcement pads



**MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

MW272S Side Discharge Mid-Mount Rotary Mower (Continued):

Tire Compatibility:

- Agricultural (R1) - NO
- Large Industrial (R4) - NO
- Turf (R3) - Yes, limited turn angle:
 - Right Hand - 34 degrees, Left Hand - 35 degrees
- Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON LAST PAGE OF THE STANDARD EQUIPMENT

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II

hyrdostatic tranmission version tractors, Mid Mount PTO is included as standard equipment.

transmission version tractors, Mid PTO is optional.
order tractor with factory installed Mid PTO or order MT20129402 through parts

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts MT20129402

Farmall C series II
Mid Mount PTO is included as standard equipment on all models.

Farmall C (Prior Models)
the PTO kit can only be ordered through CNHi Parts
30C, 35C non-cab-MT201131516
40C, 50C non-cab - MT20131515

Farmall B series
the PTO kit can only be ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as standard equipment.



**MW SERIES MOWERS FOR COMPACT FARMALL
 US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW266S SERIES II 35A/40A	443 LB	9002983P16	\$3,638.00
MW272S 45C/55CSERIES II	443 LB	9003071P72	\$3,746.00
MW266S FARMALL 30A/35A	443 LB	9002983P16	\$3,638.00
MW266S FARMALL 30C/35C	443 LB	9002983P16	\$3,638.00
MW272S FARMALL 40C/50C	443 LB	9003071P72	\$3,746.00
MW172S FARMALL B/C CVT	620 LB	9003071P72	\$3,746.00
MW166S FARMALL 30B/35B	443 LB	9002983P16	\$3,638.00
MW166S FARMALL 40B/50B	443 LB	9002983P16	\$3,638.00
MW172S FARMALL40B/50B	443 LB	9003071P72	\$3,746.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT

SD 15012 BALE RAMP AND AXLE				
Order Code	Description	Weight	Factory Data	List Price
X15012X	No Ramp			No Charge



**MW SERIES MOWERS FOR COMPACT FARMALL
 US PRICE LIST**

**(Ex Works Wholegoods Depot)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
439047006	CLS 3 RAMP KIT Ramp Kit for 72 Inch Decks- Allows tractors front tires to easily drive over the mower deck for easy installation and attachment of deck to tractor.	40 LB	9000081P18	\$99.00
439047016	Ramp Kit CLS 2 Ramp Kit for 66 Inch Decks- Allows tractors front tires to easily drive over the mower deck for easy installation and attachment of deck to tractor.	40 LB	9000081P18	\$99.00



**RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

RR60 - RIGID FRAME:

Category I 3-point mounted
finishing mower
Cutting Width: 60 inches (1524mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 30
Drive Method: Rear 540 RPM PTO
Number of Blades: 3
Blade Drive: V-Belt
Blade speed (RPM): 2,630
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR72 - RIGID FRAME:

Category I 3-point mounted
finishing Mower
Cutting Width: 72 inches (1829mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 40
Drive Method: Rear 540 RPM PTO
Number of Blades: 3
Blade Drive: V-Belt
Blade speed (RPM): 2,230
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR90 - RIGID FRAME:

Category I 3-point mounted
finishing mower
Cutting Width: 90 inches (2286mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 60
Drive Method: Rear 540 RPM PTO
Number of Blades: 5
Blade Drive: V-Belt
Blade speed (RPM): 2,630
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR144 - FLEX WING:

Overall Cutting Width - 12 ft. (3.66m) Flex
Center Deck Cutting Width - 5 ft. (1.52m)
Wing Deck Cutting Width - 4 ft. (1.22m)
Deck Overlap - 6 in. (152 mm)
Overall Width - 146 in. (3.71m)
Transport Width - 100 in. (2.54m)
Maximum Overall Length - 182 in.
(4.62m)
Transport Length - 177 in. (4.5m)
Transport Height - 90 in. (2.29m)
Minimum HP - 30
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12

RR180 - FLEX WING:

Overall Cutting Width - 15 ft. (4.57m) Flex
Center Deck Cutting Width - 6 ft. (1.83m)
Wing Deck Cutting Width - 5 ft. (1.52m)
Deck Overlap - 6 in. (152 mm)
Overall Width - 182 in. (4.62m)
Transport Width - 101 in. (2.57m)
Maximum Overall Length - 185 in. (4.7m)
Transport Length - 180 in. (4.57m)
Transport Height - 100 in. (2.54m)
Minimum HP - 35
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12



RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

RR204 - FLEX WING:

Overall Cutting Width - 17 ft. (5.18m) Flex
Center Deck Cutting Width - 7.5 ft.
(2.29m)
Wing Deck Cutting Width - 6 ft. (1.83m)
Deck Overlap - 12 in. (305 mm)
Overall Width - 207 in. (5.26m)
Transport Width - 102 in. (2.59m)
Maximum Overall Length - 196 in.
(4.98m)

RR204 - FLEX WING: (continued)

Transport Length - 188 in. (4.78m)
Transport Height - 110 in. (2.79m)
Minimum HP - 40
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12



**RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
RR60 60 INCH MOWER	2,000 LB	9002106P58	\$2,569.00
RR72 72 INCH MOWER	2,000 LB	9002287P80	\$2,790.00
RR90 90 INCH MOWER	2,000 LB	9003577P66	\$4,363.00
RR144 12 FT MOWER	3,000 LB	9013480P80	\$16,440.00
RR180 15 FT MOWER	3,520 LB	9014541P06	\$17,733.00
RR204 17 FT MOWER	3,520 LB	9015831P74	\$19,307.00



**BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST**

**(Ex Works - See Standard Equipment)
Standard Equipment**

BM172H HEAVY DUTY:

For use with

- Series II 35A & 40A
- Series II 35C & 40C
- Series II 45C & 55C
- Farmall 30A & 40A
- Farmall 30C & 35C
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

Quick attach design

Moldboard width: 72 inches (1830mm)

Moldboard height: 22 inches (560mm)

Reversible cutting edge

Cutting edge thickness: 0.5 inch
(12.7mm)

Hydraulic angling

Angling range: 0 to 30 degrees

Adjustable skid shoes

REQUIREMENTS FOR OPERATION:

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or front
mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series
tractors come equipped with
Mid-mount valve and Joystick as
standard equipment



**BM SERIES FRONT MOUNTED BLADES -BM1
 US PRICE LIST**

(Ex Works - See Standard Equipment)
Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	9002396P86	\$2,923.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets			No Charge
	439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts		9001630P98	\$1,989.00
	439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and Above		9001741P68	\$2,124.00
	717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B		9001630P98	\$1,989.00
	717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT		9001741P68	\$2,124.00



**BM SERIES FRONT MOUNTED BLADES -BM1
 US PRICE LIST**

(Ex Works - See Standard Equipment)

ADDITIONAL OPERATOR'S MANUAL

SD 47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

OTHER EQUIPMENT

SD 40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. For 3-pt hitch	100 LB	9000209P92	\$256.00

SD 50091 RUBBER BLADE EDGE

		X50091X	No Rubber Cutting Edge			No Charge
		715679	Rubber Cutting Edge	61 LB	9000225P50	\$275.00



**BM SERIES FRONT MOUNTED BLADES -BM1
 US PRICE LIST**

**(Ex Works - See Standard Equipment)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001741P68	\$2,124.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001741P68	\$2,124.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001630P98	\$1,989.00

Additional Attachments

715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	9000225P50	\$275.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001630P98	\$1,989.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

BS163H HEAVY DUTY:

For use with

- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with

hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion

package. Includes chute with

hydraulic rotation, female

portion of quick hitch and

front half of driveline.

BS163H HEAVY DUTY:

For use with

- Farmall 30A & 35A (Series I)
- Farmall 35C & 40A Series II
- Farmall 30C & 35C (Series I)
- Farmall 35C & 40C Series II

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with

hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

BS163H HEAVY DUTY (Continued):

Front mount and drive completion

package. Includes chute with

hydraulic rotation, female

portion of quick hitch and

front half of driveline.

BS174H HEAVY DUTY:

For use with

- Farmall 40B & 50B
- Farmall 40C & 50C (Series I)
- Farmall 45C & 55C Series II

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)

Cutting width: 72 inches (1830mm)

Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm)

Auger diameter: 15 inches (381mm)

Impeller drive: Gear box reduction/
#60 HD chain

Auger Drive: Two-part chute with

hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion

package. Includes chute with

hydraulic rotation, female

portion of quick hitch and

front half of driveline.



**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

BS174H HEAVY DUTY:

For use with

- Farmall 40B CVT & 45B CVT
- Farmall 50B CVT
- Farmall 45C CVT & 55C CVT

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)

Cutting width: 72 inches (1830mm)

Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm)

Auger diameter: 15 inches (381mm)

Impeller drive: Gear box reduction/
#60 HD chain

Auger Drive: Two-part chute with
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion
package. Includes chute with
hydraulic rotation, female
portion of quick hitch and
front half of driveline.

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement.

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II

Farmall A series II hydrostatic
transmission version tractors,
Mid Mount PTO is included as
standard equipment.

Farmall A series II with gear
transmission version tractors, Mid
PTO is optional.
order tractor with factory installed
Mid PTO or order MT20129402
through parts

NOTES ABOUT MID PTO OFFERING

(Continued):

Compact Farmall 30A and 35A (Series
I) (2016) the PTO kit can only be
ordered through Parts order
MT20129402

Farmall C series II

Mid Mount PTO is included as standard
equipment on all models.

Farmall C series I (2015-2016)

the PTO kit can only be
ordered through Parts
30C, 35C non-cab-MT201131516
35C with cab - MT20123903
40C, 50C non-cab - MT20131515
40C, 50C with cab - MT20123902

Farmall B series (2012-2014)

the PTO kit can only be
ordered through Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,

Mid Mount PTO is included as
standard equipment.

TRACTOR MUST BE EQUIPPED WITH

MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or
front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and
II tractors come equipped with
Mid-mount valve and Joystick as
standard equipment



**BS SERIES FRONT MOUNT SNOW BLOWERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BS163H	BS163H 63IN	1,005 LB	9004293P52	\$5,236.00
BS174H	BS174H 74IN	1,005 LB	9005659P64	\$6,902.00
BS174H 45C CVT 55C CVT	BS174J HD FR	450 LB	9005728P52	\$6,986.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD N5701 HITCH AND SUBFRAME

XN5701X	No Mounting Brackets			No Charge
439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts		9001630P98	\$1,989.00
717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B		9001630P98	\$1,989.00
717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT		9001741P68	\$2,124.00
439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for Farmall 45C CVT, 55C CVT for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT -S/N ZxME21xxx and Above		9001741P68	\$2,124.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

FRONT MOUNTED DRIVE COMPLETING PACKAGE

SD_03007 MID PTO DRIVE KIT

	439238	MID PTO CLS2 439238 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C		9000858P54	\$1,047.00
	X03007X	No Mid PTO Drive Kit			No Charge
	439124	Mid PTO 32/36 HP T3 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For discontinued 30A, 35A, 30C, and 35C		9000858P54	\$1,047.00
	439116	Mid PTO Tier 4 41/47 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 45C and 55C Discontinued 40 and 50C		9000858P54	\$1,047.00
	717761	Mid PTO Drive Kit-III AT Mid PTO Drive Shaft Kit For Farmall 45C CVT, 55C CVT For Discontinued 40B CVT, 45B CVT, and 50B CVT		9000702P74	\$857.00
	717990	Mid PTO 30/35/40/50 Mid PTO Drive Shaft Kit For discontinued Farmall 30B, 35B, 40B and 50B		9000858P54	\$1,047.00

3 PART CHUTE

SD_29036 3 PART CHUTE

	X29036X	No 3 Part Chute			No Charge
	715345	3 Part Chute For BH163H or BH172H. Not available with BH163H FARMALL B or BH174H FARMALL B.	49 LB	9000371P46	\$453.00

DRIFT CUTTER KIT

SD_50028 DRIFT CUTTER KIT

	X50028X	No Drift Cutter			No Charge
	716248	Drift Cutter	28 LB	9000127P92	\$156.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

ELECTRIC CHUTE DEFLECTOR

SD_29038 ELEC CHUTE DEFLECT

		X29038X	No Electric Chute Deflector			No Charge
		715344	Electric Chute Deflector	8 LB	9000847P88	\$1,034.00

HYDRAULIC CHUTE DEFLECTOR

SD_20101 HYDRAULIC CHUTE DEF

		X20101X	No Hydraulic Chute Deflector			No Charge
		716864	Hydraulic Chute Deflector	16 LB	9000386P22	\$471.00

HYDRAULIC CHUTE ROTATION

SD_20088 HYDRAULIC CHUTE ROT

		X20088X	No Hydraulic Chute Rotation			No Charge
		717172	Hydraulic Chute Rotation	11 LB	9000860P18	\$1,049.00

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

OTHER EQUIPMENT

SD_40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. for 3-pt hitch	100 LB	9000209P92	\$256.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001576P04	\$1,922.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001741P68	\$2,124.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001741P68	\$2,124.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001630P98	\$1,989.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001630P98	\$1,989.00

Mid PTO Drive Completion Kits

717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000702P74	\$857.00
439116006	Mid PTO drive kit for 41/47 hp -T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 40C and 50C For Series II 45C and 55C	25 LB	9000858P54	\$1,047.00
717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 KG	9000858P54	\$1,047.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 30C and 35C For Series II 35C and 40C For 30A and 35A For Series II 35A and 40A	25 LB	9000858P54	\$1,047.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

Additional Attachments

	717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	9000244P36	\$298.00
	715345006	3 Part Chute For BH163H or BH172H. Not available with BH163H FARMALL B or BH174H FARMALL B.	45 LB	9000371P46	\$453.00
	716864026	Hyd chute deflector For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	15 LB	9000386P22	\$471.00
	715344006	Electric chute deflector For BH163H, BH163B, BH172H or BH174H	15 LB	9000799P50	\$975.00
	717172016	HYDRAULIC CUTE ROTATION KIT For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	10 LB	9000834P76	\$1,018.00
	439238006	MID PTO CLS2 T4 LS ENG Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C	25 LB		No Charge



**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

Model BR160:

For use with

- Farmall 35A & 40A Series II
- Farmall 35C & 40C Series II
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Sweeping width: 55 inches (1397mm)

Sweeping width @ 25°: 49 inches
(1245mm)

Broom diameter: 22 inches (560mm)

Brush type: Wafer

Bristle material: Polypropylene

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to
#50 HD chain

Storage stand: Standard

Model BR172:

For use with

- Farmall 45C & 55C Series II
- Farmall 40C & 50C
- Farmall 40B & 50B
- Farmall 40C CVT & 45C CVT
- Farmall 50C CVT & 55C CVT

Quick attach design, Mid-PTO driven

Sweeping width: 67 inches (1702mm)

Sweeping width @ 25°: 60 inches
(1525mm)

Broom diameter: 22 inches (560mm)

Bristle material: Polypropylene

Brush type: Wafer

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to
#50 HD chain

Storage stand: Standard

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. The PTO kit can only be ordered through Parts for these series of Farmall tractors

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II

Hydrostatic transmission version tractors, Mid Mount PTO is included as standard equipment.

Gear transmission version tractors, Mid PTO is optional.

order tractor with factory installed Mid PTO or order MT20129402 through CNHi parts

Compact Farmall 30A and 35A (Prior

Models) the PTO kit can only be ordered through CNHi Parts MT20129402

Farmall C series II

Mid Mount PTO is included as standard equipment on all models.

Farmall C (Prior Models)

the PTO kit can only be ordered through CNHi Parts

30C, 35C non-cab - MT201131516

35C with cab - MT20123903

40C, 50C non-cab - MT20131515

40C, 50C with cab - MT20123902



**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

NOTES ABOUT MID PTO OFFERING
(continued):

Farmall B series
the PTO kit can only be
ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as
standard equipment.

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or
front mount snow blowers.

NOTE:
Compact FARMALL A, B, & C Series I and
II tractors come equipped with
Mid-mount valve and Joystick as
standard equipment



**BR SERIES FRONT MOUNT ROTARY BROOMS
 US PRICE LIST**

(Ex Works Wholegoods Depot)
Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
BR160	551142412	500 LB	9003894P18	\$4,749.00
BR172	551000418	600 LB	9004396P84	\$5,362.00
BR172 40C-55C CVT	551143412	500 LB	9004396P84	\$5,362.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets			No Charge
	439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts		9001630P98	\$1,989.00
	439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and above		9001741P68	\$2,124.00
	717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B		9001630P98	\$1,989.00
	717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT		9001741P68	\$2,124.00



**BR SERIES FRONT MOUNT ROTARY BROOMS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

DRIVE COMPLETION KITS

SD 03007 MID PTO DRIVE KIT

	439238	MID PTO CLS2 439238 Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C		9000858P54	\$1,047.00
	X03007X	No Mid PTO Drive Kit			No Charge
	439124	Mid PTO 32/36 HP T3 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For discontinued 30A, 35A, 30C, and 35C		9000858P54	\$1,047.00
	439116	Mid PTO Tier 4 41/47 For Series II 45C and 55C For discontinued 40C and 50C		9000858P54	\$1,047.00
	717761	Mid PTO Drive Kit-III AT For Farmall 45C CVT, 55C CVT discontinued 40B CVT, 45B CVT, and 50B CVT		9000702P74	\$857.00
	717990	Mid PTO 30/35/40/50 For discontinued 30B, 35B, 40B and 50B		9000858P54	\$1,047.00

HYDRAULIC ANGLING KIT

SD 20087 HYDRAULIC FRAME ANGLING KIT

	X20087X	No Hydraulic Angling Kit			No Charge
	715677	Hydraulic Angling Kit	26 LB	9000565P80	\$690.00

SIDE CASTERWHEELS KIT

SD 29035 SIDE CASTER WHEEL KIT

	X29035X	No Side Casterwheels Kit			No Charge
	717231	Side Casterwheels Kit 2 x 6	47 LB	9000481P34	\$587.00

ADDITIONAL OPERATOR'S MANUAL

SD 47083 OPERATOR'S MANUAL

	X47083X	No Additional Operators Manual			No Charge
--	---------	--------------------------------	--	--	-----------



**BR SERIES FRONT MOUNT ROTARY BROOMS
 US PRICE LIST**

**(Ex Works Wholegoods Depot)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001576P04	\$1,922.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001630P98	\$1,989.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001741P68	\$2,124.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001741P68	\$2,124.00

Mid PTO Drive Completion Kits

717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000702P74	\$857.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A and 40A For Series II 35C and 40C For discontinued 30A and 35A For discontinued 30C and 35C	25 LB	9000858P54	\$1,047.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	9000858P54	\$1,047.00
717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 KG	9000858P54	\$1,047.00

Additional Attachments

717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	9000481P34	\$587.00
715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 KG	9000565P80	\$690.00



**BR SERIES FRONT MOUNT ROTARY BROOMS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

	439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001630P98	\$1,989.00
	439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB	360 LB	9001630P98	\$1,989.00



**BHA SERIES BACKHOES
US PRICE LIST**

**(Ex Works Telford, TN)
Standard Equipment**

BACKHOE MODEL: BHA90

TRACTOR APPLICATION:

Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30A, 35A
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

*SPECIFICATIONS:

Digging Depth - 92 in.
Reach from Swing Pivot - 120 in.
Transport Height - 77 in.
Bucket Rotation - 174°
Stabilizer Spread:
 Transport - 49 in.
 Operating - 100 in.
Loading Height 70 in.
Swing Arc - 175°
Bucket Digging Forces - 3151 lb.
Dipper Stick Digging Forces - 2059 lb.
Shipping Weight - 722 lb.
Operating Pressure - 2175 psi

*Specifications may vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BACKHOE MODEL: BHA102

TRACTOR APPLICATION:

Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

*SPECIFICATIONS:

Digging Depth - 100 in.
Reach from Swing Pivot - 130 in.
Transport Height - 88 in.
Bucket Rotation - 180°
Stabilizer Spread:
 Transport - 56 in.
 Operating - 119 in.
Loading Height 76.0 in.
Swing Arc - 175°
Bucket Digging Forces - 4480 lb.
Dipper Stick Digging Forces - 2533 lb.
Shipping Weight - 854 lb.
Operating Pressure - 2500 psi

*Specifications vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment



**BHA SERIES BACKHOES
 US PRICE LIST**

(Ex Works Telford, TN)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BHA90 BACKHOE	BHA90A	1,065 LB	9006591P16	\$8,038.00
BHA102 BACKHOE	BHA102	1,065 LB	9007294P72	\$8,896.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAMES

SD N5701 HITCH AND SUBFRAME

439203	S-FRM CLS2 LS ENG T4 Backhoe Mounting Subframe for Series II 35C and 40C			No Charge
439204	S-FRM CLS2 LS439204 Backhoe Mounting Subframe for Series II 35A and 40A			No Charge
439141	S-FRM CL2 T4 ROP/CAB Backhoe Mounting Subframe for discontinued Farmall 30C, 35C Cab, 30B, and 35B			No Charge
717972	Subframe CL2 Backhoe Mounting Subframe For 30A/35A and discontinued 30B/35B If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2 MUST BE ordered in addition.			No Charge
439142	S-FRM CL3 T4 ROP/CAB Backhoe Mounting Subframe for Series II 45C and 55C Cab and ROPS for discontinue 40C, 50C Cab and ROPS 30A/35A, 30C, 35C, 30B and 35B If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2 MUST BE ordered in addition			No Charge
717751	Front Quick Hitch - Class 3 Backhoe Mounting Subframe for Farmall 45C CVT, 55C CVT			No Charge



**BHA SERIES BACKHOES
 US PRICE LIST**

(Ex Works Telford, TN)

	439111	SUBFRAME 45/55 HP Backhoe Mounting Subframe for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only			No Charge
--	--------	--	--	--	-----------

SD N5702 FRONT BRACKETS

	XN5702X	No Front Brackets			No Charge
	439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.		9000043P46	\$53.00
	439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.		9000043P46	\$53.00

HYDRAULIC KITS

SD 20102 HYDRAULIC KIT

	439138	HYD KIT CL2 33/37 Hydraulic Kit For Series II 35A and 40A For discontinued 30A, 35A			No Charge
	439143	HYD CLS2 T4 ROPS/CAB Hydraulic Kit For Series II 35C and 40C For discontinued 35C Cab, 30C, 35C non-cab, 30B, 35B			No Charge
	439144	HYD CLS3 T4 ROPS/CAB Hydraulic Kit For Series II 45C, 55C for discontinued 40C, 50C non-cab and 40B, 50B			No Charge
	439069	Hyd Kit Cls 3 CVT Hydraulic Kit For Farmall CVT			No Charge
	717914	Hyd Kit WM/FA Hydraulic Kit for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only			No Charge

BUCKET

SD N5403 12 IN STD BUCKET

	XN5403X	No 12 In. Standard Bucket			No Charge
--	---------	---------------------------	--	--	-----------



**BHA SERIES BACKHOES
 US PRICE LIST**

(Ex Works Telford, TN)

	716399	12 In./305mm Standard Bucket		9000359P98	\$439.00
--	--------	------------------------------	--	------------	----------

SD N5405 16 IN STD BUCKET

	XN5405X	No 16 In. Standard Bucket			No Charge
	716400	16 In. Standard Bucket		9000405P08	\$494.00

SD N5407 18 IN STD BUCKET

	XN5407X	No 18 In. Standard Bucket			No Charge
	716434	18 In./457mm Standard Bucket		9000423P12	\$516.00

SD N5409 24 IN STD BUCKET

	XN5409X	No 24 In. Standard Bucket			No Charge
	716401	24 In. Standard Bucket		9000449P36	\$548.00

**FACTORY SUPPLIED ACCESSORIES - IMPLEMENTS FOR
 COMPACT/MIDRANGE TRACTORS**

QUICK HITCH AND SUBFRAME

SD 50005 BIG FOOT DIRT PADS

	X50005X	No Big Foot Dirt Pads			No Charge
	716525	Big Foot Dirt Pads		9000213P20	\$260.00

SD 50092 RUBBER STREET PADS

	X50092X	No Rubber Street Pads			No Charge
	716410	Rubber Street Pads		9000145P14	\$177.00

SD N6413 MECH THUMB

	XN6413X	No Mechanical Thumb			No Charge
	717916	Mechanical Thumb BHA90 only		9000427P22	\$521.00
	439122	Mechanical Thumb Class 3 BHA102 only		9000427P22	\$521.00



**BHA SERIES BACKHOES
 US PRICE LIST**

(Ex Works Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439118006	Front Hanger Bracket Class 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000042P64	\$52.00
439119006	Front Hanger Bracket Class 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000042P64	\$52.00
716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000359P98	\$439.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000405P08	\$494.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000423P12	\$516.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000449P36	\$548.00
716525046	Big Foot Dirt Pads	52 LB	9000213P20	\$260.00
717916036	Mechanical Thumb Class 2 7.5 Ft BHA90 only	90 LB	9000427P22	\$521.00
439122006	Mechanical Thumb Class 3 8.5 Ft BHA102 only	90 LB	9000427P22	\$521.00
716410036	Rubber Street Pads	4 LB	9000140P22	\$171.00



**TL SERIES ROTARY TILLERS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

TL160:

For use with

- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Approximate working width: 60 inches
(1524mm)

Tilling depth adjustment with guide
shoes: 0 to 4.5 inches (0 to 114mm)

Maximum tilling depth without guide
shoes: 7.25 inches (184mm)

Hitch: Category I

Offset Adjustment to Right: 11 inches
(280mm)

PTO hp Rating: 45

Rotor Drive Type: Chain

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 236 RPM

Number of Blades: 28

Blade Tip Speed @ 540 RPM:

1063 (FPM)

TL172H:

For use with

- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

Approximate working width: 72 inches
(1830mm)

Tilling depth adjustment with guide
shoes: 0 to 5 inches (0 to 127mm)

Maximum tillage depth without guide
shoes: 7 inches (178mm)

Hitch: Category I or II

Offset Adjustment to Right: 11 inches
(280mm)

PTO hp Rating: 60

Rotor Drive Type: Gear

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 211 RPM

Number of Blades: 36

Blade Tip Speed @ 540 RPM:

944 (FPM)



**TL SERIES ROTARY TILLERS
 US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	9002468P20	\$3,010.00
TL172 72IN ROT TILL	TLX172 72IN CHAIN D	1,000 LB	9002786P36	\$3,398.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	9003161P10	\$3,855.00
TL180H 80IN ROT TILL	TL180H 80IN HD GEAR	1,200 LB	9003386P60	\$4,130.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ADDITIONAL OPERATOR'S MANUAL

SD 47083 OPERATOR'S MANUAL

X47083X	No Additional Operators Manual			No Charge
---------	--------------------------------	--	--	-----------



**RC ROTARY CUTTERS
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

**ROTARY CUTTER - ECONOMY
(3-POINT):**

RC480:

Cutting Width: 48 in.
Cutting Height: 1 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 10 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

RC600:

Cutting Width: 60 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

RC720:

Cutting Width: 72 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

**ROTARY CUTTER - STANDARD DUTY
(3-POINT):**

RC605:

Cutting Width: 60 in.
Cutting Height: 2 1/2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC725:

Cutting Width: 83 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC840:

Cutting Width: 83 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel



**RC ROTARY CUTTERS
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

ROTARY CUTTER - HEAVY DUTY
(3-POINT):

RC727:

Cutting Width: 72 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC845:

Cutting Width: 84 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC84HD:

Cutting Width: 84 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 4 in. (max.)
Blade Carrier: Pan
Deck Thickness: 3/16 x 7 gauge
Safety Deflectors: Front and Rear
Chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Dual tail wheel

ROTARY CUTTER - HEAVY DUTY
(3-POINT): (continued)

RC960:

Cutting Width: 96 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 3/16 x 7 gauge
Safety Deflectors: Front and Rear
Chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
2 spindle
Dual tail wheel

ROTARY CUTTER - HEAVY DUTY
(PULL-TYPE):

RC1200:

Cutting Width: 120 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/
Slip Clutch - 540 rpm
Tire and Wheel: Laminated
2 spindle



**RC ROTARY CUTTERS
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

ROTARY CUTTER - HEAVY DUTY
(PULL-TYPE): (continued)

RC1800 - 540 rpm driveline:
(Standard and
Smooth Top/Double Deck)
Cutting Width: 180 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/
Slip Clutch 540 rpm
Outboard Drivelines to wings:
Cat. 4 w/Slip Clutch
Tire and Wheel: Laminated
3 spindle

RC1800 - 1000 rpm driveline:
(Standard and
Smooth Top/Double Deck)
Cutting Width: 180 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/ Slip Clutch
1000 rpm - 1 3/8 in. shaft
1000 rpm - 1 3/4 in. shaft
Outboard Drivelines to wings:
Cat. 4 w/Slip Clutch
Tire and Wheel: Aircraft (used)
3 spindle
Hydraulic level lift

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

RC480 - up to 48
RC600 - up to 48
RC720 - up to 48
RC605 - up to 65
RC725 - up to 65
RC840 - up to 65
RC727 - up to 95
RC845 - up to 95
RC84HD - up to 140
RC960 - up to 140
RC1200 - up to 150
RC1800 - up to 210



**RC ROTARY CUTTERS
 US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RC480 ROTARY CUTTR	48 in. standard-duty	538	9001334P14	\$1,627.00
RC600 ROTARY CUTTR	60 in. standard-duty	728	9001544P88	\$1,884.00
RC720 ROTARY CUTTR	72 in. standard-duty	882	9001886P82	\$2,301.00
RC605 ROTARY CUTTR	60 in. medium-duty	731	9002223P02	\$2,711.00
RC725 ROTARY CUTTR	72 in. medium-duty	907	9002505P10	\$3,055.00
RC840 ROTARY CUTTR	84 in. medium-duty	1189	9002889P68	\$3,524.00
RC727 ROTARY CUTTR	72 in. HD single tail	1284	9003146P34	\$3,837.00
RC845 ROTARY CUTTR	84 in. HD single tail	1599	9004308P28	\$5,254.00
RC84HD ROTARY CUTTR	84 in. HD dual tail	1750	9006358P28	\$7,754.00
RC960 ROTARY CUTTR	96 in. HD dual tail	1975	9007039P70	\$8,585.00
RC1200 ROTARY CUTTR	540 rpm, 120 in.	2670	9009667P80	\$11,790.00
RC1800 540RPM	540 rpm, 180 in.	5720	9016809P18	\$20,499.00
RC1800 1000RPM 1-3/8	1000 rpm 180 in. 1-3/8 in. shft	6000	9019256P06	\$23,483.00
RC1800 1000RPM 1-3/4	1000 rpm 180 in. 1-3/4 in. shft	6000	9019256P06	\$23,483.00
RC1800 540RPM DD	540rpm, 180 in. Dbl Deck	6500	9019424P16	\$23,688.00
RC1800 1000 1-3/8 DD	1000rpm, 180in. 1-3/8 Dbl Deck	6830	9021567P64	\$26,302.00
RC1800 1000 1-3/4 DD	1000rpm, 180in. 1-3/4 Dbl Deck	2670	9021567P64	\$26,302.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT

SD 16049 EXTRA WHEELS, TIRES AND RIMS

	X16049X	No Extra Wheels and Tires			No Charge
	717984	Aircraft Tires (2) Available on RC1800 with 1000RPM driveline		9000390P32	\$476.00
	717985	Aircraft Tires (6) Available on RC1800 with 540RPM driveline		9001169P32	\$1,426.00
	717986	Aircraft Tires (8) Available on RC1800 with 540RPM driveline		9001565P38	\$1,909.00
	717987	Foam Filled P Tire 6 Available on all RC1800 Models		9001565P38	\$1,909.00
	717988	Foam Filled P Tire 8 Available on all RC1800 Models		9001975P38	\$2,409.00



**RC ROTARY CUTTERS
 US PRICE LIST**

(Ex Works Beaumont, TX)

SD N6428 FRONT SAFETY CHAINS

	XN6428X	No Front Safety Chains			No Charge
	717979	Front Safety Chains Available on RC480, RC600 and RC720		9000164P82	\$201.00

SD N6429 REAR SAFETY CHAINS

	XN6429X	No Rear Safety Chain			No Charge
	717980	Rear Safety Chains Available on RC480, RC600 and RC720		9000164P82	\$201.00

SD N6430 SLIP CLUTCH

	XN6430X	No Slip Clutch			No Charge
	717981	Slip Clutch Available on RC480, RC600 and RC720		9000197P62	\$241.00

SD N6431 DUAL TAIL WHEEL

	XN6431X	No Dual Tail Wheel			No Charge
	717982	Dual Tail Wheel Available on RC605, RC725, RC727, RC840, RC845, and RC1800		9000473P96	\$578.00

SD N6432 HYD LIFT

	XN6432X	No Hyd Lift			No Charge
	717983	Hyd Lift Available on RC1800 with 540RPM driveline		9001145P54	\$1,397.00

SD N6433 COATING

	XN6433X	No Coating			No Charge
	717991	Galvanized			
		if MODEL is 72 in. standard-duty		9000094P30	\$115.00
		if MODEL is 60 in. medium-duty		9000094P30	\$115.00
		if MODEL is 48 in. standard-duty		9000094P30	\$115.00
		if MODEL is 72 in. medium-duty		9000094P30	\$115.00
		if MODEL is 60 in. standard-duty		9000094P30	\$115.00
		if MODEL is 84 in. medium-duty		9000094P30	\$115.00
		if MODEL is 540 rpm, 120 in.		9000235P34	\$287.00
		if MODEL is 96 in. HD dual tail		9000235P34	\$287.00
		if MODEL is 84 in. HD dual tail		9000235P34	\$287.00
		if MODEL is 84 in. HD single tail		9000235P34	\$287.00
		if MODEL is 72 in. HD single tail		9000235P34	\$287.00
		if MODEL is 540 rpm, 180 in.		9000708P48	\$864.00
		if MODEL is 540rpm, 180 in. Dbl Deck		9000708P48	\$864.00
		if MODEL is 1000 rpm 180 in.1-3/4 in. shft		9000708P48	\$864.00
		if MODEL is 1000 rpm 180 in.1-3/8 in. shft		9000708P48	\$864.00
		if MODEL is 1000rpm,180in.1-3/4 Dbl Deck		9000708P48	\$864.00
		if MODEL is 1000rpm,180in.1-3/8 Dbl Deck		9000708P48	\$864.00



**RC ROTARY CUTTERS
 US PRICE LIST**

(Ex Works Beaumont, TX)

SD_N6436 QUICK ATTACH HITCH

	XN6436X	No Quick Attach Hitch			No Charge
	439026	Quick Attach Hitch Available on RC480, RC600, RC605, RC720, RC725, RC727, RC840, RC845, RC84HD, RC960		9000070P52	\$86.00



**RC ROTARY CUTTERS
 US PRICE LIST**

**(Ex Works Beaumont, TX)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Front Safety Chains

717979006	48" Front Safety Chains Available on RC480	27 LB	9000164P82	\$201.00
717979016	60" Front Safety Chains Available on RC600	29 LB	9000164P82	\$201.00
717979026	72" Front Safety Chains Available on RC720	33 LB	9000164P82	\$201.00

Rear Safety Chains

717980006	48" Rear Safety Chains Available on RC480	42 LB	9000164P82	\$201.00
717980016	60" Rear Safety Chains Available on RC600	44 LB	9000164P82	\$201.00
717980026	72" Rear Safety Chains Available on RC720	48 LB	9000164P82	\$201.00



WORK EZ® DISK HARROW
US PRICE LIST

(Ex Works Beaumont, TX)
Standard Equipment

78 IN. DISK HARROW:

Number of Disk Blades: 20 notched
(front and rear)
Disk Blade Size: 18 in. diameter
Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in.,
7 1/2 in. R
Maximum Cutting Depth: 6 in.
Cutting Width: 70 in.
Overall Length: 60 in.
Overall Width: 79 in.
Bearing Lubrication: sealed bearings
Adjustable gang angle

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Min./Max.): 20 - 60
Hitch: Cat. I EZ Match™ compatible



WORK EZ® DISK HARROW
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ DISK HARROW	EZ78DC 78In Disk Harrow	678 LB	9001931P92	\$2,356.00



WORK EZ® RAKES
US PRICE LIST

(Ex Works Beaumont, TX)
Standard Equipment

LANDSCAPE RAKE:

Rake Width:

60LR - 60 in.

72LR - 72 in.

84LR - 84 in.

Tine Spacing: 1 in.

Tine Size: 5/16 x 1 in.

Tine Material: high carbon spring steel

Angle: 5 forward / 3 reverse

Rake Pivot: 360°

Pivot King Pin: 1 1/4 in.

REQUIREMENTS FOR OPERATION:

Maximum Tractor Horsepower: 50

Hitch: Cat. I EZ Match™ compatible



**WORK EZ® RAKES
US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	9000878P22	\$1,071.00
WORK EZ 84LR RAKE	EZ84LR 84in Rock Rake	326 LB	9001200P48	\$1,464.00



**WORK EZ® BOX BLADES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

BOX BLADES:

STANDARD DUTY (For Estate and Homeowners):

Number of Scarifiers (Shanks): 4 to 5
Overall Height: 35 1/2 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
 3/16 in.
Hinges Rear Flat with Cutting Edge:
 n/a

MEDIUM DUTY (For Landscapers):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
 3/8 in.
Hinges Rear Flat with Cutting Edge:
 n/a

HEAVY DUTY (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
 1/2 in.
Hinges Rear Flat with Cutting Edge:
 Standard

INDUSTRIAL (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 8
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
 3/4 in.
Hinges Rear Flat with Cutting Edge:
 Standard

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

48BL - up to 28 2wd / 20 4wd
60BL - up to 28 2wd / 20 4wd
60BM - up to 50 2wd / 40 4wd
72BM - up to 50 2wd / 40 4wd
84BM - up to 50 2wd / 40 4wd
72BH - up to 75 2wd / 55 4wd
84BH - up to 75 2wd / 55 4wd
96BI - up to 100 2wd / 80 4wd

3 Pt. Hitch:

48BL - Cat. I EZ Match™ compatible
60BL - Cat. I EZ Match™ compatible
60BM - Cat. I
72BM - Cat. I
84BM - Cat. I
72BH - Cat. I
84BH - Cat. I
96BI - Cat. II



**WORK EZ® BOX BLADES
 US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	534 LB	9001078P30	\$1,315.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty - Hydr	701 LB	9001634P26	\$1,993.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty	643 LB	9001155P38	\$1,409.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty - Hydr	701 LB	9001712P98	\$2,089.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty	703 LB	9001319P38	\$1,609.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty - Hydr	701 LB	9001875P34	\$2,287.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty	704 LB	9001734P30	\$2,115.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty - Hydr	701 LB	9002470P66	\$3,013.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty	803 LB	9001969P64	\$2,402.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty - Hydr	803 LB	9002706P82	\$3,301.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty	1,153 LB	9002416P54	\$2,947.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty - Hydr	701 LB	9003398P90	\$4,145.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER OPTIONS

SD N6433 COATING				
Order Code	Description	Weight	Factory Data	List Price
XN6433X	No Coating			No Charge
717991	Galvanized		9000082P82	\$101.00



**WORK EZ® REAR BLADES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

REAR BLADES:

REQUIREMENTS FOR OPERATION:

STANDARD UTILITY (For Estate and Homeowners):
Moldboard Width: 60 in. / 72 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: n/a
Angle Adjustment: 5 Forward / 3 Reverse positions

Tractor Horsepower (max.):
60SL - 30
72SL - 30
60SM - 40
72SM - 40
84SM - 40
72SH - 65
84SH - 65
96SI - 100
108SI - 100
96SHI - 225
120SHI - 225
144SHI - 225

MEDIUM DUTY (For Landscapers, Farm, or Ranch):
Moldboard Width: 60 in. / 72 in. / 84 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 45° / E side
Angle Adjustment: 5 Forward / 3 Reverse positions

3 Pt. Hitch:
60SL - Cat. I EZ Match™ compatible
72SL - Cat. I EZ Match™ compatible
60SM - Cat. I EZ Match™ compatible
72SM - Cat. I EZ Match™ compatible
84SM - Cat. I EZ Match™ compatible

HEAVY DUTY (For Contractors):
Moldboard Width: 84 in. / 96 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 30°
Angle Adjustment: 5 Forward / 3 Reverse positions

72SH - Cat. I/II
84SH - Cat. I/II
96SI - Cat. II
108SI - Cat. II
96SHI - Cat. II/III
120SHI - Cat. II/III
144SHI - Cat. II/III

INDUSTRIAL (For Contractors):
Moldboard Width: 96 in. / 108 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 15°
Angle Adjustment: 30°

HEAVY INDUSTRIAL (For Contractors):

Moldboard Width: 96 in./120 in./144 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 24 in.
Tilt Adjustment: 15°
Angle Adjustment: 30°



**WORK EZ® REAR BLADES
 US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	9000803P60	\$980.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	328 LB	9000918P40	\$1,120.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	9001028P28	\$1,254.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	684 LB	9001157P84	\$1,412.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	9001262P80	\$1,540.00
WORK EZ 96SI BLADE	96in 3pt Rear Ind Duty	1,074 LB	9003679P34	\$4,487.00
WORK EZ 108SI BLADE	108in 3pt Rear Ind Duty	1,113 LB	9004200P04	\$5,122.00
WORK EZ 96SHI BLADE	96in 3pt Rear Hvy Industrial	2,120	9008792P86	\$10,723.00
WORK EZ 120SHI BLADE	108in 3pt Rear Hvy Industrial	2,260 LB	9009171P70	\$11,185.00
WORK EZ 144SHI BLADE	144in 3pt Rear Hvy Industrial	2,400 LB	9009545P62	\$11,641.00



**WORK EZ® EZ MATCH™
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1-1/2 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

- EZ78DC - 78 in. Disk Harrow
- EZ60LR - 60 in. Landscape Rake
- EZ72LR - 72 in. Landscape Rake
- EZ84LR - 84 in. Rock Rake
- EZ48BL - 48 in. Standard Duty Box Blade
- EZ60BL - 60 in. Standard Duty Box Blade
- EZ60SL - 60 in. Standard Utility
Rear Blade
- EZ72SL - 72 in. Standard Utility
Rear Blade
- EZ60SM - 60 in. Medium Duty
Rear Blade
- EZ72SM - 72 in. Medium Duty
Rear Blade
- EZ84SM - 84 in. Medium Duty
Rear Blade



**WORK EZ® EZ MATCH™
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB	9000268P96	\$328.00



**WORK EZ® BALE CARRIERS
US PRICE LIST**

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

MODEL: Work EZ® Bale Carrier
Application - Standard duty
Weight - 155 lbs
Weight rating - 2000 lbs
Tractor horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears



WORK EZ® BALE CARRIERS
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB	9000359P16	\$438.00
WORK EZ BALE SPEAR	155 LB	9000396P88	\$484.00



WORK EZ® HAY SPEARS
US PRICE LIST

Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty
Weight - 153 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty
Weight - 168 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Two replaceable high carbon steel spears
One welded top stabilizing spear



WORK EZ® HAY SPEARS
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ SNGL BALE QA	168 LB	9000646P16	\$788.00
WORKEZ DBL BALE QA	153 LB	9000743P74	\$907.00



PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
--------	-------------	-----------------	-----------------

ROPS/FOPS GROUP

718857166	FOPS canopy for roll bar - white	X	X
FFB1A32W	Sunshade canopy - white	X	X

HYDRAULICS GROUP

Single rear remote; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Remote valve not stackable; cannot add a second single rear remote.

MT20124614	Rear remote #1; Farmall 30B/35B (Gear or HST)	X	
MT20124611	Rear remote #1; Farmall 40B/50B HST only		X
MT20124606	Rear remote #1; Farmall 40B/50B Gear only		X

Dual rear remotes; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Contains two valves (#1 & #2)

MT20124614	Rear remote #1 & #2; Farmall 30B/35B (Gear or HST)	X	
MT20124612	Rear remote #1 & #2; Farmall 40B/50B HST only		X
MT20124607	Rear remote #1 & #2; Farmall 40B/50B Gear only		X

Other Hydraulics

MT20117607	Draft control for gear units	X	X
------------	------------------------------	---	---

PTO GROUP

MT20022006	Mid PTO; 2,000 RPM	X	
MT20022005	Mid PTO; 2,000 RPM		X



PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
WEIGHT GROUP <i>(Note: attaching hardware is available from Service Parts)</i>			
710215016	Front end weight - 60 lbs. Compatible with grille guard but not compatible with loader. Maximum 5 weights per tractor. Requires front weight carrier #718233006 if using more than 2 weights	X	X
718215036	Front end weight - 100 lbs. Compatible with grille guard but not compatible with loader. Maximum 3 weights per tractor. Requires front weight carrier #718233006	X	X
718740016	Rear counter weight bracket	X	X
718233006	Front weight carrier (max five 60 lb. weights) (not compatible with loader)	X	X
710470026	Wheel Weight (105lb's each) for 420/70-24 IND tires & wheels - 2 max per wheel / 4 max per tractor		X
Miscellaneous Group			
719849216	Grille Guard	X	
719849226	Grille Guard		X
MT20119015	Right hand side step	X	X
MT20119014	Right hand grip/grab handle (replaces std. tray & cupholder)	X	X
MT20119006	7 pin connector	X	
MT20119007	7 pin connector		X
710990076	Tool box bracket (requires toolbox 5135060)	X	
710990086	Tool box bracket (requires toolbox 5135060)		X
5135060	Toolbox (Black)	X	X
84317040	Engine coolant heater - Mitsubishi engine	X	
84316967	Engine coolant heater - LS engine		X
251006F	Linkage drawbar (FONNC830AA stay kit required)	X	X
FONNC830AA	Linkage drawbar stay kit	X	X
87702589	ROPS mounted work light kit	X	X
8427548	French operators manual / decal kit (DMC 262-636-7540)	X	
8427560	French operators manual / decal kit (DMC 262-636-7540)		X



PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Work Direct
with Custom Products

Aftermarket Cab:
Custom Products of Litchfield, Inc.
PO Box 70
Litchfield, MN 55355
TOLL FREE 800-CAB-LINE; (800) 222-5463
FAX (320) 693-7252
www.800cabline.com
www.cozycab.com

FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
Cab Group						
Windshield wiper/washer, rear	710642016	1.0	X	X	X	
Cab roof visibility guard	718002006	0.5	X	X	X	
Operator presence switch conversion seat kit for light operators	87550442	2.0	X	X	X	
Arm rest kit	718852026	0.5	X	X	X	
Radio bezel	87328627	1.0	X	X	X	Included in CNH Audiovox radio
Radios			X	X	X	Order from CNH Parts
Electrical Group						
Beacon light and mounting kit	710762026	1.0	X	X	X	
75 amp alternator CVT	84158956	2.0	X	X	X	
Hydraulic Group						
3 position (extend, retract, neutral); self-centering rear remote valve. Can be mounted in 1 st , 2 nd , or 3 rd position. Kit contains rear remote valve only.	710366216	2.0	X	X	X	Completing package required
2 position (float, extend, retract, neutral) detent rear remote. Can be mounted in 1 st or 2 nd position. Kit contains rear remote valve only.	719940056	2.0	X	X	X	Completing package required
1 st rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719933046	2.0	X	X	X	Use with valve 710366216 or 719940056
2 nd rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719935046	2.0	X	X	X	Use with valve 710366216 or 719940056
3 rd rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719937036	2.0	X	X	X	Use with valve 710366216
Engine Group						
Engine coolant heater	86403117	2.0	X	X	X	
Cold performance - transmission heater kit - NAR	87537603	1.0	X	X	X	
Drawbar/Hlitch Group						
Drawbar clevis	86402709	0.5	X	X	X	
Stabilizer bracket (required to support hydraulic tubes when 2 spool remote valve fitted, less front loader)	86404991	1.0	X	X	X	
Linkage drawbar	251006F	1.0	X	X	X	FONNC830AA stay kit required
Linkage drawbar stay kit	FONNC830AA	1.0	X	X	X	

FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
Weight Group						
Front end weight 60 LB (27 Kg). Maximum of 2 with all axle/tire combinations.	710215046	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front end weight 100 LB (45 Kg). Maximum of 2 with all axle/tire combinations.	718215056	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front weight carrier (required for additional front weight installation). Holds a maximum of 5 weights. Attaching hardware is available through the Parts Division.	718233006	1.0	X	X	X	Not compatible with front-end loader
Rear wheel weight 105 LB (47 Kg). Maximum of 2 per wheel. Attaching hardware is available through the Parts Division.	710470026	1.0	X	X	X	Compatible with R1 Ag bar tires only
Rear counter weight bracket. Recommended for use with loader or front mount snow blower if using a ballasting box. Mounts on a 3-point hitch and will accept up to quantity of 7 of 710215046 or quantity of 5 of 718215056 front-end weights.	718740016	1.0	X	X	X	
Miscellaneous						
Front bumper/grille guard - CNH black	719849056	0.5	X	X	X	



PARTS DIVISION SUPPLIED ACCESSORIES FOR FARMALL COMPACT TRACTORS				
PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60

CANOPY / FOPS for ROPS

FFB1A22W	Sunshade Canopy (White)	X		
FFB1A22R	Sunshade Canopy (Red)	X		
FFB3A32W	Sunshade Canopy (White)		X	X
FFB3A32R	Sunshade Canopy (Red)		X	X
718857016	FOPS/Canopy for rollbar	X		
718857016	FOPS/Canopy for rollbar		X	
718857056	FOPS/Canopy for rollbar			X

HYDRAULICS NOTE: Mid-mounted hydraulic valve w/single lever joystick required for use with loaders, front mount snowblowers, and front blades.

Mid Mounted Remote Valves

710440076	Mid-mounted hydraulic valve with joystick control. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)	X		
710440106	Mid-mounted hydraulic valve with joystick control for use with Farmall 40, 45, and 50 (Gear Transmission Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)		X	
710330046	Mid-mounted hydraulic valve with joystick control for use with Farmall 40 and 45 ROPS (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
719918046	Mid-mounted hydraulic valve with joystick control for Farmall 40 and 45 CAB (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
710440046	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 ROPS Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
719918026	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 Cab Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
86403115	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For ROPS models		X	
86404991	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For CAB models		X	

Rear Remote Valves - Farmall 31 & 35

718348066	First rear remote valve (self-centering) with ½ in. couplers	X		
718347026	Second rear remote valve (self-centering) with ½ in. couplers (second valve used in combination with 718348066)	X		

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
Rear Remote Valves - Farmall 40, 45 & 50 (with Gear Transmission)				
710366206	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
719940046	Rear remote valve with float and detent - Requires first or second rear remote valve hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
Hydraulic completing kits - include knobs, couplers, levers & coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)				
719934036	First rear remote valve completing kit - compatible with self centering valve & float & detent valve (valve not included)		X	
719936036	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve (valve not included)		X	

Rear Remote Valves - Farmall 40, 45 & 50 (with Hydrostatic Transmission)

710366046	First rear remote valve (self-centering) with ½ in. couplers (includes hydraulic completing package)		X	
718334036	Second rear remote valve (self-centering) with ½ in. couplers - second valve used in combination with 710366046. (includes hydraulic completing package)		X	
719339036	Third rear remote valve (self-centering) with ½ in. couplers - third valve used in combination with 710366046 and 718335036. For use with Deluxe models only (includes hydraulic completing package)		X	
716662016	3rd function hose kit - Contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).		X	

Rear Remote Valves - Farmall 40, 45 & 50 (with CVT Transmission)

710366206	3 position (Extend, Retract, Neutral); Self Centering Rear Remote Valve. Can be mounted in First, Second or Third position. Kit contains Rear Remote Valve only Completing package required (see below)		X	
719940046	4 position (Float, Extend, Retract, Neutral) Detent Rear Remote Valve. Can be mounted in First or Second position Kit contains Rear Remote Valve only Completing package required (see below)		X	
719933046	First Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719935046	Second Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719937036	Third Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216		X	

Rear Remote Valves - Farmall 55 & 60

710366056	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as a First, Second or Third rear remote valve)			X
-----------	---	--	--	---

2/10/2016

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
719940006	Rear remote valve with float and detent - Requires the first or second rear remote valve hydraulic completing kit (see below) (Can be used as a First or Second rear remote valve)			X
Hydraulic completing kits - include knobs, couplers, levers & coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)				
719933016	First rear remote valve completing kit - compatible with self centering valve & float & detent valve (valve not included)			X
719935016	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve (valve not included)			X
719937016	Third rear remote valve completing kit - compatible with self centering valve only (valve not included)			X
716662046	3rd function hose kit - contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).			X

WEIGHTS

NOTE: All weights listed below are for 1 weight only. For rear wheels, you must order two (2) to receive one weight for each side.

710215046	60 lb./27.2kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718215056	100 lb./45.3kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718233006	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader	X	X	
718233016	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader			X
718470036	75 lb./34kg Rear Wheel Weight, maximum of 2 per wheel. Compatible with R4 Industrial tires only. Attaching hardware is available through Parts Division.	X		
710470026	105 lb./47.6kg Rear Wheel Weight, maximum of 2 per wheel. Attaching hardware is available through Parts Division. (Compatible with R1 Ag Bar tires only)	X	X	X
718740016	Rear counter weight bracket. Recommended for use with loader or front mount snowblower if not using a ballasting box. Mounts on a 3-point hitch and will accept up to qty. 7 of 710215046 or qty. 5 of 718215056 front end weights.	X	X	X
	NOTE: Attaching hardware for securing weights is not included. Please order from Parts Division.			

SOFT CABS

710660086	Soft Cab for Farmall 31 and 35 - includes base enclosure, top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)	X		
710660126	Soft Cab for Farmall 40, 45 and 50 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)		X	
710660066	Soft Cab for Farmall 55 and 60 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)			X

2/10/2016

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
-------------	---	--------------------	-----------------------	--------------------

MISCELLANEOUS

86590117	Engine Coolant Heater	X	X	X
251006F	Linkage Drawbar (F0NNC830AA stay kit required)	X	X	X
F0NNC830AA	Linkage Drawbar Stay Kit	X	X	X
86535719	Drawbar Clevis (used with Swinging/Extendible Drawbar)	X	X	
SBA370070300	Drawbar Clevis			X
SP1229985DS	Rear Worklight (50 watt halogen with switch. Bracket required to install worklight, see below.	X	X	X
86531714	Rear Worklight Mounting Bracket	X		
86401040	Rear Worklight Mounting Bracket		X	
87300991	Rear Worklight Mounting Bracket			X
9673703DS	AM/FM Radio Kit for ROPS models	X	X	X
ZAEJHD3000	AM/FM/WB/CD Radio Kit for CAB models		X	X
718852026	Fold-up Armrest Kit	X	X	X
87379951	Transmission Heater Kit	X		
87537603	Transmission Heater Kit		X	X
SBA385071310	Back-up Alarm Kit for SSS Transmission			X
SBA385071320	Back-up Alarm Kit for EHSS Transmission			X
87395939	Spark Arrestor Muffler Kit	X		
719849056	Grill Guard	X	X	
719849086	Grill guard			X
710709046	Step kit, left side (not compatible with MW Series mower decks)	X		
718709066	Step kit, right side (not compatible with MW Series mower decks)	X		
86571922	Right-Hand Platform Step - for Economy version (attaching hardware is available from Parts Division)		X	
718709076	Step kit, right side (ROPS only)			X
710801046	Mid PTO - 2000 RPM (for Farmall 31 gear transmission only)	X		
719801056	Mid PTO - 2000 RPM for Farmall 40 and 45 with Hydrostatic Transmission only		X	
718877016	Hood mounted LH rear view mirror	X		
718877006	Hood mounted LH rear view mirror for ROPS tractors		X	
710990046	Economy toolbox kit for Farmall 40, 45 and 50 Gear Transmission Compact Tractors (includes plastic toolbox that mounts to the top of left-hand fender and metal cup holder that mounts to top of right-hand fender)		X	
86402046	Toolbox with cup holder - for Economy version		X	
710642016	Rear window wiper and washer kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
710762006	Beacon light and mounting kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
718002006	High visibility panel guard for cab roof - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X

The items below are supplied by the Document Management Center (DMC). To order please contact the DMC at (262) 636-7540 or order online through the Dealer Portal (go to tools, select DMC link)

87668370	French Canadian Operator's Manual (Farmall 31 & 35)	X		
87396594	French Canadian Operator's Manual (Economy models)		X	
87721388	French Canadian Operator's Manual (Deluxe models)		X	
87721390	French Canadian Operator's Manual (CAB models)		X	
87396598	French Canadian Operator's Manual (ROPS models)			X
87721397	French Canadian Operator's Manual (CAB models)			X
86402037	French Canadian Decal Kit	X	X	X

2/10/2016



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R
Available through Parts Division unless otherwise noted:					
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	X	X	X	
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	X	X	X	
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				X

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
Available through Parts Division unless otherwise noted:							
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	X					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		X				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			X			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					X	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						X
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	X	X				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			X			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	X					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			X			



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
Available through Parts Division unless otherwise noted:									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	X							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	X							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		X		X				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		X		X				
MAG010D1598	6 ft. Front Chain Guards - Standard and Medium Duty			X		X			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			X		X			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						X		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							X	
MAG415D0060	15 ft. hydraulic level lift. - Pull Type								X
MAG125D801D01	Slip Clutch	X	X	X					



REFERRAL ATTACHMENTS

Case IH does not represent these products or company or offer terms or warranty. When installed and operated according to the manufacturer's instructions, these attachments will not void the Case IH warranty of the Case IH products. The availability, performance, service parts availability, pricing, after sale service and warranty of these products is the sole responsibility of the manufacturer and not of Case IH.

**Electra-Tach -- Electronic actuator for skid-steer style quick-attach device
(quick and easy connect/disconnect)**

Supplier: Ultra-Tach
Address: 100 E. Shenango St.
 Sharpsville, PA 16150

Phone: (724) 962-7644
Fax: (724) 962-1719
E-Mail: www.ultrach.com



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

