



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective October 2, 2018**

**FARMALL® A SERIES TRACTORS
PL-100 FA REVISION 1
SAP PRICE LIST 047 C2**

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.

**Copyright 2018 By
CNH Industrial America LLC**

AGRICULTURAL EQUIPMENT

Price List

Effective 10/2/18

Equipment

Price List

Effective 10/2/18

Price List



**FARMALL® UTILITY A SERIES TRACTORS
TABLE OF CONTENTS**

FARMALL® UTILITY 55A, 65A, 75A SERIES TRACTORS

FARMALL 55A TRACTOR
Standard Features 1
Price List 4

FARMALL 65A TRACTOR
Standard Features 10
Price List 13

FARMALL 75A TRACTOR
Standard Features 18
Price List 21

CASE IH PURCHASE PROTECTION PLAN 26



**FARMALL 55A
US PRICE LIST**

Standard Equipment

ENGINE:

Farmall 55A
54 Gross Engine hp
TBD PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank

EXHAUST:

Under Hood Muffler with Vertical
Exhaust

TRANSMISSION:

LH side steering column mounted
Mechanical Shuttle
8 Forward and 8 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

FRONT AXLE:

2WD:
Inverted "U" axle design
6,614 lbs. (3000 kg)
restricted (dynamic) axle capacity
5,291 lbs. (2400 kg)
unrestricted (static) axle capacity
Turning radius of 144 in.
(3650mm) without brakes

FRONT AXLE: (cont.)

Track widths from 54 in. (1362 mm)
to 69 in. (1762 mm) with adjustable
rims and axle

MFD: (Optional)

Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:

Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

TIRES:

2WD:
9.5L-15 Front
16.9x28 R1W Rear

MFD:

11.2x24 R1 Front
16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch
-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines



FARMALL 55A
US PRICE LIST

Standard Equipment

HITCH:

3-point Category II with fixed lower links

and telescoping stabilizers
3664 lbs. Lift Capacity (SAE)
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS
ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, two doors

with locks, two external mirrors,

(cont.)

openable side windows, hinged rear window (fully opens), High Visibility roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm rests
Suspended pedals
Radio ready (speakers and antenna)
Instructor seat

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

L610 Front Loader, OPTIONAL

STANDARD FEATURES:

Quick attach design:
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grill guard

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @ pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45 deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach



FARMALL 55A
US PRICE LIST

Standard Equipment

L610 MECHANICAL SELF-LEVELING
Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS

Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach



FARMALL 55A
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 55A TRACTOR	Cab	55 HP	2WD		9023105P94	\$29,623.00
FARMALL 55A TRACTOR	Cab	55 HP	MFD		9027040P26	\$34,667.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T8500 SEAT

	338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
	342240	FABRIC W/AIR SUSPENS		9000390P00	\$500.00

SD T9200 OPERATOR STRUCTURE #1

	333606	CAB FIX SCREEN OPEN			No Charge
--	--------	---------------------	--	--	-----------

RADIO

SD T9160 RADIO READY

	330777	Radio ready - for cab CAB only			No Charge
	342174	RADIO W/BLUETOOTH CAB only		9000195P00	\$250.00

SEAT

SD T8520 INSTRUCTIONAL SEAT

	332865	INSTRUCTIONAL SEAT			No Charge
--	--------	--------------------	--	--	-----------



**FARMALL 55A
US PRICE LIST**

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

	393280	30 KPH. 8x8 (30KPH)			No Charge
	337280	40 KPH 12x12 (40KPH)		9001513P20	\$1,940.00

SD_T2810 TRANSMISSION

	759317	MECH SHUT.W/MECH PTO			No Charge
	759318	POWER SHUT W/SERVO		9001574P04	\$2,018.00

SD_T3230 CREEPER or Interlock

	391111	L/CREEP F/MEC TRANSM			No Charge
	330112	CREEP 20+20 F/MEC TR		9000608P40	\$780.00

HITCH

SD_T8130 3 POINT HITCH CONTROL

	391035	Less 3 Pt Hitch Ground Control			No Charge
	332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000189P54	\$243.00

SD_T8200 HITCH

	390831	Hitch w/Mech Top Link Draft Co			No Charge
	332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,000 lbs/1,814 kgs lift capacity)		9000344P76	\$442.00

SD_T8960 DRAWBAR AND 3 POINT HITCH

	390259	FIX END LOWER LINKS.			No Charge
	334316	FLEXIBLE ENDS		9000195P00	\$250.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

	335413	2 Rem. Valve (1 S/D)			No Charge
	335640	3 REMOTE VALVE		9000608P40	\$780.00



FARMALL 55A
US PRICE LIST

MID-MOUNT VALVES

SD T8280 MID-MOUNT VALVES

	390124	Less Mid-Mount			No Charge
	336125	2Mid-Mount w/MecJoy L/CPL		9000940P68	\$1,206.00

PTO

SD T8010 PTO

	743565	540 RPM PTO			No Charge
	743566	540/540E PTO		9000405P60	\$520.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8225201	9.5L-15 9.5L-15 For 2WD			No Charge
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000278P46	\$357.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900577P98)	(\$741.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial For 2wd			No Charge
	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901118P52)	(\$1,434.00)



FARMALL 55A
US PRICE LIST

FENDERS

SD T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000527P28	\$676.00

LOADER

LOADER EQUIPMENT

SD T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344742	LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00
	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00

BUCKET

SD T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000405P60	\$520.00



FARMALL 55A US PRICE LIST			
--------------------------------------	--	--	--

		336748	72" Bucket		9000405P60	\$520.00
--	--	--------	------------	--	------------	----------

OTHER EQUIPMENT			
------------------------	--	--	--

SD_T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights			No Charge
		330183	FRONT WEIGHT 8X30KG		9000794P82	\$1,019.00

SD_T4961 REAR BALLAST

		XT4961X	Standard less rear ballast			No Charge
		330470	4 x 110 lb Rear Wheel Weights		9000462P54	\$593.00



**FARMALL 65A
US PRICE LIST**

Standard Equipment

ENGINE: to 69 in. (1762 mm) with adjustable rims and axle

Farmall 65A
64 Gross Engine hp
TBD PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
(CEGR + DOC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank

EXHAUST:
Under Hood Muffler with Vertical Exhaust

TRANSMISSION:
LH side steering column mounted
Mechanical Shuttle
8 Forward and 8 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

FRONT AXLE:
2WD:
Inverted "U" axle design
6,614 lbs. (3000 kg)
restricted (dynamic) axle capacity
5,291 lbs. (2400 kg)
unrestricted (static) axle capacity
Turning radius of 144 in.
(3650mm) without brakes
Track widths from 54 in. (1362 mm)

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in. to 79.4 in.

REAR AXLE:
Flange Type
Adjustable Tread Width 60.1 in. to 76.0 in.

TIRES:
2WD:
9.5L-15 Front
16.9x28 R1W Rear

MFD:
11.2x24 R1 Front
16.9X30 R1 Rear

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)
(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:
Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch
-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines

HITCH:
3-point Category II with fixed lower links and telescoping stabilizers
3664 lbs. Lift Capacity (SAE)
Swinging Drawbar



FARMALL 65A
US PRICE LIST

Standard Equipment

Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical

suspension, operator's presence sensor, retractable seat belt, arm rests

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

L610 Front Loader, OPTIONAL

STANDARD FEATURES:

Quick attach design:
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grill guard

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45 deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach

L610 MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45



FARMALL 65A
US PRICE LIST

Standard Equipment

deg: 20.8"

Reach @ Ground Level: 79.9"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style bucket attach



FARMALL 65A
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 65A TRACTOR	Cab	65 HP	2WD		9025052P82	\$32,119.00
FARMALL 65A TRACTOR	Cab	65 HP	MFD		9028987P14	\$37,163.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T8500 SEAT

	338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
	342240	FABRIC W/AIR SUSPENS		9000390P00	\$500.00

SD_T9200 OPERATOR STRUCTURE #1

	333606	CAB FIX SCREEN OPEN			No Charge
--	--------	---------------------	--	--	-----------

RADIO

SD_T9160 RADIO READY

	330777	Radio ready - for cab CAB only			No Charge
	342174	RADIO W/BLUETOOTH CAB only		9000195P00	\$250.00

SEAT

SD_T8520 INSTRUCTIONAL SEAT

	332865	INSTRUCTIONAL SEAT			No Charge
--	--------	--------------------	--	--	-----------



**FARMALL 65A
US PRICE LIST**

TRANSMISSION

TRANSMISSION

SD T2800 SPEED

	393280	30 KPH. 8x8 (30KPH)			No Charge
	337280	40 KPH 12x12 (40KPH)		9001513P20	\$1,940.00

SD T2810 TRANSMISSION

	759317	MECH SHUT.W/MECH PTO			No Charge
	759318	POWER SHUT W/SERVO		9001574P04	\$2,018.00

SD T3230 CREEPER or Interlock

	391111	L/CREEP F/MEC TRANSM			No Charge
	330112	CREEP 20+20 F/MEC TR		9000608P40	\$780.00

HITCH

SD T8130 3 POINT HITCH CONTROL

	391035	Less 3 Pt Hitch Ground Control			No Charge
	332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000189P54	\$243.00

SD T8200 HITCH

	390831	Hitch w/Mech Top Link Draft Co			No Charge
	332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,000 lbs/1,814 kgs lift capacity)		9000344P76	\$442.00

SD T8960 DRAWBAR AND 3 POINT HITCH

	390259	FIX END LOWER LINKS.			No Charge
	334316	FLEXIBLE ENDS		9000195P00	\$250.00

HYDRAULICS

REAR REMOTE VALVES

SD T8270 REAR REMOTES

	335413	2 Rem. Valve (1 S/D)			No Charge
	335640	3 REMOTE VALVE		9000608P40	\$780.00



**FARMALL 65A
US PRICE LIST**

MID-MOUNT VALVES

SD T8280 MID-MOUNT VALVES

	390124	Less Mid-Mount			No Charge
	336125	2Mid-Mount w/MecJoy L/CPL		9000940P68	\$1,206.00

PTO

SD T8010 PTO

	743565	540 RPM PTO			No Charge
	743566	540/540E PTO		9000405P60	\$520.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8225201	9.5L-15 9.5L-15 For 2WD			No Charge
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000278P46	\$357.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900577P98)	(\$741.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial For 2wd			No Charge
	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901118P52)	(\$1,434.00)



FARMALL 65A
US PRICE LIST

FENDERS

SD T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000527P28	\$676.00

LOADER

LOADER EQUIPMENT

SD T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL.2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344742	LOADER-MSL.2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00
	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00

BUCKET

SD T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000405P60	\$520.00



**FARMALL 65A
 US PRICE LIST**

		336748	72" Bucket			9000405P60	\$520.00
--	--	--------	------------	--	--	------------	----------

OTHER EQUIPMENT

SD T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights				No Charge
		330183	FRONT WEIGHT 8X30KG			9000794P82	\$1,019.00

SD T4961 REAR BALLAST

		XT4961X	Standard less rear ballast				No Charge
		330470	4 x 110 lb Rear Wheel Weights			9000462P54	\$593.00



**FARMALL 75A
US PRICE LIST**

Standard Equipment

ENGINE: to 69 in. (1762 mm) with adjustable rims and axle

Farmall 75A
74 Gross Engine hp
60 PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
(CEGR + DOC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank

EXHAUST:
Under Hood Muffler with Vertical Exhaust

TRANSMISSION:
LH side steering column mounted
Mechanical Shuttle
8 Forward and 8 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

FRONT AXLE:
2WD:
Inverted "U" axle design
6,614 lbs. (3000 kg)
restricted (dynamic) axle capacity
5,291 lbs. (2400 kg)
unrestricted (static) axle capacity
Turning radius of 144 in.
(3650mm) without brakes
Track widths from 54 in. (1362 mm)

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:
Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

TIRES:
2WD:
9.5L-15 Front
16.9x28 R1W Rear
MFD:
11.2x24 R1 Front
16.9X30 R1 Rear

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)
(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:
Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch
-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines

HITCH:
3-point Category II with fixed lower links and telescoping stabilizers
3664 lbs. Lift Capacity (SAE)
Swinging Drawbar



FARMALL 75A
US PRICE LIST

Standard Equipment

Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibly roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical

suspension, operator's presence sensor, retractable seat belt, arm rests

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat

NON-CAB MODELS

2-Post Foldable ROPS with ISO and mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts, arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

L610 Front Loader, OPTIONAL

STANDARD FEATURES:

Quick attach design:
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grill guard

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @ pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45 deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees



FARMALL 75A
US PRICE LIST

Standard Equipment

Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach

L610 MECHANICAL SELF-LEVELING
Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS

Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach



FARMALL 75A
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 75A TRACTOR	Cab	75 HP	2WD		9026999P70	\$34,615.00
FARMALL 75A TRACTOR	Cab	75 HP	MFD		9030934P02	\$39,659.00
FARMALL 75A TRACTOR	Rops	75 HP	2WD		9021257P34	\$27,253.00
FARMALL 75A TRACTOR	Rops	75 HP	MFD		9025191P66	\$32,297.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T8500 SEAT

338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
342240	FABRIC W/AIR SUSPENS		9000390P00	\$500.00

SD T9200 OPERATOR STRUCTURE #1

344781	2 POST FOLDABLE ROPS			No Charge
333606	CAB FIX SCREEN OPEN			No Charge
344764	CANOPY (FOPS) ROPS Only		9000663P00	\$850.00

RADIO

SD T9160 RADIO READY

XT9160X	Standard less radio ready ROPS only			No Charge
330777	Radio ready - for cab CAB only			No Charge
342174	RADIO W/BLUETOOTH CAB only		9000195P00	\$250.00



**FARMALL 75A
US PRICE LIST**

SEAT

SD T8520 INSTRUCTIONAL SEAT

	390865	Less Instructional Seat				No Charge
	332865	INSTRUCTIONAL SEAT				No Charge

TRANSMISSION

TRANSMISSION

SD T2800 SPEED

	393280	30 KPH. 8x8 (30KPH)				No Charge
	337280	40 KPH 12x12 (40KPH)		9001513P20		\$1,940.00

SD T2810 TRANSMISSION

	759317	MECH SHUT.W/MECH PTO				No Charge
	759318	POWER SHUT W/SERVO		9001574P04		\$2,018.00

SD T3230 CREEPER or Interlock

	391111	L/CREEP F/MEC TRANSM				No Charge
	330112	CREEP 20+20 F/MEC TR		9000608P40		\$780.00

HITCH

SD T8130 3 POINT HITCH CONTROL

	391035	Less 3 Pt Hitch Ground Control				No Charge
	332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000189P54		\$243.00

SD T8200 HITCH

	390831	Hitch w/Mech Top Link Draft Co				No Charge
	332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,000 lbs/1,814 kgs lift capacity)		9000344P76		\$442.00

SD T8960 DRAWBAR AND 3 POINT HITCH

	390259	FIX END LOWER LINKS.				No Charge
	334316	FLEXIBLE ENDS		9000195P00		\$250.00



**FARMALL 75A
US PRICE LIST**

HYDRAULICS

REAR REMOTE VALVES

SD T8270 REAR REMOTES

	335413	2 Rem. Valve (1 S/D)			No Charge
	335640	3 REMOTE VALVE		9000608P40	\$780.00

MID-MOUNT VALVES

SD T8280 MID-MOUNT VALVES

	390124	Less Mid-Mount			No Charge
	336125	2Mid-Mount w/MecJoy L/CPL		9000940P68	\$1,206.00

PTO

SD T8010 PTO

	743565	540 RPM PTO			No Charge
	743566	540/540E PTO		9000405P60	\$520.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8225201	9.5L-15 9.5L-15 For 2WD			No Charge
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000278P46	\$357.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900577P98)	(\$741.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial For 2wd			No Charge
--	---------	---	--	--	-----------



**FARMALL 75A
US PRICE LIST**

	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901118P52)	(\$1,434.00)

FENDERS

SD T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000527P28	\$676.00

LOADER

LOADER EQUIPMENT

SD T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9005807P88	\$7,446.00
	344742	LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00
	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE.		9006639P36	\$8,512.00



**FARMALL 75A
 US PRICE LIST**

BUCKET

SD T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000405P60	\$520.00
	336748	72" Bucket		9000405P60	\$520.00

OTHER EQUIPMENT

SD T2150 FRONT BALLAST

	390215	Less Front Carrier and Weights			No Charge
	330183	FRONT WEIGHT 8X30KG		9000794P82	\$1,019.00

SD T4961 REAR BALLAST

	XT4961X	Standard less rear ballast			No Charge
	330470	4 x 110 lb Rear Wheel Weights		9000462P54	\$593.00



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

