



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective October 1, 2018**

**MAXXUM™ SERIES TRACTORS
PL-100 MA Revision 22
SAP Price List 031 C3**

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

Products included in this price list are eligible for the Performance Plus Program.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.

**Copyright 2018 By
CNH Industrial America LLC**



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**MAXXUM™ SERIES TRACTORS
TABLE OF CONTENTS**

MAXXUM™ SERIES TRACTORS

MAXXUM™ 115-150 TRACTOR - ACTIVEDRIVE 4

Standard Features	1
Price List	4

MAXXUM™ 115-150 TRACTOR - MC ACTIVEDRIVE 8

Standard Features	26
Price List	29

MAXXUM™ SERIES 115-145 TRACTOR- CVXDRIVE

Standard Features	52
Price List	55

PARTS DIVISION SUPPLIED ACCESSORIES	75
---	----

TIRE CHARTS -- MAXXUM Tire Charts.....	79
---	----

SHIPPING WHEEL PROGRAM	83
------------------------------	----

CASE IH PURCHASED PROTECTION PLAN	84
---	----

(The following table content is extremely faint and illegible due to low contrast and scan quality. It appears to be a multi-column table with various rows of data.)



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port Of Entry)
Standard Equipment**

ENGINE:

115 - 145: 4 Cylinder Turbocharged
and Intercooled Engine with
electronic management with
Power Boost
115: 95 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
125: 105 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
135: 110 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
145: 120 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
150: 6 Cylinder Turbocharged
and Intercooled Engine with
electronic management with
Power Boost
150: 125 PTO hp @ 2200 RPM/
411 cu. in. (6.75 L) Displacement
Tier 4B Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner & Exhaust
Aspiration
Dual element air filter
Hand and foot throttle
Grid Heater Starting Aid
115-150: 55.4-gallon (210 L) Fuel
Tank w/guard
10.4 Gallon (39.5 L) Diesel Exhaust
Fuel (DEF) Tank
Viscous fan (9 Blades)
Engine auto shut down feature
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE:

CAB:

ROPS protected, ISO-mounted flat
deck platform, narrow profile roof
design with heater and air conditioner
(with 4-speed pressurizer), tinted
windshield with sunshade, fixed

OPERATOR PROTECTIVE STRUCTURE:

(continued)
hi-visibility roof window with retractable
sun screen, front intermittent wipers
and washers, two doors with locks,
two external mirrors, hinged rear
window (fully opens), radio ready
(speakers, wiring, antenna), rear
window access panel for
control/monitor box or wiring harness
entrance, interior dome light, self-
cancelling turn signal, and two external
courtesy lights
Steering wheel: tilt and telescoping
Seat: Basic air suspension
seat with operator's presence sensor,
seat belt, and swivel

INSTRUMENTATION:

Analog/Digital instrumentation cluster
with LCD display
Warning lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, headlight
high beam and parking brake
Gauges for fuel level, engine
temperature, tachometer
(mechanical) and hour meter

TRANSMISSION:

16F x 16R Semi-Powershift
- ACTIVE DRIVE 4 Transmission
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully synchronized
4 powershifts in 4 ranges
Clutchless range change
Multiplate wet clutch design

MFD -- 25 mph (40 kph)
Speed varies with tire selection

CLUTCH:

Multi-plate wet clutch design



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port Of Entry)
Standard Equipment**

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake

HYDRAULICS:

Fixed displacement gear pump system:
Maximum flow at rated engine speed
22.7 gpm (86 l/m) flow
(implement pump)
12.4 gpm (47 l/m) flow
(steering and operating circuits)
35.1 gpm (133 l/m) total tractor
hydraulic flow
Two closed-center remote valves
with flow control, quick couplers,
and anti-leak down
Dual individual lever control
Rear remote oil collection system
Hydraulic tapping port (power beyond)

AXLES:

MFD Front Axle:
Class III MFD Axle
Limited slip front differential
without steering sensors
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

Rear Axle:

Flange type
Dog Clutch rear differential:
MFD - Electro-hydraulic engaged
(front and rear)
Standard rear tires:
18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with flex link
ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6200 lb/2812 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM
with single reversible shaft
Multi-plate wet clutch design
Electro-hydraulic engagement
with soft start/auto feathering
Flip-up PTO shaft guard
Fender mounted PTO control switch

ELECTRICAL:

(1) 12-volt 800 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative
terminals
Single Pin (8 amp) Accessory Power
outlet
150 amp Alternator
Two roof mounted single pin outlets
for beacon Cigar lighter

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two "C"-post mounted rear facing
Two taillights



MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST

(Ex Works Port Of Entry)
Standard Equipment

LIGHTING: (continued)
Time delayed turn indicators with
audible warning
Front and rear cab roof mounted
flashing safety lights

MISCELLANEOUS:
Pivoting engine hood
SMV emblem
Toolbox
Horn
NEBRASKA TEST REPORT STATUS:
Nebraska Temporary Sales Permit
to be applied for



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 ACTIVE DRIVE4	11,376 LB	9084752P36	\$110,068.00
MAXXUM 125 ACTIVE DRIVE4	11,376 LB	9090616P68	\$117,684.00
MAXXUM 135 ACTIVE DRIVE4	11,376 LB	9093166P15	\$120,995.00
MAXXUM 145 ACTIVE DRIVE4	12,555 LB	9098179P62	\$127,506.00
MAXXUM 150 ACTIVE DRIVE4	12,831 LB	9102343P78	\$132,914.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD T9980 PACKAGING

X0412XX	<p>CIH PKG A CUSTOM CIH Custom allows for individual selection of each option</p>			No Charge
X0408XX	<p>CIH PKG B STANDARD Standard Package includes Standard Features and following: 758497.....Bracket for Equipment Monitor 743714.....Deluxe Radio w Bluetooth 758441.....113L/Min. CCLS Pump 743741.....3 Mech Rear Remote Valves (2C) 758489.....Rotary Beacon Lefthand Side 758355.....4 LED Std Power Low-Roof (deduct) Note - each option will be selected and display pricing; package selection is for ease of selection and does not currently have a pricing impact</p>			No Charge



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	X0409XX	CIH PKG C DELUXE Deluxe Package includes Standard Packages features plus adds following: 758558.....200 AMP_Alternator 758435.....Extended Life Brake Discs 759140.....Hvy Dty Bty Mech ISO 743902.....Enhanced Inst w/ ISO Socket 758452.....Cat II/III Flex Links 758593.....8 LED High Power Low-Roof 758479.....Suspended Cab 758349.....Rear Window Wiper 759153.....2 Telescopic Mirrors Note - each option will be selected and display pricing; package selection is for ease of selection and does not currently have a pricing impact			No Charge
	X0410XX	CIH PKG D LUXURY Luxury Package includes Deluxe Packages features plus adds following: 759130.....Large Fuel Tank+Guard 743685.....4 Mech Rear Remotes (2NC+2C) 743811.....2 External 90MM 758488.....High Headlight Righthand DIP 758580.....Sunshade, Rear Window 759154.....2 Tele/Heat/Rem Adj Mirrors 758483.....Leather Steering Wheel + Carpet Note - each option will be selected and display pricing; package selection is for ease of selection and does not currently have a pricing impact			No Charge

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen Standard Cab - Does not include Cab Suspension			No Charge
	758479	Suspended_Cab Two shocks mounted in rear of cab increase operator comfort Reduces shock loads transmitted to the tractor by up to 25% When coupled with a suspended axle, the ultimate in ride comfort is achieved. Includes tinted rear window		9001321P32	\$1,716.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

CAB					
-----	--	--	--	--	--

SD T7620 SPEAKERS

		390653	Radio Predisposition. Includes speakers and wiring. Ready for aftermarket radio in DIN slot.			No Charge
		743714	Deluxe Radio with Bluetooth Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and Bluetooth with noise cancelling microphone. Includes speakers and wiring.		9000382P69	\$497.00

SD T9000 STORAGE BOX/SEAT

		390905	Less LH Front Box			No Charge
		758568	Lefthand Front Box Storage area near the LH door, instead of an instructor seat		9000099P33	\$129.00
		758569	Instructional Seat with Belt Includes seatbelt Cloth will match operator seat		9000444P29	\$577.00

SD T9010 REAR CAB STORAGE BO

		390906	Less Rear Cab Storage Box			No Charge
		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Compatible with or without instructor seat/front toolbox options		9000167P09	\$217.00

SD T9230 CLIMATE CONTROL

		392701	AIR CONDITIONING 392701 Standard A/C			No Charge
--	--	--------	---	--	--	-----------

SD T9260 REAR WIPER & WASHER

		390675	Less Rear Wiper			No Charge
		758348	Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab		9000334P95	\$435.00

SD T9291 REAR WINDOW SUNSHADE

		X92911X	No Rear Window Sunshade			No Charge
		758580	Sunshade, Rear Window Pull down perforated material sunscreen.		9000154P00	\$200.00

SD T9553 LUXURY PACK

		391152	Std Steering Wheel Standard, non-leather steering wheel			No Charge
--	--	--------	---	--	--	-----------



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	758483	Leather Steering Wheel +Carpet Black Leather wrapped steering wheel with red stitching. Includes Wheat Brown carpet with Case IH Logo.		9000194P04	\$252.00
--	--------	--	--	------------	----------

STEERING COLUMN

SD T6300 STEERING OR AUTOGUIDANCE READY

	391630	Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 Maxxum Tractors			No Charge
--	--------	---	--	--	-----------

SD T9180 AUDIBLE WARNING TURN INDICATOR

	390930	Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn Sound and dash light indicates turn signal active		(900063P91)	(\$83.00)
	758504	Self-Cancel + Audible Turn Cancels automatically with the turn of the steering wheel Sound and dash light indicates turn signal active			No Charge

MIRRORS

SD T9360 RR MIRRORS

	759453	2 Std Mirrors 2 Standard Mirrors: 6.3" x 10.4" (160 x 263 mm)			No Charge
	759153	2 Telescopic Mirrors 759153 2 Telescopic Mirrors (Shatter Proof with Large Head and Spotter) 7.9" x 11.8" (200 x 300 mm)		9000207P13	\$269.00
	759154	2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors (Shatter proof with Large Head and Spotter) 7.9" x 11.8" (200 x 300 mm)		9000255P64	\$332.00

INSTRUMENTATION

SD T7610 INSTRUMENT PANEL

	390761	Analog/Digital Basic Cluster Basic instrument cluster Does not monitor PTO speed			No Charge
	743902	Enhanced Inst w/ ISO Socket Required with radar Includes 7-pin DIN/ISO 11786 socket in RH console to power implement monitors Includes ground speed, rear PTO speed, and rear 3-point position & work status Includes functionality for Area accumulator, odometer, PTO speed display, and wheel slip on dashboard instrument cluster.		9000128P59	\$167.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

WORK LIGHTING

SD T9110 HOOD LIGHTS

	759446	BASIC HOOD LIGHTS New Grill Styling with updated headlights 2 halogen road lights 2 halogen work lights			No Charge
	759447	HIGH SPEC HOOD LIGHT New Grill Styling with updated LED High Spec Hood Lights 2 halogen road lights 4 led work lights 2 LED signature lights		9000756P91	\$983.00

SD T9130 WORK LAMPS

	758355	4 LED Std Power Low-Roof Included in base equipment Standard power 1100 Lumens LED work lights 2 front roof-mounted LED work lights 2 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		(901171P94)	(\$1,522.00)
	758593	8 LED High Power Low-Roof High power 1950 Lumens LED work lamps 2 front roof-mounted LED work lights 2 rear roof-mounted LED work lights 2 grab rail LED work lights (redesigned structures) 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights			No Charge

SD T9131 FRONT WORK LAMPS ON

	390661	Less High Mounted Headlamp			No Charge
	758488	High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.		9000231P77	\$301.00

BEACON LIGHTING

SD T9146 ROTARY BEACON

	X91461X	No Rotary Beacon			No Charge
	758489	Rotary Beacon Lefthand Side Single Rotary Beacon placed on rear left of tractor for increased safety and visibility		9000312P62	\$406.00
	758491	Twin Beacon Dual Rotary Beacons placed on the rear of the cab on both the left and right side for maximum safety and visibility		9000625P24	\$812.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

DISPLAY MOUNTING

SD T7612 BRACKET MONITOR

	392440	Less monitor bracket			No Charge
	758497	Bracket for Equipment Monitor Includes monitor bar only, no harnesses or mounting bracket		9000118P58	\$154.00

PRECISION FARMING

AUTOGUIDANCE

SD T5101 ADV PROCESSOR

	X15011X	Less Advanced Processor			No Charge
	758498	Advanced Processor Required for front suspension Required for front hitch		9000297P22	\$386.00

ENGINE

SD T1000 ENGINE

	392194	T4B Engine W/Boost Elect. Fuel pump - 4 valves with Power Boost			No Charge
	758400	Tier 4B Engine Exhaust Brake Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust Brake - Activated by depressing a pedal on left side in the cab Closes the exhaust flap to act as an exhaust brake to reduce braking when hauling heavy loads on steep terrain.		9001426P04	\$1,852.00

SD T1010 ENGINE OPTIONS

	392300	STD ENG COOLING FAN			No Charge
--	--------	---------------------	--	--	-----------

SD T1040 CHARGING SYSTEMS

	758557	150 AMP Alternator			No Charge
	758558	200 AMP Alternator Required for Suspended Cab w/htd screens 758480		9000179P41	\$233.00

SD T1934 ENG SPEED MANAGEMENT

	390465	Less Engine Speed Management			No Charge
	743814	Engine Speed Management Constant Engine RPM (CERPM) Functions Allows operator to set and switch between two engine RPM set-points Switches located on RH console		9000348P04	\$452.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

STARTING AID

SD T1938 WEATHER PACK

	758401	Grid_Heater -18F (-10C) to -32.4F (-18C)			No Charge
	758402	Grid_Heater + 110V Pack Improves cold weather starting abilities; transmission heat maintainer 110V Electrical Plug in Engine block heater includes 2 heaters: 1 for engine block heater and 1 for transmission and hydraulic heat maintainer Plugs located side by side, below main cab door opening		9000302P61	\$393.00

BATTERY

SD T7420 BATTERY

	392499	STD DTY MECH ISOLAT Standard Duty Battery (140AH) Mech Isolator			No Charge
	758407	HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator		9000083P93	\$109.00
	758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.		9000411P18	\$534.00
	759140	Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage.		9000328P79	\$427.00

FUEL TANK

SD T1400 FUEL TANK

	759127	Std Fuel Tank Does not include fuel tank guards Capacity - 55.4 Gal (210L)		(900248P71)	(\$323.00)
	759128	Std Fuel Tank+Guard Includes fuel tank guards Capacity - 55.4 Gal (210L)			No Charge
	759130	Large Fuel Tank+Guard Includes fuel tank guards Incompatible with 34" rear wheels (8365401) Capacity - 66 Gal (250L)		9000175P56	\$228.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

TRANSMISSION

TRANSMISSION

SD T2800 SPEED

2WD Only					
	759375	30KPH 16X16 L/Autoshift 19 MPH (30 KPH)		(901081P85)	(\$1,405.00)
	759377	30KPH 16X16 W/Autoshift 19 MPH (30 KPH) Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input		(900498P96)	(\$648.00)
	759379	30KPH 16X16 Autoshift+Creeper 19 MPH (30 KPH) Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input		9001334P41	\$1,733.00
MFD					
	392195	40KPH_16X16_L/Autoshift 25 MPH (40 KPH) Does not include autoshift functionality			No Charge
	758413	40KPH_16X16_w/Autoshift 25 MPH (40 KPH) Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input		9000593P67	\$771.00



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758414	40KPH_32X32_Autoshift+Creeper 25 MPH (40 KPH) Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input		9002463P23	\$3,199.00
743764	40 KPH (17x16) ECO 25 MPH (40 KPH) In 17th gear, engine RPMs limited to save fuel at max speed Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input		9001644P72	\$2,136.00
743766	50 KPH (17x16) 31 MPH (50 KPH) Includes autoshift-field and autoshift-road modes for ease of operation Autoshift road mode allows for automatic shifting between gears 9-16/17 Autoshift field mode will allow for automatic shifting between a specific set of gears When engaged transmission will automatically shift with throttle input Requires class 4 suspended front axle with brakes, hydraulic trailer brakes, specific tires, and the 26.5 gpm (113L/min) hydraulic pump		9001644P72	\$2,136.00

RADAR

SD T7580 RADAR

390703	Less Radar			No Charge
758501	Radars NAR Provides more accurate speed readings and area measurements Requires enhanced instrumentation (758546) A Pillar CIH Enhanced Instru		9000611P38	\$794.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

TRAILER BRAKES

SD_T7230 PNEUM TRAILER BRAKE

	390729	L/ Pneumatic Trailer Brakes			No Charge
	758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (744784) or brake logic valve (744783) Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy hauling applications, such as with manure tankers.		9006051P43	\$7,859.00

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

	390711	Less trailer brakes			No Charge
	744784	Hyd Trailer Brake Universal Synchronized trailer braking only when both service brake pedals are actuated. System consists of trailer brake valve with priority over hydraulic lift and remotes. For customers with hydraulically powered brakes in heavy hauling applications, such as with manure tankers.		9000845P46	\$1,098.00

HITCH

FRONT HITCH

SD_T8100 FRONT THREE POINT HITCH

	390811	Less Front Linkage			No Charge
	759144	Integrated FHPL 759144 Integrated Front Hitch		9005813P50	\$7,550.00
	759147	Int FHPL+FPTO Integrated Front Hitch with PTO The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates counter-clockwise when looking from the front of the tractor.		9012263P79	\$15,927.00

SD_T8300 HOSES FOR FHPL

	390926	Less Tubes for FHPL			No Charge
	758473	Tubes FHPL Connect Mech RR Connects front hitch to mechanical rear remote			No Charge
	758475	Hose pkg for frt hitch w/ MMV Hose package to connect front hitch to mid-mount valves			No Charge
	758544	Hse pkg frt hit w/MMV/frt coup Front hitch and 1 front remote to mid-mount valves		9000143P99	\$187.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758582	Tubes + Coupler Mech Rear Rem. Front hitch and 1 front remote to mechanical rear remotes	9000143P99	\$187.00
--------	--	------------	----------

REAR 3-POINT

SD T8950 AUX RAMS

390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test		No Charge
743811	2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000395P78	\$514.00

SD T8960 DRAWBAR AND 3 POINT HITCH

758451	Cat II Flex Links Telescopic link ends		No Charge
758452	Cat II/III Flex Links Telescopic link ends	9000093P94	\$122.00
758454	C2/3 QA Hyd Top Link Quick-Attach "Claw-type" link ends. Includes hydraulic top link, which uses 1 pair of rear remote valves	9000275P66	\$358.00
759922	HYDROPLINK+FLEX LINK Includes hydraulic top link, which uses 1 pair of rear remote valves Telescopic Cat 2/3 Flex Links	9000275P66	\$358.00

HYDRAULICS

SD T8230 HYD PUMP

391828	80L/Min Fixed Displacement Pmp Fixed Displacement Pump Max flow available @ remotes (combined flow) or power beyond (l/min) considering 90% efficiency- 19.3gpm (73 l/m)		No Charge
758441	113L/Min. CCLS Pump Pressure Flow Compensating (PFC) Closed Center Load Sensing Optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (l/min) considering 90% efficiency- 32.2 gpm (122 l/m)	9001238P16	\$1,608.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

REAR REMOTE VALVES

SD T8270 REAR REMOTES

	390840	2 Mechanical Rear Remotes 2 mechanical; non-configurable			No Charge
	743740	2 Mech Rear Remote Valves (2C) 2 mechanical; configurable rear remotes		9000251P02	\$326.00
	743741	3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control		9000920P92	\$1,196.00
	743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control		9001839P53	\$2,389.00
	758358	4-Mech Rear Remotes F/ Pwr Byd 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.		9002403P17	\$3,121.00

POWER BEYOND

SD T8275 POWER BEYOND COUPLE

	390710	Hyd Power Beyond Capped Hydraulic power beyond capped off. This option is less power beyond and less low-pressure return line.		(900134P75)	(\$175.00)
	758540	Low-Pressure Return Low pressure return line with 1/2" hydraulic quick coupler. ISO 7241 Series A hydraulic quick coupler, non-flat face design. Does not include load sense line Requires male end on implement 83972881 (CNH Industrial Parts)			No Charge
	758542	Power Beyond + Low-Pressure Requires 4 remotes Requires 113 L/min pump (758441) Power beyond is used in situations where the implement controls how much hydraulic flow it demands, such as applications running orbital motors. The load sense line adjusts the swash plate, varying the flow of oil out of the Power side of the circuit. Implement requires the following matching male couplers (CNH Industrial Parts): Return: 87482232 Power: 87482231 Load Sense: 87482228 Includes low pressure return line with 1/2" hydraulic quick coupler (non-flat face design). Low pressure return requires male end on implement: 83972881 (CNH Industrial Parts).		9000575P19	\$747.00



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

PTO

SD T8720 AUTO PTO

	390160	Less Auto PTO			No Charge
	330160	Auto PTO Management System Allows PTO to automatically engage/disengage based on rear three-point hitch position. Enabled via switch on RH console near RH C-pillar		9000166P32	\$216.00

FRONT AXLE

SD T4010 FRONT AXLE

	759381	2WD Heavy Duty Axle Requires 30 KPH (19 MPH) transmission and 11.00-16 10PR tires (8138401) Not compatible with Front PTO or Front Fenders Compatible with 758344: Complete Loader Ready Only compatible with L735 Loader		(906731P34)	(\$8,742.00)
	392196	Class 3, L/Brakes Class 3 less brakes			No Charge
	758420	Class 3 Hydraulic Lock 9,039 lbs. maximum carrying capacity Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock		9000248P71	\$323.00
	758425	Class 4 Hydraulic Lock Class 4 MFD axle with multi-plate fully locking, front differential with steering sensors 10,803 maximum carrying capacity Requires 113 L/min pump (758441) Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock Incompatible with 34 inch rear wheels		9000941P71	\$1,223.00
	758427	Class 4 Suspension Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspension can be locked solid by the operator using an in-cab switch, located on the RH console. Requires 113 L/min pump (758441)		9005260P64	\$6,832.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758428	Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspension can be locked solid by the operator using an in-cab switch, located on the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)	9005683P37	\$7,381.00
759109	Class 4 HD Std Axle Class 4 Heavy Duty Axle Includes multi-plate, fully locking front differential for extra traction in slippery conditions Recommended for Loader application Non-suspended Requires 113 L/min pump (758441)	9001131P13	\$1,469.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

For Class 3 Front Axle				
8859604	320/85R34 R1W MI,FI Brands: Michelin Requires 320/90R50 R1W	9000548P24	\$712.00	
8250401	340/85(13.6)R28 R1W Brands: Firestone, Continental/Mitas, Trelleborg Requires 16.9R38 R1W	9000237P93	\$309.00	
8240402	380/85(14.9)R24 A8 Brands: Firestone, Michelin Requires 460/85(18.4)R34 R1W	9000237P93	\$309.00	
8241401	380/85(14.9)R28 A8 Brands: Continental/Mitas, Firestone, Michelin, Trelleborg Requires 460(18.4)R38 R1W		No Charge	
8201201	400/80R28 Fixed Cls 3 Alliance Brand: Alliance	9000776P16	\$1,008.00	
8258404	380/85(14.9)R30R1W MI,F,T,C,A Brands: Michelin Requires 18.4R42 R1W	9000420P42	\$546.00	
8255404	420/85(16.9) R28 R1W MI-FI-TR Brands: Michelin, Firestone Requires 20.8R38 R1W	9000553P63	\$719.00	
8825401	480/65R28(R1W) Fixed Rims F/CL Michelin, Firestone, Continental/Mitas	9000270P27	\$351.00	
8801301	520/60R28 MAVT Rims - MI Brand: Michelin	9001724P03	\$2,239.00	



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	8299905	Front Shipping Wheels-4WD Requires rear shipping wheels		(900910P14)	(\$1,182.00)
2WD Only					
	8138401	11.00-16 10PR F2 GY Requires 2WD Front Axle		(901298P99)	(\$1,687.00)
For Class 4 Front Axle					
	8801604	320/85R34 R1W Brands - MI Brands: Michelin, Firestone Requires 320/90R50 R1W		9000548P24	\$712.00
	8241901	380/85(14.9)R28R1W HD-MIFITRCO Brands: Trelleborg, Michelin, Firestone, Continental/Mitas Requires: 460(18.4)R38 R1W			No Charge
	8258704	380/85(14.9)R30 R1W MI-FI-CM Brands: Michelin, Firestone, Continental/Mitas, Alliance Requires 18.4R42 R1W or 14.9R46 R1W		9000420P42	\$546.00
	8866501	400/80R28 Fixed Cts 4 Alliance Brand: Alliance		9000776P16	\$1,008.00
	8255904	420/85(16.9)R28 R1W MI-FI Brands: Michelin, Firestone Requires 20.8R38 R1W or 18.4R42 R1W		9000553P63	\$719.00
	8815601	480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders		9000270P27	\$351.00
	8801601	520/60R28 R1W Fixed HD Brand: Michelin Requires 650/60R38		9002459P38	\$3,194.00
	8299906	Front Shipping Wheels Requires rear shipping wheels		(900910P14)	(\$1,182.00)

REAR AXLE

SD T3200 REAR AXLE

	392197	HD Flange With Dog Diff Axle: HD Flange 56.3"-84" (1,430 mm - 2,134 mm) Differential: Dog-Clutch Wheel: Steel Wheel Rims			No Charge
Multi-Differential					
	758430	HD Flange Multi-Diff Axle: HD Flange- 56.3"-84" (1430 mm - 2134 mm) Differential: Hydraulic Wheel: Steel Wheel Rims		9000248P71	\$323.00
	758432	HD Bar Steel Multi-Diff Axle: HD 98" (2,489 mm) Bar Differential: Hydraulic Wheel: Steel Wheel Rims		9001113P42	\$1,446.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	758434	HD Bar Cast Multi-Differential Axle: HD 98" (2,489 mm) Bar Differential: Hydraulic Wheel: Cast Wheel Rims Not compatible with Cast Wheel Weights		9001113P42	\$1,446.00
--	--------	--	--	------------	------------

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

Cast Wheel, Bar Axle Only					
	8334406	460/85(18.4)R38 R1W- MI,FI,CM Brands: Michelin, Firestone, Continental/Mitas		9001181P18	\$1,534.00
	8384406	460/85(18.4)R42 R1W - MI Brands: Michelin, Firestone, Continental/Mitas, Alliance		9001489P18	\$1,934.00
Flange or Bar Axle Steel Disc					
	8963504	320/90R50 R1W MI Brands: Michelin		9000465P08	\$604.00
	8370404	380/90(14.9)R46R1WAdj Rim-C,MI Brands: Continental/Mitas		9000287P98	\$374.00
	8375501	420/85(16.9)R38 R1W FI,CM Brands: Firestone, Continental/Mitas		(900043P12)	(\$56.00)
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Brands: Michelin, Firestone, Continental/mitas, Trelleborg		(901062P60)	(\$1,380.00)
	8328401	460/85(18.4)R38 R1W-MIFITRCO Brands: Trelleborg, Michelin, Firestone, Continental/Mitas			No Charge
	8388404	460/85(18.4)R42R1W MI,F,T,C,A Michelin		9000356P51	\$463.00
	8919401	480/80R38 Alliance Alliance 550 Multi-Use		9001057P98	\$1,374.00
	8380404	520/85 (20.8) R38 R1W MI, TR Brands: Michelin Requires full cover rear fenders (743707 or 743708)		9001604P68	\$2,084.00
	8969401	600/65R38 R1W-FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas		9000792P33	\$1,029.00
	8907601	650/60R38 R1W F/Bar AXL - MI Brands: Michelin		9001030P26	\$1,338.00
	8399906	Rear Shipping Wheels Requires front shipping wheels		(902691P15)	(\$3,495.00)

FENDERS

SD T8710 FENDERS PTO CONTROL

	392803	Fender Mounted Controls Fender mounted switches for rear PTO and rear three-point hitch for operation from outside cab			No Charge
--	--------	--	--	--	-----------



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

FRONT FENDERS

SD T8740 FRONT FENDERS

	390875	Less front fender			No Charge
	758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires		9000587P51	\$763.00
	758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.9" Dynamic front fenders allow the fenders to turn with the tires		9000682P99	\$887.00
	758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires		9000766P92	\$996.00

REAR FENDERS

SD T8700 FENDERS

	391153	Standard Fenders 85.4 in (2170 mm) overall width			No Charge
	743777	Standard fenders with extensn 3" (75 mm) fender extensions added on to the full cover fenders		9000290P29	\$377.00
	743707	Full Cover 92.1 in./2340 mm rear fenders.		9000542P08	\$704.00
	743708	Full Cover with extension Full cover with 3 in./ 75 mm wide extensions.		9000830P06	\$1,078.00

LOADER

MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

Side Rails					
	758478	Engine Side Rails Recommended for side-mounted attachments e.g. sprayer tanks. No Loader Brackets. Not compatible with loader equipment.		9000727P65	\$945.00
Loader Brackets					
	390819	Less Loader Ready No Loader Brackets No Engine Side Rails			No Charge
	758344	Loader Ready + 2Mech MMV +Joy Complete Loader Ready includes TPS Mount Bracket Set (with Grill Guard) and Mid Mounted Valve - 2 function mechanical (Includes valve, mech joystick, cables, & hose kit)		9005614P07	\$7,291.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758351	Loader Ready + 3Mech MMV+Joy Complete Loader Ready includes TPS Mount Bracket Set (with Grill Guard) and 3MMVs - 2 Mechanical and 1 Electronic (Includes valve, mech joystick, cables, & hose kit) Required for "live" third function such as a grapple attachment Not available with 759381: 2WD Heavy Duty Axle		9006943P09	\$9,017.00
--------	---	--	------------	------------

OTHER EQUIPMENT

FRONT BALLAST

SD T2150 FRONT BALLAST

Tow Hook-Only				
390444	Tow Hook-Only Tow Hook 251 lbs/114 kg Not allowed with Front hitch (743699 or 743700)			No Charge
Weight Carrier Only				
758562	Weight Carrier w/Hook Weight Carrier Narrow Weight Carrier 253 lbs/115 kg Holds up to 8 weights Not compatible with Front hitch (743699 or 743700)		9000194P81	\$253.00
758563	Wide carrier CIH Wide front weight carrier Wide Weight Carrier 361 lbs/164 kg, holds up to 16 weights. Not compatible with front loader.		9000327P25	\$425.00
Wghts plus Carrier no Tow Hook				
758515	Weight Pack A_CIH 4 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 4 Weights 396 lbs/180 kg. Total weight 649 lbs/295 kg. Not compatible with Front hitch (743699 or 743700)		9000718P41	\$933.00
758516	Weight Pack B_CIH 8 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 8 Weights 792 lbs/359 kg. Total weight 1045 lbs/474 kg. Not compatible with Front hitch (743699 or 743700)		9001242P01	\$1,613.00



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758517	Weight Pack C_CIH 16 weights plus wide carrier Wide Weight Carrier 361 lbs/164 kg, Plus 16 Weights 1584 lbs/718 kg. Total weight 1945 lbs/882 kg. Not compatible with Front hitch (743699 or 743700)		9002421P65	\$3,145.00
Wghts plus Carrier w/ Tow Hook				
758518	Weight Pack A w/Hook Weight Pack A Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 2 Weights 198 lbs/90 kg. Total weight 702 lbs/318 kg. Not compatible with Front hitch (743699 or 743700)		9000843P92	\$1,096.00
758519	Weight Pack B w/Hook Weight Pack B Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 6 Weights 594 lbs/269 kg. Total weight 1098 lbs/498 kg. Not compatible with Front hitch (743699 or 743700)		9001314P39	\$1,707.00
758520	Weight Pack C w/Hook Weight Pack C Wide Weight Carrier 361 lbs/164 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 12 Weights 1188 lbs/549 kg. Total weight 1800 lbs/816 kg. Not compatible with Front hitch (743699 or 743700)		9002142P14	\$2,782.00

REAR BALLAST

SD T4960 WHEEL WEIGHTS

X49601X	L/Wheel Weights			No Charge
758564	6X65KG Wheel Weight Each weight weighs 143 lbs. (65 kg) 3 weights are on each side on the rear Total weight = 806 lbs. (389 kg) Not Compatible with 650/60R38 (8907501 or 8907601)		9000895P51	\$1,163.00
759137	2X150KG + 2X250KG Wheel Weight 2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg) 2 weights are on each side on the rear Total weight = 1764 lbs. (800 kg)		9001168P09	\$1,517.00



**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	759821	2X150KG + 4X250KG Wheel Weight Recommended for Loader Applications 2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg) 3 weights are on each side on the rear Total weight = 2866 lbs. (1300 kg) Compatible with HD Bar Cast Multi-Differential Axle (758434) Not Compatible with 650/60R38 (8907501 or 8907601)		9002005P08	\$2,604.00
--	--------	---	--	------------	------------

ADDITIONAL EQUIPMENT

SD T3600 BRAKE PACK

	390166	Std. Heavy Duty Brake Discs			No Charge
	758435	Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications		9000255P64	\$332.00

SD T9560 FRONT TOOLBOX

	390996	Standard Toolbox 5.5 in. x 12.5 in. (140 mm x 315 mm)			No Charge
	743848	Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm) Great for larger tools, like hammers and larger wrenches		9000070P07	\$91.00

OTHER OPTIONS

TIRE BRAND PREFERENCE

SD T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Continental/Mitas. Availability of brands vary by size.			No Charge
	330447	Alliance		9000418P88	\$544.00
	330439	Continental		9000418P88	\$544.00
	330446	Firestone		9000418P88	\$544.00
	330442	Michelin		9000418P88	\$544.00
	330418	Trelleborg		9000418P88	\$544.00



-T1KF 01

**MAXXUM ACTIVE DRIVE 4 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

	758534	English USA Extra Operators Manual			No Charge
	758535	Spanish NAR Extra Operators Manual			No Charge
	759101	French NAR Extra Operators Manual			No Charge
	X98021X	No Additional Operator Manual Includes standard English Operators Manual Does not include additional Operators Manual			No Charge



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

115 - 145: 4 Cylinder Turbocharged and Intercooled Engine with Electronic Power Management and Constant RPM feature Power Boost in Transport and PTO Modes
115: 95 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
125: 105 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
135: 110 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
145: 120 PTO hp @ 2200 RPM/
273 cu. in. (4.5 L) Displacement
150: 6 Cylinder Turbocharged and Intercooled Engine with electronic management with Power Boost
150: 125 PTO hp @ 2200 RPM/
411 cu. in. (6.75 L) Displacement
Tier 4B Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner & Exhaust Aspiration
Dual element air filter
Hand and foot throttle
Grid Heater Starting Aid
115-150: 55.4-gallon (210 L) Fuel Tank w/guard
10.4 Gallon (39.5 L) Diesel Exhaust Fuel (DEF) Tank
Viscous fan (9 Blades)
Engine auto shut down feature
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE:

CAB:

ROPS protected, flat deck platform with Standard Cab, with heater and air conditioner (with 4 speed

OPERATOR PROTECTIVE STRUCTURE:

(continued)

pressurizer), tinted windshield with sunshade, opening hi-visibility roof window with retractable sun screen, front and rear intermittent wipers and washers, two doors with locks, two telescoping external mirrors, hinged rear window (fully opens), radio ready (speakers, wiring, antenna), rear window access panel for control / monitor box or wiring harness entrance, digital clock, interior storage box, interior dome light, self cancelling turn signal, and two external courtesy lights

Steering wheel: tilt and telescoping

Seat: Deluxe air suspension seat with operator's presence sensor, seat belt, and swivel

MultiControl Armrest with Integrated Transmission, Throttle, PTO and Hitch Controls

INSTRUMENTATION:

A-Post mounted Analog/Digital Instrument Cluster with display of engine oil pressure, fuel level, coolant temperature and speed, hitch and PTO operational indicators

TRANSMISSION:

23 X 23 Dual Clutch Transmission

3 Range Transmission (A,B,C)

Clutchless Range Change between ranges A/B and B/C

Steering Column Mounted Left-hand Power Shuttle

Multi-plate Wet Clutch Design

MFD -- 25 mph (40 kph)

Speed varies with tire selection



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

HYDRAULICS:

Pressure and flow compensated
hydraulic system (PFC):
Variable displacement piston pump
Maximum flow at rated engine speed
26.5 gpm (100 l/m) flow
(implement pump)
17.1 gpm (65 l/m) flow
(steering and operating circuits)
43.6 gpm (165 l/m) total tractor
hydraulic flow
3 Closed-center Electronic Remote
Valves with in-cab flow control
Hydraulic Tapping Port
(Power Beyond Ready)
Fender mounted hydraulic 3rd
remote activation switch

AXLES:

Class IV MFD Front Axle:
Electro-hydraulic auto MFD and
diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

Rear Axle:

Flange type
Wet plate rear differential lock
MFD - Electro-hydraulic engaged
Standard rear tires:
18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with
flex link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM
with single reversible shaft
Multi-plate wet clutch design
Electro-hydraulic engagement
with soft start/auto feathering
Flip-up PTO shaft guard
Fender mounted PTO control switch

ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
ISO BUS 11783 rear breakaway socket
15 amp screw type positive/negative
terminals
Single pin (8 amp) accessory power
outlet
150 amp Alternator
ISO/JD (30 amp) socket
Two roof mounted single pin outlets
for beacon Cigar lighter



MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

LIGHTING:

Two hood mounted forward facing

Eight LED worklights

Two cab roof mounted forward facing

Two grab rail mounted forward facing

Two cab roof mounted rear facing

Two rear "C"-post mounted rear
facing

Two taillights

Time delayed turn indicators with
audible warning

Front and rear cab roof mounted

flashing safety lights

MISCELLANEOUS:

Pivoting engine hood

SMV emblem

Toolbox

Horn

NEBRASKA TEST REPORT STATUS:

Nebraska Temporary Sales Permit
to be applied for



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 MC ACTIVE DRIV	18,268 LB	9096183P01	\$124,913.00
MAXXUM 125 MC ACTIVE DRIV	18,268 LB	9102047P33	\$132,529.00
MAXXUM 135 MC ACTIVE DRIV	19,268 LB	9104596P80	\$135,840.00
MAXXUM 145 MC ACTIVE DRIV	19,268 LB	9109610P27	\$142,351.00
MAXXUM 150 MC ACTIVE DRIV	19,268 LB	9113774P43	\$147,759.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T9200 OPERATOR STRUCTURE #1

391610	Cab w/Fixed Front Screen Standard Cab - Does not include Cab Suspension		(901321P32)	(\$1,716.00)
758479	Suspended_Cab Two shocks mounted in rear of cab increase operator comfort Reduces shock loads transmitted to the tractor by up to 25% When coupled with a suspended axle, the ultimate in ride comfort is achieved Includes tinted rear window			No Charge
758481	Suspended Cab + Heated Screens Includes 758479 Suspended Cab plus heated front and rear windscreens Requires 200A alternator		9000378P84	\$492.00

CAB

SD T7620 SPEAKERS

390653	Radio Predisposition. Includes speakers and wiring. Ready for aftermarket radio in DIN slot.			No Charge
743714	Deluxe Radio with Bluetooth Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and Bluetooth with noise cancelling microphone. Includes speakers and wiring.		9000382P69	\$497.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

SD T8500 SEAT

	391285	Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension			No Charge
	758362	Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material		9001461P46	\$1,898.00
	758363	MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting		9002864P40	\$3,720.00

SD T9000 STORAGE BOX/SEAT

	390905	Less LH Front Box		(900099P33)	(\$129.00)
	758568	Lefthand Front Box Storage area near the LH door, instead of an instructor seat			No Charge
	758569	Instructional Seat with Belt Includes seatbelt Cloth/Leather will match operator seat		9000344P19	\$447.00

SD T9010 REAR CAB STORAGE BO

	390906	Less Rear Cab Storage Box			No Charge
	758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Compatible with or without instructor seat/front toolbox options		9000167P09	\$217.00

SD T9230 CLIMATE CONTROL

	390643	Air_Conditioning Standard A/C			No Charge
	758482	Air Conditioning W/ATC Automatic Temperature Control (ATC). Operator sets desired temperature and system maintains set temperature.		9000545P16	\$708.00

SD T9260 REAR WIPER & WASHER

	390675	Less Rear Wiper			No Charge
	758348	Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab		9000334P95	\$435.00

SD T9291 REAR WINDOW SUNSHADE

	X92911X	No Rear Window Sunshade			No Charge
	758580	Sunshade, Rear Window Pull down perforated material sunscreen		9000154P00	\$200.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

SD T9553 LUXURY PACK

	391152	Std Steering Wheel Standard, non-leather steering wheel			No Charge
	758483	Leather Steering Wheel +Carpet Black Leather wrapped steering wheel with red stitching. Includes Wheat Brown carpet with Case IH Logo.		9000194P04	\$252.00

STEERING COLUMN

SD T6300 STEERING OR AUTO GUIDANCE READY

	391630	Standard Steering			No Charge
	759185	Autoguidance Ready Includes steering valve and manifold, hoses, wiring harness, and roof mounting bracket for receiver Does not include display mount		9003685P22	\$4,786.00
	759186	Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted with Pro 700 display)		9002085P93	\$2,709.00
	759187	Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185)		9004073P30	\$5,290.00

SD T9180 AUDIBLE WARNING TURN INDICATOR

	390930	Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn Sound and dash light indicates turn signal active		(900063P91)	(\$83.00)
	758504	Self-Cancel + Audible Turn Cancels automatically with the turn of the steering wheel Sound and dash light indicates turn signal active			No Charge

MIRRORS

SD T9360 RR MIRRORS

	759153	2 Telescopic Mirrors 759153 2 Telescopic Mirrors: Shatter Proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)			No Charge
	759154	2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)		9000049P28	\$64.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

INSTRUMENTATION

SD_T7610 INSTRUMENT PANEL

	390763	"A" Pillar for CIH Basic Instr Includes oil, brake, PTO speed, hitch, reset, electronic remote flow and timer (when equipped), engine hours, fault codes, egress light settings.			No Charge
	758546	A Pillar CIH Enhanced Instru Includes oil, brake, PTO speed, hitch, reset, electronic remote flow and timer (when equipped), engine hours, fault codes, egress light settings. Also includes A-Post data display, slip control, area worked, tractor performance monitoring.		9000123P97	\$161.00

WORK LIGHTING

SD_T9110 HOOD LIGHTS

	759446	BASIC HOOD LIGHTS New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights			No Charge
	759447	HIGH SPEC HOOD LIGHT New Grill Styling with LED High Spec Hood Lights 2 halogen roadlights 4 led worklights 2 led signature lights		9000756P91	\$983.00

SD_T9130 WORK LAMPS

	392212	8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		(900293P37)	(\$381.00)
	758357	8 LED High Power Hi-Roof High Power LED lights 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights			No Charge



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	758594	12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		9001171P94	\$1,522.00
	758595	14 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 6 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		9001757P91	\$2,283.00

SD T9131 FRONT WORK LAMPS ON

	390661	Less High Mounted Headlamp			No Charge
	758488	High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.		9000231P77	\$301.00

BEACON LIGHTING

SD T9146 ROTARY BEACON

	X91461X	No Rotary Beacon			No Charge
	758489	Rotary Beacon Lefthand Side Single Rotary Beacon placed on rear left of tractor for increased safety and visibility		9000312P62	\$406.00
	758491	Twin Beacon Dual Rotary Beacons placed on the rear of the cab on both the left and right side for maximum safety and visibility		9000625P24	\$812.00

DISPLAY MOUNTING

SD T9223 RH WINDOW BAR MOUNT

	390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
	758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor		9000112P42	\$146.00
	758154	RH Window Bar Display Ready. Includes Bar mounted in righthand side of cab without Monitor Includes AFS ready harness		9000182P49	\$237.00



-T11Y 01

**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	758621	10" Color Touch Screen Display Includes Bar mounted in righthand side of cab Includes AFS ready harness Includes AFS Pro 700 Color Touchscreen display		9004084P85	\$5,305.00
--	--------	---	--	------------	------------

SD T9228 RH ARMREST MOUNT

	390686	Less Armrest Monitor.			No Charge
	758548	10" Color Touch Screen Display Includes AFS Pro 700 Color Touchscreen display mounted at the end of MultiControl Armrest		9004097P94	\$5,322.00

PRECISION FARMING

AUTOGUIDANCE

SD T4820 HEADLAND SYSTEM

	392211	Headland Control System End of Row functionality programmed through the tractor's A-Post display If equipped, sequences may be stored in the AFS Pro 700			No Charge
	758592	Adv. Headland Ctrl Config EHR Allows End of Row functions to be precisely programmed within AFS Pro 700 monitor More user-friendly than basic End of Row controls Allows operator to choose within the display which remote is operated on the MultiFunction handle Requires an AFS Pro 700 display		9000728P42	\$946.00

SD T7630 AUTOGUIDANCE

	392484	Less Auto guidance			No Charge
	758803	Full AG Nav GPS L1 Includes WAAS with accuracy to +/- 3 Ft		9006662P81	\$8,653.00
	758804	Full AG Nav GPS L2 Includes Omnistar activation with accuracy to +/- 1.5 In.		9008587P81	\$11,153.00
	758871	Autoguidance Lvl 3 RTK Modem Full AG NAV GPS Level 3 Includes Omnistar and RTK receiver activation with accuracy to +/- 1 In. Requires an RT radio or modem Requires subscription		9010512P81	\$13,653.00

ENGINE

SD T1000 ENGINE

	392194	T4B Engine W/Boost Elect. Fuel pump - 4 valves with Power Boost			No Charge
--	--------	--	--	--	-----------



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	758400	Tier 4B Engine Exhaust Brake Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust Brake - Activated by depressing a pedal on left side in the cab Closes the exhaust flap to act as an exhaust brake to reduce braking when hauling heavy loads on steep terrain.		9001426P04	\$1,852.00
--	--------	--	--	------------	------------

SD T1010 ENGINE OPTIONS

	392300	STD ENG COOLING FAN			No Charge
	758700	VISTRONIC FAN Can vary speed independent of engine speed, based on the demand for cooling		9000125P51	\$163.00

SD T1040 CHARGING SYSTEMS

	758557	150 AMP Alternator			No Charge
	758558	200 AMP Alternator Required for Suspended Cab w/htd screens 758480		9000179P41	\$233.00

SD T1934 ENG SPEED MANAGEMENT

	743814	Engine Speed Management Constant Engine RPM (CERPM) Functions Allows operator to set and switch between two engine RPM set-points Switches located on RH console			No Charge
--	--------	---	--	--	-----------

STARTING AID

SD T1938 WEATHER PACK

	758401	Grid_Heater -18F (-10C) to -32.4F (-18C)			No Charge
	758402	Grid_Heater + 110V Pack Improves cold weather starting abilities; transmission heat maintainer 110V Electrical Plug in Engine block heater includes 2 heaters: 1 for engine block heater and 1 for transmission and hydraulic heat maintainer Plugs located side by side, below door opening		9000302P61	\$393.00

BATTERY

SD T7420 BATTERY

	758407	HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator			No Charge
	759140	Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage		9000245P63	\$319.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.		9000327P25	\$425.00
--	--------	--	--	------------	----------

FUEL TANK

SD T1400 FUEL TANK

	759127	Std Fuel Tank Does not include fuel tank guards Capacity - 210L (55.4 Gal)		(900248P71)	(\$323.00)
	759128	Std Fuel Tank+Guard Includes fuel tank guards Capacity - 210L (55.4 Gal)			No Charge
	759130	Large Fuel Tank+Guard Includes fuel tank guards Incompatible with 34" front tires (8801604 and 8859604) Capacity - 250L (66 Gal)		9000175P56	\$228.00

TRANSMISSION

Double Clutch Mechanical Transmission - up to 24 x 24, creeper option, cartridge hydraulic module. Eight step powershift transmission featuring true power shuttle, soft shift, autoshift for field and/or street, brake-to-inch, kick-down and memory shuttle. DCT provides 3 defined ranges: slow, medium, high to provide an optimized ratio across all the working conditions. Range 2 handles 90% of operating conditions with speeds from 2.4 to 10.7 mph (3.9 to 17.3 kph). Making it ideal for field, hay, and loader applications.

TRANSMISSION

SD T2800 SPEED

DCT

	759110	40 KPH DCT 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges			No Charge
	759111	40 KPH ECO - DCT 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges		9001369P83	\$1,779.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

759113	50 KPH - DCT 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock (758423) or Class 4 Susp + Brake Hyd Lock (758428) and Front Fenders	9001369P83	\$1,779.00
DCT + Creeper			
759131	40KPH DCT + CREEPER 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges Creeper - 722 Feet per hour (220 meters per hour)	9001869P56	\$2,428.00
759112	40K ECO - DCT+CREEPE 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges Creeper - 722 Feet per hour (220 meters per hour)	9003238P62	\$4,206.00
759134	50KPH DCT + CREEPER 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up to 8 Power Shifts per range over 3 ranges Pushbutton shift, No need for mechanical range lever, No need to clutch between ranges Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock (758423) or Class 4 Susp + Brake Hyd Lock (758428) and Front Fenders Creeper - 722 Feet per hour (220 meters per hour)	9003238P62	\$4,206.00

SD T2816 AUTO FEATURES

392359	LESS AUTO FEATURES 392359 Includes: Smart Range Shift: automatically selects the correct gear when shifting through ranges instead of just the next gear Memory Shuttle: adapts to the users operating style when shuttling from forward to reverse; remembers the last selected gear in the opposite direction Smooth Shift: enables engine rpm modulation to further enhance shift quality	(900689P15)	(\$895.00)
--------	--	-------------	------------



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	759166	BASIC AUTO FEATURE Includes 392359 plus Pedal Kick Down: Enhances acceleration while in autoshift mode during transport applications AutoShift: Automates shifting of gears based on engine load Active Clutch II: Allows operator finite inching control by utilizing brake pedal on the tractor			No Charge
	758631	ADV TRANS AUTO FEAT Includes 392359 and 758631 plus Target Speed Management (APM): Maintains set speed; similar to Magnum		9000556P71	\$723.00

RADAR

SD T7580 RADAR

	390703	Less Radar			No Charge
	758501	Radar NAR Provides more accurate speed readings and area measurements Requires enhanced instrumentation 758546 A Pillar CIH Enhanced Instru		9000611P38	\$794.00

TRAILER BRAKES

SD T7230 PNEUM TRAILER BRAKE

	390729	L/ Pneumatic Trailer Brakes			No Charge
	758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (744784) or brake logic valve (744783) Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy hauling applications, such as with manure tankers.		9006051P43	\$7,859.00

TRAILER BRAKES

SD T7130 TRLR BRK VLV

	390711	Less trailer brakes			No Charge
	744784	Hyd Trailer Brake Universal Synchronized trailer braking only when both service brake pedals are actuated. System consists of trailer brake valve with priority over hydraulic lift and remotes. For customers with hydraulically powered brakes in heavy hauling applications, such as with manure tankers.		9000845P46	\$1,098.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

HITCH

FRONT HITCH

SD T8100 FRONT THREE POINT HITCH

	390811	Less Front Linkage			No Charge
	759144	Integrated FHPL 759144 Integrated Front Hitch		9005813P50	\$7,550.00
	759147	Int FHPL+FPTO Integrated Front Hitch with PTO The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates counter-clockwise when looking from the front of the tractor.		9012263P79	\$15,927.00

SD T8106 7P PLUG ON FHPL SUP

	XT8106X	Std L/ 7P Plug On F Front Implement Lighting Connector			No Charge
	758713	7PIN + 3 PIN 40AMP Front Implement Lighting Connector with 3 Pin Power Connector		9000123P97	\$161.00

SD T8300 HOSES FOR FHPL

	390926	Less Tubes for FHPL			No Charge
	758473	Tubes FHPL Connect Mech RR Connects front hitch to mechanical rear remote			No Charge
	758474	Hose pkg for frt hitch w/ ERV Front hitch to electronic rear remote			No Charge
	758475	Hose pkg for frt hitch w/ MMV Hose package to connect front hitch to electronic mid-mount valves			No Charge
	758544	Hse pkg frt hit w/MMV/frt coup Front hitch and 1 front remote to electronic mid-mount valves		9000143P99	\$187.00
	758582	Tubes + Coupler Mech Rear Rem. Front hitch and 1 front remote to mechanical rear remotes		9000143P99	\$187.00

REAR 3-POINT

SD T8950 AUX RAMS

	390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test			No Charge
	743811	2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test		9000395P78	\$514.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

SD T8960 DRAWBAR AND 3 POINT HITCH

	758451	Cat II Flex Links Telescopic link ends			No Charge
	758452	Cat II/III Flex Links Telescopic link ends		9000093P94	\$122.00
	759922	HYDTOPLINK+FLEX LINK Includes hydraulic top link, which uses 1 pair of rear remote valves Telescopic Cat 2/3 Flex Links		9000275P66	\$358.00

HYDRAULICS

SD T8230 HYD PUMP

	391828	80L/Min Fixed Displacement Pmp Fixed Displacement Pump for use with mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (l/min) considering 90% efficiency- 19.3gpm (73 l/m)		(901238P16)	(\$1,608.00)
	758441	113L/Min. CCLS Pump Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes* (combined flow) or power beyond (l/min) considering 90% efficiency- 32.2 gpm (122 l/m)			No Charge

REAR REMOTE VALVES

SD T8270 REAR REMOTES

	390840	2 Mechanical Rear Remotes 2 mechanical; non-configurable		(902740P43)	(\$3,559.00)
	743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control		(900901P67)	(\$1,171.00)
	743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes			No Charge
	743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes		9000920P15	\$1,195.00
	743740	2 Mech Rear Remote Valves (2C) 2 mechanical rear remotes, both with configurable detents and flow control		(902489P41)	(\$3,233.00)
	743741	3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control		(901820P28)	(\$2,364.00)



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

758358	4-Mech Rear Remotes F/ Pwr Byd 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.	(900338P03)	(\$439.00)
758359	4-Elec Rear Remotes F/ Pwr Byd 4 electronic rear remotes, power beyond ready	9001499P19	\$1,947.00

POWER BEYOND

SD T8275 POWER BEYOND COUPLE

390710	Hyd Power Beyond Capped Hydraulic power beyond capped off. This option is less power beyond and less low-pressure return line.	(900134P75)	(\$175.00)
758540	Low-Pressure Return Low pressure return line with 1/2" hydraulic quick coupler. ISO 7241 Series A hydraulic quick coupler, non-flat face design. Does not include load sense line Requires male end on implement 83972881 (CNH Industrial Parts)		No Charge
758542	Power Beyond + Low-Pressure Requires 4 remotes Requires 113 L/min pump (758441) Power beyond is used in situations where the implement controls how much hydraulic flow it demands, such as applications running orbital motors. The load sense line adjusts the swash plate, varying the flow of oil out of the Power side of the circuit. Implement requires the following matching male couplers (CNH Industrial Parts): Return: 87482232 Power: 87482231 Load Sense: 87482228 Includes low pressure return line with 1/2" hydraulic quick coupler (non-flat face design). Low pressure return requires male end on implement: 83972881 (CNH Industrial Parts).	9000575P19	\$747.00

FRONT AXLE

SD T4010 FRONT AXLE

758420	Class 3 Hydraulic Lock 9,039 lbs. maximum carrying capacity Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock	(900941P71)	(\$1,223.00)
--------	---	-------------	--------------



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

758425	<p>Class 4 Hydraulic Lock Class 4 MFD axle with multi-plate fully locking, front differential with steering sensors 10,803 maximum carrying capacity Requires 113 L/min pump (758441) Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock Incompatible with 34 inch rear wheels</p>			No Charge
758422	<p>Class 3 Suspension Lock 9,039 lbs. maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console</p>		9003377P99	\$4,387.00
758423	<p>Class 3 Susp+ Brake Hyd Lock 9,039 lbs. maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)</p>		9003800P72	\$4,936.00
758427	<p>Class 4 Suspension Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console.</p>		9004318P93	\$5,609.00
758428	<p>Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)</p>		9004740P89	\$6,157.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	759109	Class 4 HD Std Axle Class 4 Heavy Duty Axle Includes multi-plate, fully locking differential for extra traction in slippery conditions Non-suspended		9000188P65	\$245.00
--	--------	--	--	------------	----------

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

For Class 3 Front Axle					
	8859604	320/85R34 R1W MI,FI Brands: Michelin Requires 320/90R50 R1W		9000548P24	\$712.00
	8250401	340/85(13.6)R28 R1W Brands: Firestone, Continental/Mitas, Trelleborg Requires 16.9R38 R1W		(900237P93)	(\$309.00)
	8240402	380/85(14.9)R24 A8 Brands: Firestone, Michelin Requires 460/85(18.4)R34 R1W		(900237P93)	(\$309.00)
	8241401	380/85(14.9)R28 A8 Brands: Michelin, Firestone, Continental/Mitas, Trelleborg Requires 460(18.4)R38			No Charge
	8258404	380/85(14.9)R30R1W MI,F,T,C,A Brands: Michelin, Firestone Requires 18.4R42 R1W		9000420P42	\$546.00
	8255404	420/85(16.9) R28 R1W MI-FI-TR Brands: Michelin, Firestone Requires 20.8R38 R1W		9000553P63	\$719.00
	8825401	480/65R28(R1W) Fixed Rims F/CL Michelin, Firestone, Continental/Mitas		9000270P27	\$351.00
	8801301	520/60R28 MAVT Rims - MI Brand: Michelin		9001724P03	\$2,239.00
	8299905	Front Shipping Wheels-4WD Requires rear shipping wheels		(900910P14)	(\$1,182.00)
	8201201	400/80R28 Fixed Cls 3 Alliance Brand: Alliance		9000776P16	\$1,008.00
For Class 4 Front Axle					
	8801604	320/85R34 R1W Brands - MI Brands: Michelin, Firestone Requires 320/90R50 R1W		9000548P24	\$712.00
	8241901	380/85(14.9)R28R1W HD-MIFITR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas Requires: 460(18.4)R38 R1W			No Charge
	8258704	380/85(14.9)R30 R1W MI-FI-CM Brands: Michelin, Firestone, Continental/Mitas, Alliance Requires 18.4R42 R1W or 14.9R46 R1W		9000420P42	\$546.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	8866501	400/80R28 Fixed Cls 4 Alliance Brand: Alliance		9000776P16	\$1,008.00
	8255904	420/85(16.9)R28 R1W MI-FI Brands: Michelin, Firestone Requires 20.8R38 R1W or 18.4R42 R1W		9000553P63	\$719.00
	8815601	480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders		9000270P27	\$351.00
	8801601	520/60R28 R1W Fixed HD Brand: Michelin fixed rims, not adjustable Requires 650/60R38		9002459P38	\$3,194.00
	8299906	Front Shipping Wheels Requires rear shipping wheels		(900910P14)	(\$1,182.00)

REAR AXLE

SD T3200 REAR AXLE

	758430	HD Flange Multi-Diff HD Flange, Hydraulic, Steel wheel rims Track setting with adjustable wheels 56.3 - 84.0 in (1430 - 2134 mm)			No Charge
	758432	HD Bar Steel Multi-Diff HD 98" (2,489 mm) Bar, Hydraulic, Steel Wheel Rims		9001113P42	\$1,446.00
	758434	HD Bar Cast Multi-Differential HD 98" Bar, Hydraulic, Cast Wheel Rims		9001113P42	\$1,446.00
	759136	HD 98" BAR STEEL MULT 98" (2489 mm) This bar axle is for dual wheels - 320/90R50 (8440104) - 380/90R46 (8470404) Includes 4 hubs with steel wheels Multiplate Diff Lock 4WD Clutch		9001113P42	\$1,446.00

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

Cast Wheel, Bar Axle Only					
	8334406	460/85(18.4)R38 R1W- MI,FI,CM Brands: Michelin, Firestone, Continental/Mitas			No Charge
	8384406	460/85(18.4)R42 R1W - MI Brands: Michelin, Firestone, Continental/Mitas, Alliance		9001489P18	\$1,934.00
Flange or Bar Axle Steel Disc					
	8963504	320/90R50 R1W MI Brands: Michelin		9000465P08	\$604.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

8370404	380/90(14.9)R46R1WAdj Rim-C,MI Brands: Continental/Mitas		9000287P98	\$374.00
8375501	420/85(16.9)R38 R1W FI,CM Brands: Firestone, Continental/Mitas		(900043P12)	(\$56.00)
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas		(901062P60)	(\$1,380.00)
8328401	460/85(18.4)R38 R1W-MIFITR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas			No Charge
8388404	460/85(18.4)R42R1W MI,F,T,C,A Michelin		9000356P51	\$463.00
8919401	480/80R38 Alliance Alliance 550 Multi-Use		9001057P98	\$1,374.00
8380404	520/85 (20.8) R38 R1W MI, TR Brands: Michelin Requires full cover rear fenders (743707 or 743708)		9001604P68	\$2,084.00
8969401	600/65R38 R1W-FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas		9000792P33	\$1,029.00
8907601	650/60R38 R1W F/Bar AXL - MI Brands: Michelin		9001030P26	\$1,338.00
8399906	Rear Shipping Wheels Requires front shipping wheels		(902691P15)	(\$3,495.00)
Dual				
8440104	DUAL 320/90R50 This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)		9004848P69	\$6,297.00
8470404	DUAL 380/90R46 (14.9) R1W MICO This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)		9004670P82	\$6,066.00

FENDERS

SD T8710 FENDERS PTO CONTROL

392803	Fender Mounted Controls Fender mounted switches for rear PTO and rear three-point hitch for operation from outside cab		(900217P14)	(\$282.00)
743680	Fender EDC/PTO/Rem Valv Contrl Fender mounted switches for rear PTO, rear three-point hitch, and third electronic rear remote.			No Charge

FRONT FENDERS

SD T8740 FRONT FENDERS

390875	Less front fender			No Charge
758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires		9000587P51	\$763.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.9" Dynamic front fenders allow the fenders to turn with the tires		9000682P99	\$887.00
	758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires		9000766P92	\$996.00

REAR FENDERS

SD T8700 FENDERS

	391153	Standard Fenders			No Charge
	743777	Standard fenders with extensn 3- (75 mm) fender extensions added on to the full cover fenders		9000290P29	\$377.00
	743707	Full Cover 92.1 in./2340 mm rear fenders.		9000542P08	\$704.00
	743708	Full Cover with extension Full cover with 3 in./ 75 mm wide extensions.		9000830P06	\$1,078.00

LOADER

SD T7780 JOYSTICK

	394782	Less Joystick			No Charge
	758068	Joystick with 3 Buttons Electronic Joystick with 3 buttons Required if loader will include 3rd function Diverter Valve		9001276P66	\$1,658.00
	758069	Joystick with Rocker Switch Electronic Joystick with Proportional Rocker Required if loader will include "Live" 3rd function circuit		9001199P66	\$1,558.00
	759396	EHSTICK ADV +/- PROP Enhanced Electronic Joystick with Proportional Rocker Advanced +/- Buttons Enables Gear/Speed shifts directly from Loader Joystick			
		if LOADER BRACKETS is NA LDR RDY+2MMV+ADV or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			No Charge
		if LOADER BRACKETS is not NA LDR RDY+2MMV+ADV or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV		9001531P53	\$1,989.00

SD T7790 MID-MOUNT VALVES

	390560	Less Mid-Mount Valves			No Charge
	743689	2 Electronic MMV 2 Electronic Mid-Mount Valves Requires Electronic Joystick			
		if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+2MMV+ADV			No Charge
		if LOADER BRACKETS is not Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+2MMV+ADV		9001868P02	\$2,426.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	743690	3 Electronic MMV 3 Electronic Mid-Mount Valves Requires Electronic Joystick			
		if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			No Charge
		if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV		9002862P86	\$3,718.00

MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

Side Rails					
	758478	Engine Side Rails Recommended for side-mounted attachments e.g. sprayer tanks No Loader Brackets Not compatible with loader equipment		9000727P65	\$945.00
Loader Brackets					
	390819	Less Loader Ready			No Charge
	759470	NA LDR RDY+2MMV+ADV Complete Loader Ready includes: Advanced Joystick 759396: EHSTICK ADV +/- PROP 2 Electronic MMV 743689 TPS Mount Bracket Set (with Grill Guard) and (Includes valve, joystick, cables, & hose kit)		9007325P01	\$9,513.00
	759471	NA LDR RDY+3MMV+ADV Complete Loader Ready includes Advanced Joystick 759396: EHSTICK ADV +/- PROP 3 Electronic MMV 743690 TPS Mount Bracket Set (with Grill Guard) and (Includes valve, Proportional joystick, cables, & hose kit)		9008452P29	\$10,977.00

OTHER EQUIPMENT

FRONT BALLAST

SD T2150 FRONT BALLAST

	390444	Tow Hook-Only Tow Hook 251 lbs/114 kg Not allowed with Front hitch (743699 or 743700)			No Charge
	758515	Weight Pack A_CIH 4 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 4 Weights 396 lbs/180 kg. Total weight 649 lbs/295 kg. Not compatible with Front hitch (743699 or 743700)		9000718P41	\$933.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

758516	Weight Pack B_CIH 8 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 8 Weights 792 lbs/359 kg. Total weight 1045 lbs/474 kg. Not compatible with Front hitch	9001242P01	\$1,613.00
758517	Weight Pack C_CIH 16 weights plus wide carrier Wide Weight Carrier 361 lbs/164 kg, Plus 16 Weights 1584 lbs/718 kg. Total weight 1945 lbs/882 kg. Not compatible with Front hitch (743699 or 743700)	9002421P65	\$3,145.00
758518	Weight Pack A w/Hook Weight Pack A Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 2 Weights 198 lbs/90 kg. Total weight 702 lbs/319 kg. Not compatible with Front hitch	9000843P92	\$1,096.00
758519	Weight Pack B w/Hook Weight Pack B Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 6 Weights 594 lbs/269 kg. Total weight 1098 lbs/498 kg. Not compatible with Front hitch (743699 or 743700)	9001314P39	\$1,707.00
758520	Weight Pack C w/Hook Weight Pack C Wide Weight Carrier 361 lbs/164 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 12 Weights 1188 lbs/539 kg. Total weight 1800 lbs/816 kg. Not compatible with Front hitch	9002142P14	\$2,782.00
758562	Weight Carrier w/Hook Weight Carrier Narrow Weight Carrier 253 lbs/115 kg Holds up to 8 weights Not compatible with Front hitch (743699 or 743700)	9000194P81	\$253.00
758563	Wide carrier CIH Wide front weight carrier Wide Weight Carrier 361 lbs/164 kg, holds up to 16 weights. Not compatible with front loader.	9000327P25	\$425.00



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

REAR BALLAST

SD T4960 WHEEL WEIGHTS

	X49601X	L/Wheel Weights			No Charge
	758564	6X65KG Wheel Weight Each weight weighs 143 lbs. (65 kg) 3 weights are on each side on the rear Total weight = 806 lbs. (389 kg) Not Compatible with 650/60R38 (8907501 or 8907601)		9000895P51	\$1,163.00
	759137	2X150KG + 2X250KG Wheel Weight 2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg) 2 weights are on each side on the rear Total weight = 1764 lbs. (800 kg)		9001168P09	\$1,517.00
	759821	2X150KG + 4X250KG Wheel Weight Recommended for Loader Applications 2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg) 3 weights are on each side on the rear Total weight = 2866 lbs. (1300 kg) Not Compatible with 650/60R38 (8907501 or 8907601)		9002005P08	\$2,604.00

ADDITIONAL EQUIPMENT

SD T2820 PARK LOCK

	391147	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory			No Charge
	758034	EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation		9000917P07	\$1,191.00

SD T3600 BRAKE PACK

	390166	Std. Heavy Duty Brake Discs			No Charge
	758435	Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications		9000255P64	\$332.00

SD T7642 ISO BUS

	758632	ISO CL2+9PIN IN CAB			No Charge
	759484	ISOBUS CL3 Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR)			No Charge



**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

	759485	ISO CL3+SPEED+STEER Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR) Allows compatible implement to control speed of tractor		9000293P37	\$381.00
--	--------	--	--	------------	----------

SD T9560 FRONT TOOLBOX

	390996	Standard Toolbox 5.5 in. x 12.5 in. (140 mm x 315 mm)			No Charge
	743848	Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm) Great for larger tools, like hammers and larger wrenches		9000070P07	\$91.00

OTHER OPTIONS

SD T9850 SPECIAL COLORS/PANELS

	392209	Base Color ISO Includes High Visibility Roof Panel			No Charge
	743729	Std Color- No Visibility Panel Does not include high visibility roof panel		(900437P36)	(\$568.00)

TIRE BRAND PREFERENCE

SD T4900 TIRE CATEGORY CHOICE

	330447	Alliance		9000418P88	\$544.00
	330439	Continental		9000418P88	\$544.00
	330446	Firestone		9000418P88	\$544.00
	330442	Michelin		9000418P88	\$544.00
	330418	Trelleborg		9000418P88	\$544.00
	330438	No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Continental/Mitas. Availability of brands vary by size.			No Charge



-T11Y 01

**MAXXUM MC ACTIVE DRIVE 8 SERIES TRACTOR
 US PRICE LIST**

(Ex Works Port of Entry)

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

	X98021X	No Additional Operator Manual Includes standard English Operators Manual Does not include additional Operators Manual			No Charge
	758534	English USA Extra Operators Manual			No Charge
	758535	Spanish NAR Extra Operators Manual			No Charge
	759101	French NAR Extra Operators Manual			No Charge



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port Of Entry)
Standard Equipment**

MODELS:

Maxxum 115 CVXDRIVE
95 PTO hp @ 2200 RPM

Maxxum 125 CVXDRIVE
105 PTO hp @ 2200 RPM

Maxxum 135 CVXDRIVE
110 PTO hp @ 2200 RPM

Maxxum 145 CVXDRIVE
120 PTO hp @ 2200 RPM

ENGINE:

273 cu. in. (4.5 L) Displacement
4 Cylinder Turbocharged and
Intercooled Engine with Electronic
Power Management and Constant
RPM feature Power Boost in Transport
and PTO Modes
Tier 4B Emissions Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner & Exhaust
Aspiration
Dual element air filter
Hand and foot throttle
Grid Heater Starting Aid
55.4-gallon (210 L) Fuel Tank
with guard
10.4 Gallon (39.5 L) Diesel Exhaust
Fuel (DEF) Tank
Viscous fan (9 Blades)
Engine auto shut down feature
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE:

CAB:

ROPS protected, flat deck platform
with Standard Cab, with heater and
air conditioner (with 4 speed
pressurizer), tinted windshield with

OPERATOR PROTECTIVE STRUCTURE:

(continued)

sunshade, opening hi-visibility roof
window with retractable sun screen,
front and rear intermittent wipers and
washers, two doors with locks, two
telescoping external mirrors, hinged
rear window (fully opens), radio ready
(speakers, wiring, antenna), rear
window access panel for control /
monitor box or wiring harness
entrance, interior storage box,
interior dome light, self-cancelling
turn signal, and two external courtesy
lights

Steering wheel: tilt and telescoping

Seat: Deluxe air suspension seat with
operator's presence sensor, seat belt,
and swivel

MultiControl Armrest with Integrated
Transmission, Throttle, PTO and
Hitch Controls

INSTRUMENTATION:

A-Post mounted Analog/Digital
Instrument Cluster with display of
engine oil pressure, fuel level,
coolant temperature and speed,
hitch and PTO operational indicators

TRANSMISSION:

Continuously variable transmission
with standard creep speeds and
Active Stop control feature
25 mph (40 kph) Economy
Transmission

MFD -- 25 mph (40 kph)

Speed varies with tire selection

CLUTCH:

Double wet clutch technology



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port Of Entry)
Standard Equipment**

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

HYDRAULICS:

Pressure and flow compensated hydraulic system (PFC):
Variable displacement piston pump
Maximum flow at rated engine speed
39.6 gpm (150 l/m) flow
(implement pump)
17.7 gpm (67 l/m) flow
(steering and operating circuits)
57.3 gpm (217 l/m) total tractor hydraulic flow
3 Closed-center Electronic Remote Valves with in-cab flow control
Hydraulic Tapping Port
(Power Beyond Ready)
Fender mounted hydraulic 3rd remote activation switch

AXLES:

MFD Front Axle:
Class IV MFD Axle
Electro-hydraulic auto MFD and diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

Rear Axle:

Flange type
Wet plate rear differential lock:
MFD - Electro-hydraulic engaged
(front and rear)

Rear Axle: (continued)

Standard rear tires:
18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with flex link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD) with dual 80mm external assist ram
Rear fender mounted remote hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM with single reversible shaft
Multi-plate wet clutch design
Electro-hydraulic engagement with soft start/auto feathering
Flip-up PTO shaft guard
Fender mounted PTO control switch

ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative terminals
Single pin (8 amp) accessory power outlet
150 amp Alternator
ISO/JD (30 amp) socket
ISO BUS 11783 rear breakaway socket
Two roof mounted single pin outlets for beacon Cigar lighter



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

**(Ex Works Port Of Entry)
Standard Equipment**

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two rear "C"-post mounted rear
facing
Two taillights
Time delayed turn indicators with
audible warning
Front and rear cab roof mounted

flashing safety lights

MISCELLANEOUS:

Pivoting engine hood
SMV emblem
Toolbox
Horn

NEBRASKA TEST REPORT STATUS:

Nebraska Temporary Sales Permit
to be applied for



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 CVXDRIVE	11,376 LB	9103097P61	\$133,893.00
MAXXUM 125 CVXDRIVE	17,650 LB	9110746P79	\$143,827.00
MAXXUM 135 CVXDRIVE	11,376 LB	9118395P97	\$153,761.00
MAXXUM 145 CVXDRIVE	12,555 LB	9123494P91	\$160,383.00
MAXXUM 150 CVXDRIVE	12,555 LB	9127729P91	\$165,883.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T9200 OPERATOR STRUCTURE #1

391610	Cab w/Fixed Front Screen Standard Cab - Does not include Cab Suspension		(901321P32)	(\$1,716.00)
758479	Suspended_Cab Two shocks mounted in rear of cab increase operator comfort Reduces shock loads transmitted to the tractor by up to 25% When coupled with a suspended axle, the ultimate in ride comfort is achieved Includes tinted rear window			No Charge
758481	Suspended Cab + Heated Screens Includes 758479, plus heated front and rear windscreens Requires 200A alternator		9000378P84	\$492.00

CAB

SD T7620 SPEAKERS

390653	Radio Predisposition. Includes speakers and wiring. Ready for aftermarket radio in DIN slot.			No Charge
743714	Deluxe Radio with Bluetooth Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and Bluetooth with noise cancelling microphone. Includes speakers and wiring.		9000382P69	\$497.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

SD T8500 SEAT

	391285	Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension			No Charge
	758362	Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material		9001461P46	\$1,898.00
	758363	MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting		9002864P40	\$3,720.00

SD T9000 STORAGE BOX/SEAT

	390905	Less LH Front Box		(900099P33)	(\$129.00)
	758568	Lefthand Front Box Storage area near the LH door, instead of an instructor seat			No Charge
	758569	Instructional Seat with Belt Includes seatbelt Cloth/Leather will match operator seat		9000344P19	\$447.00

SD T9010 REAR CAB STORAGE BO

	390906	Less Rear Cab Storage Box			No Charge
	758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Compatible with or without instructor seat/front toolbox options		9000167P09	\$217.00

SD T9230 CLIMATE CONTROL

	392701	AIR CONDITIONING 392701			No Charge
	758482	Air Conditioning W/ATC Automatic Temperature Control (ATC). Operator sets desired temperature and system maintains set temperature.		9000545P16	\$708.00

SD T9291 REAR WINDOW SUNSHADE

	X92911X	No Rear Window Sunshade			No Charge
	758580	Sunshade, Rear Window Pull down perforated material sunscreen.		9000154P00	\$200.00

SD T9553 LUXURY PACK

	391152	Std Steering Wheel			No Charge
	758483	Leather Steering Wheel +Carpet Black Leather wrapped steering wheel with red stitching. Includes Wheat Brown carpet with Case Logo.		9000194P04	\$252.00

STEERING COLUMN

SD T6300 STEERING OR AUTOGUIDANCE READY

	391630	Standard Steering			No Charge
--	--------	-------------------	--	--	-----------



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	759186	Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted with Pro 700 display)		9002085P93	\$2,709.00
	759185	Autoguidance Ready Includes steering valve and manifold, hoses, wiring harness, and roof mounting bracket for receiver Does not include display mount		9003685P22	\$4,786.00
	759187	Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready 759185		9004073P30	\$5,290.00

SD T9180 AUDIBLE WARNING TURN INDICATOR

	390930	Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn Sound and dash light indicates turn signal active		(900063P91)	(\$83.00)
	758504	Self-Cancel + Audible Turn Cancels automatically with the turn of the steering wheel Sound and dash light indicates turn signal active			No Charge

MIRRORS

SD T9360 RR MIRRORS

	759153	2 Telescopic Mirrors 759153 2 Telescopic Mirrors: Shatter Proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)			No Charge
	759154	2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)		9000049P28	\$64.00

INSTRUMENTATION

SD T7610 INSTRUMENT PANEL

	390763	"A" Pillar for CIH Basic Instr Includes oil, brake, PTO speed, hitch, reset, electronic remote flow and timer (when equipped), engine hours, fault codes, egress light settings.			No Charge
--	--------	---	--	--	-----------



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	758546	A Pillar CIH Enhanced Instru Includes oil, brake, PTO speed, hitch, reset, electronic remote flow and timer (when equipped), engine hours, fault codes, egress light settings. Also includes A-Post data display, slip control, area worked, tractor performance monitoring.		9000123P97	\$161.00
--	--------	--	--	------------	----------

WORK LIGHTING

SD T9110 HOOD LIGHTS

	759446	BASIC HOOD LIGHTS New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights			No Charge
	759447	HIGH SPEC HOOD LIGHT New Grill Styling with LED High Spec Hood Lights 2 halogen roadlights 4 led worklights 2 led signature lights		9000756P91	\$983.00

SD T9130 WORK LAMPS

	392212	8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		(900293P37)	(\$381.00)
	758357	8 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights			No Charge
	758594	12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		9001171P94	\$1,522.00
	758595	14 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 6 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights		9001757P91	\$2,283.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

SD T9131 FRONT WORK LAMPS ON

	390661	Less High Mounted Headlamp			No Charge
	758488	High Headlight Righthand DIP 2 Grab Rail-mounted headlights - remain on for road transport. These lights assist in visibility during transport with a loader or front 3-point hitch mounted implement.		9000231P77	\$301.00

BEACON LIGHTING

SD T9146 ROTARY BEACON

	X91461X	No Rotary Beacon			No Charge
	758489	Rotary Beacon Lefthand Side Single Rotary Beacon placed on rear left of tractor for increased safety and visibility		9000312P62	\$406.00
	758491	Twin Beacon Dual Rotary Beacons placed on the rear of the cab on both the left and right side for maximum safety and visibility		9000625P24	\$812.00

DISPLAY MOUNTING

SD T9223 RH WINDOW BAR MOUNT

	390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
	758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor		(900070P07)	(\$91.00)
	758154	RH Window Bar Display Ready. Includes Bar mounted in righthand side of cab with AFS ready harness and window mount without Monitor		9000182P49	\$237.00
	758621	10" Color Touch Screen Display Includes Bar mounted in righthand side of cab Includes AFS ready harness Includes AFS Pro 700 Color Touchscreen display		9004084P85	\$5,305.00

SD T9228 RH ARMREST MOUNT

	390686	Less Armrest Monitor.			No Charge
	758147	Display Ready: Pre-wired MultiControl armrest complete with mounting bracket and pre-wired to mount an optional AFS Pro 700 Display No display included		9000196P35	\$255.00
	758548	10" Color Touch Screen Display Includes AFS Pro 700 Color Touchscreen display mounted at the end of MultiControl Armrest.		9004097P94	\$5,322.00



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

PRECISION FARMING

AUTOGUIDANCE

SD T4820 HEADLAND SYSTEM

	392211	Headland Control System End of Row functionality programmed through the tractors A-Post display If equipped, sequences may be stored in the AFS Pro 700			No Charge
	758592	Adv. Headland Ctrl Config EHR Allows End of Row functions to be precisely programmed within AFS Pro 700 monitor More user-friendly than basic End of Row controls Allows operator to choose within the display which remote is operated on the MultiFunction handle Requires an AFS Pro 700 display		9000728P42	\$946.00

SD T7630 AUTOGUIDANCE

	392484	Less Autoguidance			No Charge
	758803	Full AG Nav GPS L1 Includes WAAS with accuracy to +/- 3 Ft		9006662P81	\$8,653.00
	758804	Full AG Nav GPS L2 Includes Omnistar activation with accuracy to +/- 1.5 In. Requires subscription		9008587P81	\$11,153.00
	758871	Autoguidance Lvl 3 RTK Modem Full AG NAV GPS Level 3 Includes Omnistar and RTK receiver activation with accuracy to +/- 1 In. Requires an RTK radio or modem Requires subscription		9010512P81	\$13,653.00

ENGINE

SD T1000 ENGINE

	392194	T4B Engine W/Boost Elect. Fuel pump - 4 valves with Power Boost			No Charge
	758400	Tier 4B Engine Exhaust Brake Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust Brake - Activated by depressing a pedal on left side in the cab Closes the exhaust flap to act as an exhaust brake to reduce braking when hauling heavy loads on steep terrain.		9001426P04	\$1,852.00

SD T1010 ENGINE OPTIONS

	392300	STD ENG COOLING FAN			No Charge
--	--------	---------------------	--	--	-----------



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	758700	VISTRONIC FAN Can vary speed independent of engine speed, based on the demand for cooling		9000125P51	\$163.00
--	--------	--	--	------------	----------

SD T1040 CHARGING SYSTEMS

	758557	150 AMP Alternator			No Charge
	758558	200 AMP Alternator Required for Suspended Cab w/htd screens 758480		9000179P41	\$233.00

STARTING AID

SD T1938 WEATHER PACK

	758401	Grid_Heater -18F (-10C) to -32.4F (-18C)			No Charge
	758402	Grid_Heater + 110V Pack Improves cold weather starting abilities; transmission heat maintainer 110V Electrical Plug in Engine block heater includes 2 heaters: 1 for engine block heater and 1 for transmission and hydraulic heat maintainer Plugs located side by side, below door opening		9000302P61	\$393.00

BATTERY

SD T7420 BATTERY

	758407	HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator			No Charge
	759140	Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage.		9000245P63	\$319.00
	758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.		9000327P25	\$425.00

FUEL TANK

SD T1400 FUEL TANK

	759127	Std Fuel Tank Does not include fuel tank guards Capacity - 210L (55.4 Gal)			No Charge
	759128	Std Fuel Tank+Guard Includes fuel tank guards Capacity - 210L (55.4 Gal)		9000248P71	\$323.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	759130	Large Fuel Tank+Guard Includes fuel tank guards Incompatible with 34" rear tires (8365401) Capacity - 250L (66 Gal)		9000425P04	\$552.00
--	--------	--	--	------------	----------

TRANSMISSION

TRANSMISSION

SD T2800 SPEED

	396247	40 KPH Economy 25 mph (40 KPH) Max ground speed possible as low as 1550 engine RPM			No Charge
	758549	50KPH ECO CVT 31 mph (50 KPH) Max ground speed possible as low as 1700 engine RPM Requires Class 3 Susp + Brake Hyd Lock (758423) or Class 4 Susp + Brake Hyd Lock (758428) and Front Fenders		9001054P13	\$1,369.00

RADAR

SD T7580 RADAR

	390703	Less Radar			No Charge
	758501	Radar NAR Provides more accurate speed readings and area measurements Requires enhanced instrumentation 758546 A Pillar CIH Enhanced Instru		9000611P38	\$794.00

TRAILER BRAKES

SD T7230 PNEUM TRAILER BRAKE

	390729	L/ Pneumatic Trailer Brakes			No Charge
	758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (744784) or brake logic valve (744783) Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy hauling applications, such as with manure tankers.		9006051P43	\$7,859.00

TRAILER BRAKES

SD T7130 TRLR BRK VLV

	390711	Less trailer brakes			No Charge
--	--------	---------------------	--	--	-----------



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	744784	Hyd Trailer Brake Universal Synchronized trailer braking only when both service brake pedals are actuated. System consists of trailer brake valve with priority over hydraulic lift and remotes. For customers with hydraulically powered brakes in heavy hauling applications, such as with manure tankers.		9000845P46	\$1,098.00
--	--------	--	--	------------	------------

HITCH

FRONT HITCH

SD T8100 FRONT THREE POINT HITCH

	390811	Less Front Linkage			No Charge
	759144	Integrated FHPL 759144 Integrated Front Hitch		9005813P50	\$7,550.00
	759147	Int FHPL+FPTO Integrated Front Hitch with PTO The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates counter-clockwise when looking from the front of the tractor.		9012263P79	\$15,927.00

SD T8106 7P PLUG ON FHPL SUP

	XT8106X	Std L/ 7P Plug On F Front Implement Lighting Connector			No Charge
	758713	7PIN + 3 PIN 40AMP Front Implement Lighting Connector with 3 Pin Power Connector		9000123P97	\$161.00

SD T8300 HOSES FOR FHPL

	390926	Less Tubes for FHPL			No Charge
	758473	Tubes FHPL Connect Mech RR Connects front hitch to mechanical rear remote			No Charge
	758474	Hose pkg for frt hitch w/ ERV Front hitch to electronic rear remote			No Charge
	758475	Hose pkg for frt hitch w/ MMV Hose package to connect front hitch to electronic mid-mount valves			No Charge
	758544	Hse pkg frt hit w/MMV/frt coup Front hitch and 1 front remote to electronic mid-mount valves		9000143P99	\$187.00
	758582	Tubes + Coupler Mech Rear Rem. Front hitch and 1 front remote to mechanical rear remotes		9000143P99	\$187.00



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

REAR 3-POINT

SD T8950 AUX RAMS

	390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test			No Charge
	743811	2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test		9000395P78	\$514.00

SD T8960 DRAWBAR AND 3 POINT HITCH

	758451	Cat II Flex Links Telescopic link ends			No Charge
	758452	Cat II/III Flex Links Telescopic link ends		9000093P94	\$122.00
	759922	HYDROPLINK+FLEX LINK Includes hydraulic top link, which uses 1 pair of rear remote valves Telescopic Cat 2/3 Flex Links		9000275P66	\$358.00

HYDRAULICS

SD T8230 HYD PUMP

	390244	125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (l/min) considering 90% efficiency- 35.1 gpm (133 l/m)			No Charge
--	--------	--	--	--	-----------

REAR REMOTE VALVES

SD T8270 REAR REMOTES

	396844	3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable		(901820P28)	(\$2,364.00)
	743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes			No Charge
	743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes		9000920P15	\$1,195.00
	758359	4-Elec Rear Remotes F/ Pwr Byd 4 electronic rear remotes, power beyond ready		9001499P19	\$1,947.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

POWER BEYOND

SD T8275 POWER BEYOND COUPLE

	390710	Hyd Power Beyond Capped Hydraulic power beyond capped off. This option is less power beyond and less low-pressure return line.		(900134P75)	(\$175.00)
	758540	Low-Pressure Return Low pressure return line with 1/2" hydraulic quick coupler. ISO 7241 Series A hydraulic quick coupler, non-flat face design. Does not include load sense line Requires male end on implement 83972881 (CNH Industrial Parts)			No Charge
	758542	Power Beyond + Low-Pressure Requires 4 remotes Requires 113 L/min pump (758441) Power beyond is used in situations where the implement controls how much hydraulic flow it demands, such as applications running orbital motors. The load sense line adjusts the swash plate, varying the flow of oil out of the Power side of the circuit. Implement requires the following matching male couplers (CNH Industrial Parts): Return: 87482232 Power: 87482231 Load Sense: 87482228 Includes low pressure return line with 1/2" hydraulic quick coupler (non-flat face design). Low pressure return requires male end on implement: 83972881 (CNH Industrial Parts).		9000575P19	\$747.00

FRONT AXLE

SD T4010 FRONT AXLE

	758420	Class 3 Hydraulic Lock 9,039 lbs. maximum carrying capacity Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock		(900941P71)	(\$1,223.00)
	758425	Class 4 Hydraulic Lock Class 4 MFD axle with multi-plate fully locking, front differential with steering sensors 10,803 maximum carrying capacity Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock Incompatible with 34 inch rear wheels			No Charge



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758427	Class 4 Suspension Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspension can be locked solid by the operator using an in-cab switch, located on the RH console.	9004318P93	\$5,609.00
758428	Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspension can be locked solid by the operator using an in-cab switch, located on the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)	9004740P89	\$6,157.00
759109	Class 4 HD Std Axle Class 4 Heavy Duty Axle Includes multi-plate, fully locking front differential for extra traction in slippery conditions Non-suspended	9000188P65	\$245.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

For Class 3 Front Axle			
8201201	400/80R28 Fixed CIs 3 Alliance Brand: Alliance	9000776P16	\$1,008.00
8240402	380/85(14.9)R24 A8 Brands: Firestone, Michelin Requires 460/85(18.4)R34 R1W	(900237P93)	(\$309.00)
8241401	380/85(14.9)R28 A8 Brands: Michelin, Firestone, Continental/Mitas, Trelleborg Requires 460(18.4)R38		No Charge
8250401	340/85(13.6)R28 R1W Brands: Firestone, Continental/Mitas, Trelleborg Requires 16.9R38 R1W	(900237P93)	(\$309.00)
8255404	420/85(16.9) R28 R1W MI-FI-TR Brands: Michelin, Firestone Requires 20.8R38 R1W	9000553P63	\$719.00
8258404	380/85(14.9)R30R1W MI,F,T,C,A Brands: Michelin, Firestone Requires 18.4R42 R1W	9000420P42	\$546.00
8299905	Front Shipping Wheels-4WD Requires rear shipping wheels	(900910P14)	(\$1,182.00)
8801301	520/60R28 MAVT Rims - MI Brand: Michelin	9001724P03	\$2,239.00



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

8825401	480/65R28(R1W) Fixed Rims F/CL Michelin, Firestone, Continental/Mitas	9000270P27	\$351.00
8859604	320/85R34 R1W MI,FI Brands: Michelin Requires 320/90R50 R1W	9000548P24	\$712.00
For Class 4 Front Axle			
8241901	380/85(14.9)R28R1W HD-MIFITRCO Brands: Trelleborg, Michelin, Firestone, Continental/Mitas Requires: 460(18.4)R38 R1W		No Charge
8255904	420/85(16.9)R28 R1W MI-FI Brands: Michelin, Firestone Requires 20.8R38 R1W or 18.4R42 R1W	9000553P63	\$719.00
8258704	380/85(14.9)R30 R1W MI-FI-CM Brands: Michelin, Firestone, Continental/Mitas, Alliance Requires 18.4R42 R1W or 14.9R46 R1W	9000420P42	\$546.00
8299906	Front Shipping Wheels Requires rear shipping wheels	(900910P14)	(\$1,182.00)
8801601	520/60R28 R1W Fixed HD Brand: Michelin Requires 650/60R38	9002459P38	\$3,194.00
8801604	320/85R34 R1W Brands - MI Brands: Michelin, Firestone Requires 320/90R50 R1W	9000548P24	\$712.00
8815601	480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders	9000270P27	\$351.00
8866501	400/80R28 Fixed Cls 4 Alliance Brand: Alliance	9000776P16	\$1,008.00

REAR AXLE

SD T3200 REAR AXLE

391223	Heavy-duty Rear Flange Heavy Duty Rear Flange Axle (275MM Wheel Studs)		No Charge
758538	HD 98" Bar Axles - Steel Wheel Heavy Duty 98" (2489 mm) Bar Axle (2 Hubs F/Steel Wheels)	9001113P42	\$1,446.00
758539	HD 98" Bar Axles - Cast Wheel Heavy Duty 98" (2489 mm) Bar Axle (2 Hubs F/Cast Wheels)	9001113P42	\$1,446.00
759136	HD 98"BAR STEEL MULT 98" (2489 mm) This bar axle is for dual wheels - 320/90R50 (8440104) - 380/90R46 (8470404) Includes 4 hubs with steel wheels Multiplate Diff Lock 4WD Clutch	9001113P42	\$1,446.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

Cast Wheel, Bar Axle Only					
	8334406	460/85(18.4)R38 R1W- MI,FI,CM Brands: Michelin, Firestone, Continental/Mitas		9001181P18	\$1,534.00
	8384406	460/85(18.4)R42 R1W - MI Brands: Michelin, Firestone, Continental/Mitas, Alliance		9001489P18	\$1,934.00
Dual					
	8440104	DUAL 320/90R50 This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)		9004848P69	\$6,297.00
	8470404	DUAL 380/90R46 (14.9) R1W MICO This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)		9004670P82	\$6,066.00
Flange or Bar Axle Steel Disc					
	8328401	460/85(18.4)R38 R1W-MIFITRCO Brands: Trelleborg, Michelin, Firestone, Continental/Mitas			No Charge
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas		(901062P60)	(\$1,380.00)
	8370404	380/90(14.9)R46R1WAdj Rim-C,MI Brands: Continental/Mitas		9000287P98	\$374.00
	8375501	420/85(16.9)R38 R1W FI,CM Brands: Firestone, Continental/Mitas		(900043P12)	(\$56.00)
	8380404	520/85 (20.8) R38 R1W MI, TR Brands: Michelin Requires full cover rear fenders (743707 or 743708)		9001604P68	\$2,084.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A Michelin		9000356P51	\$463.00
	8399906	Rear Shipping Wheels Requires front shipping wheels		(902691P15)	(\$3,495.00)
	8907601	650/60R38 R1W F/Bar AXL - MI Brands: Michelin		9001030P26	\$1,338.00
	8919401	480/80R38 Alliance Alliance 550 Multi-Use		9001057P98	\$1,374.00
	8963504	320/90R50 R1W MI Brands: Michelin		9000465P08	\$604.00
	8969401	600/65R38 R1W-FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Continental/Mitas		9000792P33	\$1,029.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

FENDERS

SD T8710 FENDERS PTO CONTROL

	392803	Fender Mounted Controls Fender mounted switches for rear PTO and rear three-point hitch	(900217P14)	(\$282.00)
	743680	Fender EDC/PTO/Rem Valv Contrl Fender mounted switches for rear PTO, rear three-point hitch, and third electronic rear remote.		No Charge

FRONT FENDERS

SD T8740 FRONT FENDERS

	390875	Less front fender		No Charge
	758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires	9000587P51	\$763.00
	758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.4" Dynamic front fenders allow the fenders to turn with the tires	9000682P99	\$887.00
	758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires	9000766P92	\$996.00

REAR FENDERS

SD T8700 FENDERS

	391153	Standard Fenders		No Charge
	743777	Standard fenders with extensn 3" (75 mm) fender extensions added on to the full cover fenders	9000290P29	\$377.00
	743707	Full Cover 92.1 in./2340 mm rear fenders.	9000542P08	\$704.00
	743708	Full Cover with extension Full cover with 3 in./ 75 mm wide extensions.	9000830P06	\$1,078.00

LOADER

SD T7780 JOYSTICK

	394782	Less Joystick		No Charge
	758068	Joystick with 3 Buttons Electronic Joystick with 3 buttons Required if loader will include 3rd function Diverter Valve	9001276P66	\$1,658.00
	758069	Joystick with Rocker Switch Electronic Joystick with Proportional Rocker Required if loader will include "Live" 3rd function circuit	9001199P66	\$1,558.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	759396	EHSTICK ADV +/- PROP Enhanced Electronic Joystick with Proportional Rocker Advanced +/- Buttons Enables Gear/Speed shifts directly from Loader Joystick			
		if LOADER BRACKETS is NA LDR RDY+2MMV+ADV or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			No Charge
		if LOADER BRACKETS is not NA LDR RDY+2MMV+ADV or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV		9001531P53	\$1,989.00

SD T7790 MID-MOUNT VALVES

	390560	Less Mid-Mount Valves			No Charge
	743689	2 Electronic MMV 2 Electronic Mid-Mount Valves Requires Electronic Joystick			
		if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+2MMV+ADV			No Charge
		if LOADER BRACKETS is not Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+2MMV+ADV		9001868P02	\$2,426.00
	743690	3 Electronic MMV 3 Electronic Mid-Mount Valves Requires Electronic Joystick			
		if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			No Charge
		if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV		9002862P86	\$3,718.00

MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

Side Rails					
	758478	Engine Side Rails Recommended for side-mounted attachments e.g. sprayer tanks No Loader Brackets Not compatible with loader equipment		9000727P65	\$945.00
Loader Brackets					
	390819	Less Loader Ready			No Charge
	759470	NA LDR RDY+2MMV+ADV Complete Loader Ready includes: Advanced Joystick 759396: EHSTICK ADV +/- PROP 2 Electronic MMV 743689 TPS Mount Bracket Set (with Grill Guard) and (Includes valve, joystick, cables, & hose kit)		9007325P01	\$9,513.00
	759471	NA LDR RDY+3MMV+ADV Complete Loader Ready includes Advanced Joystick 759396: EHSTICK ADV +/- PROP 3 Electronic MMV 743690 TPS Mount Bracket Set (with Grill Guard) and (Includes valve, Proportional joystick, cables, & hose kit)		9008452P29	\$10,977.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

OTHER EQUIPMENT

FRONT BALLAST

SD T2150 FRONT BALLAST

	390444	Tow Hook-Only Tow Hook 251 lbs/114 kg Not allowed with Front hitch (743699 or 743700)			No Charge
	758515	Weight Pack A_CIH 4 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 4 Weights 396 lbs/180 kg. Total weight 650 lbs/295 kg. Not compatible with Front hitch (743699 or 743700)		9000718P41	\$933.00
	758516	Weight Pack B_CIH 8 weights plus narrow carrier Narrow Weight Carrier 253 lbs/115 kg, plus 8 Weights 800 lbs/360 kg. Total weight 1050 lbs/475 kg. Not compatible with Front hitch (743699 or 743700)		9001242P01	\$1,613.00
	758517	Weight Pack C_CIH 16 weights plus wide carrier Wide Weight Carrier 361 lbs/164 kg, Plus 16 Weights 1585 lbs/720 kg. Total weight 1947 lbs/884 kg. Not compatible with Front hitch (743699 or 743700)		9002421P65	\$3,145.00
	758518	Weight Pack A w/Hook Weight Pack A Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 2 Weights 198 lbs/90 kg. Total weight 702 lbs/319 kg. Not compatible with Front hitch (743699 or 743700)		9000843P92	\$1,096.00
	758519	Weight Pack B w/Hook Weight Pack B Narrow Weight Carrier 253 lbs/115 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 6 Weights 1099 lbs/499 kg. Total weight 1603 lbs/728 kg. Not compatible with Front hitch (743699 or 743700)		9001314P39	\$1,707.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

758520	Weight Pack C w/Hook Weight Pack C Wide Weight Carrier 361 lbs/164 kg. Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 12 Weights 1189 lbs/540 kg. Total weight 1801 lbs/818 kg. Not compatible with Front hitch (743699 or 743700)	9002142P14	\$2,782.00
758562	Weight Carrier w/Hook Weight Carrier Narrow Weight Carrier 253 lbs/115 kg Holds up to 8 weights Not compatible with Front hitch (743699 or 743700)	9000194P81	\$253.00
758563	Wide carrier CIH Wide front weight carrier Wide Weight Carrier 361 lbs/164 kg, holds up to 16 weights. Not compatible with front loader.	9000327P25	\$425.00

REAR BALLAST

SD_T4960 WHEEL WEIGHTS

X49601X	L/Wheel Weights		No Charge
758564	6X65KG Wheel Weight Each weight weighs 143 lbs. (65 kg) 3 weights are on each side on the rear Total weight = 806 lbs. (390 kg) Not Compatible with 650/60R38 (8907501 or 8907601)	9000895P51	\$1,163.00
759137	2X150KG + 2X250KG Wheel Weight 2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg) 2 weights are on each side on the rear Total weight = 1764 lbs. (800 kg)	9001168P09	\$1,517.00
759821	2X150KG + 4X250KG Wheel Weight Recommended for Loader Applications 2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg) 3 weights are on each side on the rear Total weight = 2866 lbs. (1300 kg) Not Compatible with 650/60R38 (8907501 or 8907601) Compatible with Cast Wheels	9002005P08	\$2,604.00

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

390166	Std. Heavy Duty Brake Discs		No Charge
758435	Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications	9000255P64	\$332.00



**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

SD T7642 ISO BUS

	390648	Less ISOBUS Socket		(900201P74)	(\$262.00)
	759484	ISOBUS CL3 Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR) Require Electronic Park Lock (758034)			No Charge
	759485	ISO CL3+SPEED+STEER Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR) Allows compatible implement to control speed of tractor Require Electronic Park Lock (758034)		9000293P37	\$381.00

SD T9560 FRONT TOOLBOX

	390996	Standard Toolbox 5.5 in. x 12.5 in. (140 mm x 315 mm)			No Charge
	743848	Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm) Great for larger tools, like hammers and larger wrenches		9000070P07	\$91.00

OTHER OPTIONS

SD T9850 SPECIAL COLORS/PANELS

	392209	Base Color ISO Includes High Visibility Roof Panel			No Charge
	743729	Std Color- No Visibility Panel Base Color High Roof with no visibility panel Not recommended for loader operations		(900437P36)	(\$568.00)

TIRE BRAND PREFERENCE

SD T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Continental/Mitas. Availability of brands vary by size.			No Charge
	330447	Alliance		9000418P88	\$544.00
	330439	Continental		9000418P88	\$544.00



-T1KG 01

**MAXXUM CVXDRIVE SERIES TRACTOR
US PRICE LIST**

(Ex Works Port Of Entry)

	330446	Firestone		9000418P88	\$544.00
	330442	Michelin		9000418P88	\$544.00
	330418	Trelleborg		9000418P88	\$544.00

OPERATOR'S MANUAL

SD T9802 OPERATORS MANUAL

	758534	English USA Extra Operators Manual			No Charge
	758535	Spanish NAR Extra Operators Manual			No Charge
	759101	French NAR Extra Operators Manual			No Charge
	X98021X	No Additional Operator Manual Includes standard English Operators Manual Does not include additional Operators Manual			No Charge



Part Number	Parts Division Supplied Accessories for Maxxum	Maxxum ACTIVEDRIVE 4 T1KF	Maxxum ACTIVEDRIVE 8 T1IY	Maxxum CVXDRIVE T1KG
ENGINE & STARTING SYSTEM				
718203134	GRID HEATER 6CYL 4V (RECOMMENDED FOR CLIMATES -10 TO -18C)	X	X	X
710206144	COLD WEATHER PACK (BLOCK AND TRANS HEATER 110V)	X	X	X
719106114	COLD WEATHER PACK (BLOCK AND TRANS HEATER 240V)	X	X	X
718204064	FUEL HEATER (REQ GRID HEATER TO BE FITTED TO PROVIDE POWER SUPPLY)	X	X	X
719831064	FUEL COOLER (6CYL)	X	X	X
719831054	FUEL COOLER (4CYL)	X	X	X
710245124	ENGINE SIDE RAILS 4 AND 6 CYL	X	X	X
718221024	LOCKABLE DEF AND FUEL CAP	X	X	X
CLOSED CENTRE MECHANICAL - CONFIG/NON-CONFIG MIX DETENTS				
718715084	ADDITIONAL REAR REMOTE VALVE (FROM 2 TO 3)	X	X	X
710020054	ADDITIONAL REAR REMOTE VALVE (FROM 3 TO 4)	X	X	X
ELECTRO-HYDRAULIC				
719411144	EH REMOTE SLICE 3 TO 4 GARU -NH EHS 1	X	X	
719411174	EH REMOTE SLICE 3 TO 4 DCT EHS 1			X
DETENT KITS FOR NON-CONFIGURABLE RCV SLICES				
710362024	PERMANENT DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	X	X	X
718362024	ZERO DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	X	X	X
719362024	ZERO DETENT KIT (PLUS FLOAT) FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	X	X	X
719979054	HYDRAULIC FREE FLOW RETURN PIPE KIT	X	X	X
719143014	HYDRAULIC POWER BEYOND SLICE WITH FLAT FACE COUPLERS	X	X	X
MID MOUNT VALVE KITS				
710919064	2 MECH SLICE MMV FOR 113L/MIN CCLS	X		
710921044	2 MECH SLICE MMV NAR CC FOR 80L/MIN PUMP	X		
718223044	ELECTRONIC MID MOUNT VALVE KIT (1 SLICE) - JOYSTICK NOT INCLUDED		X	
719763124	ELECTRONIC MID MOUNT VALVE KIT (2 SLICE) - JOYSTICK NOT INCLUDED		X	
718229044	ELECTRONIC MID MOUNT VALVE KIT (3 SLICE) - JOYSTICK NOT INCLUDED		X	
718223034	ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - DCT			X
719763114	ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - DCT			X
718229034	ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - DCT			X
ELECTRONIC JOYSTICK/ELECTRONIC MID MOUNT VALVE KITS				
719300054	ELECTRONIC JOYSTICK WITH PROPORTIONAL SIMULTANEOUS CONTROL OF 3RD FUNCTION (CIH)		X	X
719301074	ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE (CIH)		X	X
719304014	ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE MTA	X		

REAR LINKAGE				
719790044	HYDRAULIC ADJUST TOP LINK	X	X	X
718485044	HYDRAULIC ADJUST ADJ. RH LIFT LINK	X	X	X
DRAWBAR & TRAILER HITCH FRAMES				
710535034	DIA - K80 BALL DRAWBAR FOR HYD APUH	X	X	X
710932054	DIA - HOOK CAT D2 F/SLIDER TYPE TRAILER HITCH	X	X	X
710947044	DIA - HOOK CAT D3 F/SLIDER TYPE TRAILER HITCH	X	X	X
718247024	DIA - K80 MM BALL SLIDER TYPE TOW HITCH TRACTOR AND TRAILER END - GERMAN TYPE	X	X	X
719932024	DIA - HOOK CAT C F/SLIDER TYPE TRAILER HITCH	X	X	X
719138034	GERMAN TOW HOOK AUTO COUPLING PIN 32 MM DIA	X	X	X
719139034	GERMAN TOW HOOK AUTO COUPLING PIN 38 MM DIA	X	X	X
710086074	HYDRAULIC PUSH BACK HITCH FOR EDC (80MM+ EXT RAMS) 06	X	X	X
710534014	STEERING GUIDES FOR K80 BALL HITCH	X	X	X
FRONT HPL & PTO				
718041074	FRONT PTO, 6 SPLINE NH - NOT SUITABLE FOR INTEGRATED FRONT HPL	X	X	X
718035034	2 FRT MTD (LHS) HYD COUPLERS OPERATED FROM 1 REAR RCV FOR INTEGRATED F.HPL	X	X	X
718036034	2 FRT MTD (LHS) HYD COUPLERS OPERATED FROM 1 MID RCV FOR INTEGRATED F.HPL	X	X	X
718205014	FHPL FLOAT PREDISPOSITION FOR INTERGRATED FHPL	X	X	X
719098134	FRONT PTO 6 SPLINE FOR INTEGRATED FHPL			X
FRONT LOADER				
719705084	EUR LOADER READY (REQUIRES JOYSTICK, MMV)	X	X	X
FRONT TOW HOOK & FRONT WEIGHTS				
710022014	SUPERSTEER CARRIER LESS WEIGHTS LESS TOW HOOK	X	X	X
710023024	STANDARD STEER CARRIER LESS WEIGHTS LESS TOW HOOK CIH			X
718018014	WIDE WEIGHT CARRIER CIH	X	X	X
719065064	PACK OF 45 KG FRONT END WEIGHTS & ATTACHING HARDWARE -CIH 8	X	X	X
710061034	1000 KG FRONT END WEIGHT & ATTACHING HARDWARE CIH	X	X	X
FRONT FENDERS				
718510024	F FENDER 420 DYNAMIC	X	X	X
718511024	F FENDER 480 DYNAMIC	X	X	X
718775024	F FENDER 540 DYNAMIC	X	X	X
REAR FENDERS				
710869134	REAR FENDER EXTENSIONS	X	X	X
718293014	REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 75 MM	X	X	X
718601014	REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 150 MM	X	X	X
CAB & PLATFORM				
718794024	TELESCOPIC ARMS FOR REAR VIEW MIRROR (CONVERSION KIT - DOES NOT CONTAIN MIRRORS)	X	X	X
719876014	WIDE VIEW INTERNAL MIRROR	X	X	X
719570014	SUNSHADE FOR REAR WINDOW	X	X	X
718577024	LH REAR CAB STORAGE BOX CIH	X	X	X

SEATS				
710036134	INSTRUCTIONAL SEAT WITH BELT BASE MATERIAL (INCLUDES WARNING DECAL FOR NAR) CIH	X	X	X
718248054	INSTRUCTION SEAT WITH BELT (NEW FABRIC – CIH) (INCLUDES WARNING DECAL FOR NAR)	X	X	X
WORKLIGHTS / HEADLIGHTS				
710177134	FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS LH DIP CIH	X	X	X
718177134	FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS RH DIP CIH	X	X	X
710768094	2 X ADDITIONAL WORKLIGHT FOR UNDER FRONT SIDELIGHTS CIH	X	X	X
719766074	2 X WORKLAMPS ON "C" PILLAR CIH	X	X	X
INSTRUMENTS & PERFORMANCE MONITORS				
710686024	BRACKET FOR MOUNTING EQUIPMENT MONITORS ('BALER BAR')	X	X	X
719344154	REAR ISOBUS HARNESS AND SOCKET FOR VEHICLES WITH FRED SCREENS	X	X	X
710059014	TECU HARDWARE		X	
AUTOGUIDANCE				
718083034	DIA FITMENT OF AUTOGUIDANCE SYSTEM CVT CLASS 3 (INCLUDES STEERING SYSTEM, ROOF BRACKET, AND WIRING HARNESS) REQUIRES ADDTION OF NAVCOM AND RECEIVER TO HAVE A FULL WORKING KIT. (FINISHING KIT)		X	X
718084034	DIA FITMENT OF AUTOGUIDANCE SYSTEM CVT CLASS 3.5 (INCLUDES STEERING SYSTEM, ROOF BRACKET, AND WIRING HARNESS) REQUIRES ADDTION OF NAVCOM AND RECEIVER TO HAVE A FULL WORKING KIT. (FINISHING KIT)		X	X
718228024	DIA FITMENT OF AUTOGUIDANCE SYSTEM SPS CLASS 3 (INCLUDES STEERING SYSTEM, ROOF BRACKET, AND WIRING HARNESS) REQUIRES ADDTION OF NAVCOM AND RECEIVER TO HAVE A FULL WORKING KIT. (FINISHING KIT)	X		X
718230024	DIA FITMENT OF AUTOGUIDANCE SYSTEM SPS CLASS 3.5 (INCLUDES STEERING SYSTEM, ROOF BRACKET, AND WIRING HARNESS) REQUIRES ADDTION OF NAVCOM AND RECEIVER TO HAVE A FULL WORKING KIT. (FINISHING KIT)	X		X
MISCELLANEOUS				
710960024	APUH VIEWING MIRROR	X	X	X
719161034	REVERSE ALARM WITH LIGHT DCT			X
UNLOCK CODE				
47636543	ISOBUS Class III Base			X
47645762	ISOBUS Class III Speed Control			X
47645764	ISOBUS Class III Steering Control			X
47611682	HMC_2 / HTS_II / Easy_Tronic_2			X
47850811	Remote Valve Configurator/Management			X
48158902	Variable Ratio Steering			X
48103010	Engine Speed Management (CRPM)			X
48103007	Basic Transmission Features			X
48103009	Advanced Transmission Features			X
48178349	Pneumatic Trailer Stabilization System			X
51419116	Basic HTS			X
51419113	Auto-PTO			X



Maxxum
Tire Chart **ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE**

Front/Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelin 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447				
Shipping wheels																	
FR	11.2 24R Shipping	-	SHIPPING	8299906	X		X										
FR	11.2 24R Shipping	-	SHIPPING	8299906		X											
RR	12.4 32R Shipping	-	SHIPPING	8399906	-	-											
STANDARD TIRES																	
FR	14.9 R24 (380/85 R24)	40	MAVT	8240402	X		X		AB	Performer85							
RR	18.4 R34 (460/85 R34)		MAVT	8366401													
FR	380/70 R28	40	MAVT	8850401	X		X	TM6/TM7	AB	Performer85/70	AC8/7 HC70						
RR	16.9 R38 (420/85 R38)		MAVT	8375601	-	-											
FR	13.6 R28 (340/85 R28)	40	MAVT	8260401	X		X	TM 6	AB	Performer85	AC8						
RR	16.9 R38 (420/85 R38)		MAVT	8375601													
	14.9 R28 (380/85 R28)	50	MAVT	8241401	X		X	TM 6	AB	Performer85	AC8						
	14.9 R28 (380/85 R28)		MAVT	8241901		X											
RR	18.4 R38 (460/85 R38)		MAVT	8328401													
FR	14.9 R28 (380/85 R28)	50	Fixed	8241601	X		X	TM 6	AB	Performer85	AC8						
RR	18.4 R38 (460/85 R38)		Fixed	8377601													
FR	420/70 R24	40	MAVT	8840402	X		X		AB								
RR	520/70 R34		MAVT	8966401													
FR	380/70 R28	50	MAVT	8850401	X		X	TM 7	AB	Performer70	AC7/HC70						
RR	480/70 R38		MAVT	8976401													
FR	440/65 R28	50	MAVT	8843801	X		X	TM 8	MB	R9R9	AC6						
RR	540/65 R38		MAVT	8982801													
FR	440/65 R28	50	Fixed	8843601	X		X	TM 8	MB	R9R9	AC6						
RR	540/65 R38		Fixed	8982601													
FR	420/70 R28		MAVT	8851401	X		X	TM 7	OB	Performer70	AC7/HC70						
FR	420/70 R28			8851601		X											
RR	520/70 R38			8978401													Farmpro70



**Maxxum
Tire Chart** **ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE**

Front/Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelln 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
FR	480/70 R28		MAVT	8813401		X		TM7	OB	PERFORMER70	HC70		
RR	580/70 R38			8984401									
FR	480/70 R28		MAVT	8813408		X		TM7	OB	PERFORMER70	HC70		
RR	520/70 R38			8984407									
FR	480/70 R28		FIXED	8833406		X		TM7	OB	PERFORMER70	HC70		
RR	580/70 R38		MAVT	8984401									
FR	480/70 R28		FIXED	8833407		X		TM7	OB	PERFORMER70	HC70		
RR	520/70 R38			MAVT	8984407								
FR	420/70 R28		Fixed	8862401	X		X	TM 7	OB	Performer 70	AC7/HC70		Farmpro70
FR	420/70 R28			8862601		X							
RR	520/70 R38			8976401									
FR	480/65 R28		MAVT	8816401	X		X	TM 8	MB	Performer 65	AC6		
FR	480/65 R28			8816601		X							
RR	600/65 R38			8969401									
FR	480/65 R28		Fixed	8826401	X		X	TM 8	MB	Performer 65	AC6		
FR	480/65 R28			8826601		X							
RR	600/65 R38			8949401									
FR	520/60 R28		MAVT	8801301	X		X		XB				
RR	650/60 R38			8907601									
FR	520/60 R28	50	Fixed	8801401	X		X		XB				
FR	520/60 R28		Fixed	8801601		X							
RR	650/60 R38		MAVT	8907601									
FR	520/60 R28	50	MAVT	8801301	X		X		XB				
RR	650/60 R38		Fixed	8907601									
FR	520/60 R28	50	Fixed	8801401	X		X		XB				
FR	520/60 R28		Fixed	8801601		X							
RR	650/60 R38		Fixed	8907601									



**Maxxum
Tire Chart ACTIVE DRIVE 4, ACTIVE DRIVE 8, CVX DRIVE**

Front/Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelln 330442	Firestone 330446	MITAS 330439	Noklan 330444	Alliance 330447					
FR	540/65 R28	50	MAVT	8868401	X		X	TM 8	MB	R9	AC6							
FR	540/65 R28		MAVT	8868901		X												
RR	650/65 R38		MAVT	8986401														
FR	540/65 R28	50	Fixed	8868401	X		X	TM 8	MB	R9	AC6							
FR	540/65 R28		Fixed	8868601		X												
RR	650/65 R38		Fixed	8998401														
FR	16.9 R28	50	MAVT	8266404	X		X		AB	Performer 65	AC85							
FR	16.9 R28		MAVT	8266904		X												
RR	20.8 R38		MAVT	8380404														
FR	14.9 R30	50		8268404	X		X		AB	Performer 85	AC85							
FR	14.9 R30		MAVT	8268704		X										Farm Pro 85		
RR	18.4 R42			8388404														
FR	14.9 R30	50		8268404	X		X		AB		AC85							
FR	14.9 R30		MAVT	8268704		X												
RR	14.9 R46			8370404														
FR	320/85 R34	50		8869604	X		X		AB									
FR	320/85 R34		MAVT	8801604		X												
RR	320/90 R50			8963604														
FORESTRY/MUNICIPALITY																		
FR	400/80 R28 Municipality	50		8201201	X		X					Tri2	Multiuse 550					
FR	400/80 R28 Municipality		FIX	8866601		X												
RR	480/80 R38 Municipality			8919401														
CAST WHEELS for BAR AXLE																		
FR	14.9 R28	50		8241401	X		X		AB	Performer 85	AC85							
FR	14.9 R28		FIX	8241901		X												
RR	18.4 R38			8334406														
FR	380/85 R30	50		8268404	X		X		AB	Performer 85	AC85							
FR	380/85 R30		FIX	8268704		X										Farm Pro 85		
RR	18.4 R42			8384406														



**Maxxum
Tire Chart** **ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE**

Front/ Rear	DESCRIPTION	max. (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelln 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
FR	420/85 R28			8266404	X								
FR	420/85 R28	50	FIX	8266904		X	X		AB	Performer 85	AC85		Fam Pro 85
RR	18.4 R42			8384406									

DUAL TIRES FOR BAR AXLE - ALL STEEL WHEELS

FR	380/85R 30			8268404									
RR	380/90R 46			8370404					AB		AC85		

HEAVY DUTY 2WD

FR	11 16 10PR			8138401									
RR	12.4 32 8PR		SHIPPING	8399906			X						
RR	320/90 50			8963604									



U.S. Shipping Wheel Program for Maxxum Series Tractors

Case IH dealers are able to order a Maxxum Series tractor with returnable shipping wheels. The intention of this program is to help dealers sell Case IH tractors to their retail customers with the desired tires and wheels when Case IH can not offer a unique option from the factory.

Program Details:

1. While placing an order for the tractor the dealer chooses front and rear shipping wheel order codes where applicable.
2. Case IH will deliver the tractor to the dealer with the shipping wheels.
3. The dealer is invoiced per set for the following amounts

Order Codes	Maxxum Tractors
Rears - 8399906	K!: ,495)
Fronts - 8299905	\$(1,182)
Fronts - 8299906	\$(1,182)

4. Upon receipt of the tractor the dealer will dismount the shipping wheels, place them on a wooden skid and band them to the skid for return to a consolidation point. Wheels must be returned to the collection center clean, free of debris and shrin -wrapped.
5. Case IH has consolidation points set up in North America where the shipping wheels must be returned. The address of the U.S. consolidation point is:

CNH America
2700 Broening Hwy
Dundal Marine Terminal - Lot 100/Building 100
Baltimore, M, 21222

6. Contact your Case IH Sales Support Specialist advising him/her of the location where you will be returning your shipping tires.
7. Your Case IH Sales Support Specialist will issue an RGA number.
8. Securely attach the RGA to your shipment so that it is identifiable to the receiving party.
9. Contact the freight line of your choice to make arrangements to return the shipping wheels to the consolidation point. Freight to return the shipping wheels from the Case IH dealer to the consolidation point must be pre-paid by the dealer. **The freight cost will NOT be reimbursed.**
10. Upon receipt of the shipping wheels at the consolidation point your Case IH dealer account will be credited the following amounts:

Rears - codes 8399906 credit	\$918
Fronts - codes 8299905 & 8299906 credit	\$612

If you have any questions regarding this program please contact your Sales Support Specialist.



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.