

CATERPILLAR MACHINE PRICE LIST

299D3XE

299D3 XE SKID STEER LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.8 turbo aftercooled diesel engine
 -Gross horsepower per SAE J1349
 110 hp (82 kW) @ 2400 RPM
 -Electric fuel priming pump
 -Air inlet heater starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, canister type, fuel
 and water separator
 Radiator/hydraulic oil
 cooler (side-by-side)
 Spring applied, hydraulically released,
 wet multi disc parking brakes
 Hydrostatic transmission

-Armrest raised / operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Air inlet heater activation
 -Hydraulic filter restriction
 -Hydraulic oil temperature
 -Park brake engages
 -Engine emission system
 Gauges: DEF level, fuel level,
 hour meter and tachometer
 Storage compartment with netting
 Seat, comfort, air suspension, cloth,
 heat
 -High back heated seat with recline
 -Lumbar support
 -Fully adjustable seat mounted
 controls
 Ergonomic contoured armrest
 Control interlock system, when operator
 leaves seat or armrest raised :

UNDERCARRIAGE

Triple flange idler - front and rear
 Suspension - independent torsion axle(4)
 Two speed travel with ride control

-Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS, Cab, enclosed (C3), tilt up:
 -Air conditioner incl heater/defroster
 -Side windows
 -Cup holder

HYDRAULICS

High flow: 40 gpm (150 lpm) max
 High flow Pressure: 4061 psi
 28000 kPa max

FOPS, Level I
 Top and rear windows
 Deluxe headliner
 Floor mat
 Interior rear view mirror
 12V Electric socket
 Horn
 Hand (dial) & foot throttle, electronic
 Dual direction electronic self level -
 (raise and lower)

Continuous flow
 Hydraulics, proportional
 Worktool harness
CONTROLS:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 Transmission control
 Speed Sensor Guarding

STARTERS, BATTERIES, & ALTERNATORS

1000 CCA heavy duty battery w/disconnect

Work tool return to dig
 Work tool positioner
 Electronic snubbing (lift)
 Advanced LCD display
 -Full color 5 inch LCD screen
 -Advanced anti-theft security system
 with 50 user code capability
 -Rear view camera

ELECTRICAL

12 Volt electrical system
 100 ampere alternator
 Ignition key start / stop / aux switch
 Lights:
 -LED work lights (2 front, 2 rear)
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

FRAMES

Lift linkage, vertical path
 Chassis, one piece welded
 Machine tie down points (6)
 Belly pan cleanout
 Support, lift arm
 Cast rear bumper
 Ventilated rear door with integrated
 sealing

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator output

CATERPILLAR MACHINE PRICE LIST

299D3XE299D3 XE SKID STEER LOADER
SANFORD, NC, USAShip Weight
lbsLIST PRICE
AT DEALER**OTHER STANDARD EQUIPMENT**

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Work tool coupler
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat ToughGuard TM hose
 Heavy duty quick disconnects with
 integrated pressure release
 Split d-ring to route work tool hoses
 along side of left lift arm
 Variable speed hydraulic cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

299D3XE

299D3 XE SKID STEER LOADER
 SANFORD, NC, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

568-5578 299D3 XE CTL DCA6B 0 \$135,450

LANE 1 - AVAILABLE FROM SANFORD PDC.
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1

INCLUDES:

- 512-4300 299D3 XE COMPACT TRACK LOADER
- 588-9141 CAB PACKAGE, ULTRA
 - 579-8782 FAN,COOLING, DEMAND, REVERSING
 - 345-6180 STANDARD RADIO(12V),BLUETOOTH
 - 495-1671 LIGHTS, LED
- 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
- 512-3478 DEBRIS MANAGEMENT PKG, (DM1)
- 356-6082 REAR LIGHTS
- 586-1308 DOOR, CAB, POLYCARBONATE
- 542-6994 SEAT BELT, 2"
- 566-7115 PRODUCT LINK, CELLULAR PL243
- 589-8296 QUICK COUPLER, MANUAL
- 563-1163 CERTIFICATION ARR, P65
- 345-3556 HEATER, ENGINE COOLANT, 120V
- 563-7518 MOUNTING, FIRE EXTINGUISHER

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select track.

CATERPILLAR MACHINE PRICE LIST

299D3XE

299D3 XE SKID STEER LOADER	Ship Weight	LIST PRICE
SANFORD, NC, USA	lbs	AT DEALER

568-5579	299D3 XE CTL LM DCA1B 0	\$152,610
-----------------	--	------------------

LANE 1 - AVAILABLE FROM SANFORD PDC
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1

- INCLUDES:
- 563-3820 299D3 XE CTL LAND MANAGEMENT
 - 588-9141 CAB PACKAGE, ULTRA
 - 579-8782 FAN,COOLING, DEMAND, REVERSING
 - 345-6180 STANDARD RADIO(12V),BLUETOOTH
 - 495-1671 LIGHTS, LED
 - 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
 - 570-9869 LAND MANAGEMENT PKG, (LM1)
 - 356-6082 REAR LIGHTS
 - 586-1308 DOOR, CAB, POLYCARBONATE
 - 542-6994 SEAT BELT, 2"
 - 566-7115 PRODUCT LINK, CELLULAR PL243
 - 589-8296 QUICK COUPLER, MANUAL
 - 563-1163 CERTIFICATION ARR, P65
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 563-7518 MOUNTING, FIRE EXTINGUISHER

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select track.

568-5580	299D3 XE CTL LM DCA2A 0	\$165,290
-----------------	--	------------------

LANE 1 - AVAILABLE FROM SANFORD PDC
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2.
 FOR AUSTRALIA & NEW ZEALAND DEALERS ONLY AVAILABLE IN LANE 1

- INCLUDES:
- 563-3820 299D3 XE CTL LAND MANAGEMENT
 - 588-9141 CAB PACKAGE, ULTRA
 - 579-8782 FAN,COOLING, DEMAND, REVERSING
 - 345-6180 STANDARD RADIO(12V),BLUETOOTH
 - 495-1671 LIGHTS, LED
 - 512-3929 RUBBER BELT, 2 SPD, TF IDLERS
 - 570-9870 LAND MANAGEMENT PKG, (LM2)
 - 356-6082 REAR LIGHTS
 - 586-1308 DOOR, CAB, POLYCARBONATE
 - 542-6994 SEAT BELT, 2"
 - 566-7115 PRODUCT LINK, CELLULAR PL243
 - 589-8296 QUICK COUPLER, MANUAL
 - 563-1163 CERTIFICATION ARR, P65
 - 345-3556 HEATER, ENGINE COOLANT, 120V
 - 563-7518 MOUNTING, FIRE EXTINGUISHER
 - 558-4898 FIRE SUPPRESSION SYSTEM

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select track.

CATERPILLAR MACHINE PRICE LIST

299D3XE

299D3 XE SKID STEER LOADER SANFORD, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

512-4300	299D3 XE COMPACT TRACK LOADER 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	\$126,720
----------	--	------------------

Meets U.S. EPA Tier 4 Final emission standards.
 Configured with rubber track. Requires rubber track selection from
 Tracks section.
 Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand

512-4351	299D3 XE COMPACT TRACK LOADER 0 LANE 3 - AVAILABLE FROM SANFORD FACTORY	\$133,830
----------	---	------------------

Meets U.S. EPA Tier 4 Final emission standards
 Configured with steel track. Requires steel track selection from
 Tracks section.
 Available for AM-N, Puerto Rico, Australia & New Zealand

563-3820	299D3 XE CTL LAND MANAGEMENT 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY	\$143,540
----------	---	------------------

Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards
 Configured with rubber track. Requires rubber track selection from
 Tracks section.
 Available for AM-N, Puerto Rico, South Korea, Australia & New Zealand
 REQUIRES: Selection of LM1 or LM2 package from Special Application
 Segment Packages section

563-4651	299D3 XE CTL LAND MANAGEMENT 0 LANE 3 - AVAILABLE FROM SANFORD FACTORY	\$150,640
----------	--	------------------

Meets U.S. EPA Tier 4 Final emission standards
 Configured with steel track. Requires steel track selection from
 Tracks section.
 Available for AM-N,Australia & New Zealand
 REQUIRES: Selection of LM1 or LM2 package from Special Application
 Segment Packages section

0P-4768	299D3XE MISCELLANEOUS MATERIAL 0 ONLY AVAILABLE FROM WACO PARTS SERVICE	NC
---------	---	-----------

Use this top level reference number only when ordering KITS in CMOPS
 to be transferred via the bridge to ANTARES Parts Ordering.

Work Tools are sourced via Caterpillar Parts Distribution system.
 Skid Steer Loader and Work Tools order REQUIRE individual CMOPS
 order entries. Zeebrugge Distribution Center (ZDC) orders do NOT
 require individual CMOPS order entries and may include both the
 machine and work tool orders.

Refer to WT_SSL price list to order Work Tools.

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

WARNING DECALS

L	512-4284	INSTRUCTIONS, ANSI, USA	0	NC
		This package includes picto decals as required for USA.		
L	512-4294	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries except USA.		

FILM GROUP SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI	0	NC
L	435-9239	FILM, SELF LEVEL, ISO	0	NC

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI	0	NC
L	422-3446	FILM, RIDE CONTROL, ISO	0	NC

TRACKS

When ordering a DCA through Lane 2 or 3, dealers may choose their track from the offerings shown in the Lane 2/3 track section.

L	389-7673	TRACK,RUBBER,400MM(15.7IN)BLCK	0	NC
		Steel embed rubber track with standard construction block tread. Provides 76 inch (1,930 mm) machine width		

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

PDC PACKING

	0P-1176	CAROLINA CDC - - AVAILABILITY	0	\$1 NET
--	---------	---	---	---------

PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.	\$239 NET
OP-6439	CORROSION INHIBITOR 0 EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).	\$1, 620 NET

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

FEATURE PACKAGES

TRIM PACKAGES

A trim package is required for Lane 2 and optional for Lane 3.
 Trim packages are not available with Steel Track machines.

L	588-9141	CAB PACKAGE, ULTRA	0	\$1,895
		INCLUDES:		
		579-8782 FAN, COOLING, DEMAND, REVERSING		
		345-6180 STANDARD RADIO(12V), BLUETOOTH		
		495-1671 LIGHTS, LED		
		512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
		CANNOT BE USED WITH: 512-4351 299D3 XE COMPACT TRACK LOADER		
		563-4651 299D3 XE CTL LAND MANAGEMENT		

SPECIAL ARRANGEMENTS

SPECIAL APPLICATION SEGMENT PACKAGES

L	512-3467	DEBRIS MGMT PKG, NONE (DM0)	0	NC
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		
		597-4544 299D3 XE COMPACT TRACK LOADER		
		597-4547 299D3 XE COMPACT TRACK LOADER		
L	512-3478	DEBRIS MANAGEMENT PKG, (DM1)	0	\$6,132
		DM1 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit and Turbo Debris Kit.		
		REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and		
		589-8296 QUICK COUPLER, MANUAL or		
		589-8297 QUICK COUPLER, HYDRAULIC and		
		586-1308 DOOR, CAB, POLYCARBONATE		
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		
L	512-3479	DEBRIS MANAGEMENT PKG, (DM2)	0	\$10,431
		DM2 Package provides a rubber Debris Deflector plus the factory installation of components contained in Debris Kit, Debris Guarding kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner kit, Turbo Debris kit and Auxiliary Hydraulic Cooler kit.		
		REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and		
		589-8296 QUICK COUPLER, MANUAL or		
		589-8297 QUICK COUPLER, HYDRAULIC and		
		586-1308 DOOR, CAB, POLYCARBONATE		
		ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER		
		512-4351 299D3 XE COMPACT TRACK LOADER		

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

SPECIAL APPLICATION SEGMENT PACKAGES (Cont.)

L	570-9869	<p>LAND MANAGEMENT PKG, (LM1) 0</p> <p>LM1 Package provides a fuel capacity of 220 L (58 gal.) along with improved machine sealing and access for cleaning. Equipment includes screw-to-connect auxiliary hydraulic couplings and a rubber front debris deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit, Turbo Debris Kit and Drivelines Drivelines Guard Kit. This package includes components that make the machine Fire Suppression System (FSS) Ready, which means many of the FSS system components have been pre-installed at the factory, but the system is NOT complete. Please see the "APPLICATION SPECIFIC COMPONENTS" section if the optional, fully installed and operational Fire Suppression System is desired.</p> <p>REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and 589-8296 QUICK COUPLER, MANUAL or 589-8297 QUICK COUPLER, HYDRAULIC and 586-1308 DOOR, CAB, POLYCARBONATE and 579-8782 FAN, COOLING, DEMAND, REVERSING</p> <p>ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT CANNOT BE USED WITH: 345-5148 COUNTERWEIGHT, MACHINE, EXTERNAL</p>		\$6,472
L	570-9870	<p>LAND MANAGEMENT PKG, (LM2) 0</p> <p>LM2 Package provides a fuel capacity of 220 L (58 gal.) along with improved machine sealing and access for cleaning. Equipment includes screw-to-connect auxiliary hydraulic couplings and a rubber front debris deflector plus the factory installation of components contained in Debris Kit, Debris Guarding Kit, Speed Sensor Harness Guarding, Engine Air Intake Pre-cleaner Kit, Turbo Debris Kit, Drivelines Guard Kit and Auxiliary Hydraulic Cooler Kit. This package includes components that make the machine Fire Suppression System (FSS) Ready, which means many of the FSS system components have been pre-installed at the factory, but the system is NOT complete. Please see the "APPLICATION SPECIFIC COMPONENTS" section if the optional, fully installed and operational Fire Suppression System is desired.</p> <p>REQUIRES: 563-7518 MOUNTING, FIRE EXTINGUISHER and 589-8296 QUICK COUPLER, MANUAL or 589-8297 QUICK COUPLER, HYDRAULIC and 586-1308 DOOR, CAB, POLYCARBONATE and 579-8782 FAN, COOLING, DEMAND, REVERSING</p> <p>ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT CANNOT BE USED WITH: 345-5148 COUNTERWEIGHT, MACHINE, EXTERNAL</p>		\$10,778

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

UNDERCARRIAGE

L	512-3929	RUBBER BELT, 2 SPD, TF IDLERS 0		NC
		FOR USE IN LANE 3 ONLY Included in Ultra Cab package Provides undercarriage for the steel embed rubber belt with triple flange front and rear idlers ONLY FOR USE WITH: 512-4300 299D3 XE COMPACT TRACK LOADER 563-3820 299D3 XE CTL LAND MANAGEMENT 597-4544 299D3 XE COMPACT TRACK LOADER 597-4548 299D3 XE CTL LAND MANAGEMENT		

TRACKS

L	389-7673	TRACK,RUBBER,400MM(15.7IN)BLCK 0		NC
		Steel embed rubber track with standard construction block tread. Provides 1,930mm (76 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	389-7672	TRACK,RUBBER,450MM(17.7IN)BLCK 0		\$760
		Steel embed rubber track with standard construction block tread. Provides 1,981mm (78 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	454-6079	TRACK,RUBBER,450MM(17.7 IN)BAR 0		\$830
		Steel embed rubber track with BAR tread provides lower ground disturbance and increased traction in snow. Provides 1,981mm (78 inch) machine width ONLY FOR USE WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		
L	560-6417	TRACK, STEEL, 355MM (14 IN) 0		\$8,190
		FOR USE IN LANE 3 ONLY Sealed and lubricated steel track (SALT) with triple grouser shoes. Provides 1,880mm (74 inch) machine width. ONLY FOR USE WITH: 512-4351 299D3 XE COMPACT TRACK LOADER 563-4651 299D3 XE CTL LAND MANAGEMENT 597-4547 299D3 XE COMPACT TRACK LOADER 597-4549 299D3 XE CTL LAND MANAGEMENT CANNOT BE USED WITH: 512-3929 RUBBER BELT, 2 SPD, TF IDLERS		

HYDRAULICS

FILM GROUP SELF LEVEL

L	435-9238	FILM, SELF LEVEL, ANSI 0		NC
---	----------	---	--	----

FILM GROUP RIDE CONTROL

L	422-3445	FILM, RIDE CONTROL, ANSI 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

WORK LIGHTS

L	495-1671	LIGHTS, LED 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Two (2) forward facing adjustable LED work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life.		\$323
---	----------	---	--	-------

REAR/ROADING LIGHTS

L	356-6082	REAR LIGHTS 0 Provides standard tail lights (red) CANNOT BE USED WITH: South Korea		NC
L	546-4834	REAR LIGHTS, STOP/TAIL/TURN 0 Provides stop/tail/turn lights (amber/red)		\$403
L	532-8843	ROADING LIGHTS 0 Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors		\$643

OPERATOR ENVIRONMENT

SEAT BELT

L	542-6994	SEAT BELT, 2" 0		NC
L	542-6995	SEAT BELT, 3" 0 REQUIRED BY: California		\$164

DOOR

P	586-1308	DOOR, CAB, POLYCARBONATE 0 REQUIRED BY: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$247
P	586-1307	DOOR, CAB, GLASS 0		\$126

RADIO

L	345-6180	STANDARD RADIO(12V),BLUETOOTH 0 Standard 12V AM/FM radio with Bluetooth technology, USB port, and 3.5 mm AUX input. Availability varies by country. FOR USE IN LANE 3 ONLY Included in Ultra Cab Package Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices.		\$595
L	345-6175	RADIO READY 0 FOR USE IN LANE 3 ONLY Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio.		\$177

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	566-7115	PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission.		NC
L	573-8121	PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		\$543

COOLING

COOLING FAN

L	457-3167	FAN, COOLING, DEMAND 0 FOR USE IN LANE 3 ONLY Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling.		NC
L	579-8782	FAN, COOLING, DEMAND, REVERSING 0 FOR USE IN LANE 3 ONLY Included in Ultra Cab package Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality.		\$975

QUICK COUPLERS

L	345-4910	QUICK COUPLER, MANUAL 0 ONLY FOR USE WITH: 512-3467 DEBRIS MGMT PKG, NONE (DM0)		NC
L	512-3401	QUICK COUPLER, HYDRAULIC 0 ONLY FOR USE WITH: 512-3467 DEBRIS MGMT PKG, NONE (DM0)		\$1,150
L	589-8296	QUICK COUPLER, MANUAL 0 ONLY FOR USE WITH: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 592-6353 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 592-6356 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		NC

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

L	589-8297	QUICK COUPLER, HYDRAULIC 0 ONLY FOR USE WITH: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 592-6353 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 592-6356 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$1,150
---	----------	--	--	---------

DOCUMENTATION

CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE

L	563-1163	CERTIFICATION ARR, P65 0 REQUIRED BY: USA		NC
---	----------	---	--	----

INSTRUCTIONS

WARNING DECALS

L	512-4284	INSTRUCTIONS, ANSI, USA 0 This package includes picto decals as required for USA.		NC
---	----------	---	--	----

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS

CUSTOM PAINT

C	OP-0528	PAINT, CUSTOM 0		\$2,165 NET
---	---------	---------------------------	--	-------------

FOR USE IN LANE 3 ONLY
 Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information.

Note 1: Florescent colors and matte finishes are not available.
 Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black.

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION 0		\$239 NET
--	---------	---	--	-----------

Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer.

	OP-6439	CORROSION INHIBITOR. 0		\$1,620 NET
--	---------	--------------------------------	--	-------------

EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.).

STARTERS, BATTERIES, & ALTERNATORS

L	345-3556	HEATER, ENGINE COOLANT, 120V 0		\$226
---	----------	--	--	-------

120 Volt - For additional cold weather startability.

ELECTRICAL

L	309-1325	ROTATING BEACON 0		\$249
---	----------	-----------------------------	--	-------

Magnetic base, mounted to top of cab. Operates when key switch is in "On" position.

SAFETY AND SECURITY

L	457-1215	LIFTING EYES, FOUR POINT 0		\$223
---	----------	--------------------------------------	--	-------

CANNOT BE USED WITH: WATER TANK
 512-3479 DEBRIS MANAGEMENT PKG, (DM2)
 570-9870 LAND MANAGEMENT PKG, (LM2)
 REQUIRED BY: 520-6567 CERTIFICATION ARR, (CE/UKCA)
 520-6568 CERTIFICATION ARR, (CE/UKCA)
 565-7319 CONVERSION ARRANGEMENT,ROADING

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

L	345-5148	COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$1,190
L	563-7518	MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. REQUIRED BY: 512-3478 DEBRIS MANAGEMENT PKG, (DM1) 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9869 LAND MANAGEMENT PKG, (LM1) 570-9870 LAND MANAGEMENT PKG, (LM2)		\$232
L	418-9011	OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C).		\$770

APPLICATION SPECIFIC COMPONENTS

FIRE SUPPRESSION

L	558-4898	FIRE SUPPRESSION SYSTEM 0 FOR USE IN LANE 3 ONLY Factory installed ANSUL Liquid Vehicle System (LVS) fire suppression for use in applications or environments where combustible material or debris are present. Includes: one 3 gallon tank, engineered lines routing with 6 nozzle locations and an in-cab control module. System activates automatically, or can be activated manually either from inside the cab or from a location in the engine compartment. Installation includes the liquid suppressant agent and one pressure cartridge. LVS Liquid Agent has operating temp of -40 to 140 degrees F (-40 to 60 degrees C). ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT NOTE: A local ANSUL distributor must be contacted for yearly system re-inspection and documentation. (www.ansul.com/en/us/pages/FindaDistributor.aspx?value=FIND A DISTRIBUTOR).In the "Products" drop down menu,select "Vehicle Pre-Engineered Systems".		\$8,370
---	----------	--	--	---------

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL price lists.
 NOTE: Work Tools are sourced via Caterpillar parts distribution system.
 CMOPS orders for Compact Track Loaders and Work Tools MUST be ordered separately.

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS***Available Through Parts Distribution.***

- 345-6070 KIT, FOPS, LEVEL 2**
Falling Object Protective Structure level 2.
Provides additional overhead protection.
Recommended for use in demolition applications.
Not compatible with the roof mounted Auxiliary Hydraulic Cooler
or roof mounted water tank kit.
Meets ISO 3449: 2005
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS8703
for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
Contains parts that attach to cab roof and allow machine to be lifted
from a single point. The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9970
for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
This kit combines the Falling Object Protective Structure level 2 and
4 point lifting functionality. Recommended for use in applications
where additional overhead protection and 4 point lifting are both
desired (ex. demolition).
Not compatible with the roof mounted Auxiliary Hydraulic Cooler
or roof mounted water tank kit.
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9989
for parts list and installation instructions.
CANNOT BE USED WITH:512-3479 DEBRIS MANAGEMENT PKG, (DM2)
570-9870 LAND MANAGEMENT PKG, (LM2)
- 580-3680 KIT, PL, CELLULAR PL641**
Product Link Basic series PL641 uses cellular networks to transmit
location, utilization and health information for viewing in Product
Link user applications. Cellular technology provides capabilities for
frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.
Individual parts must be ordered. Please reference M0107957 for
parts list and installation instructions.

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

Available Through Parts Distribution. (Cont.)

DEDICATED ALTERNATE PATTERN (H-pattern):

As of January 2018, this feature is standard from the factory. There is no cost. Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):

This feature is a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April, 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min. Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

ALTERNATE SOURCED ATTACHMENTS

Available Through ANTARES Parts Ordering

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
 When ordering via CMOPS include top level reference numbers (OP-4768) and OP number for packing.**

P	388-8275	KIT, WINDOW, SIDES 0	\$785 NI
		For proper installation, refer to media number REHS8707.	
		Estimated time to install: 1 hour	
P	594-5976	KIT, DOOR, CAB, GLASS 0	\$1,167 NI
		For proper installation, refer to media number M0116195.	
		Estimated time to install: 1.5 hours	
P	594-5977	KIT, DOOR, CAB, POLYCARBONATE 0	\$1,854 NI
		For proper installation, refer to media number M0116221.	
		Estimated time to install: 1.5 hours	
P	571-6166	KIT, RADIO, AM/FM/BLUETOOTH 0	\$661 NI
		For proper installation, refer to media number M0105322.	
		Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices.	
		Requires: Radio Ready operator station.	
		Estimated time to install: 45 minutes	
P	603-0397	KIT, QUICK COUPLER, HYDRAULIC 0	\$1,444 NI
		For proper installation refer to media number M0107667.	
		Estimated time to install: 12 hours	

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	540-9349	KIT, A/C BREATHER 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes		\$528 NI
P	555-7209	KIT, AXLE STOP 0 For proper installation, refer to media number M0096169. Limits torsion axle rotation while continuing to isolate the operator from vibrations. This kit may be desired by customers that wish to reduce motion of the bucket edge during truck loading, fine grading or handling heavy material. Estimated time to install: 3 hours		\$472 NI
P	583-9154	KIT, GUARD, COUPLER 0 For proper installation, refer to media number M0107797. Provides lower guard that restricts material/debris from entering the underside of the coupler area giving additional safeguarding for electrical components. Estimated time to install: 30 minutes		\$231 NI
P	388-7875	KIT, COUNTERWEIGHT, 100 LB ROC 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 KIT, COUNTERWEIGHT, 100 LB ROC. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes		\$604 NI
P	596-9034	KIT, DEBRIS 0 For proper installation, refer to media number M0117881. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer , a rubber front debris deflector, and an exhaust stack cover. The Debris Kit is required in applications where airborne debris is present and should be used in conjunction with the Turbo Debris Guard kit. Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 10 hours		\$2,299 NI

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	584-3877	KIT, GUARDING 0 For proper installation, refer to media number M0107853. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections, work tool electrical harness connection and work tool coupler area. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1.5 hours		\$743 NI
P	587-0678	KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number M0112238. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. The Turbo Guard kit is required in applications where airborne debris is present and should be used in conjunction with the Debris Kit. Estimated time to install: 1 hour 30 minutes		\$329 NI
P	451-8378	KIT, COOLER, AUXILIARY HYDR 0 For proper installation, refer to media number REHS9189. Roof mounted auxiliary hydraulic cooler provides additional hydraulic cooling capacity. For use in heavy duty applications (i.e. mulching, brush cutting, etc.) where the machine is utilized continuously in high flow mode with high demand on the Hystat system at ambient temperatures greater than 38 Celsius (100 Fahrenheit). Not compatible with the FOPS Level 2 guarding & 4 Point Lifting eyes. Estimated time to install: 8 hours		\$3,333 NI
P	594-5620	KIT,ENG AIR INTAKE, PRECLEANER 0 For proper installation, refer to media number M0115889. Turbine-type precleaner for the engine air filter. For use in high dust/debris applications. Estimated time to install: 1 hour		\$625 NI NET
P	558-4849	KIT, ENGINE INSULATION 0 For proper installation, refer to media number M0095246. This kit provides parts that lower the surface temperature of certain engine and exhaust components. It is recommended for debris intensive applications and should be used in conjunction with the Debris Kit & Turbo Debris Guard Kit. Estimated time to install: 8.5 hours		\$1,188 NI
P	504-1553	KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$60 NI NET

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	421-0274	KIT, LIFTING EYES, FOUR POINT 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER 512-3479 DEBRIS MANAGEMENT PKG, (DM2) 570-9870 LAND MANAGEMENT PKG, (LM2) CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$265 NI
P	527-2335	KIT, REMOTE GREASE (COUPLER) 0 For proper installation, refer to media number M0084651. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours		\$256 NI
P	541-3141	KIT, WINTER, REAR DOOR COVER 0 Required for operating in temperatures below -32C (-25F). For proper installation refer to media number REHS8737. Provides rear door cover to minimize air flow into the engine compartment. Estimated time to install: 1.0 hour		\$297 NI
P	565-3045	KIT, FIRE EXTINGUISHER MOUNTING 0 For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours INCLUDED IN: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$203 NI
P	548-3166	KIT, FUEL TANKS, EXTERNAL 0 For proper installation, refer to media number M0096845. Provides 2 steel external fuel tanks that deliver a total fuel capacity of 219L (58 gallons) Estimated time to install: 40 hours CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$9,222 NI
P	583-9158	KIT, FRONT ROADING LIGHTS 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours		\$543 NI
P	583-9155	KIT, REAR ROADING LIGHTS 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours		\$269 NI

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	512-0356	KIT, LIGHTS, REAR, WIDE MOUNT 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Rooding CANNOT BE USED WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT		\$497 NI
P	599-4162	KIT, LIGHTS, SIDE 0 For proper installation, refer to media number M0121153. This kit provides two LED lights (2200 lumens each) which can be mounted to the side of the cab structure. The LED side lights are adjustable in order to provide the ideal light coverage for the areas alongside of the machine, enhancing visibility in low light applications. Estimated time to install: 1 hour CANNOT BE USED WITH : Roof mounted auxiliary cooler, Roof mounted water tank, FOPS level 2, 4-point lifting, single point lifting and FOPS level 2 with 4-point lift.		\$715 NI
P	544-4103	KIT, DEMAND FAN, REVERSING 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours		\$1,000 NI
P	584-1927	KIT, GUARD, DRIVELINES 0 For proper installation, refer to media number M0107931. This kit provides additional guarding for customers in demanding applications where guarding for the drive lines is desired. Estimated time to install: 12 hours		\$1,035 NI
P	598-6616	KIT, HEAVY-DUTY REAR BUMPER 0 This kit provides an additional bumper structure that extends protection an additional 7.3 in. (185mm) from the factory rear bumper. The bumper kit delivers additional protection to the rear of the machine in demanding applications like demolition, recycling, land management, etc. Not compatible with rear counterweights. Not compatible with LM1 or LM2 packages. For proper installation, refer to media number M0124805. Estimated time to install: 2 hours		\$3,118 NI

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	587-6616	KIT, HVY-DUTY REAR DOOR GUARD 0 This kit provides a tubular guarding structure that extends protection for the rear door an additional 5.2 in. (133mm) for the 272D3, 272D3 XE, 299D3, and 299D3 XE models and an additional 9.1 in. (232mm) from the factory rear door for the 246D3, 262D3, 279D3 and 289D3 models. The guard is movable to provide access to the factory rear door and service access points. The rear door guard kit delivers additional protection to the rear of the machine in demanding applications like demolition, recycling, land management, etc. For proper installation, refer to media number M0124807. Estimated time to install: 4 hours		\$3,000 NI
P	608-7028	KIT, FORWARD FACING CAMERA 0 For proper installation, refer to media number M0123561. Includes a camera, display, harness, brackets and hardware to mount a forward facing camera system. The forward facing camera is mounted to an external breakaway bracket in the top left corner of the outside of the cab. The highest part of the camera kit mount is 540 mm (21.25 in.) above the top window of the cab. The interior display is mounted in the upper left corner of the cab. May be needed for local EU requirements. Certain machine and attachment combinations may require this additional visibility aid. Refer to Product Bulletin AEXC1213 at catpublications.com for more information. Estimated time to install: 4 hours		\$1,826 NI
P	605-4399	KIT, CELL PHONE HOLDER 0 The spring-loaded phone holder features a 'X' design that expands and contracts to provide a perfect fit for your device even with a case. The phone holder kit provides an easy to see mounting location for your phone with a wide range of adjust-ability to achieve the ideal viewing angle. The phone holder is made of powder coated, marine-grade aluminum, stainless steel components, and high-strength composite for durability. Fits phones ranging from 1.75" to 4.5" (44.5 mm - 114.3 mm) in width, a depth of 0.875" (22.2 mm) max, and a weight up to 1 lb. (0.45 kg). For proper installation, refer to media number M0126319. Estimated time to install: 30 minutes.		\$85 NI

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

Available Through ANTARES Parts Ordering (Cont.)

P	548-1650	KIT, FIRE SUPPRESSION 0 For proper installation refer to media number M0108446. Kit includes a portion of the components needed to install an ANSUL Liquid Vehicle System (LVS) fire suppression system for use in applications or environments where combustible material or debris are present. This system requires that additional components be installed by a local ANSUL distributor. The ANSUL distributor will also certify and register the system upon completion of the installation. Estimated time to install this kit: 1.5 hours ONLY FOR USE WITH: 563-3820 299D3 XE CTL LAND MANAGEMENT 563-4651 299D3 XE CTL LAND MANAGEMENT North America Dealers NOTE: To locate and contact a local ANSUL distributor see below. (www.ansul.com/en/us/pages/FindaDistributor.aspx?value=FINDA DISTRIBUTOR).In the "Products" drop down menu, select "Vehicle Pre-Engineered Systems".		\$826 NI
P	571-6876	KIT, WATER TANK, 44 US GAL 0 Mounted to top of cab 44 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect. Auxiliary port provides location for garden hose adapter to be added for easy ground filling. For proper installation, refer to media number M0110967. Estimated time to install: 4 hours For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer CANNOT BE USED WITH: Four Point Lifting Eyes kit, Single Point Lift kit, FOPS Level 2 kit, FOPS Level 2 with 4 point lift, or Auxiliary Hydraulic Cooler kit.		\$2,104 NI
P	572-7968	KIT, CVRSN, SCREW TO CONNECT 0 For proper installation, refer to media number M0099347. This kit provides parts to convert the 3/4 inch push-to-connect quick disconnect couplings into a screw-to-connect system. Included are the male/female screw-to-connect quick disconnect couplings for the machine and the male/female screw-to-connect quick disconnect couplings for an attachment. Estimated time to install: 30 minutes		\$1,000 NI
P	585-5125	KIT, GRADING IMU, SMART, MACH 3 Provides information regarding the machine orientation to the machine display. Required to be installed on the host machine when using Smart Dozer. Can be used with Smart Grader Blade, but is not required (reference Media number: M0117917). INCLUDES: Box with Sensor, connecting harness, fixings Estimated install time: 1 hour		\$556 NI

PACKING

DOMESTIC PACKING

0P-0210	PACK, DOMESTIC TRUCK 0	NC
---------	----------------------------------	----

CATERPILLAR MACHINE PRICE LIST

299D3XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

PACKING (CONT.)

Only to be used when ordering kits via CMOPS.

0P-2162	PACKING, KIT	0	NC
---------	--------------------	---	----