

CATERPILLAR MACHINE PRICE LIST

**325**

325 HYDRAULIC EXCAVATOR  
 AKASHI, JAPAN

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

C4.4e twin turbo EU Stage V diesel engine  
 Electric fuel priming pump  
 Reversible electric cooling fans  
 Two-stage fuel filtration system with water separator and indicator  
 145 Amp. alternator  
 Sealed double element air filter with integrated pre-cleaner  
 Biodiesel capable (up to B20)  
 Standard -18C/0F starting capability

Mechanical suspension comfort seat w/ headrest, console height adjustment arm rest angle adjustment  
 Fixed left side console  
 Openable steel hatch (Deluxe cab)  
 Air suspension deluxe seat w/ headrest w/ 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment  
 Tilt up left side console  
 Openable polycarbonate hatch for 2P windshield  
 Dome and lower LED interior lights, coat hook, cup holder, console storage, with net, and overhead storage with net

**UNDERCARRIAGE**

Grease lubricated track link  
 Tie down points on base frame (ISO 15818 compliant)

**SAFETY AND SECURITY**

RH Hand rail and hand hold (ISO 2867 compliant)  
 Service platform with anti-skid plate and countersunk bolts  
 Hydraulic lock out lever neutralizes all controls  
 Ground level accessible secondary engine shutoff switch in cab  
 Signaling / warning horn

**HYDRAULICS**

Electronic main control valve  
 Auto warm up  
 Tandem type electronic main pump  
 Boom and stick regeneration circuits  
 Automatic two speed travel  
 Boom and stick drift reduction valve  
 Element type main hydraulic filter

**OTHER STANDARD EQUIPMENT**

Grouped location for engine oil and fuel filters  
 Ground level 2nd dipstick for engine oil  
 Sampling ports for Scheduled Oil Sampling (S.O.S)  
 Remote flash

**ELECTRICAL**

2x1000CCA maintenance free batteries  
 Centralized electrical disconnect switch  
 CAT Product Link  
 After engine shutdown 90 seconds programmable time delay  
 LED working lights:  
 One chassis mounted, one LH boom mounted

**OPERATOR ENVIRONMENT**

Sound-suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount (Tunnelling Cab is not ROPS compliant)  
 Increased rear window size as emergency exit  
 70/30 - Openable tempered front upper windshield w/ assist device and removable tempered lower windshield with in cab storage bracket  
 1PC- Fixed one piece tempered windshield  
 2 inch (51mm) orange seat belt  
 Automatic bi-level air conditioner with pressurized function  
 Washable floor mat  
 Roller front sunscreen  
 Beacon ready  
 2 x 12V DC Outlet  
 (Comfort cab)

CATERPILLAR MACHINE PRICE LIST

**325**

325 HYDRAULIC EXCAVATOR  
AKASHI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Orders Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program**

CATERPILLAR MACHINE PRICE LIST

**325**

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p><b>612-7453</b></p> <p><b>325 07C HEX AM-N DCA1C</b> . . . . . 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p>	<p>0</p>	<p><b>\$318,820</b></p>
---	----------	-------------------------

LANE2/3 is not available to Quebec with ANSI

8.3ton (18,300lb) CTWT, Deluxe Cab, Long Undercarriage,  
Advanced Tool Control circuit, Reach Boom,  
R2.9(9'6") B1 Stick, QC circuit.

INCLUDES:

- 528-6901 325 07 EXCAVATOR ARRANGEMENT
- 551-4782 FRAME, SWING, STD
- 528-3505 COUNTERWEIGHT, 8.3 MT (18,300lb)
- 528-6903 UNDERCARRIAGE, W/SD ROLLER LC
- 535-6603 BOOM, REACH 5.7M (18'8")
- 490-7673 STICK, R2.9M (9'6")
- 492-8537 LINKAGE, BKT, B1 W/EYE GRADE
- 525-6077 CYLINDER, BOOM
- 586-3636 CYLINDER, STICK
- 490-4179 CYLINDER, BKT, B1
- 562-3518 LINES, FRONT
- 533-5775 GRADE SENSOR, REACH BOOM
- 516-9883 GRADE SENSOR, R2.9M (9'6")/2.95 STICK
- 562-3526 BOOM TUBE
- 527-1022 LINES, HP, REACH BOOM
- 527-1024 LINES, QC, REACH BOOM
- 356-8117 LINES, HP, R2.9M (9'6") STICK
- 242-6490 LINES, QC, R2.9M (9'6") STICK
- 582-9936 HYDRAULIC PKG, COMB ADV

INCLUDES:

- COVER, VALVE
- VALVE, HYDRAULIC, TCS, HL
- LINE, OIL COOLER TCS
- CIRCUIT, COMBINED, ADV
- HARNES, BOOM, ADV TCS
- LINE, CHASSIS TCS
- 609-5081 CAB, DELUXE
- 527-2160 LINES, A/C
- 533-5067 WIPER, RADIAL W/O LOWER
- 511-9428 MONITOR, 10"
- 488-6534 DRINK HOLDER
- 502-7166 INTEGRATED RADIO, W/O DAB
- 526-6475 TRACK, 790MM (31") TG HD
- 528-6835 JOYSTICKS, VERTICAL SLIDER
- 562-3520 LINES, PILOT, STD & TUNNEL
- 490-7715 PEDAL, STRAIGHT TRAVEL
- 535-6594 CAMERA, 360 VISIBILITY
- 580-8628 MIRROR, CAB, W/O GUARD
- 525-7678 MACHINE ECM
- 577-6874 LIGHT, CHASSIS
- 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR
- 579-9097 LIGHT, BOOM LH
- 579-9098 LIGHT, BOOM RH
- 562-3516 RETURN LINE
- 569-2421 CAP, W/O VAB
- 589-1744 RADIO MODULE, PL243 CELLULAR
- 555-7286 NETWORK MANAGER, STD

CATERPILLAR MACHINE PRICE LIST

**325**

325 HYDRAULIC EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

- 594-2025 WIRING, PRODUCT LINK ELITE
- 516-0550 GRADE W/2D, ASSIST&PAYLOAD
- 526-8766 GUARD, TRACK GUIDE, SEGMENTED
- 528-3493 GUARD, BOTTOM, HD
- 488-9288 GUARD, TRAVEL MOTOR, HD
- 134-8875 GUARD, SWIVEL, STD
- 538-5266 SWIVEL JOINT, STD
- 562-3529 SUCTION LINE, PUMP, STD
- 563-1657 LINES, DRAIN, PG COUPLER TCS
- 562-3538 LINE, TRAVEL SPEED CHANGE
- 535-6605 FINE SWING
- 527-0862 CONTROL, QUICK COUPLER
- 569-2420 CAP FOR W/O MED PRESSURE
- 592-8318 ALARM, TRAVEL
- 569-0044 SCREEN, RADIATOR
- 535-6600 DECALS, EXTERIOR, ANSI
- 573-4351 FILM, INTERIOR, ANSI
- 567-3815 FILM, STICK WARNING, ANSI
- 568-9833 DECAL, ROPS
- 520-9418 FILM, OPERATING PATTERN, 2WAY
- 528-4738 FILM, EMC

<b>612-7461</b>	<b>325 07C HEX AM-N CFG1B</b> ..... 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$243,830</b>
-----------------	---	------------------

Base machine with Deluxe Cab, 10" monitor.  
Well suited for general applications.

Must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 528-6901 325 07 EXCAVATOR ARRANGEMENT
  - 551-4782 FRAME, SWING, STD
  - 525-6077 CYLINDER, BOOM
  - 562-3526 BOOM TUBE
  - 562-3518 LINES, FRONT
  - 569-2421 CAP, W/O VAB
  - 609-5081 CAB, DELUXE
  - 511-9428 MONITOR, 10"
  - 527-2160 LINES, A/C
  - 525-7678 MACHINE ECM
  - 562-3520 LINES, PILOT, STD & TUNNEL
  - 577-6874 LIGHT, CHASSIS
  - 490-7715 PEDAL, STRAIGHT TRAVEL
  - 134-8875 GUARD, SWIVEL, STD
  - 535-6605 FINE SWING
  - 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

**325**

<b>325 HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

<b>612-7463</b>	<b>325 07C HEX AM-N/ANZ CFG2B</b> ..... 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	<b>\$250,220</b>
-----------------	---	------------------

Base machine with Deluxe Cab, 10" monitor, BLCV/SLCV configuration.  
 Well suited for general applications and those requiring BLCV/SLCV  
 as a safety device.

Must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 528-6901 325 07 EXCAVATOR ARRANGEMENT
  - 551-4782 FRAME, SWING, STD
  - 525-6079 CYLINDER, BOOM, BLCV
  - 538-8946 BOOM TUBE, BLCV
  - 562-3518 LINES, FRONT
  - 569-2421 CAP, W/O VAB
  - 559-6578 LINES, SLCV BASE MACHINE
  - 559-6577 LINES, BLCV
  - 609-5081 CAB, DELUXE
  - 511-9428 MONITOR, 10"
  - 527-2160 LINES, A/C
  - 525-7678 MACHINE ECM
  - 562-3520 LINES, PILOT, STD & TUNNEL
  - 577-6874 LIGHT, CHASSIS
  - 490-7715 PEDAL, STRAIGHT TRAVEL
  - 134-8875 GUARD, SWIVEL, STD
  - 535-6605 FINE SWING
  - 520-9418 FILM, OPERATING PATTERN, 2WAY

CATERPILLAR MACHINE PRICE LIST

**325**

<b>325 HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

<b>624-4760</b>	<b>325 07C HEX AM-N CFG3B</b> ..... 0 LANE 3 ONLY - AVAILABLE FROM AKASHI FACTORY	<b>\$272,570</b>
-----------------	--	------------------

Base machine with Deluxe Cab, 10" monitor,  
 BLCV/SLCV configuration for VA Boom. Well suited for  
 general applications and those requiring BLCV/SLCV  
 as a safety device.

Must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 5286901 325 07 EXCAVATOR ARRANGEMENT
  - 1348875 GUARD, SWIVEL, STD
  - 4889288 GUARD, TRAVEL MOTOR, HD
  - 4907715 PEDAL, STRAIGHT TRAVEL
  - 5027166 INTEGRATED RADIO, W/O DAB
  - 5119428 MONITOR, 10"
  - 5209418 FILM, OPERATING PATTERN, 2WAY
  - 5257678 MACHINE ECM
  - 5268025 CYLINDER, BOOM, BLCV VAB
  - 5270854 CIRCUIT, COMBINED, ADV
  - 5270862 CONTROL, QUICK COUPLER
  - 5270863 CONTROL, VAB
  - 5271029 LINE, CHASSIS VAB
  - 5272160 LINES, A/C
  - 5283493 GUARD, BOTTOM, HD
  - 5283510 MIRROR, RH VAB
  - 5284738 FILM, EMC
  - 5356605 FINE SWING
  - 5514782 FRAME, SWING, STD
  - 5596576 VALVE, HYDRAULIC, VAB, HL
  - 5597559 COVER, VALVE
  - 5623518 LINES, FRONT
  - 5623520 LINES, PILOT, STD & TUNNEL
  - 5623532 LINE, OIL COOLER TCS
  - 5623541 LINE, CHASSIS TCS
  - 5690044 SCREEN, RADIATOR
  - 5691830 BOOM TUBE, BLCV VAB
  - 5722400 UPPER FRAME SHIM
  - 5776874 LIGHT, CHASSIS
  - 5928318 ALARM, TRAVEL

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Order from Product Distribution Center (PDC)		

**DECAL PACKAGE**

(Must Choose One)

OP-7124	INSTRUCTION,NORTH AMERICA ANSI . . . . .	0	NC
	This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		

L	560-2480	INSTRUCTIONS, INTERNATIONAL . . . . .	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: Required for Quebec

**SERVICE INSTRUCTIONS**

(Must Choose One)

OP-3380	INSTRUCTIONS, ENGLISH . . . . .	0	NC
OP-3389	INSTRUCTIONS, FRENCH . . . . .	0	NC
OP-3404	INSTRUCTIONS, SPANISH . . . . .	0	NC

**PACKING**

**STORAGE PROTECTION**

(Must Choose One)

OG-4126	STORAGE PROTECTION (EXPORT) . . . . .	0	\$313 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***ADDITIONAL STORAGE PROTECTION***

<b>0P-7563</b>	<b>STORAGE PROTECTION (EXPORT) . . . . . 0</b>	<b>\$46 NET</b>
	ADSD-N machine is sprayed with LPS3 instead of Fluid Film to avoid the adhesion of Cogon-grass which is listed on invasive alien grasses in US. This is additional cost to spray LPS3.	

***EXPORT PACKING***

(Must Choose One)

<b>0G-4202</b>	<b>ROLL ON-ROLL OFF . . . . . 0</b>	<b>\$149 NET</b>
----------------	-------------------------------------	------------------

***FIXTURE - BUCKET LINKAGE***

<b>L</b>	<b>575-8647</b>	<b>FIXTURE, BUCKET LINKAGE B1 . . . . . 0</b>	<b>\$50 NET</b>
----------	-----------------	---	-----------------



CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**BOOMS, STICKS, AND LINKAGES**

NOTE: When ordering a frontless excavator, please contact Caterpillar at "exd\_Custom\_Config@cat.com". Caterpillar can provide guidance for unique configurations and AEM-s/OEM-s that support specialty HEX applications.

**BOOMS**

L	535-6603	BOOM, REACH 18'8" . . . . .	0	\$7,720
		CANNOT BE USED WITH: 624-4760 325 07C HEX AM-N CFG3B		
L	593-3285	BOOM PKG, VAB, CGC . . . . .	0	\$28,470
		Includes HP Boom line, MP Boom line, QC Boom line, SLCV lines		
		INCLUDES:		
		- VA BOOM W/HP/MP/QC/SLCV LINES		
		- CYLINDER, STICK, VAB		
		- HARNESS, BOOM, ADV TCS VAB		
		- GRADE SENSOR, VAB		
		- SHIM, FRONT VAB		
		- LIGHTS, BOOM LH & RH VAB		
		ONLY FOR USE WITH: 597-2204 325 07C HEX EU CFG2B or		
		610-5165 325 07C HEX EU CFG4B or		
		624-4760 325 07C HEX AM-N CFG3B		
OG-0341	NO BOOM . . . . .	0	NC	
	FOR USE IN LANE 3 ONLY			
	For no boom, no stick, no bucket linkage			
	- When ordering with EU BCF1, it can be used with no tool only			
	CANNOT BE USED WITH: HYDRAULIC PKG, COMB ADV			
	HYDRAULIC PKG, COMB ADV HRF			
	EU CFG2 (VAB)			
	JAPAN CFG2 (shovel crane)			
	624-4760 325 07C HEX AM-N CFG3B			

**STICKS**

L	490-7673	STICK, R9'6" . . . . .	0	\$3,545
		ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8") or		
		593-3285 BOOM PKG, VAB, CGC		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICKS (Cont.)**

L	490-7676	STICK, R9'6" HD THUMB .....	0	\$4,750
---	----------	-----------------------------	---	---------

CANNOT BE USED WITH: -Quick coupler, Medium pressure circuit  
 - BLCV, SLCV,  
 -Full length track guiding guard,  
 612-7463 325 07C HEX AM-N/ANZ CFG2B  
 624-4760 325 07C HEX AM-N CFG3B

	OG-0342	NO STICK .....	0	NC
--	---------	----------------	---	----

FOR USE IN LANE 3 ONLY  
 For No boom or stick less (boom only)  
 CANNOT BE USED WITH: JAPAN CFG2 (shovel crane)  
 624-4760 325 07C HEX AM-N CFG3B

**BUCKET LINKAGES**

L	492-8537	LINKAGE, BKT, B1 W/EYE GRADE .....	0	\$2,845
---	----------	------------------------------------	---	---------

CANNOT BE USED WITH: No boom and stick less machine

**CYLINDERS**

**STICK CYLINDER**

L	586-3636	CYLINDER, STICK .....	0	\$3,420
			0	\$3,420 NI

ONLY FOR USE WITH: 612-7461 325 07C HEX AM-N CFG1B or  
 597-2206 325 07C HEX JAPAN CFG1A  
 and  
 Reach boom or  
 No boom and no stick (CYLINDER NOT INSTALLED)

L	586-7696	CYLINDER, STICK, SLCV .....	0	\$3,955
			0	\$3,955 NI

ONLY FOR USE WITH: 612-7463 325 07C HEX AM-N/ANZ CFG2B or  
 597-2207 325 07C HEX JAPAN CFG2A  
 or  
 No Reach boom and no stick (CYLINDER NOT INSTALLED)

**BUCKET CYLINDER**

L	490-4179	CYLINDER, BKT, B1 .....	0	\$2,325
---	----------	-------------------------	---	---------

CANNOT BE USED WITH: No boom, stick less machine

**UNDERCARRIAGE**

**TRACKS**

L	526-6473	TRACK, 24" TG HD .....	0	\$3,925
---	----------	------------------------	---	---------

For Long undercarriage  
 8.3 MT(18,300lb) w/o blade and 6.7MT(14,800lb) w/o blade  
 4.9 MT(11,000lb) w/blade

L	526-6475	TRACK, 31" TG HD .....	0	\$5,630
---	----------	------------------------	---	---------

w/ step extension for ISO2867  
 For Long undercarriage  
 8.3 MT(18,300lb) w/o blade and 6.7MT(14,800lb) w/o blade  
 4.9 MT(11,000lb) w/blade

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK GUIDING GUARD**

L	526-8766	GUARD, TRACK GUIDE, SEGMENTED . . . . . 0		\$1,735
		For Long undercarriage		
L	346-7146	GUARD, TRACK GUIDE, FULL . . . . . 0		\$2,815
		For Long undercarriage		
		CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

**HYDRAULICS**

**JOYSTICK**

L	528-6835	JOYSTICKS, VERTICAL SLIDER . . . . . 0		\$1,380
		CANNOT BE USED WITH: 560-2027 CAT TILTROTATOR SUPPORT		
L	493-9769	JOYSTICKS, 5 BUTTON 2 SLIDER . . . . . 0		\$2,805
		Tilt Rotator Joystick		
		ONLY FOR USE WITH: 582-9936 HYDRAULIC PKG, COMB ADV or		
		582-9938 HYDRAULIC PKG, COMB ADV HRF or		
		597-2201 325 07C HEX EU CFG1B or		
		597-2204 325 07C HEX EU CFG2B or		
		610-5164 325 07C HEX EU CFG3B or		
		610-5165 325 07C HEX EU CFG4B		

**NO AUXILIARY CIRCUIT**

L	582-9935	HYDRAULIC PKG, NO TOOL . . . . . 0		\$1,015
		For no tool		
		Can be used with thumb ready stick		
		INCLUDES:		
		- COVER, VALVE		
		- VALVE, HYDRAULIC, HL		
		- LINE, OIL COOLER, STD		
		- CAP, W/O TCS		
		CANNOT BE USED WITH: 624-4760 325 07C HEX AM-N CFG3B		

**AUXILIARY CIRCUIT - COMBINED CIRCUIT**

Medium Pressure Circuit can be added in the Optional Attachments section.

L	582-9936	HYDRAULIC PKG, COMB ADV . . . . . 0		\$9,230
		Combined circuit (1 way / 2 way)		
		Can be used with thumb ready stick		
		INCLUDES:		
		- COVER, VALVE		
		- VALVE, HYDRAULIC, TCS, HL		
		- LINE, OIL COOLER TCS		
		- CIRCUIT, COMBINED, ADV		
		- HARNESS, BOOM, ADV TCS		
		- LINE, CHASSIS TCS		
		CANNOT BE USED WITH: No boom		
		624-4760 325 07C HEX AM-N CFG3B		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**FOR MEDIUM PRESSURE**

L	569-2420	CAP FOR W/O MED PRESSURE . . . . . 0 When not ordering a medium circuit CANNOT BE USED WITH: 624-4760 325 07C HEX AM-N CFG3B		NC
L	569-2419	LINE, CHASSIS W/ MED PRESSURE . . . . . 0 When ordering a medium circuit CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		NC

**LINE GROUPS**

**STRAIGHT TRAVEL DRAIN LINE**

L	562-3533	LINES, DRAIN, STD, W/O QC . . . . . 0 For reach boom CANNOT BE USED WITH: 527-0862 CONTROL, QUICK COUPLER		NC
L	560-2478	LINES, DRAIN, PG COUPLER STD . . . . . 0 For Reach boom. Cat Pin grabber quick coupler and w/o Tool control ONLY FOR USE WITH: 527-0862 CONTROL, QUICK COUPLER CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		NC
L	563-1657	LINES, DRAIN, PG COUPLER TCS . . . . . 0 For Reach boom. Cat Pin grabber quick coupler and w/ Tool control ONLY FOR USE WITH: 527-0862 CONTROL, QUICK COUPLER (except for EU) CONTROL, QUICK COUPLER is included in EU BCF1 CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		NC
L	599-5726	LINES, DRAIN, PGC VAB . . . . . 0 FOR VAB ONLY FOR USE WITH: 624-4760 325 07C HEX AM-N CFG3B		NC

**SUCTION LINE**

L	562-3529	SUCTION LINE, PUMP, STD . . . . . 0 CANNOT BE USED WITH: Medium pressure and/or BLADE		NC
L	562-3530	SUCTION LINE, PUMP, MP BLADE . . . . . 0 ONLY FOR USE WITH: Medium pressure and/or BLADE		NC

**LINES TRAVEL SPEED CHANGE**

L	562-3538	LINE, TRAVEL SPEED CHANGE . . . . . 0 CANNOT BE USED WITH: BLADE		NC
L	562-3539	LINE, TRAVEL SPEED CHANGE BLADE . . . . . 0 VAB config requires blade ONLY FOR USE WITH: BLADE		NC

**RETURN LINE**

L	562-3516	RETURN LINE. . . . . 0 CANNOT BE USED WITH: BLADE AND MEDIUM PRESSURE		NC
L	567-7185	RETURN LINE, BLADE OR MP . . . . . 0 ONLY FOR USE WITH: BLADE AND/OR MEDIUM PRESSURE		NC

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**CAMERAS**

L	596-9090	CAMERA, REAR + RH VIEW . . . . . 0 Can be used with FOGS		\$915
L	535-6594	CAMERA, 360 VISIBILITY . . . . . 0 Must be used with 10" Monitor CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$2, 635
L	560-2477	CAMERA, 360 VISIBILITY FOGS . . . . . 0 Must be used with 10" Monitor REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$2, 635

**CAB LIGHTS**

L	577-3853	LIGHTS, CAB, W/O 360 . . . . . 0  ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW CANNOT BE USED WITH: FOGS		\$354
L	577-8973	LIGHTS, CAB, W/RAIN PROTECTOR . . . . . 0 Cab lights w/cover and rain protector ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW or 535-6594 CAMERA, 360 VISIBILITY CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		\$815
L	577-3857	LIGHTS, CAB, FOGS . . . . . 0 REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS) ONLY FOR USE WITH: 596-9090 CAMERA, REAR + RH VIEW or 560-2477 CAMERA, 360 VISIBILITY FOGS		\$354

**BOOM LIGHTS LEFT SIDE**

L	579-9097	LIGHT, BOOM LH . . . . . 0 For reach boom, left side light CANNOT BE USED WITH: No boom		\$183
---	----------	---	--	-------

**BOOM LIGHTS RIGHT SIDE**

L	579-9098	LIGHT, BOOM RH . . . . . 0 For reach boom, right hand side CANNOT BE USED WITH: No boom		\$183
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB**

L	609-5081	CAB, DELUXE . . . . . 0		\$7,690
		-2 Piece (70:30) openable tempered upper windshield with assist device & removable tempered lower windshield with in cab storage bracket		
		-Deluxe air suspension seat w/ headrest & 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment		
		-Tilt up left side console		
		-Openable polycarbonate hatch for 2P windshield		

CANNOT BE USED WITH: 612-7461 325 07C HEX AM-N CFG1B  
612-7463 325 07C HEX AM-N/ANZ CFG2B

**WIPER**

L	533-5067	WIPER, RADIAL W/O LOWER . . . . . 0		NC
		Deluxe cab is included in AM-N and ANZ CFGs		
		ONLY FOR USE WITH: 609-5080 CAB, COMFORT or 609-5081 CAB, DELUXE AM-N and ANZ CFGs		
L	553-9983	WIPER, RADIAL W/LOWER . . . . . 0		\$338
		Deluxe cab is included in AM-N and ANZ CFGs		
		ONLY FOR USE WITH: 609-5080 CAB, COMFORT or 609-5081 CAB, DELUXE AM-N and ANZ CFGs		

**CAB ADDITIONAL MIRROR**

L	580-8628	MIRROR, CAB, W/O GUARD . . . . . 0		\$124
		Additional ISO cab mirror		
		CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		
L	327-6553	MIRROR, CAB, GUARD FALLING . . . . . 0		\$122
		Additional ISO cab mirror for FOGS		
		ONLY FOR USE WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)		

**DRINK HOLDER**

L	564-6276	DRINK HOLDER, W/BLADE LEVER . . . . . 0		\$915
		ONLY FOR USE WITH: BLADE		
		CANNOT BE USED WITH: 493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER		
L	598-3674	DRINK HOLDER, W/BLD LVR, 2 SLIDE . . . . . 0		\$915
		ONLY FOR USE WITH: BLADE		
		493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER		
L	488-6534	DRINK HOLDER . . . . . 0		NC
		CANNOT BE USED WITH: BLADE		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**RADIO/RADIO READY**

L	502-7166	INTEGRATED RADIO, W/O DAB ..... 0 Included in ADSD-N CFG3		\$650
---	----------	--	--	-------

Integrated faceless AM/FM radio with Bluetooth technology. Interfaces with an advanced display. w/ 1 x Aux USB Port w/o DAB w/ Bluetooth On/Off Function. Availability varies by country.

**TECHNOLOGY PRODUCTS**

**CAT GRADE WITH ASSIST**

L	516-0550	GRADE W/2D, ASSIST&PAYLOAD ..... 0 CANNOT BE USED WITH: No boom, stick less machine 598-3513 MONITOR, 10" GRADE W/WIFI 593-8075 MONITOR, 10" GRADE W/O WIFI 593-8077 MONITOR, 10" GRADE W/WIFI		NC
L	535-6610	GRADE W/2D ADV, ASSIST&PAYLOAD ..... 0 REQUIRES: 598-3513 MONITOR, 10" GRADE W/WIFI or 593-8075 MONITOR, 10" GRADE W/O WIFI or 593-8077 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: No boom, stick less machine		\$9,880
L	535-6611	GRADE W/3D, ASSIST & PAYLOAD ..... 0 REQUIRES: 598-3513 MONITOR, 10" GRADE W/WIFI or 593-8075 MONITOR, 10" GRADE W/O WIFI or 593-8077 MONITOR, 10" GRADE W/WIFI CANNOT BE USED WITH: No boom, stick less machine		\$49,430

**GRADE SENSOR FOR BOOM**

L	533-5775	GRADE SENSOR, REACH BOOM ..... 0 For reach boom It is included in EU REACH BOOM/VAB PKG CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	---	--	----

**GRADE SENSOR FOR STICK**

L	516-9883	GRADE SENSOR, R9'6"/9'8" STICK ..... 0 For R2.9M (R9'6") stick It is included in EU STICK PKG CANNOT BE USED WITH: No boom, stick less machine		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINKS**

L	594-9052	<p><b>PROD LINK, PLE643/PLE743 RADIO</b> . . . . . 0</p> <p>Can not be used with FOGS</p> <p>Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>- RADIO MODULE, PL243 CELLULAR</li> <li>- WIRING, PRODUCT LINK ELITE</li> </ul> <p>CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)</p>		NC
L	594-9054	<p><b>PROD LINK, PLE643/PLE743 RADIO</b> . . . . . 0</p> <p>For use with FOGS</p> <p>Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>- RADIO MODULE, PL243 CELL FOGS</li> <li>- WIRING, PRODUCT LINK ELITE</li> </ul> <p>REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)</p>		NC
L	594-9050	<p><b>PROD LINK, PLE683/PLE783 RADIO</b> . . . . . 0</p> <p>Cannot be used with FOGS</p> <p>Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>- RADIO MODULE, PL083 SATELLITE</li> <li>- WIRING, PRODUCT LINK ELITE</li> </ul> <p>CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)</p>		\$360
L	594-9051	<p><b>PROD LINK, PLE683/PLE783 RADIO</b> . . . . . 0</p> <p>For use with FOGS</p> <p>Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>- RADIO MODULE, PL083 SAT FOGS</li> <li>- WIRING, PRODUCT LINK ELITE</li> </ul> <p>REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)</p>		\$360 NET



CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK NET WORK MANAGER**

L	555-7286	<b>NETWORK MANAGER, STD</b> ..... 0 For PRODUCT LINK PLE643/PLE683		NC
		Network manager Std PLE602 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well location is transmitted for viewing in Product Link user applications.		
L	555-7287	<b>ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST+PAYLOAD</b> <b>NETWORK MANAGER, GRADE ADV.</b> ..... 0 For PRODUCT LINK PLE743/PLE783		NC
		Network manager Grade Adv. PLE702 collects hours, utilization, health and productivity information as well as provides support for remote services and other advanced features. When paired with a separate Product Link radio this information as well as location is transmitted for viewing in Product Link user applications. <b>ONLY FOR USE WITH: 535-6610 GRADE W/2D ADV, ASSIST+PAYLOAD</b> <b>535-6611 GRADE W/3D, ASSIST &amp; PAYLOAD</b> <b>CANNOT BE USED WITH: No boom, stick less, machine</b>		

**SAFETY AND SECURITY**

L	592-8318	<b>ALARM, TRAVEL</b> ..... 0 Included in ADSD-N CFG3 Mandatory for AM-N & ANZ		\$1,015
---	----------	---	--	---------

**GUARDS**

**BOTTOM GUARD**

L	528-3493	<b>GUARD, BOTTOM, HD</b> ..... 0 Included in ADSD-N CFG3		\$675
---	----------	---	--	-------

**TRAVEL MOTOR GUARD**

L	488-9288	<b>GUARD, TRAVEL MOTOR, HD</b> ..... 0 Included in ADSD-N CFG3 <b>ONLY FOR USE WITH: 528-3493 GUARD, BOTTOM HD</b>		\$131
---	----------	--	--	-------

**OTHER ATTACHMENTS**

**SWIVEL JOINT**

L	538-5266	<b>SWIVEL JOINT, STD</b> ..... 0 CANNOT BE USED WITH: BLADE		NC
L	526-8030	<b>SWIVEL JOINT, BLADE</b> ..... 0 <b>ONLY FOR USE WITH: BLADE</b>		NC

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**COUNTERWEIGHT**

L	528-3502	COUNTERWEIGHT, 11,000 LB . . . . . 0 Thumb ready stick and VAB require blade control.		\$1,090
L	594-4710	COUNTERWEIGHT, 14,800 LB . . . . . 0 ONLY FOR USE WITH: 597-2201 325 07C HEX EU CFG1B or 597-2204 325 07C HEX EU CFG2B or 610-5164 325 07C HEX EU CFG3B or 610-5165 325 07C HEX EU CFG4B or 612-7461 325 07C HEX AM-N CFG1B or 612-7463 325 07C HEX AM-N/ANZ CFG2B CANNOT BE USED WITH: BLADE		\$4,320
L	528-3505	COUNTERWEIGHT, 18,300 LB . . . . . 0 CANNOT BE USED WITH: BLADE 490-7676 STICK, R96" HD THUMB 593-3285 BOOM PKG, VAB, CGC 593-3288 BOOM ONLY PKG, VAB		\$7,700

**FRAMES**

**UNDERCARRIAGE**

L	528-6904	UNDERCARRIAGE, W/SD RLR BLADE . . . . . 0 For Long undercarriage with blade ONLY FOR USE WITH: 528-3502 COUNTERWEIGHT, 4.9 MT(11,000lb) BLADE		\$29,470
L	528-6903	UNDERCARRIAGE, W/SD ROLLER LC . . . . . 0 For Long undercarriage ONLY FOR USE WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb) 594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb) CANNOT BE USED WITH: BLADE		\$16,280

**INSTRUCTIONS**

**DECALS EXTERIOR**

L	535-6600	DECALS, EXTERIOR, ANSI . . . . . 0 CANNOT BE USED WITH: QUEBEC DEALER		NC
---	----------	--	--	----

**DECALS CAB**

L	573-4351	FILM, INTERIOR, ANSI . . . . . 0 ONLY FOR USE WITH: 535-6600 DECALS, EXTERIOR, ANSI CANNOT BE USED WITH: QUEBEC DEALER		NC
---	----------	--	--	----

**DECALS, STICK WARNING**

L	567-3815	FILM, STICK WARNING, ANSI . . . . . 0 ONLY FOR USE WITH: 573-4351 DECALS, CAB, ANSI CANNOT BE USED WITH: QUEBEC DEALER No boom, stick less machine		NC
---	----------	---	--	----

**EMC FILM**

L	528-4738	FILM, EMC . . . . . 0 Included in ADSD-N CFG3		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**INSTRUCTIONS (CONT.)**

***ROPS FILM***

L	568-9833	DECAL, ROPS . . . . . 0 CANNOT BE USED WITH: No boom, stick less machine and Tunnelling machine		NC
---	----------	---	--	----

***OPERATION & MAINTENANCE MANUAL***

	0P-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	0P-3404	INSTRUCTIONS, SPANISH . . . . . 0		NC
	0P-3404	INSTRUCTIONS, SPANISH . . . . . 0		NC

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

**LINE GROUPS**

***HIGH PRESSURE AUXILIARY BOOM LINES***

L	527-1022	<b>LINES, HP, REACH BOOM</b> ..... 0 VAB HP lines is included in VA BOOM PKG  ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8")) or 560-2479 BOOM, REACH 5.7M(18'8")) HD or 582-9939 BOOM PKG, REACH, CGC or 582-9940 BOOM PKG, REACH HD, CGC or 582-9942 BOOM ONLY PKG, REACH or 582-9943 BOOM ONLY PKG, REACH HD  CANNOT BE USED WITH: 582-9935 HYDRAULIC PKG, JOYSTICK No boom REQUIRED BY: 582-9936 HYDRAULIC PKG, COMB ADV 582-9938 HYDRAULIC PKG, COMB ADV HRF EU BCF1 and EU BCF2	0	<b>\$1,430</b>
---	----------	--	---	----------------

***HIGH PRESSURE AUXILIARY STICK LINES***

L	356-8117	<b>LINES, HP, R9'6" STICK</b> ..... 0 CANNOT BE USED WITH: Stick less REQUIRED BY: 527-1022 LINES, HP, REACH BOOM or 597-2204 325 07C HEX EU CFG2B or 610-5165 325 07C HEX EU CFG4B 624-4760 325 07C HEX AM-N CFG3B	0	<b>\$1,320</b>
---	----------	--	---	----------------

***MEDIUM PRESSURE CIRCUIT***

L	527-0856	<b>CIRCUIT, MEDIUM</b> ..... 0 MP Mandatory for EU CANNOT BE USED WITH: BLADE 490-7676 STICK, R2.9M(9'6") HD THUMB	0	<b>\$3,295</b>
L	527-0857	<b>CIRCUIT, MEDIUM &amp; CONTROL BLADE</b> ..... 0 MP Mandatory for EU ONLY FOR USE WITH: BLADE CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB	0	<b>\$6,590</b>

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	527-1023	<b>LINES, MP, REACH BOOM</b> . . . . . 0 VAB MP lines is included in VA BOOM PKG		\$1,585
		ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8") or 560-2479 BOOM, REACH 5.7M(18'8") HD or 582-9939 BOOM PKG, REACH, CGC or 582-9940 BOOM PKG, REACH HD, CGC or 582-9942 BOOM ONLY PKG, REACH or 582-9943 BOOM ONLY PKG, REACH HD		
		CANNOT BE USED WITH: No boom 615-3679 CIRCUIT, MEDIUM, NO TOOL		
		REQUIRED BY: 527-0856 CIRCUIT, MEDIUM or 527-0857 CIRCUIT, MEDIUM BLADE		

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	372-9861	<b>LINES, MP, R9'6" STICK</b> . . . . . 0		\$1,095
		ONLY FOR USE WITH: STICK, R2.9M (9'6") STD/HD STICK PKG, R2.9M (9'6") STD/HD		
		CANNOT BE USED WITH: Stick less		
		REQUIRED BY: 527-1023 LINES, MP, REACH BOOM or 624-4760 325 07C HEX AM-N CFG3B		

**LINES, SLCV REACH BOOM**

L	533-6313	<b>LINES, SLCV REACH BOOM</b> . . . . . 0		NC
		CANNOT BE USED WITH: No boom		
		REQUIRED BY: 612-7463 325 07C HEX AM-N/ANZ CFG2B or 597-2207 325 07C HEX JAPAN CFG2A		

**STARTERS, BATTERIES, & ALTERNATORS**

L	526-8738	<b>COLD STARTING, ETHER</b> . . . . . 0 Provides -32C/-26F starting capability		\$428
---	----------	---	--	-------

**ELECTRICAL**

**PREMIUM SURROUND LIGHT**

L	582-5539	<b>LIGHTS, SURROUND, PREM</b> . . . . . 0		\$795
		ONLY FOR USE WITH: 516-0550 GRADE W/2D, ASSIST & PAYLOAD No CGC		
L	582-5542	<b>LIGHTS, SURROUND, PREM, 2D ADV/3D</b> . . . . . 0		\$795
		ONLY FOR USE WITH: 535-6610 GRADE W/2D, ADV, ASSIST & PAYLOAD 535-6611 GRADE W/3D, ASSIST & PAYLOAD		
		CANNOT BE USED WITH: No boom, stick less machine		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**BRACKET FOR PREMIUM SURROUND LIGHT**

L	578-8138	BRACKET, LIGHTS, SURROUND PREM . . . . . 0		NC
		ONLY FOR USE WITH: 582-5539 LIGHTS, SURROUND, PREM or 582-5542 LIGHTS,SURROUND,PREM,2D ADV/3D and 594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb) or 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		

**OPERATOR ENVIRONMENT**

**ADDITIONAL 10" GRADE MONITOR FOR 2D ADV AND 3D**

L	598-3513	MONITOR, 10" GRADE W/WIFI . . . . . 0		NC
		(Additional 10" GRADE MONITOR W/WIFI) Will be replaced by 593-8077 CANNOT BE USED WITH: ISRAEL DEALERS REQUIRED BY: 535-6610 GRADE W/2D ADV, ASSIST&PAYLOAD or 535-6611 GRADE W/3D, ASSIST&PAYLOAD		

L	593-8077	MONITOR, 10" GRADE W/WIFI . . . . . 0		NC
		"Removable type" (Additional 10" GRADE MONITOR W/WIFI) NOTE: CHECK AVAILABILITY FROM AKASHI FACTORY FOR AM-N, ANZ AND JAPAN CANNOT BE USED WITH: ISRAEL DEALERS REQUIRED BY: 535-6610 GRADE W/2D ADV, ASSIST&PAYLOAD or 535-6611 GRADE W/3D, ASSIST&PAYLOAD		

NOTE: CHECK AVAILABILITY FROM AKASHI FACTORY FOR AM-N, ANZ AND JAPAN REGION

**SUN SCREEN REAR**

L	488-6450	SUN SCREEN, REAR . . . . . 0		\$242
		For comfort and deluxe cab It is already included in Premium Cab. Deluxe cab is already included in AM-N and ANZ CFG ONLY FOR USE WITH: 609-5080 CAB, COMFORT or 609-5081 CAB, DELUXE or AM-N CFG and ANZ CFG		

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED FEATURES**

L	617-0334	JOYSTICK STEER + AUX RELAY PKG. . . . . 0		\$1,195
		INCLUDES: - Aux Relay - Joystick Steer  CANNOT BE USED WITH: Tunneling machine		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**SOFTWARE ENABLED FEATURES (Cont.)**

L	560-2027	CAT TILTROTATOR SUPPORT . . . . .	0	\$3,060
		Activation of Cat TRS software support REQUIRES: High Pressure Boom & Stick Lines ONLY FOR USE WITH: 493-9769 JOYSTICKS, 5 BUTTON 2 SLIDER		
		NOTE: If used with GRADE W/2D, EOU will not function with rotation If used with GRADE W/2D ADV or GRADE W/3D, No limitations of EOU		

**GUARDS**

**CAB GUARD FOGS**

L	578-9808	GUARD, FALLING OBJECT (FOGS) . . . . .	0	\$2,755 NET
		Compatible with TUNNEL JAPAN CFG21 CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

**OTHER ATTACHMENTS**

L	569-0044	SCREEN, RADIATOR . . . . .	0	\$231
		Included in ADSD-N CFG3 Mandatory for AM-N, Optional for HK/TW/Japan/EU		

**QUICK COUPLERS**

**CONTROL, QC**

L	527-0862	CONTROL, QUICK COUPLER . . . . .	0	\$1,005
		Included in ADSD-N CFG3 This DOES NOT include QC lines for the boom and stick. CANNOT BE USED WITH: 490-7676 STICK, R2.9M(9'6") HD THUMB		

**QUICK COUPLER BOOM LINES**

L	527-1024	LINES, QC, REACH BOOM . . . . .	0	\$1,560
		VAB QC lines is included in VA BOOM PKG		
		ONLY FOR USE WITH: 535-6603 BOOM, REACH 5.7M(18'8") or 560-2479 BOOM, REACH 5.7M(18'8") HD or 582-9939 BOOM PKG, REACH, CGC or 582-9940 BOOM PKG, REACH HD, CGC or 582-9942 BOOM ONLY PKG, REACH or 582-9943 BOOM ONLY PKG, REACH HD		
		CANNOT BE USED WITH: No boom 490-7676 STICK, R2.9M(9'6") HD THUMB		
		REQUIRED BY: 527-0862 CONTROL, QC		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**QUICK COUPLER STICK LINES**

L	242-6490	LINES, QC, R9'6" STICK ..... 28 CANNOT BE USED WITH: Stick less 490-7676 STICK, R2.9M(9'6") HD THUMB REQUIRED BY: 527-1024 LINES, QC, REACH BOOM or 624-4760 325 07C HEX AM-N CFG3B		\$1,220
---	----------	---	--	---------

**QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)**

L	455-3909	COUPLER, PIN GRABBER B1 W/PINS ..... 944 FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. For B family bucket linkage ONLY FOR USE WITH: BUCKET and 527-0862 CONTROL, QUICK COUPLER and 560-2478 LINES, DRAIN, PG COUPLER STD 563-1657 LINES, DRAIN, PG COUPLER TCS and 527-1024 LINES, QC, REACH BOOM and 242-6490 LINES, QC, R2.9M(9'6") STICK or AM-N DCA (LANE2/3) CANNOT BE USED WITH: No boom, stick less machine		\$10,889
---	----------	---	--	----------

**QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)**

L	455-3910	COUPLER PG W/O PIN B1 ..... 849 FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) Does NOT include spare pins. For B family bucket linkage  ONLY FOR USE WITH: 527-0862 CONTROL, QC and 560-2478 LINES, DRAIN, PG COUPLER STD 563-1657 LINES, DRAIN, PG COUPLER TCS and 527-1024 LINES, QC, REACH BOOM and 242-6490 LINES, QC, R2.9M(9'6") STICK or AM-N DCA (LANE2/3) CANNOT BE USED WITH: No boom, stick less machine		\$9,639
---	----------	--	--	---------



CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES**

**BLADE CONTROLS**

L	564-5089	CONTROL, BLADE W/O TCS . . . . . 0		\$3,295
		ONLY FOR USE WITH: 582-9935 HYDRAULIC PKG, NO TOOL		
L	564-5090	CONTROL, BLADE TCS . . . . . 0		\$3,295
		VAB config requires BLADE		
		CANNOT BE USED WITH: 527-0857 CIRCUIT, MEDIUM BLADE		

**BLADE**

L	316-3754	BLADE, 9'9" . . . . . 0		\$8,590
		Suitable to be used with 600mm(24") width Track Shoes		
		Requires blade control		
		CANNOT BE USED WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		
		594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb)		
L	526-8772	BLADE, 10'5" . . . . . 0		\$10,900
		Suitable to be used with 700mm(28") and 790mm(31") width Track Shoes		
		Requires blade control		
		CANNOT BE USED WITH: 528-3505 COUNTERWEIGHT, 8.3 MT(18,300lb)		
		594-4710 COUNTERWEIGHT, 6.7 MT(14,800lb)		

**BUCKETS**

Bucket, Tip and side cutters can not be used with No boom and stick less machine.

**HEAVY DUTY (HD)**

For use in materials, such as mixed dirt, clay and rock. Aggressive bucket designed for moderate abrasive applications.

P	552-8238	BKT HD 36" 1.06YD3 B . . . . . 1,742		\$9,153
		REQUIRES: TIPS Advansys 90, QTY 5		
		ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		
P	552-8239	BKT HD 42" 1.31YD3 B . . . . . 1,867		\$9,833
		REQUIRES: TIPS Advansys 90, QTY 5		
		ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		
P	552-8240	BKT HD 48" 1.56YD3 B . . . . . 2,030		\$10,528
		REQUIRES: TIPS Advansys 90, QTY 6		
		ONLY FOR USE WITH: B FAMILIY BUCKET LINKAGE		

**TIPS ADVANSYS 90**

P	505-4097	TIP, PENETRATION PLUS ADVANSYS . . . . . 23		\$121
		Advansys 90		
		ONLY FOR USE WITH: 552-8238 BKT HD 900MM 0.81M3 (36" 1.06YD3) B		
		552-8239 BKT HD 1050MM 1.00M3 (42" 1.31YD3) B		
		552-8240 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B		
		550-9586 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**SIDECUTTERS**

P	357-2698	SIDECUTTERS, HEAVY DUTY . . . . .	108	\$1,306
		ONLY FOR USE WITH: 552-8238 BKT HD 900MM 0.81M3 (36" 1.06YD3) B		
		552-8239 BKT HD 1050MM 1.00M3 (42" 1.31YD3) B		
		552-8240 BKT HD 1200MM 1.19M3 (48" 1.56YD3) B		

**FLUIDS**

	0P-2407	ANTIFREEZE, -50C (-58F) . . . . .	0	\$318 NET
--	---------	-----------------------------------	---	-----------

**ALTERNATE SOURCED ATTACHMENTS**

Available Through ANTARES Parts Ordering System.

	528-3280	KIT, ELECTRIC PEDAL LH . . . . .	0	\$1,585 NI NET
		For tool control system		
	528-3281	KIT, ELECTRIC PEDAL RH . . . . .	0	\$1,620 NI NET
		For tool control system		
	528-3282	KIT, DUAL EXIT REAR WINDOW . . . . .	0	\$395 NI NET
		For Canadian regulation		
	528-3283	KIT, RAIN PROTECTOR . . . . .	0	\$385 NI NET
		Not compatible with FOGS and, full front windshield net/mesh		
	528-3289	KIT, POLYCARBONATE ROOF HATCH . . . . .	0	\$830 NI NET
		For comfort cab only		
	528-3292	KIT, MESH/NET GUARD, FULL . . . . .	0	\$1,745 NI NET
		Compliant with ISO10262 Level 2 Not compatible with cab light cover, rain protector		
	528-3293	KIT, MESH/NET GUARD, LOWER . . . . .	0	\$337 NI NET

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

	<b>486-5404</b>	<b>KIT, VANDALISM GUARD</b> . . . . . 0		<b>\$1,480 NI NET</b>
		Not compatible with cab light cover, rain protector		
	<b>605-8365</b>	<b>KIT, FOGS</b> . . . . . 0		<b>\$2,865 NI NET</b>
		Compliant with ISO10262 Level 2 Not compatible with Cab Light Cover, Rain Protector		

**SERVICE PARTS**

	<b>528-7420</b>	<b>SEATBELT 3" RETRACTABLE</b> . . . . . 0		<b>\$98 NI NET</b>
		Service Part Mandatory for California and ANZ		
	<b>487-3004</b>	<b>KEY FOB</b> . . . . . 0		<b>\$50 NI NET</b>
		Service Part		
	<b>561-0213</b>	<b>P5A GLASS-EU DEMOLITION</b> Service Part		

**DOCUMENTATION**

**FRONT LESS FILM**

<b>L</b>	<b>591-3890</b>	<b>FILM, OEM FRONTLESS</b> . . . . . 0		<b>NC</b>
		FOR USE IN LANE 3 ONLY Use FBC to configure currently available attachments ONLY FOR USE WITH: No boom, stick less machine		

**PACKING**

**STORAGE PROTECTION**

	<b>0G-4126</b>	<b>STORAGE PROTECTION (EXPORT)</b> . . . . . 0		<b>\$313 NET</b>
		Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

**ADDITIONAL STORAGE PROTECTION**

	<b>0P-7563</b>	<b>STORAGE PROTECTION (EXPORT)</b> . . . . . 0		<b>\$46 NET</b>
		ADSD-N machine is sprayed with LPS3 instead of Fluid Film to avoid the adhesion of Cogon-grass which is listed on invasive alien grasses in US. This is additional cost to spray LPS3.		

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING (CONT.)**

**FRONT LESS PLUG - NO BOOM**

L	586-9386	PLUG, FRONTLESS STD . . . . . 0 FOR USE IN LANE 3 ONLY For No Reach boom		NC
L	564-9719	PLUG, OEM, FRONTLESS, QC SLCV . . . . . 0 FOR USE IN LANE 3 ONLY For No Reach boom with SLCV		NC
L	564-9751	PLUG, QC . . . . . 0 FOR USE IN LANE 3 ONLY For No Reach boom with Quick coupler control		NC
L	586-9390	PLUG, FRONTLESS TCS . . . . . 0 FOR USE IN LANE 3 ONLY For No boom with tool control		NC
L	564-9729	PLUG, OEM, FRONTLESS, MP . . . . . 0 FOR USE IN LANE 3 ONLY For No boom with medium pressure circuit		NC

**STICK LESS PLUG**

L	564-9720	PLUG, STICK LESS, STD . . . . . 0 FOR USE IN LANE 3 ONLY For Reach boom and stick less machine		NC
L	564-9727	PLUG, HIGH PRESSURE LINES . . . . . 0 FOR USE IN LANE 3 ONLY For stick less machine with HP lines		NC
L	564-9732	PLUG, OEM, BOOM ONLY, MP QC . . . . . 0 FOR USE IN LANE 3 ONLY For stick less machine with MP and/or QC boom lines VAB includes both MP and QC boom lines When ordering both MP and QC lines, select 2 pcs		NC

**FIXTURE - BOOM CYLINDER**

L	584-0601	FIXTURE, BOOM CYLINDER, STD . . . . . 0 For reach boom configuration with no boom		NC
---	----------	--	--	----

**FIXTURE - BUCKET LINKAGE**

L	575-8647	FIXTURE, BUCKET LINKAGE B1 . . . . . 0 Required when NOT ordering an installed bucket or a quick coupler		\$50 NET
---	----------	---	--	----------

NOTE: MANDATORY WHEN CONFIGURING TUNNELING MACHINE WITH SHORT REACH FRONT & BUCKET (BUCKET TO BE SHIPPED AS DETACHED)

**EXPORT PACKING**

	0G-4202	ROLL ON-ROLL OFF . . . . . 0		\$149 NET
	0G-4209	ROLL ON-ROLL OFF W/O FRONT . . . . . 0 For no boom and no stick (front less)		\$74 NET

CATERPILLAR MACHINE PRICE LIST

**325**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING (CONT.)**

**EXPORT PACKING (Cont.)**

0G-4210	<b>ROLL ON-ROLL OFF W/O STICK</b> . . . . . 0	<b>\$189 NET</b>
	For use when ordering a machine without stick	
0G-4217	<b>EXPORT PKG,W/BOOM,STK DISM</b> . . . . . 0	<b>\$3,380 NET</b>
	Boom and stick dismounted, if dealer needs dismounted packing. For use when NOT ordering a bucket and tool control CANNOT BE USED WITH: BUCKET and TOOL CONTROL	
0G-4223	<b>EXPORT PKG,W/BOOM,STK,BKT DISM</b> . . . . . 0	<b>\$3,415 NET</b>
	Boom, stick and bucket dismounted, if dealer needs dismounted packing For use when ordering a bucket and NOT ordering tool control ONLY FOR USE WITH: BUCKET CANNOT BE USED WITH: TOOL CONTROL	
0G-4229	<b>EXPORT PKG,W/BOOM,STK DISM</b> . . . . . 0	<b>\$4,315 NET</b>
	Boom and stick dismounted, if dealer needs dismounted packing. For use when NOT ordering a bucket and ordering tool control ONLY FOR USE WITH: TOOL CONTROL CANNOT BE USED WITH: BUCKET	
0G-4233	<b>EXPORT PKG,W/BOOM,STK,BKT DISM</b> . . . . . 0	<b>\$4,335 NET</b>
	Boom, stick and bucket dismounted, if dealer needs dismounted packing. For use when ordering a bucket and tool control ONLY FOR USE WITH: BUCKET and TOOL CONTROL	

**PACKING - NOT INSTALLED STICK CYLINDER**

0P-6941	<b>PKG, 320-325 STICK CYLINDER NI</b> . . . . . 0	<b>\$353 NI NET</b>
---------	---	---------------------